

## **NEW JERSEY REAL PROPERTY APPRAISAL MANUAL**

The State Board of Agriculture directed the New Jersey Department of Agriculture to request that the Division of Taxation modify the Real Property Appraisal Manual for New Jersey Assessors to properly reflect appraisal values for farm buildings. Taxation was asked to review cost data, depreciation and economic obsolescence schedules, and establish a separate category for replacement cost conversion factors for farm buildings.

The Division of Taxation, with assistance from the Department of Agriculture, updated the New Jersey Real Property Appraisal Manual, Farm Building Section. The farm building cost section has been revised to include changes in construction techniques and building materials. In recent years, pre-engineered post and frame structures (PF Series) in large have replaced the traditional masonry and frame structures due to their cost effectiveness in construction. The farm building supplement to the Real Property Appraisal Manual for New Jersey Assessors provides the building specifications and cost schedules. Included in the document are cost conversion tables, depreciation factor tables plus various illustrations and definitions to assist the assessor in calculating replacement costs and accrued depreciation.

The original traditional building costs have been retained in the Manual to accommodate existing structures throughout the state (pages II-108 to II-114). Structures of this type, in most cases, will require functional and economic obsolescence, and if warranted, physical depreciation. To aid the assessor in the valuation of dissimilar structures, a demonstration appraisal (page II-115.2) is included for reference. A separate cost conversion factor has been established for these buildings (this was not included in prior editions of the Manual).

A second part of the farm building section of the Manual is the new section which includes replacement costs using current construction material and methods. The PF Series buildings can be found on pages II 115.1 to II-115.7. The farm building section also includes structures (pages II-115.8-115.9) which traditionally were included in the commercial portion of the Manual. Seed starting plastic greenhouses and single purpose/use agricultural buildings (greenhouses and silos), are included in the Manual.

And finally, the farm building section of the Manual also includes information about "The Business Retention Act" which amends the description of local property to reaffirm the legislature's regularly stated position of excluding machinery, apparatus and equipment used or held for use in business from local taxation.

The Farm Building Section is only a portion of the complete Manual and can not be used by itself in assessing real property on farms. The Manual includes other facets used in an appraisal, such as, the procedures for rural land appraisals, the cost approach, market/income approach, cost conversion factors, etc. The updated Farm Building Section of the Manual, will be published and distributed to local tax assessors for utilization in assessing structures during tax year 2000. Grant funds from the Department of Agriculture will be used by Taxation for printing of the document for distribution to tax assessors and any unused funds will be set aside to update the Manual in the future. Copies of the Manual are available from Property Administration, Division of Taxation, for a fee of \$28 (this includes shipping, handling and updates). Contact Taxation at (609) 984-3466 for ordering information. Copies may be available at local property tax assessors' offices, local libraries and the county tax board offices.

## **Table of Contents**

Introduction.....	3
-------------------	---

### **Cost Schedules**

General Purpose Barns.....	6
Livestock Barns.....	7
Farm Shed and Outbuildings.....	8
Pole Barns/Equipment Sheds.....	9
Horse Stables.....	10
Poultry Houses.....	11
Farm Silos (CL 156A).....	12
Farm Silos (CL 156C).....	13

### **Adjustments to Base PF Series**

Stall Barns.....	14
Horse Riding Arenas.....	15
Horse Turn Out Sheds.....	16
General Purpose/Hay Barns.....	17
Livestock Barns with Storage.....	18
Poultry Barns.....	19
Pole Barns.....	20
Green Houses.....	21
Temporary Seed/Green Houses.....	22

<b>Agricultural Adjustments to Base.....</b>	<b>23</b>
--	-----------

### **An Introduction to Estimating the Replacement**

<b>Cost of an Existing Livestock Barn, Class 151.....</b>	<b>25</b>
---	-----------

<b>Effective Age Depreciation Deduction Table.....</b>	<b>30</b>
--	-----------

<b>Type of Building.....</b>	<b>32</b>
------------------------------	-----------

### **Building Replacement Cost Conversion Factors for 2011**

[www.nj.gov/agriculture/divisions/md/pdf/costfactor.pdf](http://www.nj.gov/agriculture/divisions/md/pdf/costfactor.pdf)

## INTRODUCTION

The following is an updated version of the Agriculture Farm Building Costs. This section of the New Jersey Real Property Appraisal Manual has been revisited to include changes in construction techniques and building materials. In recent years pre-engineered post and frame structures in large have replaced the traditional masonry and frame structures due to their cost effectiveness in construction. This supplement of the Real Property Appraisal Manual for New Jersey Assessors provides the specifications and cost approach to value. Contained in this issue are cost conversion tables, depreciation, depth factors tables plus various illustrations and definitions to assist the assessor in classifying and calculating replacement costs.

Included in this publication are the original traditional building costs to accommodate existing structures throughout the state. The section is contained on the pages II-108 to II-114 and is comprised of class 150 through class 156, no changes have been made to this section. Structures of this type, in most cases, will require functional and economic obsolescence, and if warranted, physical depreciation.

To aid the Assessor in the valuation of dissimilar structures a demonstration appraisal on page II-115.12 is included for reference. It should be noted that while the base year of 1975 is still the starting point, a separate farm conversion factor (F-1) has been established for these buildings.

In the second part of this handbook, a new section has been added which includes replacement values using current construction material and methods. Post and frame style buildings are the "PF" series which encompass categories 157 through 163 found on pages II-115.1 to II-115.7. Alternative cost tables and adjustment sections are based on local material and labor costs prevailing throughout New Jersey as of October 1998. To efficiently use this section, the assessor must be familiar with all the cost schedules herein and should be proficient with the appraisal procedures outlined in Volume I of the Handbook. Additionally, since this manual is in a format suitable for computerization, accuracy and uniformity in the use of all cost data is absolutely essential.

A new section covering Greenhouses and/or Seed Starting Houses is also included as a handbook revision on page II-115.8 and II-115.9. While historically these structures were addressed in the commercial portion of the Appraisal Manual, updated values are now provided for farm based buildings. Square foot costs are current as of October 1998 and the cost conversion factor of F-2 is to be employed when appraising these building.

In the appraisal of farm buildings, the assessor must be familiar with all the recent legal and statutory rules governing the taxation of farm structures. Of particular concern in this area are the "single use" structures, which are exempt from taxation. 54:4-23.12 defines a single use agricultural or horticultural facility which is exempt from taxation. All other structures, whether used for agricultural or horticultural purposes, residential use or otherwise, must be valued, and taxed by the same standards applicable to all other taxable structures in the taxing district.

### **The Business Retention Act**

P.L. 1992, c24, "The Business Retention Act", amends the description of local taxable property to reaffirm the Legislature's regularly stated position of excluding machinery, apparatus and equipment used or held for use in business from local taxation.

The law amends subsection b. of R.S.54:4-1 to specify that items of machinery, apparatus or equipment used in the conduct of a business are defined as personal property regardless of the class or type of real property to which such items may be affixed. Such items are defined as locally taxable real property only if they constitute a structure, as defined in the law, or are primarily used to enable a structure to support, shelter, contain, enclose or house persons or property. Examples of machinery, apparatus or equipment which enable a structure to house persons or property, and which are therefore locally taxable, include central heating or air conditioning systems, elevators, suspended ceilings, affixed partitions, plumbing and plumbing fixtures connected to a plumbing system, overhead lighting, sprinkler systems, piping and electric wiring up to the point of connection with a manufacturing process within the structure, and a central hot water system or the boiler primarily used to supply it.

#### **54:4-1.15. Definitions - Business Retention Act**

"Machinery, apparatus or equipment" means any machine, device, mechanism, instrument, tool, tank or item of tangible personal property used or held for use in business.

"Production process" means the process commencing with the introduction of raw materials or components into a systematic series of manufacturing, assembling, refining or processing operations and ceasing when the product is in the form in which it will be sold to the ultimate consumer.

"Structure" means any assemblage of building or construction materials fixed in place for the primary purpose of supporting, sheltering, containing, enclosing or housing persons or property.

"Used or held for use in business" means any item of machinery, apparatus or equipment used or held for use in a business transaction, activity, or occupation conducted for profit in New Jersey.

#### **54:4-23.12. Valuation, assessment and taxation of structures**

- All structures, which are located on land in agricultural or horticultural use and the farmhouse and the land on which the farmhouse is located, together with the additional land used in connection therewith, shall be valued, assessed and taxed by the same standards, methods and procedures as other taxable structures and other land in the taxing district, regardless of the fact that the land is being valued, assessed and taxed pursuant to P.L.1964, c. 48 (C. 54:4-23.1 et seq.); provided, however, that the term "structures" shall not include "single-use agricultural or horticultural facilities." As used in this act, "single-use agricultural or horticultural facility" means property employed in farming operations and commonly used for either storage or growing, which is designed or constructed so as to be readily dismantled and is of a type which can be marketed or sold separately from the farmland and buildings and shall include, but not be limited to, temporary demountable plastic covered framework made up of portable parts with no permanent under-structures or related apparatus, commonly known as seed starting plastic greenhouses, or other readily dismantled silos, greenhouses, grain bins, manure handling equipment, and impoundment's, but shall not include a

structure that encloses a space within its walls used for housing, shelter, or working, office or sales space, whether or not removable.

- The Director of the Division of Taxation shall adopt, in consultation with the Secretary of Agriculture and in accordance with the "Administrative Procedure Act," P.L.1968, c. 410 (C. 52:14B-1 et seq.), rules and regulations establishing criteria for the assessment of all farm structures.
- In the valuation and assessment of farm structures the assessor shall consider those indications of value which such structures have under the same value applicable to all other real property. Assessors shall take into consideration the following criteria for the establishment of value:
  - Cost less depreciation: Based on the premise that the cost new of the structure is the highest possible value. Costs may include in addition to materials and labor, architect, engineering and permit fees, surveys and site improvement costs. From the highest possible value are deducted accrued depreciation, physical deterioration and functional and economic obsolescence.
  - Alteration to existing structures: The cost of alterations or modernization to an existing farm structure does not necessarily add to building value. Where major alterations or modernization definitely increases or adds to the value of the farm structure, the percentage appreciation is determined by estimating the probable increase in sales value or the increase in remaining economic life of the building.
  - Specialized nature of building use: Farm structures are designed and built for specific production uses. Knowledge of building types, construction quality, useful life and utilization is important in determining value. Comparisons should be made with like structures.
  - Depreciation: The physical condition of agricultural buildings should be compared to the near perfect condition of similar new buildings, based on inspection of all components. A depreciation schedule for farm structures shall be used in the assessment of the physical condition of a building.
  - Obsolescence: This is loss of value due to internal or external deficiencies.
    - Functional obsolescence is loss in value due to the inability of the structure to perform adequately the function it was intended for. Functional obsolescence would result if a building has limited contribution to a farming operation by being technologically obsolete, such as a dairy barn with 30 stall stanchions when today's standard is larger free stall structures with milking parlors. Or being unusable for the purpose for which it was built.
    - Economic obsolescence of a structure with a specialized agriculture use is loss in value as a result of impairment in utility and desirability caused by factors outside the properties boundaries. For example dairy farming has generally been unprofitable for New Jersey Farmers, therefore farm structures design for milk production have limited value even though said structures are physically usable.
    - Municipal zoning: Ordinances or codes may limit the use of a farm structure to agricultural purposes. Consideration should be given to the permitted uses of a structure. The proximity of a farm structure to a farm dwelling shall also be considered since the valuation of both buildings may be adversely impacted

**Class 150 General Purpose Barns**

**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

- |                     |  |                 |                                     |
|---------------------|--|-----------------|-------------------------------------|
| 1) Roof:            | Gable or Gambrel,<br>Composition<br>Part Concrete, Part<br>Shingle or Equivalent | 5) Floors:      | Dirt, Hayloft with<br>Wood Flooring |
| 2) Foundation:      | Masonry Walls or<br>Equivalent   | 6) Plumbing:    | Minimum Number of<br>Outlets Water  |
| 3) Exterior Wall:   | Wood Siding on<br>Wood Frame,<br>Concrete Block<br>or equivalent                 | 7) Lighting:    | None                                |
| 4) Interior Finish: | Stall Partitions,<br>Feed Storage<br>and Equipment Rooms                         | 8) Other Items: | None                                |

**BASE COST PER CUBIC FOOT**

<b><u>10,000</u></b>	<b><u>15,000</u></b>	<b><u>20,000</u></b>	<b><u>30,000</u></b>	<b><u>50,000</u></b>	<b><u>75,000</u></b>	<b><u>100,000</u></b>	<b><u>150,000</u></b>
\$0.45	\$0.40	\$0.35	\$0.35	\$0.35	\$0.30	\$0.30	\$0.30

For Low Quality, multiply by .75

For High Quality, multiply by 1.30

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I

Cost Conversion Factors: See Page II - 153

Adjustments To Base Specifications: None

**CLASS 151 LIVESTOCK BARNs**

**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

- |                     |   |                 |  |
|---------------------|---|-----------------|--|
| 1) Roof:            | Gable or Gambrel, Wood Shingle or Equivalent            | 5) Floors:      | Concrete Slab or Equivalent                    |
| 2) Foundation:      | Masonry Walls or Equivalent                             | 6) Plumbing:    | Adequate Number of Outlets Water               |
| 3) Exterior Walls:  | Concrete Block, Wood Siding on Wood Frame or Equivalent | 7) Lighting:    | Conduit Wiring with Minimum Number of Fixtures |
| 4) Interior Finish: | Stanchion and Stalls; Feed Room and Storage Rooms       | 8) Other Items: | None   |

**BASE COST PER CUBIC FOOT**

Without Loft

<u>10,000</u>	<u>15,000</u>	<u>20,000</u>	<u>30,000</u>	<u>50,000</u>	<u>75,000</u>	<u>100,000</u>	<u>150,000</u>
\$0.70	\$0.65	\$0.60	\$0.60	\$0.55	\$0.55	\$0.50	\$0.50

With Loft

<u>10,000</u>	<u>15,000</u>	<u>20,000</u>	<u>30,000</u>	<u>50,000</u>	<u>75,000</u>	<u>100,000</u>	<u>150,000</u>
\$1.10	\$1.00	\$0.95	\$0.90	\$0.85	\$0.80	\$0.80	\$0.75

For Low Quality, multiply by .70

For High Quality, multiply by 1.40

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I

Cost Conversion Factors: See Page II - 153

Adjustments To Base Specifications: None

**CLASS 152 FARM SHED AND OUTBUILDINGS**

**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

- |                     |   |                 |  |
|---------------------|---|-----------------|--|
| 1) Roof:            | Gable or Shed Type,<br>Composition Shingle<br>or Equivalent | 5) Floors:      | Concrete Slab or Softwood                            |
| 2) Foundation:      | Masonry Walls or Equivalent                                 | 6) Plumbing:    | None   |
| 3) Exterior Walls:  | Wood Siding on Wood Frame,<br>Concrete Block or Equivalent  | 7) Lighting:    | Conduit Wiring with<br>Minimum Number of<br>Fixtures |
| 4) Interior Finish: | None  | 8) Other Items: | None   |

**BASE COST PER SQUARE FOOT GROUND AREA**

<u>100</u>	<u>150</u>	<u>200</u>	<u>400</u>	<u>600</u>	<u>1,000</u>	<u>2,000</u>	<u>3,000</u>
\$7.75	\$6.75	\$6.50	\$6.00	\$5.55	\$5.40	\$5.40	\$4.70
For Low Quality, multiply by .75				For High Quality, multiply by 1.25			

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I  
 Cost Conversion Factors: See Page II - 153  
 Adjustments To Base Specifications: None

**CLASS 153 POLE BARNS/EQUIPMENT SHEDS**

**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

1) Roof:	Gable or Shed Type, Metal or Aluminum on Wood Frame	5) Floors:	None
2) Foundation:	Creosoted Poles	6) Plumbing:	None
3) Exterior Walls:	Corrugated Metal or Aluminum on Wood Framing	7) Lighting:	Conduit Wiring with Minimum Number of Fixtures
4) Interior Finish:	None	8) Other Items:	None

**BASE COST PER SQUARE FOOT GROUND AREA**

<u>500</u>	<u>1,000</u>	<u>1,500</u>	<u>2,000</u>	<u>2,500</u>	<u>3,000</u>	<u>3,500</u>	<u>4,000</u>	<u>5,000</u>
\$4.65	\$4.15	\$3.85	\$3.75	\$3.65	\$3.60	\$3.55	\$3.50	\$3.45
For Low Quality, multiply by .75				For High Quality, multiply by 1.25				

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I  
 Cost Conversion Factors: See Page II - 153  
 Adjustments To Base Specifications: None

**CLASS 154 HORSE STABLES**

**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

1) Roof:	Gable or Shed Type, Average Quality Roofing	5) Floors:	Concrete Slab or Wood in Storage Rooms
2) Foundation:	Masonry Walls or Equivalent	6) Plumbing:	Water Outlets Only
3) Exterior Walls:	Stucco on Wall or Block, Wood Siding on Wood Frame, Concrete Block or Equivalent	7) Lighting:	Conduit Wiring with Minimum Number of Fixtures
4) Interior Finish:	Storage Rooms, Wood or Concrete Block Stall Partitions	8) Other Items:	None

**BASE COST PER SQUARE FOOT GROUND AREA**

<u>1,000</u>	<u>2,000</u>	<u>3,000</u>	<u>4,000</u>	<u>5,000</u>	<u>7,500</u>	<u>10,000</u>	<u>12,500</u>	<u>15,000</u>
\$9.85	\$8.75	\$8.25	\$7.90	\$7.75	\$7.60	\$7.50	\$7.20	\$7.00

For Low Quality, multiply by .55

For High Quality, multiply by 1.50

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I

Cost Conversion Factors: See Page II - 153

Adjustments To Base Specifications: None

## CLASS 155 POULTRY HOUSES

### AVERAGE QUALITY MATERIALS AND WORKMANSHIP

#### BASE SPECIFICATIONS

1) Roof:	Gable or Shed Type, Composition Shingle Roofing or Equivalent, Insulated	5) Floors:	First Floor, Concrete Slab; Upper Floor, Wood
2) Foundation:	Masonry Walls or Equivalent	6) Plumbing:	Water Outlets Only
3) Exterior Walls:	Wood Siding on Wood Frame, Concrete Block or Equivalent	7) Lighting:	Conduit Wiring with Minimum Number of Fixtures
4) Interior Finish:	Minimum Partitioning	8) Other Items:	None

#### BASE COST PER SQUARE FOOT GROUND AREA

Number of Stories	<u>500</u>	<u>1,000</u>	<u>2,000</u>	<u>3,000</u>	<u>4,000</u>	<u>5,000</u>	<u>10,000</u>	<u>20,000</u>
1	\$7.80	\$7.25	\$6.45	\$6.15	\$6.00	\$5.90	\$5.60	\$5.50
2	\$15.20	\$13.65	\$12.95	\$11.70	\$11.40	\$11.20	\$10.65	\$10.45

For Low Quality, multiply by .70

For High Quality, multiply by 1.35

#### **NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I

Cost Conversion Factors: See Page II - 153

Adjustments To Base Specifications: None

## CLASS 156A FARM SILOS

### AVERAGE QUALITY MATERIALS AND WORKMANSHIP

#### BASE SPECIFICATIONS

1) Roof:	None	5) Interior Finish:	None
2) Foundation:	Concrete Wall and Footing	6) Plumbing:	None
3) Exterior Walls:	Clay Tile or Poured in Place Concrete	7) Lighting:	None
4) Floors:	Concrete Slab or Equivalent	8) Other Items:	None

#### BASE COST

##### **Base Height 28 Feet:**

Diameter	10`	12`	14`	16`	18`	20`	22`	26`	30`	36`
Circumference	31`	38`	44`	50`	57`	63`	69`	82`	94`	113`
Wall Type A	\$2560	\$3085	\$3600	\$4115	\$4635	\$5160	\$5695	\$6765	\$7820	\$9315

##### **Add or Deduct for each 2` variation in Height:**

Wall Type A	\$115	\$140	\$160	\$185	\$205	\$230	\$255	\$305	\$350	\$415
-------------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

##### **Additions:**

Steel Roof	\$455	\$550	\$640	\$730	\$825	\$920	\$1015	\$1205	\$1390	\$1655
------------	-------	-------	-------	-------	-------	-------	--------	--------	--------	--------

Add for Chute, Steel per foot - Height \$7.50

Tile per foot - Height- \$8.50;

Add for Lining: Per Sq. Ft. \$1.20

##### **NOTES:**

Depreciation Schedules: For All Wall Types - Table D-II

Cost Conversion Factors: See Page II-153 - Table - F-1

Adjustments To Base Specifications: None

## CLASS 156C FARM SILOS



**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

---

### **BASE SPECIFICATIONS**

1) Roof:	Steel	5) Interior Finish:	None
2) Foundation:	Concrete Pads or Equivalent	6) Plumbing:	None
3) Exterior Walls:	Steel	7) Lighting:	None
4) Floors:	None	8) Other Items:	None

---

### **These structures are not assessable for Real Property Taxation Purposes.**

These silos are not permanently affixed, they rest on concrete pads and can be easily removed without damage to the structure or to the real property. Under the guidelines of P.L.1993, c.251 (S-15) these structures are exempted under the single purpose agricultural or horticultural use criteria. As such, they must be a single use; must be for storage or growing of an agricultural or horticultural commodity; designed or constructed so as to be readily dismantled; and can be marketed or sold separately from the farmland buildings.

**CLASS PF 157 STALL BARN**



**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

1) Roof:	Gable or Gambrel, Average Quality Roofing, "Rigid" Insulation	5) Floors:	None
2) Foundation:	Treated Poles	6) Plumbing:	None
3) Exterior Walls:	Steel, Two (2) Sliding Doors	7) Lighting:	None
4) Interior Finish:	None	8) Other Items:	None
9) Height:	9-10 Ft.		

**BASE COST PER S/F**

<u>1000</u>	<u>2500</u>	<u>5000</u>	<u>7500</u>	<u>10000</u>	<u>15000</u>
11.03	8.06	7.14	6.81	6.42	6.24
For Low Quality, multiply by .75			For High Quality, multiply by 1.25		

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I  
 Cost Conversion Factors: See F-2  
 Adjustments To Base Specifications - See Agriculture Adjustments Section

**CLASS PF 158 HORSE RIDING ARENAS**



**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

1) Roof:	Gable or Gambrel, Average Quality Roofing, 1' "Rigid" Insulation	5) Floors:	None
2) Foundation:	Treated Poles	6) Plumbing:	None
3) Exterior Walls:	Steel, Two (2) Sliding Doors One (1) Entry Door	7) Lighting:	None
4) Interior Finish:	None	8) Other Items:	None
9) Height:	15 Ft.		

**BASE COST PER S/F**

<u>5000</u>	<u>7500</u>	<u>10000</u>	<u>15000</u>	<u>20000</u>
7.52	7.11	7.13	7.23	6.92
For Low Quality, multiply by .75			For High Quality, multiply by 1.25	

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I  
 Cost Conversion Factors: See F-2  
 Adjustments To Base Specifications - See Agriculture Adjustments Section

**CLASS PF 159 HORSE TURN OUT SHEDS**



**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

1) Roof:	Gable, Average Quality Roofing, No Insulation	5) Floors:	None
2) Foundation:	Treated Poles	6) Plumbing:	None
3) Exterior Walls:	Wood, One (1) Side Open	7) Lighting:	None
4) Interior Finish:	Wood Kick Board Liner - 5 Ft High	8) Other Items:	None
9) Height:	9 Ft.		

**BASE COST PER S/F**

<u>144</u>	<u>288</u>	<u>432</u>	<u>576</u>	<u>720</u>
18.41	14.71	11.07	9.90	8.94
For Low Quality, multiply by .75		For High Quality, multiply by 1.25		

For Fully Enclosed Shed Add \$0.95/SF Wall Area

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I

Cost Conversion Factors: See F-2

Adjustments To Base Specifications - See Agriculture Adjustments Section

**Class PF 160 General Purpose/Hay Barns**



**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

1) Roof:	Gable, Average Quality Roofing, Ridge Vent Vented Overhang No Insulation	5) Floors:	None
2) Foundation:	Treated Poles	6) Plumbing:	None
3) Exterior Walls:	Steel, One (1) Sliding Door One (1) Entry Door	7) Lighting:	
4) Interior Finish:	None	8) Other Items:	None

**BASE COST PER S/F**

<u>SIDEWALL HT.</u>	<u>5000</u>	<u>7500</u>	<u>10000</u>	<u>15000</u>	<u>20000</u>
16'	6.73	6.52	5.99	6.09	5.80
20'	7.58	7.25	6.65	6.72	6.39

For Low Quality, multiply by .75

For High Quality, multiply by 1.25

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I  
 Cost Conversion Factors: See F-2  
 Adjustments To Base Specifications - See Agriculture Adjustments Section

**CLASS PF 161 LIVESTOCK BARN WITH STORAGE**



**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

1) Roof:	Gambrel, Average Quality Roofing, 1' Rigid Insulation	5) Floors:	None
2) Foundation:	Treated Poles	6) Plumbing:	None
3) Exterior Walls:	Steel, Two (2) Sliding Doors One (1) Entry Door	7) Lighting:	None
4) Interior Finish:	None	8) Other Items:	None

**BASE COST PER S/F**

<u>SIDEWALL HT.</u>	<u>2500</u>	<u>5000</u>	<u>7500</u>	<u>10000</u>	<u>15000</u>	<u>20000</u>
10'	10.90	10.04	9.47	9.63	9.45	9.17
14'	12.26	11.20	10.59	10.62	10.40	10.08

For Low Quality, multiply by .75

For High Quality, multiply by 1.25

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I

Cost Conversion Factors: See F-2

Adjustments To Base Specifications - See Agriculture Adjustments Section

**CLASS PF 162 POULTRY BARNS**



**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

1) Roof:	Gable, Average Quality Roofing, 1' Rigid Insulation	5) Floors:	None
2) Foundation:	Masonry & Treated Poles	6) Plumbing:	None
3) Exterior Walls:	Steel, Two (2) Sliding Doors One (1) Entry Door	7) Lighting:	None
4) Interior Finish:	None	8) Other Items:	None

**BASE COST PER S/F**

<u>SIDEWALL HT.</u>	<u>2500</u>	<u>5000</u>	<u>7500</u>	<u>10000</u>	<u>15000</u>	<u>20000</u>
10'	8.19	7.12	6.94	7.07	7.18	6.91
14'	9.32	8.05	7.68	7.56	7.83	7.51

For Low Quality, multiply by .75

For High Quality, multiply by 1.25

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I

Cost Conversion Factors: See F-2

Adjustments To Base Specifications - See Agriculture Adjustments Section.

**CLASS PF 163 POLE BARN**



**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

1) Roof:	Gable, Average Quality Roofing, No Insulation	5) Floors:	None
2) Foundation:	Treated Poles	6) Plumbing:	None
3) Exterior Walls:	Steel, One (1) Sliding Doors One (1) Entry Door	7) Lighting:	None
4) Interior Finish:	None	8) Other Items:	None

**BASE COST PER S/F**

<u>SIDEWALL HT.</u>	<u>1000</u>	<u>2500</u>	<u>5000</u>	<u>7500</u>	<u>10000</u>	<u>15000</u>	<u>20000</u>
10'	8.65	6.85	5.88	5.75	5.78	5.91	5.68
14'	10.25	7.81	6.65	6.58	6.36	6.45	6.18

For Low Quality, multiply by .75

For High Quality, multiply by 1.25

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I

Cost Conversion Factors: See F-2

Adjustments To Base Specifications - See Agriculture Adjustments Section

**CLASS GH 164 GREEN HOUSES\***

**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

**BASE SPECIFICATIONS**

- |                |                                 |              |                                 |
|----------------|---------------------------------|--------------|---------------------------------|
| 1) Frame:      | Steel with Glass Walls and Roof | 4) Floors:   | None                            |
|                | Not Readily Dismantled          |              |                                 |
| 2) Foundation: | Concrete/Masonry or Equivalent  | 5) Plumbing: | Minimum Number of Water Outlets |
| 3) Heating:    | See GH164-02 Series             | 6) Lighting: | Minimum Number of Fixtures      |

**BASE COST PER S/F**

<u>CLASS</u>	<u>1000</u>	<u>1500</u>	<u>2000</u>	<u>3000</u>	<u>4000</u>	<u>5000</u>	<u>10000</u>
GH164-01 (Unheated)	27.09	22.57	20.33	18.05	16.95	16.24	14.90
GH164-02 (Heated)	35.52	27.40	24.82	22.27	20.98	20.22	18.68

For Low Quality, multiply by .75

For High Quality, multiply by 1.25

**ADJUSTMENTS TO BASE PER SQUARE FOOT OF FLOOR AREA**


<u>ITEM</u>	<u>LOW</u>	<u>AVERAGE</u>	<u>HIGH</u>
Wood Flooring	2.60	5.07	7.78
Concrete Flooring	1.53	3.07	4.60
Crushed Stone (\$0.16/SF at 1 inch deep)	0.16	0.16	0.16

**NOTES:**

Depreciation: For High Quality - Table D-III, Average Quality - Table D-II, Low Quality Table D-I  
 Cost Conversion Factors: See F-2

\*P.L. 1993, c251 includes a provision that readily dismantled greenhouses may be tax exempt if specific criteria are met.

**CLASS GH 0000 TEMPORARY SEED/GREEN HOUSES**



**AVERAGE QUALITY MATERIALS AND WORKMANSHIP**

---

**BASE SPECIFICATIONS**

- |                |   |            |                 |
|----------------|---|------------|-----------------|
| 1) Frame:      | De-Mountable Temporary Metal<br>or Wood Frame | 3) Floors: | None            |
| 2) Foundation: | None  | 4) Cover:  | Plastic Covered |

---

**These structures are not assessable for Real Property Taxation purposes**

Under Chapter 70 Laws of 1979 regarding seed starting plastic greenhouses and Charter 251 Laws of 1993 pertaining to single purpose / use agriculture buildings, these buildings are not assessable locally. These protective coverings are designed or constructed to be readily dismantled. Included are the temporary de-mountable seed starting plastic greenhouses comprised of plastic covered framework of portable parts with no permanent under structures.

**AGRICULTURAL ADJUSTMENTS TO BASE**

*For Low Quality multiply cost by 0.75  
For High Quality multiply cost by 1.25*

<u>ID CODE</u>	<u>DOORS</u>	<u>AVERAGE</u>
PF1	FULL DUTCH	\$569
PF2	HALF DUTCH	\$406
PF3	SLIDING	\$722
PF4	ENTRY	\$396
PF5	VENT	\$378
PF6	OVERHEAD	\$8.25/SF

<u>ID CODE</u>	<u>FLOORS</u>	<u>AVERAGE</u>
	CONCRETE	
PF7	4 inches REINFORCED	\$2.41/SF
PF8	6 inches REINFORCED	\$2.88/SF
PF9	STONE (per 1 inch deep)	\$0.16/SF

<u>ID CODE</u>	<u>WINDOWS</u>	<u>AVERAGE</u>
PF10	STANDARD	\$170
PF11	WITH BAR PROTECTION	\$265

<u>ID CODE</u>	<u>EQUESTRIAN EQUIPMENT</u>	<u>AVERAGE</u>
PF12	WASH ROOM	\$1,233
PF13	TACK ROOM	\$1,492
PF14	FEED ROOM	\$1,492

NOTE: Cost based on an average size of 10 x 12

<u>ID CODE</u>	<u>EQUESTRIAN STALL</u>	<u>AVERAGE</u>
PF15,	10 x 10	\$993
PF16,	10 x 12	\$1,102
PF17,	12 x 12	\$1,224
PF18,	STIRRUP GUARDS	\$12.67/LF
PF19	SIDE WALL CURTAINS	\$5.30/SF

<u>ID CODE</u>	<u>LIGHTING</u>	<u>AVERAGE</u>
PF20,PF21	TRANSLUCENT PANEL WALL or CEILING	\$1.03/SF \$5.68/LF

<u>ID CODE</u>	<u>ELECTRICAL</u>	<u>AVERAGE</u>
PF22	Per Outlet	\$45
PF23	Service Panel	\$300 -\$700

<u>ID CODE</u>	<u>PLUMBING</u>	<u>AVERAGE</u>
PF24	COLD WATER TAP	\$780
PF25	COLD & HOT WATER TAP	\$1,260
PF26	FLOOR DRAIN	\$180
PF27	UTILITY TUB	\$225

NOTE: Other fixtures costs refer to page II-93 of Real Property Appraisal Manual.

---

<b><u>ID CODE</u></b>	<b><u>HEATING</u></b>	
PF28	SPACE HEAT, MINIMUM INDUSTRIAL UNIT HEATERS	\$0.50 - \$1.25 PER SF

---

<b><u>ID CODE</u></b>	<b><u>INSULATION</u></b>	<b><u>AVERAGE</u></b>
PF29	RIGID BOARD 1/2 inch	\$0.72/SF
PF30	FIBERGLASS	\$0.60/SF
PF31	9 inch FIBERGLASS STEEL	
PF32	INTERIOR CEILING	\$2.42/SF

---

<b><u>ID CODE</u></b>	<b><u>MISCELLANEOUS ITEMS</u></b>	<b><u>AVERAGE</u></b>
PF33	STORAGE LOFTS	\$3.05/SF
PF34	ROOF SHINGLES (standard 25 years) DEDUCT FOR MISSING WALL	\$1.05/SF
PF35	COST PER SF OF WALL AREA	\$0.95/SF

---

<b><u>ID CODE</u></b>	<b><u>EXTERIOR SIDING (Per SF of Wall Area)</u></b>	<b><u>AVERAGE</u></b>
PF36	T-111 SIDING or EQUIVALENT	\$0.90/SF
PF37	CEDAR SIDING or EQUIVALENT	\$2.26/SF
PF38	WHITE PINE SIDING or EQUIVALENT	\$1.75/SF

---

<b><u>ID CODE</u></b>	<b><u>INTERIOR OFFICE FINISH</u></b>	<b><u>AVERAGE</u></b>
PF39	AVERAGE QUALITY	\$11.99/SF

---

## **An introduction to estimating the replacement cost of an existing Livestock Barn, Class 151**

The purpose of this demonstration appraisal is to review the cost valuation techniques applicable to the assessment of older type farm buildings that an assessor encounters in reassessment programs. The scope of this report is limited to the cost approach for building replacement value using the original type specifications provided on page II-109 of this handbook.

The steps in the cost approach to the building value are as follows:

- Estimate the replacement cost new of the improvements using the Class 151 cost specifications.
- Estimate functional depreciation by comparing the replacement cost of the original building to the cost of the an alternate structure derived through the PF 161 series buildings. The difference between the replacement cost and the substitution cost from the PF series building is the functional depreciation attributable to the dairy barn.
- Deduct the functional depreciation from the new replacement cost calculated for the Class 151 building.

Estimate depreciation from all sources, physical, economic and deduct all accrued depreciation from the improvements to arrive at a present day depreciated cost. The first step listed above (Estimate Reproduction Cost New of the Improvements) is of major concern in this report. This cost is done in a detailed manner to promote an understanding of the appraisal manual and demonstrate its uniform application throughout New Jersey. Class 151 includes all farm buildings having a structural frame of wood with exterior wall of wood and/or concrete block or wood on frame or equivalent. Buildings in this class have a masonry foundation or equal with a concrete slab as the floor.


The base specifications for this demonstration of a Class 151 are found in Volume II, page II-109 of the Real Property Appraisal Manual.

For purposes of this demonstration the cost conversion factor of 2.79 for farm buildings series 150 through 156 is found on the 1997 revised cost conversion table. Guidelines for suggested effective age depreciation tables for the subject building are to be found on page II-137.

### **Procedure for a Livestock Building Appraisal**

The base area replacement cost given for this Class 151  
is determined in the following manner:


1. Measure and calculate the square footage of ground area.
2. Establish the standard height factor to be used. In this type of livestock barn with storage and a gambrel roof, the unit cost are based on cubic foot calculations with or without a loft. The building height is determined through the following procedure. The height component is calculated by adding the side wall elevation with two thirds (2/3) of the roof height from the eaves to the roof peak.



For the subject building the width of 50 X 125 of length = 6,250 square feet of floor area. Using a height factor of twenty (20) feet (14' (wall) + 6' (roof)) multiplied by the ground area results in a building volume of 125,000 cubic feet. Note: See step #5

4.

Sketch the building dimensions using a floor view with a side illustration to display the height profile. Clearly label all the dimensions to ensure accuracy in the area calculations.



6.

In the note section of the property record card describe the structure, list the building materials, quality of construction, the year built, the observed physical condition and all relevant information that may affect its value.

NOTES	
Wood frame, gambrel roof, wood siding, cement floor.	
unfinished storage loft, 5 water outlet, minimum electric.	
livestock barn built in 1943, normal condition	
STRUCTURE FLAT ADDS	
none	
ACCESSORY FLAT ADDS	
none	

For purposes of this demonstration, the selected samples of a property record card were adjusted in size to fit the page dimensions.

- Under the section of ACCESSORY AND FARM BUILDINGS enter the class identification number, building description, quality grade, width, length and building height.

Card code	Id./Cls.	Description	Quality Grades		Width	Length	Height				
28	30	151	Wood frame and concrete block	33	3	25	50	38	125	41	20
	47		livestock barn with loft	50			52	55		58	
	54			67			69	72		75	
28	30			33			35	38		41	
	47			50			52	55		58	
	54			67			69	72		75	
28	30			33			35	38		41	
	47			50			52	55		58	
	54			67			69	72		75	
28	30			33			35	38		41	
	47			50			52	55		58	
	54			67			69	72		75	
28	30			33			35	38		41	
	47			50			52	55		58	
	54			67			69	72		75	
28	30			33			35	38		41	
	47			50			52	55		58	
	54			67			69	72		75	

\* Quality grade 1= Low 3= Average 5= High

- Using the building dimensions derived from the example, calculate the building area and apply the unit costs, quality factors and cost conversion factor to arrive at the RCN (Replacement Cost, New) value of \$279,000. In this demonstration physical curable and incurable depreciation is estimated by using the AGE / LIFE method. The structure is 40 years old, in average condition and has a typical economic life of 60 years.

$$\frac{40 \text{ years actual}}{60 \text{ years economic}} = 67\% \text{ physical depreciation}$$

$$\{ \text{Replacement Cost New ( \$279,000 ) } \times .67 = \$186,930. = \text{physical depreciation}$$

Replacement Cost New     \$279,000  
 Less physical depreciation \$186,930  
 RCNLD                         \$92,070

Area	Rate	Quality Factor	Cost	Cost Conv	RCN	Net Cond	RCNLD
125000	.80	1	100,000	2.79	279,000	.44	92,070
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	
						.44	
						.51	
						.78	</

	Area	Rate	Quality Factor	Cost	Cost Conv	RCN		Net Cond	RCNLD
<b>PF Series 161</b>							44		
Pole frame	6250	10.59	1	66187	1.00	66187	78	100	66187
50 X 125 X 14 Ht gambrel roof built 1997 normal condition							44		
							61		
							78		
							44		
							61		
							78		
<b>Additions</b>							44		
4" reinforced concrete floor	625	2.41	1	15062	1.00	15062	78	100	15062
5 Plumbing fixtures	5	780	1	3900	1.00	3900	44	100	3900
							61		
Lights & outlets	10	45	1	450	1.00	450	78	100	450
Electric panel	1	500	1	500	1.00	500	44	100	500
							61		
							78		
<b>ACCESSORY AND FARM BUILDINGS TOTAL RCNLD</b>									<b>86,099</b>

11.

In the subject demonstration a 15 % adjustment was made for economic obsolescence.\*\* Economic obsolescence as defined is an element of accrued depreciation; an incurable defect caused by negative influences outside the property itself. When an Assessor can measure and justify an adjustment for loss in value due to external conditions, then a factor for economic obsolescence is warranted. For example the decline in demand for dairy barns due to the general diminution of dairy farms in New Jersey was reflected in the above adjustment of economic obsolescence

## EFFECTIVE AGE DEPRECIATION DEDUCTION TABLE

The following tabulation representation suggested guides for effective age percentage depreciation tables for different types of building construction. Each building class specification indicates the tables which are applicable to the class.

EFFECTIVE AGE IN YEARS	TABLE D	TABLE D-I	TABLE D-II	TABLE D-III	TABLE D-IV	TABLE D-V	TABLE D-VI	TABLE D-VII
1	4.0%	2.5%	2.0%	1.5%	1.5%	1.0%	1.0%	0.5%
2	7.0	4.5	3.5	2.5	2.5	2.0	2.0	1.5
3	11.0	7.0	4.5	3.5	3.0	2.5	2.5	2.0
4	16.0	9.0	6.0	4.5	4.0	3.5	3.5	3.0
5	20.0	11.0	7.0	5.5	4.5	4.0	4.0	3.5
6	22.0	13.0	8.5	6.5	5.5	5.0	5.0	4.5
7	27.0	15.5	10.0	8.0	6.5	6.0	5.5	5.0
8	30.0	17.5	11.0	9.0	8.0	7.0	6.5	6.0
9	34.0	20.0	12.5	10.5	9.0	8.0	7.0	7.0
10	37.5	22.0	14.0	11.5	10.0	9.0	8.0	7.5
11	41.0	24.0	15.5	13.0	11.0	10.0	9.0	8.0
12	44.0	25.5	17.0	14.0	12.0	10.5	9.5	9.0
13	47.0	27.5	18.0	15.5	13.0	11.5	10.5	9.5
14	50.0	29.5	19.5	16.5	14.0	12.5	11.0	10.5
15	52.0	31.0	21.0	18.0	15.0	13.5	12.0	10.5
16	54.0	33.0	22.5	19.0	16.0	14.5	13.0	11.0
17	56.0	34.5	24.0	20.5	17.5	15.5	13.5	12.0
18	58.0	36.5	25.5	21.5	18.5	16.5	14.5	12.5
19	60.0	38.0	27.0	23.0	20.0	17.5	15.0	13.5
20	62.0	40.0	28.5	24.0	21.0	18.5	16.0	14.0
21	64.0	41.5	30.0	25.5	22.0	19.5	17.0	14.5
22	65.0	43.0	32.0	27.0	23.0	20.5	17.5	15.0
23	67.0	45.0	33.5	28.0	24.5	21.5	18.5	16.0
24	68.5	46.5	35.0	29.5	25.5	22.5	19.0	16.5
25	70.0	48.0	36.5	31.0	26.5	23.5	20.0	17.0
26	71.5	49.5	38.0	32.5	28.0	24.5	21.0	18.0

27	73.0	51.0	39.5	34.0	29.0	25.5	22.0	19.0
28	74.5	52.0	41.0	35.0	30.5	26.0	23.0	20.0
29	76.0	53.5	42.0	36.5	32.0	27.0	24.0	21.0
30	77.5	55.0	43.5	38.0	33.0	28.0	25.0	22.0
35		61.0	49.0	44.0	38.5	33.5	29.0	26.0
40		65.0	54.0	47.5	43.0	37.0	33.0	30.0
45		68.0	58.0	50.5	44.5	38.5	34.5	31.5
50		70.0	62.5	53.0	45.5	39.5	35.5	32.5
55		72.0	65.0	55.0	47.0	41.0	37.0	34.0
60		74.0	63.0	57.0	48.0	42.0	38.0	35.0
65		76.0	70.0	59.0	49.5	43.5	39.5	36.5
70		78.0	73.5	60.5	50.5	44.5	40.5	37.5
75			75.5	62.0	52.0	46.0	42.0	39.0
80			78.0	63.0	53.0	47.0	43.0	40.0

**NOTE:** Building marked Fair Physical Condition increase deduction 5%  
 Poor Physical Condition increase deduction 10%  
 Dilapidated Condition increase deduction 20%  
 Unusable and Beyond Repair increase deduction to total of 90%

## Type of Building

<b>CLASS OF BUILDING</b>	<b>FRAME</b>	<b>BRICK/ STONE</b>	<b>APARTMENT</b>	<b>HOTEL/ MOTEL</b>	<b>OFFICE</b>	<b>COMMERCIAL/ INDUSTRIAL</b>
105			C-2	C-2	C-2	C-5
106			C-2	C-2	C-2	C-6
107						C-5
108						C-5
109						C-5
123						C-3
124						C-4
125						C-5
126						C-4
127						C-5
133						C-3
134						C-4
135						C-5
136						C-4
137						C-5
145				C-1		
150	F-1	F-1				
151	F-1	F-1				
152	F-1	F-1				
153	F-1	F-1				
154	F-1	F-1				
155	F-1	F-1				
156	F-1	F-1				
PF157	F-2					
PF158	F-2					
PF159	F-2					
PF160	F-2					
PF161	F-2					
PF162	F-2					
PF164	F-2	F-2				F-2

To convert or adjust building construction cost included in this manual to the current local labor and material prices and costs, the appropriate building cost conversion table is used for each respective building class or sub-class type of construction.

### **BASE COST CONVERSION ITEM FACTOR**

Base cost conversion item factors have been calculated for all typical building classes in each building conversion group on the basis of the relative weight or importance of each component building cost items in each building group.

To obtain the building conversion index in the basis of current or future prevailing prices of labor and material in any assessment jurisdiction, the following conversion factors are used for the respective building cost conversion groups described above.