

State of New Jersey
BOARD OF PUBLIC UTILITIES
44 SO. CLINTON AVENUE
9TH FLOOR – P.O. BOX 350
TRENTON, NEW JERSEY 08625-0350

EMT# _____

APPLICATION FOR ELECTRIC METER TEST

Under the provisions of N.J.A.C. 14:3-4.6, I hereby request a test of the electric meter measuring electricity supplied to me at the following premises.

PLEASE PRINT:

NAME: _____ DATE: _____

ADDRESS: _____

CITY: _____, NJ ZIP: _____ TELEPHONE: _____

SIGNED: _____ BUSINESS PHONE: _____

MAILING ADDRESS IF DIFFERENT FROM ABOVE:

ADDRESS: _____

CITY: _____ STATE: _____ ZIP CODE _____

PLEASE PROVIDE THE FOLLOWING INFORMATION WHICH CAN BE FOUND ON THE METER:

- a. UTILITY COMPANY SUPPLYING ELECTRICITY _____
- b. MANUFACTURER'S NAME _____
- c. MANUFACTURER'S SERIAL NUMBER _____

A meter will be considered accurate when it does not show an average error greater than plus or minus 2%, when compared with standards approved by the Board. The accuracy of the meter shall be determined by taking the average of percentage registration at light load and at heavy load, giving the heavy load registration a weight of four.

NOTE: *Do not allow the company to remove the meter until you receive further written instruction from Board staff. You cannot file this application if the meter has been removed by the company, since the Board did not have control of the meter, the Board **Cannot** certify the accuracy of the meter.*

Upon application by any customer to the Board, a test of the customer's meter will be witnessed by an engineer of the Board. Such test shall be made as soon as practicable after receipt of the application and upon notice to the customer and the utility as to the time and place of such test.

A fee of \$5.00 shall be paid by the customer at the time the application is made for the test, in accordance with New Jersey Revised Statute 48:2-56. Please make check or money order payable to "Treasurer, State of New Jersey".