

[N.J.A.C. 5:23-7.1](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.1 through 7.16 (Reserved)

History

HISTORY:

Repeal and New Rule, R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Section was "Accessibility Standards".

Repealed by R.2015 d.139, effective September 21, 2015.

See: [47 N.J.R. 9\(a\)](#), [47 N.J.R. 2352\(b\)](#).

Section was "Applicability".

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

[N.J.A.C. 5:23-7.17](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.17 Recreation: definitions

"Multi-functional play equipment" means play equipment designed to provide multiple play activities such as, but not limited to, swinging, jumping, sliding, and climbing.

"Park" or "recreation area" means an area set aside and designated for recreation, including either active participation, as in sports, or passive recreation, as in the observation of nature.

"Recreation equipment" means equipment and prescribed surrounding safety areas, including, but not limited to, fixed equipment, fixed manipulative play equipment (such as playground equipment), picnic tables, benches, fire places and grills, ski lifts, and aerial tramways.

"Recreation facility" means a facility, body of water, dock, court, field, location, or portion thereof, intended for active or passive recreation that is required by this subchapter to be accessible regardless of whether the facility is indoor or outdoor.

"Single function play equipment" means play equipment designed to provide a single play activity, such as, but not limited to, swinging, jumping, climbing, or sliding.

"Site access points" means entrances, waiting areas, drop-off zones, parking areas, and public transportation stops serving the recreational area or facility, except those used solely for maintenance purposes.

"Support facility" means a facility ancillary to a recreation facility including, but not limited to, toilet facilities, food services, information services, first aid stations, drinking fountains, telephones, spectator seating and shelters. Facilities primarily housing mechanical equipment or those exclusively used for storage are not included in this definition.

"Transfer platform" means a platform with a minimum dimension of 18 inches by 24 inches mounted 15 inches to 17 inches above grade as an integral part of the multi-functional play equipment to provide access.

"Transfer point" means a clear space 36 inches by 60 inches adjacent to a transfer platform.

"Undeveloped areas" means areas used for activities such as camping, hunting, fishing, the observation of nature or open space conservation and which contain no recreation equipment or recreation facilities.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1996 d.132, effective March 18, 1996 (operative July 1, 1996).

N.J.A.C. 5:23-7.17

See: [27 N.J.R. 3870\(a\)](#), [28 N.J.R. 1505\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.3](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Former N.J.A.C. 5:32-7.16, Recreation: camping sites, recodified to [N.J.A.C. 5:23-7.29](#).

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

Rewrote "Recreational facility".

Recodified from [N.J.A.C. 5:23-7.16](#) by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Former [N.J.A.C. 5:23-7.17](#), Recreation: exceptions, recodified to [N.J.A.C. 5:23-7.18](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE

Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

[N.J.A.C. 5:23-7.18](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.18 Recreation: exceptions

These recreation requirements do not apply to undeveloped areas as defined in [N.J.A.C. 5:23-7.17](#).

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Amended by R.1996 d.132, effective March 18, 1996 (operative July 1, 1996).

See: [27 N.J.R. 3870\(a\)](#), [28 N.J.R. 1505\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.4](#) and amended by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Changed N.J.A.C. reference. Former N.J.A.C. 5:32-7.17, Recreation: equipment, recodified to [N.J.A.C. 5:23-7.30](#).

Recodified from [N.J.A.C. 5:23-7.17](#) and amended by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Updated the N.J.A.C. reference.

Former [N.J.A.C. 5:23-7.18](#), Recreation: route of travel, recodified to [N.J.A.C. 5:23-7.19](#).

Annotations

Notes

[Chapter Notes](#)

End of Document

Official version to be obtained from Lexis Nexis, www.lexis.com

[N.J.A.C. 5:23-7.19](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.19 Recreation: route of travel

- (a) There shall be an accessible route of travel connecting the following elements: at least one site access point and all support facilities, accessible recreation facilities, and accessible recreation equipment at each park or recreation area. For purposes of applying this requirement, parks may be divided into smaller areas and an accessible route provided from one site access point at each area to all support facilities, accessible recreation facilities, and accessible recreation equipment in that area.
- (b) An accessible route of travel shall meet the following criteria:
1. An accessible route of travel that connects an accessible site access point and support facilities, accessible recreation facilities, and accessible recreation equipment shall meet all of the criteria for an accessible route in the technical standard adopted as part of this subchapter, except that the following are also acceptable surfacing materials: flat surfaced pavers on concrete, flat surfaced pavers on sand, and wood decking. Crushed stone laid over a compacted subgrade and bound with sufficient cement to provide a non-shifting, firm surface shall also be acceptable.
 2. A challenge level I accessible route may connect additional site access points, if provided, and support facilities, recreation equipment, and recreation facilities. A challenge level I accessible route shall meet the criteria for an accessible route in the technical standard adopted as part of this subchapter, except as follows:
 - i. In addition to the materials listed in (b)1 above, the following materials are acceptable as surfacing: soil cement, graded wood chips, grass, and compacted earth.
 - ii. An accessible route with a running slope of 1:16 or steeper shall be considered a ramp. Cross slopes shall not exceed 1:30.
 - iii. Landings for ramps shall be provided at the top, bottom, at all changes in direction, and after each 48 feet of projection.
 - iv. Materials specified in (b)1 above are acceptable ramp surfacing materials.
 - v. When the running slope is between 1:20 and 1:16, a level rest area at least five feet by five feet shall be provided every 200 feet.
- (c) The accessible route to multi-functional play equipment shall lead onto the equipment itself, as specified at [N.J.A.C. 5:23-7.31\(c\)1](#).
- (d) When a resilient safety area is specified by the manufacturer of the play equipment, an accessible route through the resilient safety area shall be provided. It shall meet the following conditions:
1. Commercially manufactured or processed materials must be certified by the manufacturer as permitting independent wheelchair passage;
 2. Natural materials must be of the type and depth to meet the specifications in the Consumer Products Safety Commission Handbook on Playground Safety (Consumer Products Safety Commission, Washington, D.C. 20207) or must be one of the following:

- i. Wood chips of relatively uniform size from hard wood without bark, leaves, twigs, or brush, or
 - ii. Double shredded bark and mulch of relatively uniform size without leaves, twigs, or brush; and
3. The accessible route and the resilient safety area shall be of the same material.
- (e) The accessible route to single function play equipment shall lead to the safety area surrounding the equipment.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1996 d.132, effective March 18, 1996 (operative July 1, 1996).

See: [27 N.J.R. 3870\(a\)](#), [28 N.J.R. 1505\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.5](#) and amended by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

In (c), changed N.J.A.C. reference. Former N.J.A.C. 5:32-7.18, Recreation: equestrian facilities, recodified to [N.J.A.C. 5:23-7.31](#).

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

In (b), rewrote 1 and the introductory paragraph of 2; in (d), rewrote the introductory paragraph.

Recodified from [N.J.A.C. 5:23-7.18](#) and amended by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

In (c), updated the N.J.A.C. reference.

Former [N.J.A.C. 5:23-7.19](#), Recreation: pools, recodified to [N.J.A.C. 5:23-7.20](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE

Copyright © 2018 by the New Jersey Office of Administrative Law

[N.J.A.C. 5:23-7.20](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.20 (Reserved)

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1988 d.503, effective November 7, 1988.

See: 20 N.J.R. 1764(b), 20 N.J.R. 2754(a).

Added (a)2i and (a)3ii: also amended Figure 7.104b.

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Amended by R.1996 d.132, effective March 18, 1996 (operative July 1, 1996).

See: [27 N.J.R. 3870\(a\)](#), [28 N.J.R. 1505\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.6](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

Rewrote the section.

Administrative Correction.

See: [38 N.J.R. 3024\(a\)](#), [38 N.J.R. 3776\(c\)](#).

Recodified from [N.J.A.C. 5:23-7.19](#) by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Former [N.J.A.C. 5:23-7.20](#), Recreation: swimming and skating areas, recodified to [N.J.A.C. 5:23-7.21](#).

Repealed by R.2015 d.139, effective September 21, 2015.

See: [47 N.J.R. 9\(a\)](#), [47 N.J.R. 2352\(b\)](#).

Section was "Recreation: pools".

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

Official version to be obtained from Lexis Nexis, www.lexis.com

[N.J.A.C. 5:23-7.21](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.21 Recreation: swimming and skating areas

- (a) At each designated swimming and/or skating area at natural or man-made bodies of water, there shall be an accessible route or an accessible trail meeting the criteria of [N.J.A.C. 5:23-7.29](#) that connects at least one point to the water's edge to other elements at the site as required by [N.J.A.C. 5:23-7.19\(a\)](#).
1. At designated swimming and/or skating areas, the provision of access as described in (a) above at one location per site shall be deemed as satisfying the requirements of this section.
 2. This provision shall not apply in those ocean front areas where wave action renders the provision of an accessible route or an accessible trail impractical from an engineering standpoint.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Amended by R.1996 d.132, effective March 18, 1996.

See: [27 N.J.R. 3870\(a\)](#), [28 N.J.R. 1505\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.7](#) and amended by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

In (a), changed N.J.A.C. references in the introductory paragraph.

Recodified from [N.J.A.C. 5:23-7.20](#) and amended by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

In (a), updated the N.J.A.C. references.

Former [N.J.A.C. 5:23-7.21](#), Recreation: boating areas, recodified to [N.J.A.C. 5:23-7.22](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

Official version to be obtained from Lexis Nexis, www.lexis.com

[N.J.A.C. 5:23-7.22](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.22 Recreation: boating areas

- (a) Each boating area with docking facilities shall have one accessible docking space.
- (b) Each accessible mooring space shall adjoin an accessible route of travel and shall have a minimum clear space of five feet by five feet to allow transfer to the boat. Additionally, each accessible mooring space shall be a maximum of 36 inches above the mean water level in non-tidal areas.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Recodified from [N.J.A.C. 5:23-7.8](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

In (a), substituted "docking" for "mooring".

Recodified from [N.J.A.C. 5:23-7.21](#) by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Former [N.J.A.C. 5:23-7.22](#), Recreation: fishing areas, recodified to [N.J.A.C. 5:23-7.23](#).

Annotations

Notes

[Chapter Notes](#)

End of Document

Official version to be obtained from Lexis Nexis, www.lexis.com

[N.J.A.C. 5:23-7.24](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.24 Recreation: court games

- (a) The surface of at least one court must adjoin an accessible route of travel.
- (b) Entrances to the courts required to be accessible shall meet the criteria for accessible doors in the technical standard adopted as part of this subchapter.
- (c) On sites with more than one type of court, at least one of each type of court in each distinct area on a site shall adjoin an accessible route of travel.
 - 1. Where there is a main or center court, this court shall be included as one of those on an accessible route of travel.
- (d) All permanent spectator viewing areas seating 50 or more persons shall be on an accessible route of travel.
- (e) Court surfaces shall meet the criteria for an accessible route in the technical standard adopted as part of this subchapter, except in those instances where the recognized rules of the particular game dictate another surface.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Recodified from [N.J.A.C. 5:23-7.10](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

Rewrote the section.

Recodified from [N.J.A.C. 5:23-7.23](#) by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Former [N.J.A.C. 5:23-7.24](#), Recreation: ice rinks and roller rinks, recodified to [N.J.A.C. 5:23-7.25](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

Official version to be obtained from Lexis Nexis, www.lexis.com

[N.J.A.C. 5:23-7.23](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.23 Recreation: fishing areas

If docks are provided in a fishing area, the criteria of [N.J.A.C. 5:23-7.22](#) shall apply.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Recodified from [N.J.A.C. 5:23-7.9](#) and amended by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Changed N.J.A.C. reference.

Recodified from [N.J.A.C. 5:23-7.22](#) and amended by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Updated the N.J.A.C. reference.

Former [N.J.A.C. 5:23-7.23](#), Recreation: court games, recodified to [N.J.A.C. 5:23-7.24](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

[N.J.A.C. 5:23-7.25](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.25 Recreation: ice rinks and roller rinks

The surface of at least one of each type of rink provided in each distinct area on a site shall adjoin an accessible route of travel.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Recodified from [N.J.A.C. 5:23-7.11](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.24](#) by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Former [N.J.A.C. 5:23-7.25](#), Recreation: playing fields, recodified to [N.J.A.C. 5:23-7.26](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

[N.J.A.C. 5:23-7.26](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.26 Recreation: playing fields

There shall be an accessible route of travel to at least one of each type of playing field provided in each distinct area on a site. For an overlay field, an accessible route of travel to the primary field shall fulfill the requirements of this section. For a complex of playing fields in a single area, an accessible route of travel to the area shall fulfill the requirements of this section. Additionally, all permanent spectator viewing areas seating 50 or more persons shall be on an accessible route of travel.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: [19 N.J.R. 1270\(a\)](#), [20 N.J.R. 1873\(b\)](#).

Recodified from [N.J.A.C. 5:23-7.12](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.25](#) by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1688\(a\)](#).

Former [N.J.A.C. 5:23-7.26](#), Recreation: golf facilities, recodified to [N.J.A.C. 5:23-7.27](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

[N.J.A.C. 5:23-7.27](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.27 Recreation: golf facilities

- (a) For golf facilities, there shall be an accessible route of travel to the area where the transfer to golf carts is made.
- (b) If provided, bridges shall either be designed for use by golf carts or shall meet the criteria for a ramp in the technical standard adopted as part of this subchapter.
- (c) Where curbs are provided at points where courses cross a thoroughfare, a ramp or a curb ramp that meets the criteria for ramps in the technical standard adopted as part of this subchapter shall be provided.
- (d) Miniature golf facilities shall be accessible as follows:
 - 1. The entire playing surface shall be accessible at starting points, end points, and at all points in-between where possible. In those areas where the ball cannot physically come to rest because of steep slopes, access is not required.
 - 2. The entry and exit points shall be a minimum of 32 inches wide, with no railings, obstacles, or elevation change.
 - 3. Each hole shall have a platform with a turn around radius of five feet.
 - 4. When obstacles are provided, there shall be a 32 inch minimum clear width on one side of the obstacle.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Amended by R.1996 d.132, effective March 18, 1996 (operative July 1, 1996).

See: [27 N.J.R. 3870\(a\)](#), [28 N.J.R. 1505\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.13](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

Rewrote (b) and (c).

N.J.A.C. 5:23-7.27

Recodified from [N.J.A.C. 5:23-7.26](#) by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Former [N.J.A.C. 5:23-7.27](#), Recreation: ski lifts, aerial tramways, and conveyors, recodified to [N.J.A.C. 5:23-7.28](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

Official version to be obtained from Lexis Nexis, www.lexis.com

[N.J.A.C. 5:23-7.28](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.28 Recreation: ski lifts, aerial tramways, and conveyors

- (a) In areas where ski lifts or other comparable mechanisms for skiing are provided, there shall be an accessible route of travel connecting site access point(s) and support facilities required to be accessible with the area where the transfer to skis is made.
- (b) In areas where aerial tramways, conveyors, or other comparable mechanisms for sightseeing are provided, an accessible route of travel shall be provided to connect site access point(s) and support facilities required to be accessible with the moving seat, car or platform of the aerial tramways, conveyors, or comparable mechanisms.
1. A five feet by five feet clear, level areas that meets the criteria for an accessible route in the technical standard adopted as part of this subchapter shall be provided immediately adjacent to the upper, lower, and any intermediate terminals of such mechanisms to facilitate transfer from a wheelchair to the car, seat or platform.
- i. Where seats are provided, they shall be at a height of 16 inches to 18 inches above the clear, level area.
- (c) There shall be a control immediately available to the operator of the ski lift, aerial tramway or conveyor to stop and restart the mechanism to allow the transfer of a disabled person on and off.
- (d) The requirements of this section shall not apply to moving sidewalks or other horizontal conveyors guided by a track or tracks.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Recodified from [N.J.A.C. 5:23-7.14](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

Rewrote (b).

N.J.A.C. 5:23-7.28

Recodified from [N.J.A.C. 5:23-7.27](#) by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Former [N.J.A.C. 5:23-7.28](#), Recreation: trails, recodified to [N.J.A.C. 5:23-7.29](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

Official version to be obtained from Lexis Nexis, www.lexis.com

[N.J.A.C. 5:23-7.29](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.29 Recreation: trails

- (a) Trails through undeveloped areas are exempted from the requirements of this subchapter.
- (b) All other trails shall meet the requirements for slope and for the provision of rest areas of either (b)1 or 2 below and the surfacing requirements in (b)3 or 4 below.
1. A running slope shall not exceed 1:8 at any place and cross slopes shall not exceed 1:30. Level rest areas at least five feet by five feet shall be provided every 300 feet when the running slope is between 1:16 and 1:12. This shall be a challenge level 2 accessible trail. Level rest areas at least five feet by five feet shall be provided every 200 feet when the running slope is between 1:12 and 1:8. This shall be a challenge level 3 accessible trail.
 - i. If the topography of the site is such that average grade exceeds that in (b)1 above, an exception to the slope limitations may be allowed.
 2. Trails may also be constructed in accordance with the requirements of [N.J.A.C. 5:23-7.19\(b\)1](#) (accessible route) or [N.J.A.C. 5:23-7.19\(b\)2](#) (challenge level 1 accessible route).
 3. In addition to the materials listed at [N.J.A.C. 5:23-7.19\(b\)1](#) and 2, the following materials are acceptable as surfacing for trails: untreated, soils, compacted gravel, and ungraded wood chips.
 4. Each trail shall be marked in accordance with the technical criteria for permanent signs in the technical standard adopted as part of this subchapter.
 - i. Each sign shall contain the following information:
 - (1) The international symbol of access for an accessible route or the challenge level of the accessible route or accessible trail; and
 - (2) The length of the accessible route or accessible trail.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Amended by R.1996 d.132, effective March 18, 1996 (operative July 1, 1996).

See: [27 N.J.R. 3870\(a\)](#), [28 N.J.R. 1505\(a\)](#).

N.J.A.C. 5:23-7.29

Recodified from [N.J.A.C. 5:23-7.15](#) and amended by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

In (b), changed N.J.A.C. references in 2 and 3.

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

In (b)4, substituted "for permanent signs in the technical standard adopted as part of this subchapter" for "of CABO/ANSI A117.1, Section 4.28.1 through 4.28.5 and Section 4.28.6.1".

Recodified from [N.J.A.C. 5:23-7.28](#) and amended by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

In (b)2 and (b)3, updated the N.J.A.C. references.

Former [N.J.A.C. 5:23-7.29](#), Recreation: camping sites, recodified to [N.J.A.C. 5:23-7.30](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE

Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

[N.J.A.C. 5:23-7.30](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.30 Recreation: camping sites

- (a) In camping areas in other than undeveloped areas, at least five percent (rounded off to the next higher whole number) of camp sites shall meet the following criteria:
1. There shall be an accessible route of travel connecting these accessible camp sites with site access point(s) and support facilities required to be accessible;
 2. Sites and signs leading to such sites shall be marked with the International Symbol of Accessibility, which complies with the technical standard adopted as part of this subchapter;
 3. Where tent platforms are provided, each of those required to be accessible shall be equipped with a ramp meeting the criteria of the technical standard adopted as part of this subchapter; and
 4. The accessible camp sites shall be distributed throughout the camping area to the degree feasible as determined by the topography of the area.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Amended by R.1996 d.132, effective March 18, 1996 (operative July 1, 1996).

See: [27 N.J.R. 3870\(a\)](#); [28 N.J.R. 1505\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.16](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

In (a)2, substituted "which complies with the technical standard adopted as part of this subchapter" for "displayed as specified in CABO/ANSI A117.1, Section 4.28"; in (a)3, substituted "the technical standard adopted as part of this subchapter; and" for "CABO/ANSI A117.1, Section 4.8".

Recodified from [N.J.A.C. 5:23-7.29](#) by R.2007 d.144, effective May 7, 2007.

N.J.A.C. 5:23-7.30

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Former [N.J.A.C. 5:23-7.30](#), Recreation: equipment, recodified to [N.J.A.C. 5:23-7.31](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

Official version to be obtained from Lexis Nexis, www.lexis.com

[N.J.A.C. 5:23-7.31](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.31 Recreation: equipment

- (a) Five percent of all picnic tables, benches, fireplaces and grills provided, rounded to the next higher whole number, but not less than one, shall be on an accessible route of travel.
1. Such equipment shall be distributed throughout the picnic area to the degree feasible as determined by the topography of the area.
- (b) Within each play area on a site, at least 25 percent of the single function play equipment shall be of a type identified by its manufacturer as accessible to and usable by both disabled and non-disabled persons.
- (c) At least 25 percent of the play activities of all multi-functional play equipment within each play area on a site shall be of a type identified by its manufacturer as accessible to and usable by both disabled and non-disabled persons.
1. Access onto the multi-functional play equipment may include, but is not limited to, the following:
 - i. A ramp that complies with the technical standard adopted as part of this subchapter and that provides a landing at the top and at the bottom that has a minimum width of five feet by five feet;
 - ii. Transfer point(s) adjacent to transfer platform(s); and
 - iii. An accessible route that complies with [N.J.A.C. 5:23-7.19](#), which, because of the topography of the land, leads directly onto the equipment.
 2. Accessibility features, such as ramps and transfer platforms, shall not be considered play functions. Passive activities shall not be considered play functions.
- (d) Playground equipment required to be accessible in (b) and (c) above shall be on an accessible route as delineated at [N.J.A.C. 5:23-7.19](#).
- (e) As existing play equipment is replaced in any play area, at least 50 percent of the replacement equipment shall be of a type identified by the manufacturer as usable by both disabled and non-disabled persons until the percentage as specified in (b) and (c) above is met.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1996 d.132, effective March 18, 1996 (operative July 1, 1996).

See: [27 N.J.R. 3870\(a\)](#), [28 N.J.R. 1505\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.17](#) and amended by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

In (c) and (d), changed N.J.A.C. references throughout.

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

In (c), substituted "its" for "the" preceding "manufacturer" in the introductory paragraph and rewrote 1i.

Recodified from [N.J.A.C. 5:23-7.30](#) and amended by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

In (c)1iii, substituted "that" for "which", and in (c)1iii and (d), updated the N.J.A.C. references.

Former [N.J.A.C. 5:23-7.31](#), Recreation: equestrian facilities, recodified to [N.J.A.C. 5:23-7.32](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE

Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

[N.J.A.C. 5:23-7.32](#)

This file includes all Regulations adopted and published through the New Jersey Register, Vol. 50 No. 2, January 16, 2018

New Jersey Administrative Code > TITLE 5. COMMUNITY AFFAIRS > CHAPTER 23. UNIFORM CONSTRUCTION CODE > SUBCHAPTER 7. BARRIER FREE SUBCODE

§ 5:23-7.32 Recreation: equestrian facilities

- (a) At each equestrian facility, at the area used for mounting, a mounting platform shall be provided for people with disabilities.
1. To mount a pony, the top of the platform shall be 32 inches above the surface upon which the pony stands.
 2. To mount a horse, the top of the platform shall be 41 inches above the surface upon which the horse stands.
 3. The mounting platform shall have a minimum dimension of five feet long and three feet wide.
 4. Any ramp that provides access to the mounting platform shall meet the criteria for ramps in the technical standard adopted as part of this subchapter, except that a maximum slope of 1:9 shall be allowed.

History

HISTORY:

New Rule, R.1988 d.352, effective August 1, 1988.

See: 19 N.J.R. 1270(a), 20 N.J.R. 1873(b).

Amended by R.1988 d.503, effective November 7, 1988.

See: 20 N.J.R. 1764(b), 20 N.J.R. 2754(a).

Platform height changed from 42 inches to 32 inches.

Administrative Correction.

See: 22 N.J.R. 1355(b).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Amended by R.1996 d.132, effective March 18, 1996 (operative July 1, 1996).

See: [27 N.J.R. 3870\(a\)](#), [28 N.J.R. 1505\(a\)](#).

Recodified from [N.J.A.C. 5:23-7.18](#) by R.1999 d.105, effective April 5, 1999.

See: [30 N.J.R. 2972\(a\)](#), [31 N.J.R. 852\(a\)](#).

Amended by R.2002 d.350, effective November 4, 2002.

See: [34 N.J.R. 626\(a\)](#), [34 N.J.R. 3772\(a\)](#).

Rewrote the section.

Recodified from [N.J.A.C. 5:23-7.31](#) by R.2007 d.144, effective May 7, 2007.

See: [38 N.J.R. 4962\(a\)](#), [39 N.J.R. 1683\(a\)](#).

Annotations

Notes

[Chapter Notes](#)

NEW JERSEY ADMINISTRATIVE CODE
Copyright © 2018 by the New Jersey Office of Administrative Law

End of Document

Official version to be obtained from Lexis Nexis, www.lexis.com