

APPENDIX P
SUPPLEMENTAL LITERATURE

Appendix P-1

Marine Bird Literature

- Afton, A.D. and M.G. Anderson. 2001. Declining scaup populations: A retrospective analysis of long-term population and harvest survey data. *Journal of Wildlife Management* 65:781-796.
- Alvo, R. and M. Berrill. 1992. Adult Common Loon feeding behavior is related to food fed to chicks. *Wilson Bulletin* 104(1):184-185.
- Ambagis, J. 2004. A comparison of census and monitoring techniques for Leach's Storm Petrel. *Waterbirds* 27(2):211-215.
- Anteau, M.J. and A.D. Afton. 2004. Nutrient reserves of Lesser Scaup (*Aythya affinis*) during spring migration in the Mississippi Flyway: A test of the spring condition hypothesis. *Auk* 121(3):917-929.
- Anteau, M.J. and A.D. Afton. 2006. Diet shifts of Lesser Scaup are consistent with the spring condition hypothesis. *Canadian Journal of Zoology* 84:779-786.
- Antolos, M., D.D. Roby, D.E. Lyons, S.K. Anderson, and K. Collis. 2006. Effects of nest density, location, and timing on breeding success of Caspian Terns. *Waterbirds* 29(4):465-472.
- Atkinson, P.W., G.F. Appleton, J.A. Clark, N.A. Clark, S. Gillings, I.G. Henderson, R.A. Robinson, and R.A. Stillman. 2003. Red Knots *Calidris canutus* in Delaware Bay 2002. Survival, foraging and marking strategy. BTO Research Report number 308. Prepared by British Trust for Ornithology, Norfolk, United Kingdom.
- Atkinson, P.W., A.J. Baker, K.A. Bennett, N.A. Clark, J.A. Clark, K.B. Cole, A. Dekinga, A. Dey, S. Gillings, P.M. González, K. Kalasz, C.D.T. Minton, J. Newton, L.J. Niles, T. Piersma, R.A. Robinson, and H.P. Sitters. 2007. Rates of mass gain and energy deposition in Red Knot on their final spring staging site is both time- and condition-dependent. *Journal of Applied Ecology* 44:885-895.
- Austin, J.E. and L.H. Fredrickson. 1986. Molt of female Lesser Scaup immediately following breeding. *Auk* 103(2):293-298.
- Austin, J.E., A.D. Afton, M.G. Anderson, R.G. Clark, C.M. Custer, J.S. Lawrence, J.B. Pollard, and J.K. Ringelman. 2000. Declining scaup populations: Issues, hypotheses, and research needs. *Wildlife Society Bulletin* 28(1):254-263.
- Austin, J.E., D.A. Granfors, M.A. Johnson, and S.C. Kohn. 2002. Scaup migration patterns in North Dakota relative to temperatures and water conditions. *Journal of Wildlife Management* 66(3):874-882.
- Badzinski, S.S. and S.A. Petrie. 2006. Diets of Lesser and Greater Scaup during autumn and spring on the lower Great Lakes. *Wildlife Society Bulletin* 34(3):664-674.
- Baillie, S.M., G.J. Robertson, F.K. Wiese, and U.P. Williams. 2005. Seabird data collected by the Grand Banks offshore hydrocarbon industry 1999-2002: Results, limitations and suggestions for improvement. Canadian Wildlife Service Technical Report Series Number 434. Atlantic Region.
- Baker, A.J., P.M. González, T. Piersma, L.J. Niles, I. de Lima Serrano do Nascimento, P.A. Atkinson, N.A. Clark, C.D.T. Minton, M.K. Peck, and G. Aarts. 2004. Rapid population decline in Red Knots: Fitness consequences of decreased refuelling rates and late arrival in Delaware Bay. *Proceedings of the Royal Society of London B* 271:875-882.
- Ballance, L.T. 2007. Understanding seabirds at sea: Why and how? *Marine Ornithology* 35:127-135.
- Barrett, R.T., G. Chapdelaine, T. Anker-Nilssen, A. Mosbech, W.A. Montevecchi, J.B. Reid, and R.R. Veit. 2006. Seabird numbers and prey consumption in the North Atlantic. *ICES Journal of Marine Science* 63:1145-1158.
- Bart J., S. Droege, P. Geissler, B. Peterjohn, and C.J. Ralph. 2004. Density estimation in wildlife surveys. *Wildlife Society Bulletin* 32(4):1242-1247.
- Beauchamp, G. 1992. Diving behavior in Surf Scoters and Barrow's Goldeneyes. *Auk* 109(4):819-827.
- Beauchamp, G. 2006. Spatial, temporal and weather factors influencing the foraging behavior of migrating semipalmated sandpipers. *Waterbirds* 29(2):221-225.
- Becker, P.H., D. Frank, and M. Wagener. 1997. Luxury in freshwater and stress at sea? The foraging of the Common Tern *Sterna hirundo*. *Ibis* 139:264-269.
- Begg, G.S. and J.B. Reid. 1997. Spatial variation in seabird density at a shallow sea tidal mixing front in the Irish Sea. *ICES Journal of Marine Science* 54:552-565.

- Belant, J.L. and R.A. Dolbeer. 1993. Population status of nesting Laughing Gulls in the United States, 1977–1991. *American Birds* 47:220–224.
- Bergman, R.D., P. Swain, and M.W. Weller. 1970. A comparative study of nesting Forster's and Black Terns. *Wilson Bulletin* 82(4):435-444.
- Boettcher, R., T. Penn, R.R. Cross, K.T. Terwilliger, and R.A. Beck. 2007. An overview of the status and distribution of Piping Plovers in Virginia. *Waterbirds* 30(Special Publication 1):138-151.
- Bond, A.L., P.W. Hicklin, and M. Evans. 2007. Daytime spring migrations of scoters (*Melanitta* spp.) in the Bay of Fundy. *Waterbirds* 30(4):566-572.
- Boomer, G.S. and F.A. Johnson. 2005. An assessment of the harvest potential of the continental scaup population. Progress report. Prepared by U.S. Fish and Wildlife Service, Washington, D.C.
- Botton, M.L., R.E. Loveland, and T.R. Jacobsen. 1994. Site selection by migratory shorebirds in Delaware Bay, and its relationship to beach characteristics and abundance of horseshoe crab (*Limulus polyphemus*) eggs. *Auk* 111(3):605-616.
- Braune, B.M. 1987. Body morphometrics and molt of Bonaparte's Gulls in the Quoddy region, New Brunswick, Canada. *Condor* 89(1):150-157.
- Braune, B.M. 1987. Seasonal aspects of the diet of Bonaparte's Gulls (*Larus philadelphia*) in the Quoddy region, New Brunswick, Canada. *Auk* 104(2):167–172.
- Braune, B.M. and D.E. Gaskin. 1982. Feeding ecology of nonbreeding populations of larids off Deer Island, New Brunswick. *Auk* 99(1):67–76.
- Breton, A.R., G.A. Fox, and J.W. Chardine. 2008. Survival of adult Herring Gulls (*Larus argentatus*) from a Lake Ontario colony over two decades of environmental change. *Waterbirds* 31(1):15-23.
- Brierley, A.S. and P.G. Fernandes. 2001. Diving depths of Northern Gannets: Acoustic observations of *Sula bassana* from an autonomous underwater vehicle. *Auk* 118(2):529-534.
- Brinker, D.F., J.M. McCann, B. Williams, and B.D. Watts. 2007. Colonial-nesting seabirds in the Chesapeake Bay region: Where have we been and where are we going? *Waterbirds* 30(Special Publication 1):93-104.
- Brown, K.M., J.L. Tims, R.M. Erwin, and M.E. Richmond. 2001. Changes in the nesting populations of colonial waterbirds in Jamaica Bay Wildlife Refuge, New York, 1974-1998. *Northeastern Naturalist* 8(3):275-292.
- Brown, R.G.B. 1988. Oceanographic factors as determinants of the winter range of the Dovekie (*Alle alle*) off Atlantic Canada. *Colonial Waterbirds* 11(2):176-180.
- Brown, S.C., B.A. Harrington, K.C. Parsons, and E.P. Mallory. 2002. Waterbird use of Northern Atlantic wetlands protected under the North American Wetlands Conservation Act. *Waterbirds: The International Journal of Waterbird Biology* 25(Special Publication 2):106-114.
- Buckley, F.G. 1979. Colony site selection by colonial waterbirds in coastal New Jersey. *Proceedings of the Colonial Waterbird Group* 2:17-26.
- Buckley, P.A. and F.G. Buckley. 2000. Patterns of colony-site use and disuse in saltmarsh-nesting Common and Roseate Terns. *Journal of Field Ornithology* 71(2):356-369.
- Burger, J. 1977. Nesting behavior of Herring Gulls: Invasion into *Spartina* salt marsh areas of New Jersey. *Condor* 79(2):162-169.
- Burger, J. 1979. Competition and predation: Herring Gulls versus Laughing Gulls. *Condor* 81(3):269-277.
- Burger, J. 1980. The transition to independence and postfledging parental care in seabirds. Pages 367-447 in Burger, J., B.L. Olla, and H.E. Winn, eds. *Behavior of marine animals: Current perspectives in research. Volume 4: Marine birds*. New York: Plenum Press.
- Burger, J. 1981. Feeding competition between Laughing Gulls and Herring Gulls at a sanitary landfill. *Condor* 83:328-335.
- Burger, J. 1983. Jamaica Bay Studies IV: Factors affecting distribution of Greater Scaup *Aythya marila* in a coastal estuary in New York, USA. *Ornis Scandinavica* 14(4):309-316.
- Burger, J. 1988. Foraging behavior in gulls: Differences in method, prey and habitat. *Colonial Waterbirds* 11(1):9–23.
- Burger, J. 1998. Effects of motorboats and personal watercraft on flight behavior over a colony of Common Terns. *Condor* 100(3):528-534.
- Burger, J. 2002. Food chain differences affect heavy metals in bird eggs in Barnegat Bay, New Jersey. *Environmental Research Section A* 90:33-39.
- Burger, J. and M. Gochfeld. 1985. Nest site selection by Laughing Gulls: Comparison of tropical colonies (Culebra, Puerto Rico) with temperate colonies (New Jersey). *Condor* 87(3):364-373.

- Burger, J. and M. Gochfeld. 1990. Nest site selection in Least Terns (*Sterna antillarum*) in New Jersey and New York. *Colonial Waterbirds* 13(1):31-40.
- Burger, J. and J. Shisler. 1978. Nest site selection and competitive interactions of Herring and Laughing Gulls in New Jersey. *Auk* 95(2):252-266.
- Burger, J. and J. Shisler. 1980. Colony and nest site selection in Laughing Gulls in response to tidal flooding. *Condor* 82(3):251-258.
- Burger, J., B.L. Olla, and H.E. Winn, eds. 1980. Behavior of marine animals: Current perspectives in research. Volume 4: Marine birds. New York, New York: Plenum Press.
- Burger, J., L. Niles, and K.E. Clark. 1997. Importance of beach, mudflat and marsh habitats to migrant shorebirds on Delaware Bay. *Biological Conservation* 79:283-292.
- Butler, R.W., T.D. Williams, N. Warnock and M.A. Bishop. 1997. Wind assistance: A requirement for migration of shorebirds? *Auk* 114(3):456-466.
- Butler, R.W., N.C. Davidson, and R.I.G. Morrison. 2001. Global-scale shorebird distribution in relation to productivity of near-shore ocean waters. *Waterbirds* 24(2):224-232.
- CAFF. 2004. Distribution of murre outside the breeding season. Circumpolar murre banding program. CAFF Technical Report number 13. Akureyri, Iceland: CAFF International Secretariat.
- Camphuysen, C.J., B.E. Scott, and S. Wanless. 2006. Distribution and foraging interactions of seabirds and marine mammals in the North Sea: multispecies foraging assemblages and habitat-specific feeding strategies. Pages 82-97 in I.L. Boyd, S. Wanless, and C.J. Camphuysen, eds. *Top predators in marine ecosystems*. New York: Cambridge University Press.
- Castro, G. and J.P. Myers. 1993. Shorebird predation on eggs of horseshoe crabs during spring stopover on Delaware Bay. *Auk* 110(4):927-930.
- Chapdelaine, G. 1997. Pattern of recoveries of banded Razorbills (*Alca torda*) in the western Atlantic and survival rates of adults and immatures. *Colonial Waterbirds* 20(1):47-54.
- Clapp, R.B., M.K. Klimkiewicz, and J.H. Kennard. 1982. Longevity records of North American birds: Gaviidae through Alcidae. *Journal of Field Ornithology* 53(2):81-124.
- Clark, K.E. and L.J. Niles. 2000. U.S. shorebird conservation plan: Northern Atlantic regional shorebird plan. Version 1.0. Prepared by Endangered and Nongame Species Program, Woodbine, New Jersey, and Northern Atlantic Shorebird Habitat Working Group.
- Clark, K.E., L.J. Niles and J. Burger. 1993. Abundance and distribution of migrant shorebirds in Delaware Bay. *Condor* 95(3):694-705.
- Coleman, J.T.H. and M.E. Richmond. 2007. Daily foraging patterns of adult Double-crested Cormorants during the breeding season. *Waterbirds* 30(2):189-198.
- Cottam, C. 1935. Winter notes from coastal North Carolina. *Auk* 52(3):318-319.
- Coulson, J.C. and J. Strowger. 1999. The annual mortality rate of Black-legged Kittiwakes in NE England from 1954 to 1998 and a recent exceptionally high mortality. *Waterbirds* 22(1):3-13.
- Coulson, J.C. and C.S. Thomas. 1985. Changes in the biology of the Kittiwake *Rissa tridactyla*: A 31-year study of a breeding colony. *Journal of Animal Ecology* 54(1):9-26.
- Coyle, K.O., G.L. Hunt Jr., M.B. Decker, and T.J. Weingartner. 1992. Murre foraging, epibenthic sound scattering and tidal advection over a shoal near St. George Island, Bering Sea. *Marine Ecology Progress Series* 83:1-14.
- Cronan, J.M., Jr. 1957. Food and feeding habits of the scaups in Connecticut waters. *Auk* 74(4):459-468.
- Custer, C.M., T.W. Custer, and D.W. Sparks. 1996. Radio telemetry documents 24-hour feeding activity of wintering Lesser Scaup. *Wilson Bulletin* 108(3):556-566.
- Dall'Antonia, L., P. Dall'Antonia, S. Benvenuti, P. Ioalè, B. Massa, and F. Bonadonna. 1995. The homing behavior of Cory's Shearwaters (*Calonectris diomedea*) studied by means of a direction recorder. *Journal of Experimental Biology* 198:359-362.
- Daunt, F., S. Wanless, G. Peters, S. Benvenuti, J. Sharples, D. Grémillet, and B. Scott. 2006. Impacts of oceanography on the foraging dynamics of seabirds in the North Sea. Pages 177-190 in I.L. Boyd, S. Wanless, and C.J. Camphuysen, eds. *Top predators in marine ecosystems*. New York: Cambridge University Press.
- Davis, M.B., T.R. Simons, M.J. Groom, J.L. Weaver, and J.R. Cordes. 2001. The breeding status of the American Oystercatcher on the east coast of North America and breeding success in North Carolina. *Waterbirds* 24(2):195-202.

- Davoren, G.K., W.A. Montevecchi, and J.T. Anderson. 2003. Distributional patterns of a marine bird and its prey: Habitat selection based on prey and conspecific behaviour. *Marine Ecology Progress Series* 256:229-242.
- Davoren, G.K., W.A. Montevecchi, and J.T. Anderson. 2003. The influence of fish behaviour on search strategies of Common Murres *Uria aalge* in the northwest Atlantic. *Marine Ornithology* 31:123-131.
- Diamond, A.W. and C.M. Devlin. 2003. Seabirds as indicators of changes in marine ecosystems: Ecological monitoring on Machias Seal Island. *Environmental Monitoring and Assessment* 88:153-175.
- Dickson, D.L. 1993. Breeding biology of Red-throated Loons in the Canadian Beaufort Sea region. *Arctic* 46(1):1-7.
- Dinsmore, S.J., J.A. Collazo, and J.R. Walters. 1998. Seasonal numbers and distribution of shorebirds on North Carolina's Outer Banks. *Wilson Bulletin* 110(2):171-181.
- Dolbeer, R.A., J.L. Belant, and J.L. Sillings. 1993. Shooting gulls reduces strikes with aircraft at John F. Kennedy International Airport. *Wildlife Society Bulletin* 21(4):442-450.
- Donehower, C.E. and D.M. Bird. 2008. Gull predation and breeding success of Common Eiders on Stratton Island, Maine. *Waterbirds* 31(3):454-462.
- Donehower, C.E., D.M. Bird, C. Scott Hall, and S.W. Kress. 2007. Effects of gull predation and predator control on tern nesting success at Eastern Egg Rock, Maine. *Waterbirds* 30(1):29-39.
- Dow, D.D. 1964. Diving times of wintering water birds. *Auk* 81(4):556-558.
- Drew, G.S. and J.F. Piatt. 2008. Using geographic information systems to compare non-uniform marine bird surveys: Detecting the decline of Kittlitz's Murrelet (*Brachyramphus brevirostris*) in Galcier Bay, Alaska. *Auk* 125(1):178-182.
- Drinkwater, K.F., A. Belgrano, A. Borja, A. Conversi, M. Edwards, C.H. Greene, G. Ottersen, A.J. Pershing, and H. Walker. 2003. The response of marine ecosystems to climate variability associated with the North Atlantic Oscillation. *Geophysical Monograph* 134:211-234.
- Duffy, D.C. 1986. Foraging at patches: Interactions between Common and Roseate Terns. *Ornis Scandinavica* 17(1):47-52.
- Dunn, P.O., T.A. May, M.A. McCollough, and M.A. Howe. 1988. Length of stay and fat content of migrant Semipalmated Sandpipers in eastern Maine. *Condor* 90(4):824-835.
- Durant, J.M., N.C. Stenseth, T. Anker-Nilssen, M.P. Harris, P.M. Thompson, and S. Wanless. 2004. Marine birds and climate fluctuation in the North Atlantic. Pages 95-105 in N.C. Stenseth, G. Ottersen, J.W. Hurrell, and A. Belgrano, eds. *Marine ecosystems and climate variation. The North Atlantic: A comparative approach*. Oxford, United Kingdom: Oxford University Press.
- Eberl, C. and J. Picman. 1993. Effect of nest-site location on reproductive success of Red-throated Loons (*Gavia stellata*). *Auk* 110(3):436-444.
- Eggeman, D.R. and F.A. Johnson. 1989. Variation in effort and methodology for the midwinter waterfowl inventory in the Atlantic Flyway. *Wildlife Society Bulletin* 17(3):227-233.
- Elphick, C.S., and G.L. Hunt Jr. 1993. Variations in the distributions of marine birds with water mass in the northern Bering Sea. *Condor* 95:33-44.
- Emslie, S.D., J.S. Weske, M.M. Browne, S. Cameron, R. Boettcher, D.F. Brinker, and W. Golder. 2009. Population trends in Royal and Sandwich Terns along the Mid-Atlantic Seaboard, USA, 1975-2005. *Waterbirds* 32(1):54-63.
- Enstipp, M.R., F. Daunt, S. Wanless, E.M. Humphreys, K.C. Hamer, S. Benvenuti, and D. Grémillet. 2006. Foraging energetics of North Sea birds confronted with fluctuating prey availability. Pages 191-210 in I.L. Boyd, S. Wanless, and C.J. Camphuysen, eds. *Top predators in marine ecosystems*. New York: Cambridge University Press.
- Erskine, A.J. 1988. The changing patterns of Brant migration in eastern North America. *Journal of Field Ornithology* 59(2):110-119.
- Erwin, R.M. 1988. Correlates of nest-defense behavior of Common Terns. *Journal of Field Ornithology* 59(2):135-142.
- Erwin, R.M. 1996. Dependence of waterbirds and shorebirds on shallow-water habitats in the mid-Atlantic coastal region: An ecological profile and management recommendations. *Estuaries* 19(2A):213-219.
- Erwin, R.M. and R.A. Beck. 2007. Restoration of waterbird habitats in Chesapeake Bay: Great Expectations or *Sisyphus* revisited? *Waterbirds* 30(Special Publication 1):163-176.

- Erwin, R.M., J. Galli, and J. Burger. 1981. Colony site dynamics and habitat use in Atlantic coast seabirds. *Auk* 98(3):550-561.
- Erwin, R.M., C.J. Conway, and S.W. Hadden. 2002. Species occurrence of marsh birds at Cape Cod National Seashore, Massachusetts. *Northeastern Naturalist* 9(1):1-12.
- Erwin, R.M., D.H. Allen, and D. Jenkins. 2003. Created versus natural coastal islands: Atlantic waterbird populations, habitat choices, and management implications. *Estuaries* 26(4A):949-955.
- Erwin, R.M., G.M. Sanders, and D.J. Prosser. 2004. Changes in lagoonal marsh morphology at selected northeastern Atlantic coast sites of significance to migratory waterbirds. *Wetlands* 24(4):891-903.
- Fetterolf, P.M. 1983. Effects of investigator activity on Ring-billed Gull behavior and reproductive performance. *Wilson Bulletin* 95(1):23-41.
- Finney, S.K., S. Wanless, and M.P. Harris. 1999. The effect of weather conditions on the feeding behaviour of a diving bird, the Common Guillemot *Uria aalge*. *Journal of Avian Biology* 30(1):23-30.
- Ford, T.B. and J.A. Gieg. 1995. Winter behavior of the Common Loon. *Journal of Field Ornithology* 66(1):22-29.
- Ford, R.G., J.A. Wiens, D. Heinemann, and G.L. Hunt. 1982. Modelling the sensitivity of colonially breeding marine birds to oil spills: Guillemot and kittiwake populations on the Pribilof Islands, Bering Sea. *Journal of Applied Ecology* 19:1-31.
- Frederiksen, M., S. Wanless, M.P. Harris, P. Rothery, and L.J. Wilson. 2004. The role of industrial fisheries and oceanographic change in the decline of North Sea black-legged kittiwakes. *Journal of Applied Ecology* 41:1129-1139.
- Frederiksen, M., R.A. Mavor, and S. Wanless. 2007. Seabirds as environmental indicators: The advantages of combining data sets. *Marine Ecology Progress Series* 352:205-211.
- Furness, R.W., K. Ensor, and A.V. Hudson. 1992. The use of fishery waste by gull populations around the British Isles. *Ardea* 80:105-113.
- Galbraith, H., R. Jones, R. Park, J. Clough, S. Herrod-Julius, B. Harrington, and G. Page. 2002. Global climate change and sea level rise: Potential losses of intertidal habitat for shorebirds. *Waterbirds* 25(2):173-183.
- Garthe, S., D. Grémillet, and R.W. Furness. 1999. At-sea-activity and foraging efficiency in chick-rearing Northern Gannets *Sula bassana*: A case study in Shetland. *Marine Ecology Progress Series* 185:93-99.
- Garthe, S., S. Benvenuti, and W.A. Montevecchi. 2003. Temporal patterns of foraging activities of Northern Gannets, *Morus bassanus*, in the northwest Atlantic Ocean. *Canadian Journal of Zoology* 81:453-461.
- Gaston, A.J., R. Decker, F.G. Cooch, and A. Reed. 1986. The distribution of larger species of birds breeding on the coasts of Foxe Basin and Northern Hudson Bay, Canada. *Arctic* 39(4):285-296.
- Gill, J.A., K. Norris, and W.J. Sutherland. 2001. Why behavioural responses may not reflect the population consequences of human disturbance. *Biological Conservation* 97:265-268.
- Gill, V.A., S.A. Hatch, and R.B. Lanctot. 2002. Sensitivity of breeding parameters to food supply in Black-legged Kittiwakes *Rissa tridactyla*. *Ibis* 144:268-283.
- Gillings, S., P.W. Atkinson, A.J. Baker, K.A. Bennett, N.A. Clark, K.B. Cole, P.M. González, K.S. Kalasz, C.D.T. Minton, L.J. Niles, R.C. Porter, I. de Lima Serrano, H.P. Sitters, and J.L. Woods. 2009. Staging behavior in Red Knot (*Calidris canutus*) in Delaware Bay: Implications for monitoring mass and population size. *Auk* 126(1):54-63.
- González-Solís, J., J.P. Croxall, D. Oro, and X. Ruiz. 2007. Trans-equatorial migration and mixing in the wintering areas of a pelagic seabird. *Frontiers in Ecology and the Environment* 5(6):297-301.
- Goudie, R.I. and C.D. Ankney. 1986. Body size, activity budgets, and diets of sea ducks wintering in Newfoundland. *Ecology* 67(6):1475-1482.
- Granadeiro, J.P., M.P. Dias, R. Rebelo, C.D. Santos, and P. Catry. 2006. Numbers and population trends of Cory's Shearwater *Calonectris diomedea* at Selvagem Grande, Northeast Atlantic. *Waterbirds* 29(1):56-60.
- Grant, G.S. 1996. Near-shore feeding behavior of Common and Red-throated Loons in Onslow Bay, North Carolina. *Journal of the Elisha Mitchell Scientific Society* 112(3):103-107.
- Gratto-Trevor, C.L. and H.L. Dickson. 1994. Confirmation of elliptical migration in a population of Semipalmated Sandpipers. *Wilson Bulletin* 106(1):78-90.

- Groves, D.J., B. Conant, R.J. King, J.I. Hodges, and J.G. King. 1996. Status and trends of loon populations summering in Alaska, 1971-1993. *Condor* 98(2):189-195.
- Greenlaw, J.S. and W.J. Sheehan. 2003. The current status and history of Ring-billed Gulls (*Larus delawarensis*) in Maine. *Northeastern Naturalist* 10(1):55-66.
- Haig, S.M. and J.H. Plissner. 1993. Distribution and abundance of Piping Plovers: Results and implications of the 1991 international census. *Condor* 95(1):145-156.
- Hall, C.S. and S.W. Kress. 2004. Comparison of Common Tern reproductive performance at four restored colonies along the Maine coast, 1991-2002. *Waterbirds* 27(4):424-433.
- Hamer, K.C., R.A. Phillips, S. Wanless, M.P. Harris, and A.G. Wood. 2000. Foraging ranges, diets and feeding locations of gannets *Morus bassanus* in the North Sea: Evidence from satellite telemetry. *Marine Ecology Progress Series* 200:257-264.
- Hamer, K.C., R.A. Phillips, J.K. Hill, S. Wanless, and A.G. Wood. 2001. Contrasting foraging strategies of gannets *Morus bassanus* at two North Atlantic colonies: Foraging trip duration and foraging area fidelity. *Marine Ecology Progress Series* 224:283-290.
- Hamer, K.C., S. Lewis, S. Wanless, R.A. Phillips, T.N. Sherratt, E.M. Humphreys, J. Henniscke, and S. Garthe. 2006. Use of gannets to monitor prey availability in the northeast Atlantic Ocean: Colony size, diet and foraging behaviour. Pages 236-248 in I.L. Boyd, S. Wanless, and C.J. Camphuysen, eds. *Top predators in marine ecosystems*. New York: Cambridge University Press.
- Haney, J.C. 1986. Seabird patchiness in tropical oceanic waters: The influence of *Sargassum* "reefs". *Auk* 103:141-151.
- Haney, J.C. 1987. Effects of a Gulf Stream warm-core ring on summer seabird distribution in the northwest Atlantic Ocean. *Limnology and Oceanography* 32(3):665-673.
- Haney, J.C. and D.S. Lee. 1994. Air-sea heat flux, ocean wind fields, and offshore dispersal of gulls. *Auk* 111(2):427-440.
- Harding, A.M.A., J.F. Piatt, and J.A. Schmutz. 2007. Seabird behavior as an indicator of food supplies: Sensitivity across the breeding season. *Marine Ecology Progress Series* 352:269-274.
- Hatch, J.J. 1995. Changing populations of Double-crested Cormorants. *Colonial Waterbirds* 18(Special Publication 1):8-24.
- Hebshi, A.J., D.C. Duffy, and K.D. Hyrenbach. 2008. Associations between seabirds and subsurface predators around Oahu, Hawaii. *Aquatic Biology* 4:89-98.
- Hecht, A. and S.M. Melvin. 2009. Population trends of Atlantic Coast Piping Plovers, 1986-2006. *Waterbirds* 32(1):64-72.
- Henkel, L.A., R.G. Ford, W.B. Tyler, and J.N. Davis. 2007. Comparison of aerial and boat-based survey methods for Marbled Murrelets *Brachyramphus marmoratus* and other marine birds. *Marine Ornithology* 35:145-151.
- Hicklin, P.W. 1987. The migration of shorebirds in the Bay of Fundy. *Wilson Bulletin* 99(4):540-570.
- Huettmann, F. 2000. Seabirds in the Marine Wilderness of the western North Atlantic. In A.E. Watson, G.H. Aplet, and J.C. Hendee, comps. *Personal, societal, and ecological values of wilderness: Sixth World Wilderness Congress proceedings on research, management, and allocation, volume II. 24-29 October 1998. Bangalore, India. USDA Forest Proceedings RMRS-P-14. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.*
- Huettmann, F. and A.W. Diamond. 2000. Seabird migration in the Canadian northwest Atlantic Ocean: Moulting locations and movement patterns of immature birds. *Canadian Journal of Zoology* 78:624-647.
- Huettmann, F. and A.W. Diamond. 2001. Seabird colony locations and environmental determination of seabird distribution: A spatially explicit breeding seabird model for the Northwest Atlantic. *Ecological Modelling* 141:261-298.
- Huettmann, F. and A.W. Diamond. 2006. Large-scale effects on the spatial distribution of seabirds in the Northwest Atlantic. *Landscape Ecology* 21:1089-1108.
- Hunt, G.L., Jr., and D.C. Schneider. 1987. Scale-dependent processes in the physical and biological environment of marine birds. Pages 7-41 in J. Croxall, ed. *Seabirds: Feeding ecology and role in marine ecosystems. Vol. 2. Cambridge, United Kingdom: Cambridge University Press.*
- Huntley, B., Y.C. Collingham, R.E. Green, G.M. Hilton, C. Rahbek, and S.G. Willis. 2006. Potential impacts of climate change upon geographical distributions of birds. *Ibis* 148(Suppl. 1):8-28.
- Hyrenbach, K.D., M.F. Henry, K.H. Morgan, D.W. Welch, and W.J. Sydeman. 2007. Optimizing the width of strip transects for seabird surveys from vessels of opportunity. *Marine Ornithology* 35:29-38.

- Johnsgard, P.A. 1993. Cormorants, darters, and pelicans of the world. Washington, D.C. and London, England: Smithsonian Institution Press.
- Johnson, C.M. and W.B. Krohn. 2001. The importance of survey timing in monitoring breeding seabird numbers. *Waterbirds* 24(1):22-33.
- Jones, J.J. and R.D. Drobney. 1986. Winter feeding ecology of scaup and Common Goldeneye in Michigan. *Journal of Wildlife Management* 50(3):446-452.
- Kadlec, J.A. and W.H. Drury. 1968. Structure of the New England Herring Gull population. *Ecology* 49(4):644-676.
- Kaiser, M.J., M. Galanidi, D.A. Showler, A.J. Elliott, R.W.G. Caldow, E.I.S. Rees, R.A. Stillman, and W.J. Sutherland. 2006. Distribution and behaviour of Common Scoter *Melanitta nigra* relative to prey resources and environmental parameters. In *Wind, Fire and Water: Renewable Energy and Birds*. *Ibis* 148(Suppl. 1):110-128.
- Kirk, D.A., G. Bellerby, R.W. Brook, D.V. Weseloh, and P.J. Ewins. 2008. Assessing seasonal variation in counts and movements of Bonaparte's Gulls *Larus philadelphia* on the Niagara River, Ontario. *Waterbirds* 31(2):193-202.
- Kitaysky, A.S. and E.G. Golubova. 2000. Climate change causes contrasting trends in reproductive performance of planktivorous and piscivorous alcids. *Journal of Animal Ecology* 69:248-262.
- Krementz, D.G., P.W. Brown, F.P. Kehoe, and C.S. Houston. 1997. Population dynamics of White-winged Scoters. *Journal of Wildlife Management* 61(1):222-227.
- Krohn, W.B., R.B. Allen, J.R. Moring, and A.E. Hutchinson. 1995. Double-crested Cormorants in New England: Population and management histories. *Colonial Waterbirds* 18(Special Publication 1):99-109.
- Lacroix, D.L., S. Boyd, D. Esler, M. Kirk, T. Lewis, and S. Lipovsky. 2005. Surf Scoters *Melanitta perspicillata* aggregate in association with ephemerally abundant polychaetes. *Marine Ornithology* 33:61-63.
- Lavers, J., M. Hipfner, G. Chapdelaine, and J.M. Hipfner. 2009. Razorbill (*Alca torda*). *The Birds of North America* (Published Online):doi:10.2173/bna.635.
- Lavers, J.L., I.L. Jones, A.W. Diamond, and G.J. Robertson. 2008. Annual survival of North American Razorbills (*Alca torda*) varies with ocean climate indices. *Canadian Journal of Zoology* 86:51-61.
- Leafloor, J.O., J.E. Thompson, and C.D. Ankney. 1996. Body mass and carcass composition of fall migrant Oldsquaws. *Wilson Bulletin* 108(3):567-572.
- Lebaron, G.S. and F.H. Heppner. 1985. Food theft in the presence of abundant food in Herring Gulls. *Condor* 87(3):430-431.
- Lee, D.S. 1995. The pelagic ecology of Manx Shearwaters *Puffinus puffinus* off the southeastern United States of America. *Marine Ornithology* 23:107-119.
- Lewis, T.L., D. Esler, and W.S. Boyd. 2008. Foraging behavior of Surf Scoters (*Melanitta perspicillata*) and White-winged Scoters (*M. fusca*) in relation to clam density: Inferring food availability and habitat quality. *Auk* 125(1):149-157.
- Maccarone, A.D. and J.N. Brzorad. 2005. Foraging microhabitat selection by wading birds in a tidal estuary, with implications for conservation. *Waterbirds* 28(3):383-391.
- Mallory, M.L., J. Akearok, N.R. North, D. Vaughan Weseloh, and S. Lair. 2006. Movements of Long-tailed Ducks wintering on Lake Ontario to breeding areas in Nunavut, Canada. *Wilson Journal of Ornithology* 118(4):494-501.
- Manomet Bird Observatory. 1987. Cetacean and seabird assessment program. Prepared for National Marine Fisheries Service, Northeast Fisheries Center, Woods Hole, Massachusetts.
- Mawhinney, K., B. Allen, and B. Benedict. 1999. Status of the American Oystercatcher, *Haematopus palliatus*, on the Atlantic Coast. *Northeastern Naturalist* 6(2):177-182.
- Mawhinney, K., A.W. Diamond, P. Kehoe, and N. Benjamin. 1999. Status and productivity of Common Eiders in relation to Great Black-backed Gulls and Herring Gulls in the southern Bay of Fundy and the Northern Gulf of Maine. *Waterbirds* 22(2):253-262.
- McAlpine, D.F., N.R. Garrity, N. Benjamin, A.W. Diamond, L.C. Hughes, M.C. Sollows, D.M. Johnson, and M. Sheppard. 2005. Ring-billed Gulls (*Larus delawarensis*) nesting on Manawagonish Island, New Brunswick: Continuing expansion of the seabird community in the Bay of Fundy. *Northeastern Naturalist* 12(3):263-266.
- McCorquodale, D.B. and R.W. Knapton. 2003. Changes in numbers of wintering American Black Ducks and Mallards in urban Cape Breton Island, Nova Scotia. *Northeastern Naturalist* 10(3):297-304.

- Melvin, S.M., A. Hecht, and C.R. Griffin. 1994. Piping Plover mortalities caused by off-road vehicles on Atlantic Coast beaches. *Wildlife Society Bulletin* 22(3):409-414.
- Miller, J.B. 1996. Red-breasted Mergansers in an urban winter habitat. *Journal of Field Ornithology* 67(3):477-483.
- Monaghan, P., J.D. Uttley, and M.D. Burns. 1992. Effect of changes in food availability on reproductive effort in Arctic Terns *Sterna paradisaea*. *Ardea* 80:71-81.
- Moody, A.T. and K.A. Hobson. 2007. Alcid winter diet in the northwest Atlantic determined by stable isotope analysis. *Marine Ornithology* 35:39-46.
- Montevecchi, W.A. 2007. Binary dietary responses of northern gannets *Sula bassana* indicate changing food web and oceanographic conditions. *Marine Ecology Progress Series* 352:213-220.
- Montevecchi, W.A. and R.A. Myers. 1995. Prey harvests of seabirds reflect pelagic fish and squid abundance on multiple spatial and temporal scales. *Marine Ecology Progress Series* 117:1-9.
- Montevecchi, W.A. and R.A. Myers. 1996. Dietary changes of seabirds indicate shifts in pelagic food webs. *Sarsia* 80:313-322.
- Montevecchi, W.A., and R.A. Myers. 1997. Centurial and decadal oceanographic influences on changes in northern gannet populations and diets in the North-west Atlantic: Implications for climate change. *ICES Journal of Marine Science* 54:608-614.
- Montevecchi, W.A., V.L. Birt-Friesen, and D.K. Cairns. 1992. Reproductive energetics and prey harvest of Leach's Storm-petrels in the Northwest Atlantic. *Ecology* 73(3):823-832.
- Montevecchi, W.A., D.K. Cairns, and R.A. Myers. 2002. Predation on marine-phase Atlantic salmon (*Salmo salar*) by gannets (*Morus bassanus*) in the Northwest Atlantic. *Canadian Journal of Fisheries and Aquatic Sciences* 59:602-612.
- Montevecchi, W.A., S. Garthe, and G.K. Davoren. 2006. Biophysical influences on seabird trophic assessments. Pages 118-130 in I.L. Boyd, S. Wanless, and C.J. Camphuysen, eds. *Top predators in marine ecosystems*. New York: Cambridge University Press.
- Morrison, R.I.G., C. Downes, and B. Collins. 1994. Population trends of shorebirds on fall migration in eastern Canada 1974-1991. *Wilson Bulletin* 106(3):431-447.
- Morrison, R.I.G., R.E. Gill, Jr., B.A. Harrington, S. Skagen, G.W. Page, C.L. Gratto-Trevor, and S.M. Haig. 2000. Population estimates of Nearctic shorebirds. *Waterbirds* 23(3):337-352.
- Morrison, R.I.G., B.J. McCaffery, R.E. Gill, S.K. Skagen, S.L. Jones, G.W. Page, C.L. Gratto-Trevor, and B.A. Andres. 2006. Population estimates of North American shorebirds, 2006. *Wader Study Group Bulletin* 111:67-85.
- Moser, M.L. and D.S. Lee. 1992. A fourteen-year survey of plastic ingestion by western North Atlantic seabirds. *Colonial Waterbirds* 15(1):83-94.
- National Geographic Society. 1999. *Field guide to the birds of North America*. 3d ed. Washington, D.C.: National Geographic Society.
- Nelson, B. 1980. *Seabirds: Their biology and ecology*. London, England: Hamlyn's.
- Nettleship, D.N. and G. Chapdelaine. 1988. Population size and status of the Northern Gannet *Sula bassanus* in North America, 1984. *Journal of Field Ornithology* 59(2):120-127.
- Nicholls, J.L. and G.A. Baldassarre. 1990. Habitat associations of Piping Plovers wintering in the United States. *Wilson Bulletin* 102(4):581-590.
- Nisbet, I.C.T. 1989. Long-term ecological studies of seabirds. *Colonial Waterbirds* 12(2):143-147.
- Nisbet, I.C.T., and J.A. Spindelov. 1999. Contribution of research to management and recovery of the Roseate Tern: Review of a twelve-year project. *Waterbirds* 22(2):239-252.
- O'Connell, T.J. and R.A. Beck. 2003. Gull predation limits nesting success of terns and skimmers on the Virginia barrier islands. *Journal of Field Ornithology* 74(1):66-73.
- O'Driscoll, R.L. 1998. Description of spatial pattern in seabird distributions along line transects using neighbour K statistics. *Marine Ecology Progress Series* 165:81-94.
- Olsen, K.M. and H. Larsson. 1995. *Terns of Europe and North America*. New Jersey: Princeton University Press.
- Oro, D. and R.W. Furness. 2002. Influences of food availability and predation on survival of kittiwakes. *Ecology* 83(9):2516-2528.
- Ostrand, W.D., G.S. Drew, R.M. Suryan, and L.L. McDonald. 1998. Evaluation of radio-tracking and strip transect methods for determining foraging ranges of Black-legged Kittiwakes. *Condor* 100(4):709-718.

- Overholtz, W.J. and J.S. Link. 2006. Consumption impacts by marine mammals, fish, and seabirds on the Gulf of Maine-Georges Bank Atlantic herring (*Clupea harengus*) complex during the years 1977-2002. ICES Journal of Marine Science Advance Access doi:10.1093/icesjms/fsi009.
- Overholtz, W.J., S.A. Murawski, and K.L. Foster. 1991. Impact of predatory fish, marine mammals, and seabirds on the pelagic fish ecosystem of the northeastern USA. ICES Marine Science Symposia 193:198-208.
- Parsons, K.C., S.R. Schmidt, and A.C. Matz. 2001. Regional patterns of wading bird productivity in northeastern US estuaries. *Waterbirds* 24(3):323-330.
- Paton, P.W.C., R.J. Harris, and C.L. Trocki. 2005. Distribution and abundance of breeding birds in Boston Harbor. *Northeastern Naturalist* 12(3) Boston Harbor Islands National Park Area: Natural Resources Overview:144-168.
- Payne, P.M., L.A. Selzer, and A.R. Knowlton. 1984. Distribution and density of cetaceans, marine turtles, and seabirds in the shelf waters of the northeastern United States, June 1980 - December 1983, based on shipboard observations. Contract Number NA-81-FA-C-00023. Prepared for National Marine Fisheries Service, Woods Hole, Massachusetts, by Manomet Bird Observatory, Manomet, Massachusetts.
- Perkins, S., A. Jones, and T. Allison. 2003. Survey of tern activity within Nantucket Sound, Massachusetts, during pre-migratory fall staging. Final report. Prepared for Massachusetts Technology Collaborative, Westborough, Massachusetts, by Massachusetts Audubon Society, Lincoln, Massachusetts.
- Perkins, S., T. Allison, A. Jones, and G. Sadoti. 2004. A survey of tern activity within Nantucket Sound, Massachusetts, during the 2003 breeding season. Final report. Prepared for Massachusetts Technology Collaborative, Westborough, Massachusetts, by Massachusetts Audubon Society, Lincoln, Massachusetts.
- Perkins, S., T. Allison, A. Jones, and G. Sadoti. 2004. A survey of tern activity within Nantucket Sound, Massachusetts during the 2003 fall staging period. Final report. Prepared for Massachusetts Technology Collaborative, Westborough, Massachusetts, by Massachusetts Audubon Society, Lincoln, Massachusetts.
- Perkins, S., G. Sadoti, T. Allison, and A. Jones. 2004. Relative waterfowl abundance within Nantucket Sound, Massachusetts during the 2003-2004 winter season. Prepared for Massachusetts Technology Collaborative, Westborough, Massachusetts, by Massachusetts Audubon Society, Lincoln, Massachusetts.
- Perry, M.C., A.M. Wells-Berlin, D.M. Kidwell, and P.C. Osenton. 2008. Temporal changes of populations and trophic relationships of wintering diving ducks in Chesapeake Bay. *Waterbirds* 30 (Special Publication 1):4-16.
- Piatt, J.F., A.M.A. Harding, M. Shultz, S.G. Speckman, T.I. van Pelt, G.S. Drew, and A.B. Kettle. 2007. Seabirds as indicators of marine food supplies: Cairns revisited. *Marine Ecology Progress Series* 352:221-234.
- Piatt, J.F., W.J. Sydeman, and F. Wiese. 2007. Introduction: A modern role for seabirds as indicators. *Marine Ecology Progress Series* 352:199-204.
- Pierotti, R. 1982. Habitat selection and its effect on reproductive output in the Herring Gull in Newfoundland. *Ecology* 63(3):854-868.
- Pierotti, R. 1988. Associations between marine birds and mammals in the northwest Atlantic Ocean. Pages 31-58 in J. Burger, ed. *Seabirds and other marine vertebrates: Competition, predation, and other interactions*. New York: Columbia University Press.
- Poulton, V.K., J.R. Lovvorn, and J.Y. Takekawa. 2002. Clam density and scaup feeding behavior in San Pablo Bay, California. *Condor* 104:518-527.
- Powers, K.D. 1982. A comparison of two methods of counting birds at sea. *Journal of Field Ornithology* 53(3):209-222.
- Powers, K.D. 1983. Pelagic distributions of marine birds off the northeastern United States. NOAA Technical Memorandum NMFS-F/NEC-27:207.
- Rattner, B.A. and P.C. McGowan. 2007. Potential hazards of environmental contaminants to avifauna residing in the Chesapeake Bay estuary. *Waterbirds* 30(Special Publication 1):63-81.
- Reed, J.M. and S.J. Ha. 1983. Enhanced foraging efficiency in Forster's Terns. *Wilson Bulletin* 95(3):479-481.

- Regehr, H.M. and W.A. Montevecchi. 1997. Interactive effects of food shortage and predation on breeding failure of black-legged kittiwakes: Indirect effects of fisheries activities and implications for indicator species. *Marine Ecology Progress Series* 155:249-260.
- Regehr, H.M. and M.S. Rodway. 1999. Seabird breeding performance during two years of delayed capelin arrival in the northwest Atlantic: A multi-species comparison. *Waterbirds* 22(1):60-67.
- Ridgely, R.S., T.F. Allnut, T. Brooks, D.K. McNicol, D.W. Mehlman, B.E. Young, and J.R. Zook. 2005. Digital distribution maps of the birds of the Western Hemisphere, version 2.1. Arlington, Virginia: NatureServe.
- Ristow, D., P. Berthold, D. Hashmi, and U. Querner. 2000. Satellite tracking of Cory's Shearwater migration. *Condor* 102:696-699.
- Robert, M., R. McNeil, and A. Leduc. 1989. Conditions and significance of night feeding in shorebirds and other water birds in a tropical lagoon. *Auk* 106(1):94-101.
- Robertson, G.J. and F. Cooke. 1999. Winter philopatry in migratory waterfowl. *Auk* 116(1):20-34.
- Robertson, I. and M. Burchett. 1996. Seabirds. Pages 361-394 in G. Waller, ed. *SeaLife: A complete guide to the marine environment*. Washington, D.C.: Smithsonian Institution Press.
- Robinson, R.A., P.W. Atkinson, and N.A. Clark. 2003. Arrival and weight gain of Red Knot *Calidris canutus*, Ruddy Turnstone *Arenaria interpres* and Sanderling *Calidris alba* staging in Delaware Bay in spring. BTO Research Report number 307. Prepared by British Trust for Ornithology, Norfolk, United Kingdom.
- Rodgers, J.A., Jr., P.S. Kubilis, and S.A. Nesbitt. 2005. Accuracy of aerial surveys of waterbird colonies. *Waterbirds* 28(2):230-237.
- Rogers, J.P. and L.J. Korschgen. 1966. Foods of Lesser Scaups on breeding, migration, and wintering areas. *Journal of Wildlife Management* 30(2):258-264.
- Ronconi, R.A. and A.E. Burger. 2009. Estimating seabird densities from vessel transects: Distance sampling and implications for strip transects. *Aquatic Biology* 4:297-309.
- Ronconi, R.A. and S.N.P. Wong. 2003. Estimates of changes in seabird numbers in the Grand Manan Archipelago, New Brunswick, Canada. *Waterbirds* 26(4):462-472.
- Sabine, J.B., S.H. Schweitzer, and J.M. Meyers. 2006. Nest fate and productivity of American Oystercatchers, Cumberland Island National Seashore, Georgia. *Waterbirds* 29(3):308-314.
- Sabine, J.B., III, J.M. Meyers, C.T. Moore, and S.H. Schweitzer. 2008. Effects of human activity on behavior of breeding American Oystercatchers, Cumberland Island National Seashore, Georgia, USA. *Waterbirds* 31(1):70-82.
- Sadoti, G., T. Allison, S. Perkins, E. Jedrey, and A. Jones. 2005. A survey of tern activity within Nantucket Sound, Massachusetts during the 2004 fall staging period. Final report. Prepared for Massachusetts Technology Collaborative, Westborough, Massachusetts, by Massachusetts Audubon Society, Lincoln, Massachusetts.
- Sadoti, G., T. Allison, S. Perkins, and A. Jones. 2005. A survey of tern activity within Nantucket Sound, Massachusetts, during the 2004 breeding period. Final report. Prepared for Massachusetts Technology Collaborative, Westborough, Massachusetts, by Massachusetts Audubon Society, Lincoln, Massachusetts.
- Safina, C., J. Burger, M. Gochfeld, and R.H. Wagner. 1988. Evidence for prey limitation of Common and Roseate Tern reproduction. *Condor* 90(4):852-859.
- Sanders, F.J., T.M. Murphy, M.D. Spinks, and J.W. Coker. 2008. Breeding season abundance and distribution of American Oystercatchers in South Carolina. *Waterbirds* 31(2):268-273.
- Savard, J.-P.L., A. Reed, and L. Lesage. 2007. Chronology of breeding and molt migration in Surf Scoters (*Melanitta perspicillata*). *Waterbirds* 30(2):223-229.
- Schneider, D.C. 1997. Habitat selection by marine birds in relation to water depth. *Ibis* 139(1):175-178.
- Schneider, D.C. and D.C. Duffy. 1985. Scale-dependent variability in seabird abundance. *Marine Ecology Progress Series* 25:211-218.
- Schneider, D.C. and B.A. Harrington. 1981. Timing of shorebird migration in relation to prey depletion. *Auk* 98(4):801-811.
- Schneider, D.C. and J.F. Piatt. 1986. Scale-dependent correlation of seabirds with schooling fish in a coastal ecosystem. *Marine Ecology Progress Series* 32:237-246.
- Schreiber, E.A. and J. Burger, eds. 2002. *Biology of marine birds*. Boca Raton, Florida: CRC Press LLC.

- Schreiber, E.A. and J. Burger. 2002. Data on life-history characteristics, breeding range, size, and survival for seabird species. Pages 665-685 in E.A. Schreiber, and J. Burger, eds. Biology of marine birds. Boca Raton, Florida: CRC Press LLC.
- Scott, B.E., J. Sharples, S. Wanless, O.N. Ross, M. Frederiksen, and F. Daunt. 2006. The use of biologically meaningful oceanographic indices to separate the effects of climate and fisheries on seabird breeding success. Pages 46-62 in I.L. Boyd, S. Wanless, and C.J. Camphuysen, eds. Top predators in marine ecosystems. New York: Cambridge University Press.
- Sealy, S.G. and H.R. Carter. 2004. Inland occurrences of Dovekies in September in northeastern North America. *Northeastern Naturalist* 11(4):375-382.
- Shealer, D.A. and S.W. Kress. 1994. Post-breeding movements and prey selection of Roseate Terns at Stratton Island, Maine. *Journal of Field Ornithology* 65(3):349-362.
- Sibley, C.G. and B.L. Monroe, Jr. 1990. Distribution and taxonomy of birds of the world. New Haven, Connecticut: Yale University Press.
- Skerratt, L.F., J.C. Franson, C.U. Meteyer, and T.E. Hollmén. 2005. Causes of mortality in sea ducks (Mergini) necropsied at the USGS-National Wildlife Health Center. *Waterbirds* 28(2):193-207.
- Soper, T. 1989. Oceans of birds. London, England: David & Charles.
- Spear, L.B. and D.G. Ainley. 1997. Flight behaviour of seabirds in relation to wind direction and wing morphology. *Ibis* 139(2):221-233.
- Spear, L.B. and D.G. Ainley. 1997. Flight speed of seabirds in relation to wind speed and direction. *Ibis* 139(2):234-251.
- Spear, L. and D. Ainley. 1997. Surveying marine birds and mammals at sea. Alviso, California: H.T. Harvey & Associates.
- Spendelow, J.A., J.D. Nichols, I.C.T. Nisbet, H. Hays, G.D. Cormons, J. Burger, C. Safina, J.E. Hines, and M. Gochfeld. 1995. Estimating annual survival and movement rates of adults within a metapopulation of Roseate Terns. *Ecology* 76(8): 2415-2428.
- Spendelow, J.A., J.E. Hines, J.D. Nichols, I.C.T. Nisbet, G. Cormons, H. Hays, J.J. Hatch, and C.S. Mostello. 2008. Temporal variation in adult survival rates of Roseate Terns during periods of increasing and declining populations. *Waterbirds* 31(3):309-319.
- Sperduto, M.B., S.P. Powers, and M. Donlan. 2003. Scaling restoration to achieve quantitative enhancement of loon, seaduck, and other seabird populations. *Marine Ecology Progress Series* 264:221-232.
- Sprague, A.J., D.J. Hamilton, and A.W. Diamond. 2008. Site safety and food affect movements of Semipalmated Sandpipers (*Calidris pusilla*) migrating through the upper Bay of Fundy. *Avian Conservation and Ecology* 3(2):4. <http://www.ace-eco.org/vol3/iss2/art4/>.
- Staine, K.J., and J. Burger. 1994. Nocturnal foraging behavior of breeding Piping Plovers (*Charadrius melodus*) in New Jersey. *Auk* 111(3):579-587.
- Stenhouse, I.J. and W.A. Montevecchi. 1999. Increasing and expanding populations of breeding Northern Fulmars in Atlantic Canada. *Waterbirds* 22(3):382-391.
- Stenhouse, I.J. and W.A. Montevecchi. 1999. Indirect effects of the availability of capelin and fishery discards: Gull predation on breeding storm-petrels. *Marine Ecology Progress Series* 184:303-307.
- Stott, R.S. and D.P. Olson. 1972. An evaluation of waterfowl surveys on the New Hampshire coastline. *Journal of Wildlife Management* 36(2):468-477.
- Stott, R.S. and D.P. Olson. 1972. Differential vulnerability patterns among three species of sea ducks. *Journal of Wildlife Management* 36(3):775-783.
- Stott, R.S. and D.P. Olson. 1973. Food-habitat relationship of sea ducks on the New Hampshire coastline. *Ecology* 54(5):996-1007.
- Systad, G.H., J.O. Bustnes, and K.E. Erikstad. 2000. Behavioral responses to decreasing day length in wintering sea ducks. *Auk* 117(1):33-40.
- Tasker, M.L., P.H. Jones, T. Dixon, and B.F. Blake. 1984. Counting seabirds at sea from ships: A review of methods employed and a suggestion for a standardized approach. *Auk* 101:567-577.
- Thompson, P.M. 2006. Identifying drivers of change: Did fisheries play a role in the spread of North Atlantic fulmars? Pages 143-156 in I.L. Boyd, S. Wanless, and C.J. Camphuysen, eds. Top predators in marine ecosystems. New York: Cambridge University Press.
- Thompson, W.L. 2002. Towards reliable bird surveys: Accounting for individuals present but not detected. *Auk* 119(1):18-25.
- Tickell, W.L.N. 2000. Albatrosses. New Haven, Connecticut: Yale University Press.

- Traut, A.H., J.M. McCann, and D.F. Brinker. 2006. Breeding status and distribution of American Oystercatchers in Maryland. *Waterbirds* 29(3):302-307.
- Tsipoura, N. and Burger, J. 1999. Shorebird diet during spring migration stopover on Delaware Bay. *Condor* 101: 635-644.
- Tsipoura, N. and J. Burger. 1999. Shorebirds and surf clams: An unusual interaction. *Waterbirds* 22(1):140-141.
- Turnpenny, A.W.H. and J.R. Nedwell. 1994. The effects on marine fish, diving mammals and birds of underwater: Sound generated by seismic surveys. Consultancy Report. FCR 089/94. Prepared by Fawley aquatic research laboratories Ltd.
- Turpie, J.K. and P.A.R. Hockey. 1997. Adaptive variation in the foraging behaviour of Grey Plover *Pluvialis squatarola* and Whimbrel *Numenius phaeopus*. *Ibis* 139(2):289-298.
- USFWS (U.S. Fish and Wildlife Service). 2004. Shorebird Conservation Plan. High priority shorebirds – 2004. Unpublished report. Arlington, Virginia, U.S. Fish and Wildlife Service.
- USFWS (U.S. Fish and Wildlife Service). 2008. Birds of Conservation Concern 2008. Arlington, Virginia: U.S. Department of the Interior, Fish and Wildlife Service.
- Vanner, M. 2003. The encyclopedia of North American birds. New York: Parragon Publishing.
- Velásquez, C.R. and R.A. Navarro. 1993. The influence of water depth and sediment type on the foraging behavior of Whimbrels. *Journal of Field Ornithology* 64(2):149-157.
- Warham, J. 1990. The petrels: Their ecology and breeding systems. New York: Academic Press.
- Wells, J.V. and P.D. Vickery. 1990. Willet nesting in sphagnum bog in eastern Maine. *Journal of Field Ornithology* 61(1):73-75.
- Wickett, M.R. 1999. Atlantic Puffin/Razorbill assessment. Final report. Prepared for Maine Department of Inland Fisheries and Wildlife, Wildlife Division.
- Wiese, F.K., W.A. Montevecchi, G.K. Davoren, F. Huettmann, A.W. Diamond, and J. Linke. 2001. Seabirds at risk around offshore oil platforms in the north-west Atlantic. *Marine Pollution Bulletin* 42(12):1285-1290.
- Wilhelm, S.I., S.G. Gilliland, G.J. Robertson, P.C. Ryan, and R.D. Elliot. 2008. Development and validation of a wing key to improve harvest management of alcids in the northwest Atlantic. *Journal of Wildlife Management* 72(4):1026-1034.
- Wilke, A.L., B.D. Watts, B.R. Truitt, and R. Boettcher. 2005. Breeding season status of the American Oystercatcher in Virginia, USA. *Waterbirds* 28(3):308-315.
- Wilke, A.L., D.F. Brinker, B.D. Watts, A.H. Traut, R. Boettcher, J.M. McCann, B.R. Truitt, and P.P. Denmon. 2007. American Oystercatchers in Maryland and Virginia, USA: Status and distribution. *Waterbirds* 30(Special Publication 1):152-162.
- Wilkinson, P.M., S.A. Nesbitt, and J.F. Parnell. 1994. Recent history and status of the eastern Brown Pelican. *Wildlife Society Bulletin* 22(3):420-430.
- Williams, B., D.F. Brinker, and B.D. Watts. 2007. The status of colonial nesting wading bird populations within the Chesapeake Bay and Atlantic barrier island-lagoon system. *Waterbirds* 30(Special Publication 1):82-92.
- Williams, L.E., Jr. 1973. Spring migration of Common Loons from the Gulf of Mexico. *Wilson Bulletin* 85(2):230.
- Wilson, M.D., B.D. Watts, and D.F. Brinker. 2007. Status review of Chesapeake Bay marsh lands and breeding marsh birds. *Waterbirds* 30(Special Publication 1):122-137.
- Wilson, W.H., Jr. 1990. Relationship between prey abundance and foraging site selection by Semipalmated Sandpipers on a Bay of Fundy mudflat. *Journal of Field Ornithology* 61(1):9-19.
- Wires, L.R. and F.J. Cuthbert. 2000. Trends in Caspian Tern numbers and distribution in North America: A review. *Waterbirds: The International Journal of Waterbird Biology* 23(3):388-404.
- Wires, L.R. and F.J. Cuthbert. 2006. Historic populations of the Double-crested Cormorant (*Phalacrocorax auritus*): Implications for conservation and management in the 21st century. *Waterbirds* 29(1):9-37.

Appendix P-2**Offshore Wind Farm Literature**

- Ahlén, I., L. Bach, H.J. Baagøe, and J. Pettersson. 2007. Bats and offshore wind turbines studied in southern Scandinavia. Report Number 5571. Stockholm, Sweden: The Swedish Environmental Protection Agency.
- Archer, C.L. and M.Z. Jacobson. 2005. Evaluation of global wind power. *Journal of Geophysical Research* 110:D12110, doi:10.1029/2004JD005462.
- Aqua-Fact International Services Ltd. 2007. Oriel Windfarm Ltd. offshore wind farm: Environmental impact statement. Non-technical summary. Volume 1 of 3. Prepared for Oriel Windfarm Ltd., Dundalk, Ireland, by Aqua-Fact International Services Ltd., Galway, Ireland.
- Band, W., M. Madders, and D.P. Whitfield. 2007. Developing field and analytical methods to assess avian collision risk at wind farms. Pages 259-275 in M. de Lucas, G.F.E. Janss, and M. Ferrer, eds. *Birds and wind farms: Risk assessment and mitigation*. Madrid: Quercus.
- Bech, M., S.B. Leonhard, and J. Pedersen. 2004. Infauna monitoring Horns Rev offshore wind farm: Annual status report 2003. Denmark: Elsam Engineering Bio/consult as.
- Bech, M., R. Frederiksen, J. Pedersen, and S.B. Leonhard. 2005. Infauna monitoring Horns Rev offshore wind farm: Annual status report 2004. Denmark: Elsam Engineering Bio/consult as.
- BERR (Department for Business Enterprise and Regulatory Reform). 2007. Aerial surveys of waterbirds in strategic wind farm areas: 2005-06 final report. Aberdeen, United Kingdom: Department of Trade and Industry.
- BERR (Department for Business Enterprise and Regulatory Reform). 2007. Offshore wind Capital Grant Scheme: North Hoyle offshore wind farm. Third annual report: July 2006-June 2007. URN Number 08/P47. Berkshire, United Kingdom: Npower Renewables Ltd.
- Betke, K. 2006. Measurement of underwater noise emitted by an off shore wind turbine at Horns Rev. Oldenburg, Germany: Institut für technische und angewandte Physik GmbH (ITAP).
- Brasseur, S.M.J.M., M. Scheidat, G.M. Aarts, J.S.M. Cremer, and O.G. Bos. 2008. Distribution of marine mammals in the North Sea for the generic appropriate assessment of future offshore wind farms. Report C046/08. Prepared for Deltares, Delft, The Netherlands, by Wageningen IMARES (Institute for Marine Resources and Ecosystem Studies), Texel, The Netherlands.
- Brown, M. and R. Walls. 2004. The remote monitoring of seabird movement using bird detection radar from an offshore jack-up barge Loch Ryan, Dumfries. York, United Kingdom: Central Science Laboratory, Bird Management Unit.
- Bruns, E. and I. Steinhauer. 2005. Concerted Action for Offshore Wind Energy Deployment (COD). Work package 4: Environmental issues. Prepared for European Commission, Brussels, Belgium, by SenterNovem, Utrecht, the Netherlands.
- Canadian Wildlife Service. 2006. Recommended protocols for monitoring impacts of wind turbines on birds. Final report. Gatineau, Quebec: Canadian Wildlife Service, Environment Canada.
- Canadian Wildlife Service. 2007. Wind turbines and birds: A guidance document for environmental assessment. Gatineau, Quebec: Canadian Wildlife Service, Environment Canada.
- Cartensen, J., O.D. Henriksen, and J. Teilmann. 2006. Impacts of offshore wind farm construction on harbour porpoises: Acoustic monitoring of echo-location activity using porpoise detectors (T-PODs). *Marine Ecology Progress Series* 321:295-308.
- Chamberlain, D.E., M.R. Rehfisch, A.D. Fox, M. Desholm, and S.J. Anthony. 2006. The effect of avoidance rates on bird mortality predictions made by wind turbine collision risk models. In *Wind, Fire and Water: Renewable Energy and Birds*. *Ibis* 148(Suppl. 1):198-202.
- Christensen, C.F. 2006. Navigational risk assessment: Frequency analysis: Wind farm Horns Rev 2. Report Number 643233-REP-01. Prepared for Energi E2 A/S, Brøndby, Denmark.
- Christensen, T.K. and J.P. Hounisen. 2005. Investigations of migratory birds during operation of Horns Rev offshore wind farm 2004. Annual status report 2004. NERI Report. Prepared for Elsam Engineering A/S, Kraftværksvej, Denmark, by National Environmental Research Institute, Roskilde, Denmark.
- Christensen, T.K., I. Clausager, and I.K. Petersen. 2001. Base-line investigations of birds in relation to an offshore wind farm at Horns Rev: Results and conclusions 2000/2001. NERI Report. Prepared for

- Tech-wise A/S, Fredericia, Denmark, by National Environmental Research Institute, Roskilde, Denmark.
- Christensen, T.K., I. Clausager, and I.K. Petersen. 2002. Status report of seabird surveys at Horns Rev, 2000-2001. NERI Report. Prepared for Tech-wise A/S, Fredericia, Denmark, by National Environmental Research Institute, Roskilde, Denmark.
- Christensen, T.K., I. Clausager, and I.K. Petersen. 2003. Base-line investigations of birds in relation to an offshore wind farm at Horns Rev, and results from the year of construction. NERI Report 2003, April 10 ed. Roskilde, Denmark: National Environmental Research Institute.
- Cranswick, P., C. Hall, and L. Smith. 2003. Aerial surveys of birds in proposed strategic areas for offshore windfarm development, round 2: Preliminary report, winter 2002/03. WWT research report. Prepared for Department of Trade and Industry, Aberdeen, United Kingdom, by the Wildfowl and Wetlands Trust, Gloucestershire, United Kingdom.
- Cryan, P.M. and A.C. Brown. 2007. Migration of bats past a remote island offers clues toward the problem of bat fatalities at wind turbines. *Biological Conservation* 139:1-11.
- Desholm, M. 2001. First phase of the project 'Development of method for estimating the collision frequency between migrating birds and offshore wind turbines' – the choice of equipment. Prepared for SEAS Wind Energy Centre, Haslev, Denmark, by National Environmental Research Institute, Rønde, Denmark.
- Desholm, M. 2003. Thermal Animal Detection System (TADS): Development of a method for estimating collision frequency of migrating birds at offshore wind turbines. NERI Technical Report Number 440. Roskilde, Denmark: National Environmental Research Institute.
- Desholm, M. 2009. Avian sensitivity to mortality: Prioritising migratory bird species for assessment at proposed wind farms. *Journal of Environmental Management*. In press.
- Desholm, M. and J. Kahlert. 2005. Avian collision risk at an offshore wind farm. *Biology Letters* 1(3):296-298.
- Desholm, M., J. Kahlert, I.K. Petersen, and I. Clausager. 2001. Base-line investigations of birds in relation to an offshore wind farm at Rødsand: Results and conclusions, 2000. NERI Report. Prepared for SEAS Distribution, by National Environmental Research Institute, Roskilde, Denmark.
- Desholm, M., I.K. Petersen, J. Kahlert, and I. Clausager. 2003. Base-line investigations of birds in relation to an offshore wind farm at Rødsand: Results and conclusions 2002. NERI Report. Prepared for ENERGI E2 A/S, København SV, Denmark, by National Environmental Research Institute, Roskilde, Denmark.
- Desholm, M., A.D. Fox, and P.D. Beasley. 2004. Best practice guidance for the use of remote techniques for observing bird behaviour in relation to offshore windfarms. COWRIE-REMOTE-05-2004. Prepared for Collaborative Offshore Wind Research into the Environment consortium, United Kingdom, by National Environmental Research Institute, Rønde, Denmark.
- Desholm, M., A.D. Fox, P.D.L. Beasley, and J. Kahlert. 2006. Remote techniques for counting and estimating the number of bird-wind turbine collisions at sea: A review. In *Wind, Fire and Water: Renewable Energy and Birds*. *Ibis* 148(Suppl.1):76-89.
- Desholm, M., T. Fox, J. Kahlert, I. Petersen, and T. Christensen. 2007. Assessing effects of offshore wind farms on birds – the Danish approach. Roskilde, Denmark: University of Aarhus, National Environmental Research Institute.
- DeTect, Inc. 2005. An overview: Radar technology for assessment of avian issues at wind energy project sites. Panama City, Florida: DeTect, Inc.
- DeTect, Inc. 2006. An overview: Radar technology for assessment of avian issues at wind energy project sites. Panama City, Florida: DeTect, Inc.
- Dhanju, A., P. Whitaker, and S. Burton. 2005. Assessment of Delaware offshore wind power. Newark, Delaware: University of Delaware, College of Marine Studies.
- Diederichs, A., G. Nehls, M. Dähne, S. Adler, S. Koschinski, and U. Verfuß. 2008. Methodologies for measuring and assessing potential changes in marine mammal behaviour, abundance or distribution arising from the construction, operation and decommissioning of offshore windfarms. COWRIE ENG-01-2007. Prepared for COWRIE, Ltd., United Kingdom.
- Dirksen, S., A.L. Spaans, and J. van der Winden. 1998. Studies on nocturnal flight paths and altitudes of waterbirds in relation to wind turbines: A review of current research in The Netherlands. Pages 97-109 in *Proceedings of National Avian-Wind Power Planning Meeting III*. May 1998. San Diego, California.

- Dirksen, S., R.H. White, and M.F. Leopold. 2005. Nocturnal movements and flight altitudes of Common Scoters *Melanitta nigra*: Research north of Ameland and Terschelling, February 2004, for the baseline study Near Shore Windfarm. Prepared for National Institute for Coastal and Marine Management, The Hague, Netherlands, by Bureau Waardenburg bv, AJ Culemborg, The Netherlands.
- Dirksen, S., A.L. Spaans, and J. van der Winden. 2007. Collision risks for diving ducks at semi-offshore wind farms in freshwater lakes: A case study. Pages 201-218 in M. de Lucas, G.F.E. Janss, and M. Ferrer, eds. Birds and wind farms: Risk assessment and mitigation. Madrid: Quercus.
- Dolman, S.J., M.P. Simmonds, and S. Keith. 2003. Marine wind farms and cetaceans. IWC Working Document SC/55/E4 presented to the IWC Scientific Committee. 16 to 19 June. Berlin, Germany.
- DONG Energy, V., Danish Energy Authority, and Danish Forest and Nature Agency. 2006. Danish offshore wind key environmental issues. Copenhagen, Denmark: Danish Energy Authority.
- Dooling, R. 2002. Avian hearing and the avoidance of wind turbines. Technical Report NREL/TP-500-30844. Prepared for National Renewable Energy Lab, Golden, Colorado, by University of Maryland, College Park, Maryland.
- Drewitt, A.L. and R.H.W. Langston. 2006. Assessing the impacts of wind farms on birds. In Wind, Fire and Water: Renewable Energy and Birds. Ibis 148(Suppl.1):29-42.
- DTI (Department of Trade and Industry). 2005. Offshore wind turbines and bird activity at Blyth. Aberdeen, United Kingdom: Department of Trade and Industry.
- DTI (Department of Trade and Industry). 2006. Aerial surveys of waterbirds in strategic windfarm areas: 2004/05 final report. Aberdeen, United Kingdom: Department of Trade and Industry.
- Elsam Engineering, and ENERGI E2. 2005. Review report 2004. The Danish Offshore Wind Farm Demonstration Project: Horns Rev and Nysted offshore wind farms: Environmental impact assessment and monitoring. Prepared for The Environmental Group, by Elsam Engineering A/S, Fredericia, Denmark and ENERGI E2 A/S, København SV, Denmark.
- ENSR. 2005. Essential fish habitat assessment for the Long Island offshore wind park within New York State waters and federal waters of the outer continental shelf. Prepared for Long Island Offshore Wind Park, LLC, Juno Beach, Florida, by ENSR International, Willington, Connecticut.
- ESS Group, Inc. 2006. Appendix 3.8-C. Essential fish habitat assessment for the Cape Wind energy project: Final environmental impact report/development of regional impact. Prepared for Cape Wind Associates, LLC, Boston, Massachusetts, by ESS Group, Inc., Wellesley, Massachusetts.
- ESS Group Inc. 2006. Appendix 3.9-B. Potential impacts to predator-prey relationships as a result of the proposed Cape Wind project in Nantucket Sound. Report number 4.2.5-4. Prepared for Cape Wind Associates LLC, Boston, Massachusetts, by ESS Group, Inc., Wellesley, Massachusetts.
- Evans, P.G.H., ed. 2008. Offshore wind farms and marine mammals: Impacts and methodologies for assessing impacts. ECS Special Publication Series Number 49. Proceedings of the Ascobans/ECS workshop. European Cetacean Society's Twenty-first Annual Conference. 21 April 2007. San Sebastian, Spain.
- Everaert, J. 2003. Wind turbines and birds in Flanders: Preliminary study results and recommendations. Natuur.Oriolus 69(4):145-155.
- Everaert, J. and E. Kuijken. 2007. Wind turbines and birds in Flanders (Belgium): Preliminary summary of the mortality research results. Report for Research Institute for Nature and Forest (INBO).
- Everaert, J. and E.W.M. Stienen. 2007. Impact of wind turbines on birds in Zeebrugge (Belgium): Significant effect on breeding tern colony due to collisions. Biodiversity Conservation 16:3345-3359.
- Exo, K.-M., O. Hüppop, and S. Garthe. 2003. Birds and offshore wind farms: A hot topic in marine ecology. Wader Study Group Bulletin 100:50-53.
- Ferrer-Costa, A. 2005. Environmental effects of offshore wind farm developments and their implications for harbour porpoise conservation in UK waters. Master's thesis, Cranfield University at Silsoe, United Kingdom.
- Forward, G. 2005. The potential effects of offshore wind-power facilities on fish and fish habitat: A literature review. Toronto, Ontario: Algonquin Fisheries Assessment Unit, Ontario Ministry of Natural Resources.
- Fox, A.D. and I.K. Petersen. 2006. Assessing the degree of habitat loss to marine birds from the development of offshore wind farms. Pages XX-XX in G.C. Boere, C.A. Galbraith, and D.A. Stroud, eds. Waterbirds around the world. Edinburgh, United Kingdom: The Stationery Office.

- Fox, A.D., M. Desholm, J. Kahlert, T.K. Christensen, and I.K. Petersen. 2006. Information needs to support environmental impact assessment of the effects of European marine offshore wind farms on birds. In *Wind, Fire and Water: Renewable Energy and Birds*. Ibis 148(Suppl.1):129-144.
- Garthe, S. and O. Hüppop. 2004. Scaling possible adverse effects of marine wind farms on seabirds: Developing and applying a vulnerability index. *Journal of Applied Ecology* 41:724-734.
- Gauthreaux, S.A., Jr. and C.G. Belser. 2003. Radar ornithology and biological conservation. *Auk* 120(2):266-277.
- Gill, A.B. 2005. Offshore renewable energy: Ecological implications of generating electricity in the coastal zone. *Journal of Applied Ecology* 42:605-615.
- Gill, A.B., I. Gloyne-Phillips, K.J. Neals, and J.A. Kimber. 2005. COWRIE 1.5 electromagnetic fields review: The potential effects of electromagnetic fields generated by sub-sea power cables associated with offshore wind farm developments on electrically and magnetically sensitive marine organisms – A review. COWRIE-EM FIELD 2-06-2004. Prepared for Collaborative Offshore Wind Research into the Environment, United Kingdom, by Cranfield University, Silsoe, United Kingdom.
- Gordon, J., D. Thompson, D. Gillespie, M. Lonergan, S. Calderan, B. Jaffey, and V. Todd. 2007. Assessment of the potential for acoustic deterrents to mitigate the impact on marine mammals of underwater noise arising from the construction of offshore wind farms. COWRIE DETER-01-2007. Prepared for Collaborative Offshore Wind Research into the Environment, United Kingdom, by Gatty Marine Laboratory, University of St. Andrews, Scotland.
- Gradient Corporation. 2006. Appendix 3.7-C. Sensitivity of marine organisms to undersea electric and magnetic fields. Cape Wind energy project: Final environmental impact report/development of regional impact. Prepared for Cape Wind Associates, LLC, Boston, Massachusetts, by Gradient Corporation, Cambridge, Massachusetts.
- Guillemette, M. and J.K. Larsen. 2002. Postdevelopment experiments to detect anthropogenic disturbances: The case of sea ducks and wind parks. *Ecological Applications* 12(3):868–877.
- Guillemette, M., J.K. Larsen, and I. Clausager. 1998. Impact assessment of an off-shore wind park on sea ducks. NERI Technical Report Number 227. Kalø, Denmark: National Environmental Research Institute.
- Guillemette, M., J.K. Larsen, and I. Clausager. 1999. Assessing the impact of the Tunø Knob wind park on sea ducks: The influence of food resources. NERI Technical Report Number 263. Kalø, Denmark: National Environmental Research Institute.
- Harte, M., S. Mulder, and W. van den Wittenboer. 2006. Overall report Baseline Studies Near Shore Windfarm (NSW): Environmental aspects and recommendations for effect monitoring. Project organization MEP NSW. Prepared by SenterNovem Utrecht, Den Haag, The Netherlands.
- Hiscock, K., H. Tyler-Walters, and H. Jones. 2002. High level environmental screening study for offshore wind farm developments – Marine habitats and species project. AEA Technology, environmental contract W/35/00632/00/00. Prepared for The Department of Trade and Industry New & Renewable Energy Programme, London, United Kingdom, by Marine Biological Association, Citadel Hill, United Kingdom.
- Hoen, B., R. Wiser, P. Cappers, M. Thayer, and G. Sethi. 2009. The impact of wind power projects on residential property values in the United States: A multi-site hedonic analysis. Report LBNL-2829E. Prepared for U.S. Department of Energy, Washington, D.C., by Ernest Orlando Lawrence Berkeley National Laboratory, Berkeley, California.
- Hoffmann, E., J. Astrup, F. Larsen, S. Munch-Petersen, and J. Støttrup. 2000. Effects of marine windfarms on the distribution of fish, shellfish and marine mammals in the Horns Rev area. Baggrundsrapport Number 24. Prepared for ELSAMPROJEKT, A/S, by Danish Institute for Fisheries Research, Charlottenlund, Denmark.
- Hüppop, O., J. Dierschke, K.-M. Exo, E. Fredrich, and R. Hill. 2006. Bird migration studies and potential collision risk with offshore wind turbines. In *Wind, Fire and Water: Renewable Energy and Birds*. Ibis 148(Suppl.1):90-109.
- Hvidt, C.B., S.B. Leonhard, M. Klausstrup, and J. Pedersen. 2006. Hydroacoustic monitoring of fish communities at offshore wind farms: Horns Rev offshore wind farm annual report 2005. Prepared for Vattenfall A/S, Stockholm, Sweden, by Bio/consult as, Abyhøj, Denmark, Carl Bro as, Glostrup, Denmark, and Simrad AS, Horten, Norway.

- Jensen, B.S., M. Klastrup, and H. Skov. 2006. EIA report: Fish. Horns Rev 2 offshore wind farm. Prepared by Bio/consult as, Abyhøj, Denmark and Carl Bro as, Glostrup, Denmark.
- Kahlert, J., M. Desholm, I.K. Petersen, and I. Clausager. 2002. Base-line investigations of birds in relation to an offshore wind farm at Rødsand: Results and conclusions, 2001. NERI Report. Roskilde, Denmark: National Environmental Research Institute.
- Kahlert, J., I.K. Petersen, A.D. Fox, M. Desholm, and I. Clausager. 2004. Investigations of birds during construction and operation of Nysted offshore wind farm at Rødsand. Annual status report 2003. NERI Report. Prepared for Energi E2 A/S, København SV, Denmark, by National Environmental Research Institute, Roskilde, Denmark.
- Kaiser, M.J. 2004. Predicting the displacement of common scoter *Melanitta nigra* from benthic feeding areas due to offshore windfarms. Interim report 2004-4. COWRIE-BEN-03-2002. Prepared for COWRIE, Ltd., United Kingdom, by University of Wales, School of Ocean Sciences, Bangor, Wales.
- Kaiser, M.J., A. Elliott, M. Galanidi, E.I.S. Rees, R. Caldow, R. Stillman, W. Sutherland, and D. Showler. 2005. Predicting the displacement of common scoter *Melanitta nigra* from benthic feeding areas due to offshore windfarms. Final Report. COWRIE-BEN-03-2002. Prepared for COWRIE, Ltd., United Kingdom, by University of Wales, School of Ocean Sciences, Bangor, Wales, NERC Centre for Ecology and Hydrology, Bangor, Wales, and University of East Anglia, School of Biological Sciences, Norwich, United Kingdom.
- Kaiser, M.J., M. Galanidi, D.A. Showler, A.J. Elliott, R.W.G. Caldow, E.I.S. Rees, R.A. Stillman, and W.J. Sutherland. 2006. Distribution and behaviour of Common Scoter *Melanitta nigra* relative to prey resources and environmental parameters. In *Wind, Fire and Water: Renewable Energy and Birds*. Ibis 148(Suppl. 1):110–128.
- Keil, M. 2005. The effects of windfarms on birds: A review. Technical Report. Prince George, British Columbia: University of Northern British Columbia.
- Köller, J., Köppel, J., and W. Peters, eds. 2006. *Offshore wind energy: Research on environmental impacts*. Germany: Springer Berlin Heidelberg.
- Krijgsveld K.L., S.M.J. van Lieshout, H. Schekkerman, R. Lensink, M.J.M. Poot, and S. Dirksen. 2003. Baseline studies North Sea wind farms: Strategy of approach for flying birds. Report Number 03-043. Prepared for National Institute for Coastal and Marine Management, The Hague, Netherlands.
- Kuvlesky, W.P., Jr., L.A. Brennan, M.L. Morrison, K.K. Boydston, B.M. Ballard, and F.C. Bryant. 2007. Wind energy development and wildlife conservation: Challenges and opportunities. *Journal of Wildlife Management* 71(8):2487-2498.
- Langston, R.H.W. and J.D. Pullan. 2002. Windfarm and birds: An analysis of the effects of windfarms on birds, and guidance on environmental assessment criteria and site selection issues. Prepared for the Convention on the Conservation of European Wildlife and Natural Habitats. 22nd meeting. 2-5 December 2002. Strasbourg. Commissioned by the Council of Europe for the Bern Convention.
- Larsen, J.K. and M. Guillemette. 2007. Effects of wind turbines on flight behaviour of wintering Common Eiders: Implications for habitat use and collision risk. *Journal of Applied Ecology* 44(3):516–522.
- Lawrence, E.S., S. Painter, and B. Little. 2007. Responses of birds to the wind farm at Blyth Harbour, Northumberland, UK. Pages 47-69 in M. de Lucas, G.F.E. Janss, and M. Ferrer, eds. *Birds and wind farms: Risk assessment and mitigation*. Madrid: Quercus.
- Leonhard, S.B. 2006. EIA report. Benthic communities: Horns Rev 2 offshore wind farm. Prepared by Bio/consult as, Abyhøj, Denmark and Carl Bro as, Glostrup, Denmark.
- Leonhard, S.B. and J. Pedersen. 2006. Benthic communities at Horn Rev before, during and after construction of Horns Rev offshore wind farm. Prepared by Bio/consult as, Abyhøj, Denmark.
- Liu, W.T., W. Tang, and X. Xie. 2008. Wind power distribution over the ocean. *Journal of Geophysical Letters* 35:L13808, doi:10.1029/2008GL034172.
- Maar, M., K. Bolding, J.K. Petersen, J.L.S. Hansen, and K. Timmermann. 2009. Local effects of blue mussels around turbine foundations in an ecosystem model of Nysted off-shore wind farm, Denmark. In press. *Journal of Sea Research*.
- Maclean, I.M.D., M. Frederiksen, and M.M. Rehfish. 2007. Potential use of population viability analysis to assess the impact of offshore windfarms on bird populations. COWRIE PVA-03-07. BTO Research Report Number 480. Prepared for Collaborative Offshore Wind Research into the Environment, by British Trust for Ornithology, Thetford, United Kingdom.

- Maclean, I.M.D., H. Skov, and M.M. Rehfish. 2007. Further use of aerial surveys to detect bird displacement by offshore windfarms. COWRIE EXTDISP-06-07. BTO Research Report Number 482. Prepared for Collaborative Offshore Wind Research into the Environment, United Kingdom, by British Trust for Ornithology, Thetford, United Kingdom.
- Maclean, I.M.D., L.J. Wright, D.A. Showler, and M.M. Rehfish. 2009. A review of assessment methodologies for offshore windfarms. COWRIE METH 08-08. Prepared for COWRIE, Ltd., United Kingdom, by British Trust for Ornithology, Norfolk, United Kingdom.
- Madsen, P.T., M. Wahlberg, J. Tougaard, K. Lucke, and P. Tyack. 2006. Wind turbine underwater noise and marine mammals: Implications of current knowledge and data needs. *Marine Ecology Progress Series* 309:279-295.
- Madsen, E.A., D.T. Haydon, A.D. Fox, R.W. Furness, R. Bullman, and M. Desholm. 2009. Barriers to movement: Impacts of wind farms on migrating birds. *ICES Journal of Marine Science* 66:746-753.
- Mellor, M., and M. Maher. 2008. Full scale trial of high definition video survey for offshore windfarm sites. COWRIE HIDEF-03-08. Prepared for Collaborative Offshore Wind Research into the Environment, by HiDef Aerial Surveying Ltd., Whitehaven, United Kingdom.
- Mellor, M., T. Craig, D. Baillie, and P. Woolaghan. 2007. Trial of high definition video survey and its applicability to survey of offshore windfarm sites. COWRIE HIDEF-05-07. Prepared for Collaborative Offshore Wind Research into the Environment, by HiDef Aerial Surveying Ltd., Whitehaven, United Kingdom.
- MMS (Minerals Management Service). 2007. Final environmental impact statement: Programmatic environmental impact statement for alternative energy development and production and alternate use of facilities on the outer continental shelf. Volume I: Executive summary through chapter 4. OCS EIS/EA, MMS 2007-046. U.S. Department of the Interior, Minerals Management Service.
- MMS (Minerals Management Service). 2009. Final environmental impact statement: Cape Wind Energy Project. OSC Publication Number 2008-040. Herndon, Virginia: U.S. Department of the Interior, Minerals Management Service.
- MMS (Minerals Management Service). 2009. Issuance of leases for wind resource data collection on the Outer Continental Shelf offshore Delaware and New Jersey. Environmental Assessment. Report OCS EIS/EA MMS 2009-025. Herndon, Virginia: U.S. Department of the Interior, Minerals Management Service.
- Musial, W. and S. Butterfield. 2004. Future for offshore wind energy in the United States. Preprint to be presented at EnergyOcean 2004. 28 - 29 June 2004. Palm Beach, Florida. NREL/CP-500-36313. Golden, Colorado: National Renewable Energy Laboratory.
- Musial, W., S. Butterfield, and B. Ram. 2006. Energy from offshore wind. Preprint to be presented at Offshore Technology Conference. 1-4 May 2006. Houston, Texas. NREL/CP-500-39450. Prepared by National Renewable Energy Laboratory, Golden, Colorado, and Energetics, Inc., Washington, D.C.
- National Wind Power. 2003. North Hoyle offshore wind farm baseline monitoring report: June 2003. Report NH/MonR/Rev 1. Prepared for NWP Offshore Ltd., Buckinghamshire, United Kingdom.
- National Wind Power. 2005. North Hoyle offshore wind farm: Annual FEPA monitoring report. Executive Summary. NH/FEPA/2003-04-Final. Prepared for NWP Offshore Ltd., Buckinghamshire, United Kingdom, by Npower Renewables Ltd., Berkshire, United Kingdom.
- Nehls, G. K. Betke, S. Eckelmann, and M. Ros. 2007. Assessment and costs of potential engineering solutions for the mitigation of the impacts of underwater noise arising from the construction of offshore windfarms. COWRIE ENG-01-2007. Prepared for Collaborative Offshore Wind Research into the Environment, by BioConsult SH, Husum, Germany.
- New and Renewable Energy Programme and DTI (Depart of Trade and Industry). 2000. Cumulative effects of wind turbines: Volume 3: Report on results of consultations on cumulative effects of wind turbines on birds. ETSU W/14/00538/REP/3. Prepared by Landscape Design Associates, United Kingdom.
- Nielsen, S., ed. 2006. Offshore wind farms and the environment: Danish experiences from Horns Rev and Nysted. Copenhagen, Denmark: Danish Energy Authority.
- Nikolaos, N. 2004. Deep water offshore wind technologies. Master's thesis, University of Strathclyde, United Kingdom.

- Noer, H., T.K. Christensen, I. Clausager, and I.K. Petersen. 2000. Effects on birds of an offshore wind park at Horns Rev: Environmental impact assessment. NERI report. Prepared for Elsamprojekt A/S 2000, by National Environmental Research Institute, Roskilde, Denmark.
- Norman, T., R. Buisson, and N. Askew. 2007. COWRIE workshop on the cumulative impact of offshore windfarms on birds. 3 May 2007. Peterborough, United Kingdom. COWRIE CIBIRD-01-2007. Prepared for Collaborative Offshore Wind Research into the Environment, by RPS, Cambridgeshire, United Kingdom.
- OSPAR Commission. 2004. Problems and benefits associated with the development of offshore wind-farms. Biodiversity Series. London, England: OSPAR Commission.
- Oxley, R. 2006. An overview of marine renewables in the UK: A synopsis of Michael Hay's presentation. *Ibis* 148:203-205.
- Parkinson, K., and IECS. 2001. Environmental consequences of offshore wind power generation. Master's thesis, University of Hull, United Kingdom.
- Percival, S.M. 2001. Assessment of the effects of offshore wind farms on birds. DTI report URN 01/1434. Prepared for DTI Sustainable Energy Programmes, by Ecology Consulting, Durham, United Kingdom.
- Percival, S.M. 2003. Birds and wind farms in Ireland: A review of potential issues and impact assessment. Durham, United Kingdom: Ecology Consulting.
- Perrow, M.R., E.R. Skeate, P. Lines, D. Brown, and M.L. Tomlinson. 2006. Radio telemetry as a tool for impact assessment of wind farms: The case of Little Terns *Sterna albifrons* at Scroby Sands, Norfolk, UK. In *Wind, Fire and Water: Renewable Energy and Birds*. *Ibis* 148(Suppl.1):57-75.
- Petersen, I.K. 2005. Bird numbers and distribution in the Horns Rev offshore wind farm area. Annual status report 2004. NERI Report. Prepared for Elsam Engineering A/S, Kraftværksvej, Denmark, by National Environmental Research Institute, Roskilde, Denmark.
- Petersen, J.K. and T. Malm. 2006. Offshore windmill farms: Threats to or possibilities for the marine environment. *Ambio: A journal of the Human Environment* 35(2):75-80.
- Petersen, I.K., I. Clausager, and T.K. Christensen. 2004. Bird numbers and distribution in the Horns Rev offshore wind farm area. Annual status report 2003. NERI Report. Prepared for Elsam Engineering A/S, Kraftværksvej, Denmark, by National Environmental Research Institute, Roskilde, Denmark.
- Petersen, I.K., T.K. Christensen, J. Kahlert, M. Desholm, and A.D. Fox. 2006. Final results of bird studies at the offshore wind farms at Nysted and Horns Rev, Denmark. NERI Report prepared for DONG Energy, Fredericia, Denmark and Vattenfall A/S, Stockholm, Sweden, by National Environmental Research Institute, Roskilde, Denmark.
- Pettersson, J. 2005. The impact of offshore wind farms on bird life in Southern Kalmar Sound, Sweden: A final report based on studies 1999–2003. Lund, Sweden: Swedish Energy Agency.
- PNAWPPM-III. 2000. Proceedings of National Avian-Wind Power Planning Meeting III. May 1998. San Diego, California. Prepared for the Avian Subcommittee of the National Wind Coordinating Committee by LGL, Ltd., King City, Ontario.
- Proceedings of the Wind Energy and Birds/Bats Workshop: Understanding and Resolving Bird and Bat Impacts. S.S. Schwartz, ed. 18-19 May 2004. Washington, D.C. Prepared by RESOLVE, Inc., Washington, D.C.
- Rodmell, D.P. and M.L. Johnson. 2005. The development of marine based wind energy generation and inshore fisheries in UK waters: Are they compatible? In M. Johnson, and C. Wheatley, eds. *Who owns the sea?* 24-27 June 2002. Tjarno, Sweden. Scarborough Centre for Coastal Studies, Department of Biology, University of Hull. Accessed 15 September 2008. http://www.hull.ac.uk/cems/downloads/WOTS_rod_mell_et_al.pdf.
- Rodrigues, L., L. Bach, M.-J. Dubourg-Savage, J. Goodwin, and C. Harbusch 2008. Guidelines for consideration of bats in wind farm projects. EUROBATS Publication Series Number 3 (English version). Bonn, Germany: UNEP/EUROBATS Secretariat.
- Schmaljohann, H., F. Liechti, E. Bächler, T. Steuri, and B. Bruderer. 2008. Quantification of bird migration by radar— a detection probability problem. *Ibis* 150:342-355.
- Skov, H. and F. Thomsen. 2006. EIA report: Marine mammals. Horns Rev 2 offshore wind farm. Prepared by Bio/consult as, Abyhøj, Denmark, and Carl Bro as, Glostrup, Denmark.

- Skov, H., J. Carstensen, J. Teilmann, and O.D. Henriksen. 2002. Investigations of harbour porpoises at the planned site for wind turbines at Horns Reef. Status report: 1/1 2001 – 1/4 2002. Technical report for Tech-wise A/S. Ornis Consult. 45 pp.
- Steinen, E.W.M., V. Waeyenberge, E. Kuijken, and J. Seys. 2007. Trapped within the corridor of the southern North Sea: The potential impact of offshore wind farms on seabirds. Pages 71-80 in M. de Lucas, G.F.E. Janss, and M. Ferrer, eds. *Birds and wind farms: Risk assessment and mitigation*. Madrid: Quercus.
- Steinen, E.W.M., W. Courtens, J. Everaert, and M. Van de Walle. 2008. Sex-biased mortality of Common Terns in wind farm collisions. *Condor* 110(1):154-157.
- Teilmann, J., O. Henriksen, J. Carstensen, and H. Skov. 2002. Monitoring effects of offshore windfarms on harbour porpoises using PODs (porpoise detectors). Technical report. Ministry of the Environment, Denmark.
- Teilmann, J., J. Tougaard, and J. Carstensen. 2006. Summary on harbour porpoise monitoring 1999-2006 around Nysted and Horns Rev Offshore Wind Farms. Report to Energi E2 A/S and Vattenfall A/S. National Environmental Research Institute (NERI), Departments of Arctic Environment and Marine Ecology, Roskilde, Denmark.
- Teilmann, J., J. Tougaard, J. Carstensen, R. Dietz, and S. Tougaard. 2006. Summary on seal monitoring 1999-2005 around Nysted and Horns Rev Offshore Wind Farms. Technical report to Energi E2 A/S and Vattenfall A/S. National Environmental Research Institute (NERI), Departments of Arctic Environment and Marine Ecology, Roskilde, Denmark.
- Thomsen, F., K. Ludemann, R. Kafemann, and W. Piper. 2006. Effects of offshore wind farm noise on marine mammals and fish. Hamburg, Germany: COWRIE Ltd.
- Tingley, M.W. 2003. Effects of offshore wind farms on birds: "Cuisinarts of the sky" or just tilting at windmills? Bachelor's thesis, Harvard University.
- Tougaard, J. and J. Teilmann. 2007. Rodsand 2 offshore wind farm environmental impact assessment – marine mammals. Roskilde, Denmark: National Environmental Research Institute.
- Tougaard, J., J. Carstensen, O.D. Henriksen, H. Skov, and J. Teilmann. 2003. Short-term effects of the construction of wind turbines on harbour porpoises at Horns Reef. Technical report to TechWise A/S. HME/362-02662, Hedeselskabet, Roskilde.
- Tougaard, J., Ebbesen, I., Tougaard, S., Jensen T. and Teilmann, J. 2003. Satellite tracking of harbour seals on Horns Reef. Technical report to Techwise A/S, Biological Papers from the Fisheries and Maritime Museum, Esbjerg. No. 3.
- Tougaard, J., J. Carstensen, O.D. Henriksen, and J. Teilmann. 2004. Harbour porpoises on Horns Reef - effects of the Horns Reef wind farm. Annual status report 2003 to Elsam Engineering A/S. Jacob Hansen, Consult.
- Tougaard, J., J. Carstensen, N.I. Bech, and J. Teilmann. 2005. Final report on the effect of Nysted Offshore Wind Farm on harbour porpoises. Annual report 2005. Technical report to Energi E2 A/S. National Environmental Research Institute (NERI), Departments of Arctic Environment and Marine Ecology, Roskilde, Denmark.
- Tougaard, J., J. Carstensen, J. Teilmann, and N.I. Bech. 2005. Effects of the Nysted Offshore Wind Farm on harbour porpoises. Annual status report 2005 for the T-POD monitoring program. Technical report to Energi E2 A/S.
- Tougaard, J., J. Carstensen, M.S. Wisz, M. Jespersen, J. Teilmann, N.I. Bech, and H. Skov. 2006. Harbour porpoises on Horn Reef. Effects of the Horns Reef wind farm. Prepared for Vattenfall A/S, Stockholm, Sweden by National Environmental Research Institute, Roskilde, Denmark and DHI Water and Environment Hørsholm, Denmark.
- Tougaard, J., S. Tougaard, R.C. Jensen, T. Jensen, J. Teilmann, D. Adelung, N. Liebsch, and G. Muller. 2006. Harbour seals on Horn Reef before, during and after construction of Horns Rev offshore wind farm. Final report to Vattenfall A/S. Biological Papers from the Fisheries and Maritime Museum No. 5, Esbjerg, Denmark.
- Tucker, V.A. 1996. A mathematical model of bird collisions with wind turbine rotors. *Journal of Solar Energy Engineering* 118(4):253-262.
- Tucker, V.A. 1996. Using a collision model to design safer wind turbine rotors for birds. *Journal of Solar Energy Engineering* 118(4):263-269.
- Tyrrell, M.C. 2004. Strategic plan for mapping Massachusetts' benthic marine habitats. Massachusetts Office of Coastal Zone Management, Boston, MA.

- van Belle, J., M. Maan, H. van Gasteren, and L.S. Buurma. 2000. Using radar to obtain a quantitative description of summer bird movements in the Dutch coastal area. Report IBSC24/WP. Prepared for Royal Netherlands Air Force, by International Bird Strike Committee, Amsterdam.
- van Gasteren, H., I. Holleman, W. Bouten, E. van Loon, and J. Shamoun-Baranes. 2008. Extracting bird migration from C-band Doppler weather radars. *Ibis* 150(4):674-686.
- Verhoef, J.P., C.A. Westra, H. Korterink, and A. Curvers. 2002. WT-Bird: A novel bird impact detection system. Petten, the Netherlands: ECN Research Centre of the Netherlands.
- Verhoef, J.P., C.A. Westra, R.J. Nijdam, H. Korterink, and P.J. Eecen. 2003. Offshore wind energy and noise monitoring. Report ECN-RX-03-012. Petten, the Netherlands: ECN Research Centre of the Netherlands.
- Vertegaal, C.T.M. 2003. Preliminary study into bird research methods for the MEP-NSW. Prepared for National Institute for Coastal and Marine Management (RIKZ), Den Haag, the Netherlands and Novem, Utrecht, the Netherlands, by Vertegaal Ecologisch Advies en Onderzoek, Leiden, the Netherlands.
- Vigo, A.B. 2007. Impacts of offshore wind developments on birds. Master's thesis, Cranfield University, United Kingdom.
- Vos, E. and R.R. Reeves, eds. 2005. Report of an international workshop: Policy on sound and marine mammals, 28-30 September 2004, London, England. Bethesda, Maryland: Marine Mammal Commission.
- Wahlberg, M. and H. Westerberg. 2005. Hearing in fish and their reactions to sound from offshore wind farms. *Marine Ecology Progress Series* 288:295-309.
- Wang, C. and R.G. Prinn. 2010. Potential climatic impacts and reliability of very large-scale wind farms. *Atmospheric Chemistry and Physics* 10:2053-2061.
- West, A.D. and R.W.G. Caldow. 2006. The development and use of individuals-based models to predict the effects of habitat loss and disturbance on waders and waterfowl. *Ibis* 148(Suppl. 1):158-168.
- Wilhelmsson, D. and T. Malm. 2008. Fouling assemblages on offshore wind power plants and adjacent substrata. *Estuarine Coastal and Shelf Science* doi:10.1016/j.ecss.2008.04.020.
- Wilhelmsson, D., T. Malm, and M.C. Ohman. 2006. The influence of offshore windpower on demersal fish. *ICES Journal of Marine Science* 63:775-784.
- Wilson, J.C. 2007. Offshore wind farms: their impacts, and potential habitat gains as artificial reefs, in particular for fish. MSc dissertation, Estuarine and Coastal Science and Management, University of Hull.
- Zucco, C., W. Wende, T. Merck, I. Köchling, and J. Köppel, eds. 2006. Ecological research on offshore wind farms: International exchange of experiences. Part A: International exchange of experiences on the assessment of the ecological impacts of offshore wind farms. Proceedings of the International Expert Workshop. 17-18 March 2005. TU Berlin, Germany. Bonn, Germany: Bundesamt für Naturschutz (BfN).
- Zucco, C., W. Wende, T. Merck, I. Köchling, and J. Köppel, eds. 2006. Ecological research of offshore wind farms: International exchange of experiences. Part B: Literature review of the ecological impacts of offshore wind farms. Proceedings of the International Expert Workshop. 17-18 March 2005. TU Berlin, Germany. Bonn, Germany: Bundesamt für Naturschutz (BfN).