

7.0 LITERATURE CITED

- Able, K.W. and M.P. Fahay. 1998. The first year in the life of estuary fishes in the Middle Atlantic Bight. New Brunswick, New Jersey: Rutgers University Press.
- Aguilar, A. 2009. Fin whale *Balaenoptera physalus*. Pages 433-437 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. Encyclopedia of marine mammals. San Diego, California: Academic Press.
- Antonucci, C., R. Higgins, and C. Yuhas. n.d. Seals: Harbor seal (*Phoca vitulina concolor*), gray (or grey) seal (*Halichoerus grypus*). Fort Hancock, New Jersey: New Jersey Marine Sciences Consortium/New Jersey Sea Grant Extension Program.
- Baird, R.W. 2001. Status of harbour seals, *Phoca vitulina*, in Canada. Canadian Field-Naturalist 115(4):663-675.
- Barco, S., W. McLellan, J. Allen, R. Asmutis, R. Mallon-Day, E. Meagher, D.A. Pabst, J. Robbins, R. Seton, W.M. Swingle, M. Weinrich, and P. Clapham. 2002. Population identity of humpback whales (*Megaptera novaeangliae*) in the waters of the U.S. mid-Atlantic states. Journal of Cetacean Research and Management 4(2):135-141.
- Barco, S.G., W.M. Swingle, W.A. McLellan, R.N. Harris, and D.A. Pabst. 1999. Local abundance and distribution of bottlenose dolphins (*Tursiops truncatus*) in the nearshore waters of Virginia Beach, Virginia. Marine Mammal Science 15(2):394-408.
- Barlas, M.E. 1999. The distribution and abundance of harbor seals (*Phoca vitulina concolor*) and gray seals (*Halichoerus grypus*) in southern New England, Winter 1998- Summer 1999. Master's thesis, Boston University.
- Barlow, J. 1988. Harbor porpoise, *Phocoena phocoena*, abundance estimation for California, Oregon, and Washington: I. Ship surveys. Fishery Bulletin 86(3):417-432.
- Barlow, J., M.C. Ferguson, W.F. Perrin, L. Ballance, T. Gerrodette, G. Joyce, C.D. MacLeod, K. Mullin, D.L. Palka, and G. Waring. 2006. Abundance and densities of beaked and bottlenose whales (family Ziphiidae). Journal of Cetacean Research and Management 7(3):263-270.
- Barros, N.B. and D.K. Odell. 1990. Food habits of bottlenose dolphins in the southeastern United States. Pages 309-328 in Leatherwood, S. and R.R. Reeves, eds. The bottlenose dolphin. San Diego, California: Academic Press.
- Baumgartner, M.F., C.A. Mayo, and R.D. Kenney. 2007. Enormous carnivores, microscopic food, and a restaurant that's hard to find. Pages 138-171 in Kraus, S.D. and R.M. Rolland, eds. The urban whale: North Atlantic right whales at the crossroads. Cambridge, Massachusetts: Harvard University Press.
- Baumgartner, M.F., K.D. Mullin, L.N. May, and T.D. Leming. 2001. Cetacean habitats in the northern Gulf of Mexico. Fishery Bulletin 99:219-239.
- Beardsley, R.C., A.W. Epstein, C. Chen, K.F. Wishner, M.C. Macaulay, and R.D. Kenney. 1996. Spatial variability in zooplankton abundance near feeding right whales in the Great South Channel. Deep-Sea Research 43(7-8):1601-1625.
- Belden, D., G.T. Waring, D.L. Palka, J.R. Gilbert, and A.S.V. Atten. 2009. Characteristics of phocid seal bycatch in New England fisheries. Pages 29-30 in Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. Québec City, Canada, 12-16 October 2009.
- Belden, D.L., C.D. Orphanides, M.C. Rossman, and D.L. Palka. 2006. Estimates of cetacean and seal bycatch in the 2004 northeast sink gillnet and mid-Atlantic coastal gillnet fisheries. Northeast Fisheries Science Center Reference Document 06-13.
- Biedron, I., N. Mihnovets, A. Warde, J. Michalec, C.W. Clark, C. Diamond, B. Estabrook, B. Howard, C. McCarthy, J. Morano, C. Muirhead, A. Murray, D. Nelson, M. Pitzrick, D. Ponirakis, B. Roberts, E. Rowland, and J. Tielens. 2009. Determining the seasonal distribution of cetaceans in New York coastal waters using passive acoustic monitoring. Page 34 in Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. Québec City, Canada, 12-16 October 2009.
- Bigg, M. 1981. Harbour seal *Phoca vitulina* and *P. largha*. Pages 55-87 in Ridgway, S.H. and R.J. Harrison, eds. Handbook of marine mammals. Volume 2: Seals. San Diego, California: Academic Press.
- Bjørge, A., N. Øien, S. Hartvedt, G. Bøthun, and T. Bekkby. 2002. Dispersal and bycatch mortality in gray, *Halichoerus grypus*, and harbor, *Phoca vitulina*, seals tagged at the Norwegian coast. Marine Mammal Science 18(4):963-976.

- Blaylock, R.A. 1995. A pilot study to estimate abundance of the U.S. Atlantic coastal migratory bottlenose dolphin. NOAA Technical Memorandum NMFS-SEFSC-362:1-9.
- Bleakney, J.S. 1965. Reports of marine turtles from New England and eastern Canada. Canadian Field-Naturalist 79:120-128.
- Boisseau, O., D. Gillespie, R. Leaper, and A. Moscrop. 2008. Blue (*Balaenoptera musculus*) and fin (*B. physalus*) whale vocalisations measured from northern latitudes of the Atlantic Ocean. Journal of Cetacean Research and Management 10(1):23-30.
- Bolten, A.B., K.A. Bjorndal, and H.R. Martins. 1994. Biology of pelagic-stage loggerheads in the Atlantic. Pages 19-20 in Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-351.
- Bolten, A.B., K.A. Bjorndal, H.R. Martins, T. Dellinger, M.J. Bischoff, S.E. Encalada, and B.W. Bowen. 1998. Transatlantic developmental migrations of loggerhead sea turtles demonstrated by mtDNA sequence analysis. Ecological Applications 8:1-7.
- Borchers, D.L. 2005. Estimating detection probability from line-transect cetacean surveys when detection on the line is not certain: An overview. European Cetacean Society Newsletter 44(Special Issue):4-11.
- Borchers, D.L., W. Zucchini, and R.M. Fewster. 1998. Mark-recapture models for line transect surveys. Biometrics 54(4):1207-1220.
- Boulva, J. 1973. The harbour seal, *Phoca vitulina concolor*, in eastern Canada. Ph.D. diss., Dalhousie University.
- Bowen, B.W., A.L. Bass, S.-M. Chow, M. Bostrom, K.A. Bjorndal, A.B. Bolten, T. Okuyama, B.M. Bolker, S. Epperly, E. Lacasella, D. Shaver, M. Dodd, S.R. Hopkins-Murphy, J.A. Musick, M. Swingle, K. Rankin-Baransky, W. Teas, W.N. Witzell, and P.H. Dutton. 2004. Natal homing in juvenile loggerhead turtles (*Caretta caretta*). Molecular Ecology 13:3797-3808.
- Bowman, R., E. Lyman, D. Mattila, C. Mayo, and M. Brown. 2001. Habitat management lessons from a satellite-tracked right whale. Page 31 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Buckland, S.T. 2001. Shipboard sighting surveys: Methodological developments to meet practical needs. Bulletin of the International Statistical Institute, 53rd Session Proceedings, Book 1:315-318.
- Buckland, S.T., D.R. Anderson, K.P. Burnham, J.L. Laake, D.L. Borchers, and L. Thomas. 2001. Introduction to distance sampling: Estimating abundance of biological populations. New York, New York: Oxford University Press.
- Buckland, S.T., D.R. Anderson, K.P. Burnham, J.L. Laake, D.L. Borchers, and L. Thomas, eds. 2004. Advanced distance sampling. New York, New York: Oxford University Press.
- Burke, V.J., E.A. Standora, and S.J. Morreale. 1991. Factors affecting strandings of cold-stunned juvenile Kemp's ridley and loggerhead sea turtles in Long Island, New York. Copeia 1991(4):1136-1138.
- Calambokidis, J., G.H. Steiger, D.K. Ellifrit, B.L. Troutman, and C.E. Bowlby. 2004. Distribution and abundance of humpback whales (*Megaptera novaeangliae*) and other marine mammals off the northern Washington coast. Fishery Bulletin 102:563-580.
- Caldwell, D.K. and M.C. Caldwell. 1969. The harbor seal, *Phoca vitulina concolor*, in Florida. Journal of Mammalogy 50(2):379-380.
- Cañadas, A., R. Sagarminaga, R. de Stephanis, E. Urquiola, and P.S. Hammond. 2005. Habitat preference modelling as a conservation tool: Proposals for marine protected areas for cetaceans in southern Spanish waters. Aquatic Conservation: Marine and Freshwater Ecosystems 15:495-521.
- Canadian Wildlife Service. 2006. PIROP Northwest Atlantic 1965-1992 database. Electronic data. Download date: 20 March 2006. <http://seamap.env.duke.edu/datasets/detail/280>.
- Carr, A. 1980. Some problems of sea turtle ecology. American Zoologist 20(3):489-498.
- CETAP (Cetacean and Turtle Assessment Program). 1982. Characterization of marine mammals and turtles in the Mid- and North Atlantic areas of the U.S. Outer Continental Shelf- Final report of the Cetacean and Turtle Assessment Program. Prepared for U.S. Bureau of Land Management, Washington, D.C. by Cetacean and Turtle Assessment Program, University of Rhode Island, Graduate School of Oceanography, Kingston, Rhode Island. Contract AA551-CT8-48.
- Charif, R.A., P.J. Clapham, and C.W. Clark. 2001. Acoustic detections of singing humpback whales in deep waters off the British Isles. Marine Mammal Science 17(4):751-768.

- Charif, R.A., D.K. Mellinger, K.J. Dunsmore, K.M. Fristrup, and C.W. Clark. 2002. Estimated source levels of fin whale (*Balaenoptera physalus*) vocalizations: Adjustments for surface interference. *Marine Mammal Science* 18(1):81-98.
- Clapham, P.J. 2009. Humpback whale *Megaptera novaeangliae*. Pages 582-585 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. *Encyclopedia of marine mammals*. Academic Press, San Diego, California.
- Clapham, P.J. and J.G. Mead. 1999. *Megaptera novaeangliae*. *Mammalian Species* 604:1-9.
- Clapham, P.J., L.S. Baraff, C.A. Carlson, M.A. Christian, D.K. Mattila, C.A. Mayo, M.A. Murphy, and S. Pittman. 1993. Seasonal occurrence and annual return of humpback whales, *Megaptera novaeangliae*, in the southern Gulf of Maine. *Canadian Journal of Zoology* 71:440-443.
- Clark, C.W. 1995. Annex M. Matters arising out of the discussion of blue whales: Annex M1. Application of US Navy underwater hydrophone arrays for scientific research on whales. *Reports of the International Whaling Commission* 45:210-212.
- Cole, T., A. Glass, P.K. Hamilton, P. Duley, M. Niemeyer, C. Christman, R.M. Pace III, and T. Frasier. 2009. Potential mating ground for North Atlantic right whales off the Northeast USA. Page 58 in *Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals*. Québec City, Canada, 12-16 October 2009.
- Collard, S.B. 1990. Leatherback turtles feeding near a watermass boundary in the eastern Gulf of Mexico. *Marine Turtle Newsletter* 50:12-14.
- Cox, T.M., A.J. Read, S.G. Barco, J. Evans, D.P. Gannon, H. Koopman, W.A. McLellan, K. Murray, J.R. Nicolas, D.A. Pabst, C.W. Potter, W.M. Swingle, V.G. Thayer, K.M. Touhey, and A.J. Westgate. 1998. Documenting the bycatch of harbor porpoises, *Phocoena phocoena*, in coastal gillnet fisheries from stranded carcasses. *Fishery Bulletin* 96:727-734.
- Davenport, J. and G.H. Balazs. 1991. 'Fiery bodies' -- Are pyrosomas an important component of the diet of leatherback turtles? *British Herpetological Society Bulletin* 37:33-38.
- Dawbin, W.H. 1966. The seasonal migratory cycle of humpback whales. Pages 145-170 in Norris, K.S., ed. *Whales, dolphins, and porpoises*. University of California Press, Berkeley, California.
- DeHart, P.A.P. 2002. The distribution and abundance of harbor seals (*Phoca vitulina concolor*) in the Woods Hole region. Master's thesis, Boston University.
- Di Giovanni, R., K.F. Durham, J.N. Wocial, and A.M. Chaillet. 2009. An increase in gray seal (*Halichoerus grypus*) sightings and strandings in New York waters. Page 71 in *Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals*. Québec City, Canada, 12-16 October 2009.
- Dodd, C.K. 1988. Synopsis of the biological data on the loggerhead sea turtle *Caretta caretta* (Linnaeus 1758). *Biological Report* 88(14). Washington, D.C.: U.S. Fish and Wildlife Service.
- DoN (Department of the Navy). 2005. Marine resources assessment for the Northeast operating areas: Atlantic City, Narragansett Bay, and Boston--Report PDF. Final Report. Contract number N62470-02-D-9997, CTO 0018 Norfolk, Virginia: Department of the Navy, U.S. Fleet Forces Command. Prepared by Geo-Marine, Inc., Newport News, Virginia.
- DoN (Department of the Navy). 2007. Navy OPAREA density estimates (NODES) for the Northeast, Southeast, and Gulf of Mexico OPAREAS. Final report. Contract number N62470-02-D-9997. Norfolk, Virginia: Naval Facilities Engineering Command, Atlantic. Prepared by Geo-Marine, Inc.
- Efron, B. and R.J. Tibshirani. 1993. *An introduction to the bootstrap*. London, England: Chapman & Hall/CRC.
- Epperly, S.P., J. Braun, A.J. Chester, F.A. Cross, J.V. Merriner, and P.A. Tester. 1995. Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery. *Bulletin of Marine Science* 56:547-568.
- Ernst, C.H., J.E. Lovich, and R.W. Barbour. 1994. *Turtles of the United States and Canada*. Washington, D.C.: Smithsonian Institution Press.
- Ferguson, M.C. 2005. Cetacean population density in the eastern Pacific Ocean: Analyzing patterns with predictive spatial models. Ph.D. diss., University of California.
- Fertl, D. and S. Leatherwood. 1997. Cetacean interactions with trawls: A preliminary review. *Journal of Northwest Atlantic Fishery Science* 22:219-248.
- Fertl, D. and G.L. Fulling. 2007. Interactions between marine mammals and turtles. *Marine Turtle Newsletter* 115:4-8.
- Fiedler, P.C. 2002. Ocean environment. Pages 824-830 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. *Encyclopedia of marine mammals*. San Diego, California: Academic Press.

- Forcada, J. 2002. Distribution. Pages 327-333 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. Encyclopedia of marine mammals. San Diego, California: Academic Press.
- Frazier, J.G. 2001. General natural history of marine turtles. Pages 3-17 in Eckert, K.L. and F.A. Abreu-Grobois, eds. Proceedings: Marine Turtle Conservation in the Wider Caribbean Region: A Dialogue for Effective Regional Management. 16-18 November 1999. Santo Domingo, Dominican Republic.
- Friedlaender, A.S., W.A. McLellan, and D.A. Pabst. 2001. Characterising an interaction between coastal bottlenose dolphins (*Tursiops truncatus*) and the spot gillnet fishery in southeastern North Carolina, USA. *Journal of Cetacean Research and Management* 3(3):293-303.
- Gannon, D.P. and D.M. Waples. 2004. Diets of coastal bottlenose dolphins from the U.S. mid-Atlantic coast differ by habitat. *Marine Mammal Science* 20(3):527-545.
- Gannon, D.P., J.E. Craddock, and A.J. Read. 1998. Autumn food habits of harbor porpoises, *Phocoena phocoena*, in the Gulf of Maine. *Fishery Bulletin* 96:428-437.
- Garrison, L. and C. Yeung. 2001. Abundance estimates for Atlantic bottlenose dolphin stocks during summer and winter, 1995. Unpublished document prepared for the Take Reduction Team on Coastal Bottlenose Dolphins in the Western Atlantic.
- Garrison, L.P. 2007. Interactions between marine mammals and pelagic longline fishing gear in the U.S. Atlantic Ocean between 1992 and 2004. *Fishery Bulletin* 105:408-417
- Garrison, L.P., P.E. Rosel, A. Hohn, R. Baird, and W. Hoggard. 2003. Abundance of the coastal morphotype of bottlenose dolphin, *Tursiops truncatus*, in U.S. continental shelf waters between New Jersey and Florida during winter and summer 2002. Unpublished document prepared for the Take Reduction Team on Coastal Bottlenose Dolphins in the Western Atlantic.
- Gaskin, D.E. 1987. Updated status of the right whale, *Eubalaena glacialis*, in Canada. *Canadian Field-Naturalist* 101(2):295-309.
- Gaskin, D.E. 1991. An update on the status of the right whale, *Eubalaena glacialis*, in Canada. *Canadian Field-Naturalist* 105(2):198-205.
- Gaskin, D.E. 1992a. Status of the harbour porpoise, *Phocoena phocoena*, in Canada. *Canadian Field-Naturalist* 106(1):36-54.
- Gaskin, D.E. 1992b. Status of the common dolphin, *Delphinus delphis*, in Canada. *Canadian Field-Naturalist* 106(1):55-63.
- Gilbert, J.R. and N. Guldager. 1998. Status of harbor and gray seal populations in northern New England. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Glass, A.H., T.V.N. Cole, M. Garron, R.L. Merrick, and R.M. Pace III. 2008. Mortality and serious injury determination for baleen whale stocks along the United States Eastern Seaboard and adjacent Canadian Maritimes, 2002-2006. Ref doc. 08-04. Woods Hole, Massachusetts: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center.
- Glenn, S., R. Arnone, T. Bergmann, W.P. Bissett, M. Crowley, J. Cullen, J. Gryzmski, D. Haidvogel, J. Kohut, M. Moline, M. Oliver, C. Orrico, R. Sherrell, T. Song, A. Weidemann, R. Chant, and O. Schofield. 2004. Biogeochemical impact of summertime coastal upwelling on the New Jersey Shelf. *Journal of Geophysical Research* 109:doi:10.1029/2003JC002265.
- GMI (Geo-Marine Inc.). 2009a. Marine mammal monitoring during geophysical surveys in support of the construction of a meteorological data collection facility for the Bluewater Delaware Offshore Wind Park (MMS Lease Block 6325): October 2009. Final Summary Report prepared for Bluewater Wind, LLC, Hoboken, New Jersey.
- GMI (Geo-Marine Inc.). 2009b. Marine mammal monitoring during geophysical surveys in support of the construction of a meteorological data collection facility for the Bluewater New Jersey Offshore Wind Park (MMS Lease Block 6936): August 2009. Final Summary Report prepared for Bluewater Wind, LLC, Hoboken, New Jersey.
- Godley, B.J., A.C. Broderick, F. Glen, and G.C. Hays. 2003. Post-nesting movements and submergence patterns of loggerhead marine turtles in the Mediterranean assessed by satellite tracking. *Journal of Experimental Marine Biology and Ecology* 287:119-134.
- Grant, G.S. and D. Ferrell. 1993. Leatherback turtle, *Dermochelys coriacea* (Reptilia: Dermochelidae): Notes on near-shore feeding behavior and association with cobia. *Brimleyana* 19:77-81.

- Hain, J.H.W., M.J. Ratnaswamy, R.D. Kenney, and H.E. Winn. 1992. The fin whale, *Balaenoptera physalus*, in waters of the northeastern United States continental shelf. Reports of the International Whaling Commission 42:653-669.
- Hamazaki, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, U.S.A. to Nova Scotia, Canada). Marine Mammal Science 18(4):920-937.
- Hamilton, P.K. and C.A. Mayo. 1990. Population characteristics of right whales (*Eubalaena glacialis*) observed in Cape Cod and Massachusetts Bays, 1978-1986. Reports of the International Whaling Commission (Special Issue 12):203-208.
- Hazen, E.L., A.S. Friedlaender, M.A. Thompson, C.R. Ware, M.T. Weinrich, P.N. Halpin, and D.N. Wiley. 2009. Fine-scale prey aggregations and foraging ecology of humpback whales *Megaptera novaeangliae*. Marine Ecology Progress Series 395:75-89.
- Hedley, S.L. and S.T. Buckland. 2004. Spatial models for line transect sampling. Journal of Agricultural, Biological, and Environmental Statistics 9(2):181-199.
- Hiby, L. 1999. The objective identification of duplicate sightings in aerial survey for porpoise. Pages 179-189 in Garner, G.W., S.C. Amstrup, J.L. Laake, B.F.J. Manly, L.L. McDonald, and D.G. Robertson, eds. Marine mammal survey and assessment methods. Rotterdam, Netherlands: A.A. Balkema.
- Hohn, A.A. and L.J. Hansen. 2009. Revisiting the bottlenose dolphin epizootic of 1987-1988: Recent satellite telemetry yields new information on affected stocks. Page 114 in Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. Québec City, Canada, 12-16 October 2009.
- Hoover, K., S.S. Sadove, and P. Forestell. 1999. Trends of harbor seal, *Phoca vitulina*, abundance from aerial surveys in New York waters: 1985-1999. Page 85 in Abstracts, Thirteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 1999. Wailea, Hawaii.
- Horwood, J. 1990. Biology and exploitation of the minke whale. Boca Raton, Florida: CRC Press.
- Jacobsen, K.O., M. Marx, and N. Øien. 2004. Two-way trans-Atlantic migration of a North Atlantic right whale (*Eubalaena glacialis*). Marine Mammal Science 20(1):161-166.
- James, M.C. and T.B. Herman. 2001. Feeding of *Dermochelys coriacea* on medusae in the northwest Atlantic. Chelonian Conservation and Biology 4(1):202-205.
- James, M.C., J. Davenport, and G.C. Hays. 2006a. Expanded thermal niche for a diving vertebrate: A leatherback turtle diving into near-freezing water. Journal of Experimental Marine Biology and Ecology 335:221-226.
- James, M.C., S.A. Sherrill-Mix, K. Martin, and R.A. Myers. 2006b. Canadian waters provide critical foraging habitat for leatherback sea turtles. Biological Conservation 133:347-357.
- Jaquet, N., C.A. Mayo, O.C. Nichols, M.K. Bessinger, D. Osterberg, M.K. Marx, and C.L. Browning. 2005. Surveillance, monitoring and management of North Atlantic right whales in Cape Cod Bay and adjacent waters - 2005. Provincetown, Massachusetts: Provincetown Center for Coastal Studies.
- Jefferson, T.A., M.A. Webber, and R.L. Pitman. 2008. Marine mammals of the world: A comprehensive guide to their identification. San Diego, California: Academic Press.
- Jefferson, T.A., D. Fertl, J. Bolaños-Jiménez, and A.N. Zerbini. 2009. Distribution of common dolphins (*Delphinus* spp.) in the western Atlantic Ocean: A critical re-examination. Marine Biology 156:1109-1124.
- Kaschner, K., R. Watson, A.W. Trites, and D. Pauly. 2006. Mapping world-wide distributions of marine mammal species using a relative environmental suitability (RES) model. Marine Ecology Progress Series 316:285-310.
- Katona, S.K., V. Rough, and D.T. Richardson. 1993. A field guide to whales, porpoises, and seals from Cape Cod to Newfoundland. Washington, D.C.: Smithsonian Institution Press.
- Kenney, R.D. 1990. Bottlenose dolphins off the northeastern United States. Pages 369-386 in Leatherwood, S. and R.R. Reeves, eds. The bottlenose dolphin. San Diego, California: Academic Press.
- Kenney, R.D. and H.E. Winn. 1986. Cetacean high-use habitats of the northeast United States continental shelf. Fishery Bulletin 84(2):345-357.
- Kenney, R.D. and H.E. Winn. 1987. Cetacean biomass densities near submarine canyons compared to adjacent shelf/slope areas. Continental Shelf Research 7:107-114.

- Kenney, R.D., M.A.M. Hyman, and H.E. Winn. 1985. Calculation of standing stocks and energetic requirements of the cetaceans of the northeast United States outer continental shelf. NOAA Technical Memorandum NMFS-F/NEC-41:1-99.
- Kenney, R.D., H.E. Winn, and M.C. Macaulay. 1995. Cetaceans in the Great South Channel, 1979-1989: Right whale (*Eubalaena glacialis*). *Continental Shelf Research* 15:385-414.
- Kenney, R.D., C.A. Mayo, and H.E. Winn. 2001. Migration and foraging strategies at varying spatial scales in western North Atlantic right whales: A review of hypotheses. *Journal of Cetacean Research and Management (Special Issue 2)*:251-260.
- Kenney, R.D., P.M. Payne, D.W. Heinemann, and H.E. Winn. 1996. Shifts in northeast shelf cetacean distributions relative to trends in Gulf of Maine/Georges Bank finfish abundance. Pages 169-196 in Sherman, K., N.A. Jaworski, and T.J. Smayda, eds. *The Northeast Shelf Ecosystem: Assessment, sustainability, and management*. Cambridge, Massachusetts: Blackwell Science.
- Kerr, K.A., R.H. Defran, and G.S. Campbell. 2005. Bottlenose dolphins (*Tursiops truncatus*) in the Drowned Cayes, Belize: Group size, site fidelity and abundance. *Caribbean Journal of Science* 41(1):172-177.
- Knowlton, A.R. and S.D. Kraus. 2001. Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic Ocean. *Journal of Cetacean Research and Management (Special Issue 2)*:193-208.
- Knowlton, A.R., J.B. Ring, and B. Russell. 2002. Right whale sightings and survey effort in the Mid Atlantic Region: Migratory corridor, time frame, and proximity to port entrances. Report submitted to the NMFS Ship Strike Working Group, Silver Spring, Maryland.
- Knowlton, A.R., J. Sigurjónsson, J.N. Ciano, and S.D. Kraus. 1992. Long-distance movements of North Atlantic right whales (*Eubalaena glacialis*). *Marine Mammal Science* 8(4):397-405.
- Kraus, S.D., J.H. Prescott, A.R. Knowlton, and G.S. Stone. 1986. Migration and calving of right whales (*Eubalaena glacialis*) in the western North Atlantic. *Reports of the International Whaling Commission (Special Issue 10)*:139-144.
- Kraus, S.D., M.W. Brown, H. Caswell, C.W. Clark, M. Fujiwara, P.K. Hamilton, R.D. Kenney, A.R. Knowlton, S. Landry, C.A. Mayo, W.A. McLellan, M.J. Moore, D.P. Nowacek, D.A. Pabst, A.J. Read, and R.M. Rolland. 2005. North Atlantic right whales in crisis. *Science* 309:561-562.
- Laerm, J., F. Wenzel, J.E. Craddock, D. Weinand, J. McGurk, M.J. Harris, G.A. Early, J.G. Mead, C.W. Potter, and N.B. Barros. 1997. New prey species for northwestern Atlantic humpback whales. *Marine Mammal Science* 13(4):705-711.
- Laurent, L., P. Casale, M.N. Bradai, B.J. Godley, G. Gerosa, A.C. Broderick, W. Schroth, B. Schierwater, A.M. Levy, D. Freggi, E.M. Abd El-Mawla, D.A. Hadoud, H.E. Gomati, M. Domingo, M. Hadjichristophorou, L. Kornaraky, F. Demirayak, and C. Gautier. 1998. Molecular resolution of marine turtle stock composition in fishery bycatch: A case study in the Mediterranean. *Molecular Ecology* 7:1529-1542.
- Lerczak, J.A. and R.C. Hobbs. 1998. Calculating sighting distances from angular readings during shipboard, aerial, and shore-based marine mammal surveys. *Marine Mammal Science* 14(3):590-599.
- Lindstrøm, U. and T. Haug. 2001. Feeding strategy and prey selectivity in common minke whales (*Balaenoptera acutorostrata*) foraging in the southern Barents Sea during early summer. *Journal of Cetacean Research and Management* 3(3):239-249.
- Luschi, P., J.R.E. Lutjeharms, P. Lambardi, R. Mencacci, G.R. Hughes, and G.C. Hays. 2006. A review of migratory behaviour of sea turtles off southeastern Africa. *South African Journal of Science* 102:51-58.
- Lutcavage, M. and J.A. Musick. 1985. Aspects of the biology of sea turtles in Virginia. *Copeia* 1985(2):449-456.
- Marques, T.A., M. Andersen, S. Christensen-Dalsgaard, S. Belikov, A. Boltunov, Ø. Wiig, S.T. Buckland, and J. Aars. 2006. The use of Global Positioning Systems to record distances in a helicopter line-transect survey. *Wildlife Society Bulletin* 34:759-763.
- Mayo, C.A. and M.K. Marx. 1990. Surface foraging behaviour of the North Atlantic right whale, *Eubalaena glacialis*, and associated zooplankton characteristics. *Canadian Journal of Zoology* 68:2214-2220.
- McLellan, W.A., E.A. Meagher, L.G. Torres, G.G. Lovewell, and D.A. Pabst. 2002. Winter right whale surveys, Savannah, Georgia to Chesapeake Bay, Virginia, January 22, 2002-March 19, 2002.

- Contract Report #50WCNF2060001 Prepared for the NMFS-SEFSC, Miami, Florida by Biological Sciences Center for Marine Science Research, University of North Carolina, Wilmington, North Carolina.
- Mead, J.G. 1975. Distribution of cetaceans along the Atlantic and Gulf coasts of the United States. MMC MM4AC007. Prepared for the U.S. Marine Mammal Commission, Washington, D.C.
- Mead, J.G. 1986. Twentieth-century records of right whales (*Eubalaena glacialis*) in the northwestern Atlantic Ocean. Reports of the International Whaling Commission (Special Issue 10):109-119.
- Mellinger, D.K., C.D. Carson, and C.W. Clark. 2000. Characteristics of minke whale (*Balaenoptera acutorostrata*) pulse trains recorded near Puerto Rico. Marine Mammal Science 16(4):739-756.
- Mitchell, E.D., Jr. 1991. Winter records of the minke whale (*Balaenoptera acutorostrata acutorostrata* Lacépède 1804) in the southern North Atlantic. Reports of the International Whaling Commission 41:455-457.
- Mitchell, G.H., R.D. Kenney, A.M. Farak, and R.J. Campbell. 2002. Evaluation of occurrence of endangered and threatened marine species in Naval ship trial areas and transit lanes in the Gulf of Maine and offshore of Georges Bank. NUWC-NPT Technical Memorandum 02-121 Newport, Rhode Island: Naval Undersea Warfare Division.
- Mrosovsky, N. 1980. Thermal biology of sea turtles. American Zoologist 20(3):531-547.
- Murphy, M.A. 1995. Occurrence and group characteristics of minke whales, *Balaenoptera acutorostrata*, in Massachusetts Bay and Cape Cod Bay. Fishery Bulletin 93:577-585.
- Musick, J.A. and C.J. Limpus. 1997. Habitat utilization and migration of juvenile sea turtles. Pages 137-163 in Lutz, P.L. and J.A. Musick, eds. The biology of sea turtles. Boca Raton, Florida: CRC Press.
- NARWC (North Atlantic Right Whale Consortium). 2009. North Atlantic Right Whale Consortium 2009 annual report card: Addendum. Prepared for the IWC Scientific Committee.
- NASA (National Aeronautics and Space Administration). 2010. Goddard Earth Sciences Data and Information Services Center. MODIS-Aqua Level 3 data download. Processed by Rutgers Coastal Ocean Observation Lab (RU COOL). Electronic data. Download date: 17 February 2010.
- Nichols, O.C., R.D. Kenney, and M.W. Brown. 2008. Spatial and temporal distribution of North Atlantic right whales (*Eubalaena glacialis*) in Cape Cod Bay, and implications for management. Fishery Bulletin 106(3):270-280.
- Nieukirk, S.L., K.M. Stafford, D.K. Mellinger, R.P. Dziak, and C.G. Fox. 2004. Low-frequency whale and seismic airgun sounds recorded in the mid-Atlantic Ocean. Journal of the Acoustical Society of America 115(4):1832-1843.
- NJDEP (New Jersey Department of Environmental Protection). 2009. New Jersey ocean stock assessment program (2003-2008). Electronic data. Received 16 March from Don Byrne, Principal Biologist. Trenton, New Jersey, NJDEP Division of Fish and Wildlife.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 1997. Cruise results, R/V *Delaware* cruise no. DEL 97-05, marine mammal distribution survey. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 1998a. Cruise results, R/V *Delaware* cruise no. DE-98-04, mid-Atlantic marine mammal distribution survey. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 1998b. 1998 aerial survey: A component of the NEFSC offshore marine mammal survey. Unpublished survey report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fishery Science Center). 2008. Northeast US right whale sighting advisory system (SAS). Electronic data. Download date: 08 August 2008. <http://rwhalesightings.nefsc.noaa.gov/>.
- NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center). 1999. Cruise results, summer Atlantic Ocean marine mammal survey, NOAA Ship *Oregon II* cruise OT 99-05 (236). Unpublished cruise report. Pascagoula, Mississippi: National Marine Fisheries Service.
- NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center). 2001. Preliminary stock structure of Coastal Bottlenose Dolphins along the Atlantic coast of the US. Unpublished document prepared for the Take Reduction Team on Coastal Bottlenose Dolphins in the Western Atlantic.

- NMFS (National Marine Fisheries Service). 1979. Determination of critical habitat for the leatherback sea turtle. Federal Register 44(58):17710-17712.
- NMFS (National Marine Fisheries Service). 1991. Recovery plan for the humpback whale (*Megaptera novaeangliae*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 1994. Designated critical habitat; northern right whale. Federal Register 59(106):28793-28808.
- NMFS (National Marine Fisheries Service). 1995. Sea turtle conservation; restrictions applicable to shrimp trawl activities; leatherback conservation zone. Federal Register 60(178):47713-47715.
- NMFS (National Marine Fisheries Service). 1998. Draft recovery plan for the fin whale *Balaenoptera physalus* and sei whale *Balaenoptera borealis*. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2000. Sea turtle conservation; restrictions applicable to shrimp trawl activities; Leatherback Conservation Zone--Temporary rule. Federal Register 65(102):33779-33780.
- NMFS (National Marine Fisheries Service). 2001. Status review of the Gulf of Maine/Bay of Fundy population of harbor porpoise under the Endangered Species Act (ESA). Federal Register 66(149):40176-40187.
- NMFS (National Marine Fisheries Service). 2003. Recovery plan for the North Atlantic right whale (*Eubalaena glacialis*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2005. Recovery plan for the North Atlantic right whale (*Eubalaena glacialis*) -Revision. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2006. Draft recovery plan for the fin whale (*Balaenoptera physalus*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service) and USFWS (U.S. Fish and Wildlife Service). 1991. Recovery plan for U.S. population of loggerhead turtle. Washington, D.C.: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service) and USFWS (U.S. Fish and Wildlife Service). 1992. Recovery plan for leatherback turtles in the U.S. Caribbean, Atlantic and Gulf of Mexico. Washington, D.C.: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service) and USFWS (U.S. Fish and Wildlife Service). 2007. Leatherback sea turtle (*Dermochelys coriacea*). 5-year review: Summary and evaluation. Prepared by National Marine Fisheries Service, Silver Spring, Maryland and U.S. Fish and Wildlife Service, Jacksonville, Florida.
- NMFS (National Marine Fisheries Service) and USFWS (U.S. Fish and Wildlife Service). 2008. Recovery plan for the Northwest Atlantic population of the loggerhead sea turtle (*Caretta caretta*) -Second revision. Silver Spring, Maryland: National Marine Fisheries Service and U.S. Fish and Wildlife Service.
- NOAA (National Oceanic and Atmospheric Administration). 1999. Geophysical data system for gridded bathymetric data. Volume 2. [CD-ROM]. Boulder, Colorado: National Geophysical Data Center.
- NOAA Fisheries Service. 2008. High numbers of right whales seen in Gulf of Maine: NOAA researchers identify wintering ground and potential breeding ground. Press Release. 31 December. Woods Hole, Massachusetts: Northeast Fisheries Science Center.
- NOAA/NMFS Northeast Region Marine Mammal Stranding Network. 2004. Marine mammal stranding records for Delaware, New Jersey, New York, Connecticut, Rhode Island, Massachusetts, New Hampshire, and Maine. Electronic data. Received 14 January 2004.
- Northridge, S. 1996. Seasonal distribution of harbour porpoises in US Atlantic waters. Reports of the International Whaling Commission 46:613-617.
- Overholtz, W.J. and G.T. Waring. 1991. Diet composition of pilot whales *Globicephala* sp. and common dolphins *Delphinus delphis* in the Mid-Atlantic Bight during spring 1989. Fishery Bulletin 89(4):723-728.
- Pabst, A.D., C.R. Taylor, M.A. Zani, A. Glass, A.R. Knowlton, C. Kahn, R.J. McAlarney, and W.A. McLellan. 2009. North Atlantic right whale (*Eubalaena glacialis*) sightings in the US mid-Atlantic and southeast Atlantic Bight (Virginia through South Carolina) from 2001-2008. Page 192 in Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. Québec City, Canada, 12-16 October 2009.

- Palka, D. 1995. Abundance estimate of the Gulf of Maine harbor porpoise. Reports of the International Whaling Commission (Special Issue 16):27-50.
- Palka, D. 2000. Abundance of the Gulf of Maine/Bay of Fundy harbor porpoise based on shipboard and aerial surveys during 1999. Northeast Fisheries Science Center Reference Document 00-07. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Palka, D. 2001. Cetacean habitats during summer off the US Northeast Atlantic coast. Page 167 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Palka, D. 2005. Aerial surveys in the northwest Atlantic: Estimation of $g(0)$. European Cetacean Society Newsletter 44(Special Issue):12-17.
- Palka, D., C.D. Orphanides, and M.L. Warden. 2009. Summary of harbor porpoise (*Phocoena phocoena*) bycatch and levels of compliance in the northeast and mid-Atlantic gillnet fisheries after the implementation of the Take Reduction Plan: 1 January 1999 - 31 May 2007. NOAA Technical Memorandum NMFS-NE-212. Woods Hole, Massachusetts: National Marine Fisheries Service-Northeast Fisheries Science Center.
- Palka, D., L. Garrison, A. Hohn, and C. Yeung. 2001. Summary of abundance estimates and PBR for coastal *Tursiops* for waters between New York and Florida during 1995 to 2000. Unpublished document prepared for the Take Reduction Team on Coastal Bottlenose Dolphins in the Western Atlantic.
- Palka, D.L. and P.S. Hammond. 2001. Accounting for responsive movement in line transect estimates of abundance. Canadian Journal of Fisheries and Aquatic Sciences 58:777-787.
- Palka, D.L., G.T. Waring, and D.C. Potter. 2005. Abundances of cetaceans and turtles in the Northwest Atlantic during summer 1995 and 1998. Draft report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Patrician, M.R., I.S. Biedron, H.C. Esch, F.W. Wenzel, L.A. Cooper, P.K. Hamilton, A.H. Glass, and M.F. Baumgartner. 2009. Evidence of a North Atlantic right whale calf (*Eubalaena glacialis*) born in northeastern U.S. waters. Marine Mammal Science 25(2):462-477.
- Paxton, C.G.M., M.L. Burt, S.L. Hedley, G.A. Víkingsson, Th. Gunnlaugsson, and G. Desportes. 2009. Density surface fitting to estimate the abundance of humpback whales based on the NASS-95 and NASS-2001 aerial and shipboard surveys. NAMMCO Scientific Publication 7:143-160.
- Payne, P.M. and D.C. Schneider. 1984. Yearly changes in abundance of harbor seals, *Phoca vitulina*, at a winter haul-out site in Massachusetts. Fishery Bulletin 82(2):440-442.
- Payne, P.M. and L.A. Selzer. 1989. The distribution, abundance and selected prey of the harbor seal, *Phoca vitulina concolor*, in southern New England. Marine Mammal Science 5(2):173-192.
- Payne, P.M., L.A. Selzer, and A.R. Knowlton. 1984. Distribution and density of cetaceans, marine turtles, and seabirds in the shelf waters of the northeastern United States, June 1980 - December 1983, based on shipboard observations. Contract number NA-81-FA-C-00023 Woods Hole, Massachusetts: National Marine Fisheries Service.
- Payne, P.M., J.R. Nicolas, L. O'Brien, and K.D. Powers. 1986. The distribution of the humpback whale, *Megaptera novaeangliae*, on Georges Bank and in the Gulf of Maine in relation to densities of the sand eel, *Ammodytes americanus*. Fishery Bulletin 84:271-277.
- Payne, P.M., D.N. Wiley, S.B. Young, S. Pittman, P.J. Clapham, and J.W. Jossi. 1990. Recent fluctuations in the abundance of baleen whales in the southern Gulf of Maine in relation to changes in selected prey. Fishery Bulletin 88:687-696.
- Pendleton, D.E., A.J. Pershing, M.W. Brown, C.A. Mayo, R.D. Kenney, N.R. Record, and T.V.N. Cole. 2009. Regional-scale mean copepod concentration indicates relative abundance of North Atlantic right whales. Marine Ecology Progress Series 378:211-225.
- Perrin, W.F. 2009. Common dolphins *Delphinus delphis* and *D. capensis*. Pages 255-259 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. Encyclopedia of marine mammals. San Diego, California: Academic Press.
- Polacheck, T. 1995. Double team field tests of line transect methods for shipboard sighting surveys for harbor porpoises. Reports of the International Whaling Commission (Special Issue 16):51-68.
- Polacheck, T. and L. Thorpe. 1990. The swimming direction of harbor porpoise in relationship to a survey vessel. Report of the International Whaling Commission 40:463-470.

- Polacheck, T., F.W. Wenzel, and G. Early. 1995. What do stranding data say about harbor porpoises (*Phocoena phocoena*)? Reports of the International Whaling Commission (Special Issue 16):169-179.
- Potter, C.W. 1979. The marine fauna. Pages 595-602 in Proceedings of the Symposium on Endangered and Threatened Plants and Animals of Virginia. 19-20 May 1978. Blacksburg, Virginia.
- Potter, C.W. 1984. Marine mammals of Maryland. Pages 442-453 in Norden, A.W., D.C. Forester, and G.H. Fenwick, eds. Threatened and endangered plants and animals of Maryland. Special Publication 84-1. Annapolis, Maryland: Maryland Natural Heritage Program.
- Prescott, R. 2000. Sea turtles in New England waters. Conservation Perspectives: The on-line journal of NESCB.
- Quintal, J.M. and T.D. Smith. 1999. Marine Mammal Research Program of the Northeast Fisheries Science Center during 1990-95. NOAA Technical Memorandum NMFS-NE-120:1-28.
- Read, A.J. 1999. Harbour porpoise *Phocoena phocoena* (Linnaeus, 1758). Pages 323-355 in Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Volume 6: The second book of dolphins and the porpoises. San Diego, California: Academic Press.
- Read, A.J., J.R. Nicolas, and J.E. Craddock. 1996. Winter capture of a harbor porpoise in a pelagic drift net off North Carolina. Fishery Bulletin 94:381-383.
- Read, A.J., D.M. Waples, K.W. Urian, and D. Swanner. 2003. Fine-scale behaviour of bottlenose dolphins around gillnets. Proceedings of the Royal Society B: Biological Sciences 270:90-92.
- Recchia, C.A. and A.J. Read. 1989. Stomach contents of harbour porpoises, *Phocoena phocoena* (L.), from the Bay of Fundy. Canadian Journal of Zoology 67:2140-2146.
- Redfern, J.V., M.C. Ferguson, E.A. Becker, K.D. Hyrenbach, C. Good, J. Barlow, K. Kaschner, M.F. Baumgartner, K.A. Forney, L.T. Ballance, P. Fauchald, P. Halpin, T. Hamazaki, A.J. Pershing, S.S. Qian, A. Read, S.B. Reilly, L. Torres, and F. Werner. 2006. Techniques for cetacean-habitat modeling. Marine Ecology Progress Series 310:271-295.
- Richardson, J.I. and P. McGillivray. 1991. Post-hatchling loggerhead turtles eat insects in *Sargassum* community. Marine Turtle Newsletter 55:2-5.
- Risch, D., C.W. Clark, U. Siebert, and S.M.V. Parijs. 2009. Variability and seasonality of minke whale sounds in the Stellwagen Bank national marine sanctuary, USA. Pages 215-216 in Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. Québec City, Canada, 12-16 October 2009.
- Rosel, P.E., L. Hansen, and A.A. Hohn. 2009. Restricted dispersal in a continuously distributed marine species: Common bottlenose dolphins *Tursiops truncatus* in coastal waters of the western North Atlantic. Molecular Ecology 18(24):5030-5045.
- Rosenfeld, M., M. George, and J.M. Terhune. 1988. Evidence of autumnal harbour seal, *Phoca vitulina*, movement from Canada to the United States. Canadian Field-Naturalist 102(3):527-529.
- Rowlett, R.A. 1980. Observations of marine birds and mammals in the northern Chesapeake Bight. FWS/OBS-80/04. Washington, D.C.: U.S. Fish and Wildlife Service.
- Sardi, K.A., M.T. Weinrich, and R.C. Connor. 2005. Social interactions of humpback whale (*Megaptera novaeangliae*) mother/calf pairs on a North Atlantic feeding ground. Behaviour 142:731-750.
- Schmidly, D.J. 1981. Marine mammals of the southeastern United States coast and the Gulf of Mexico. FWS/OBS-80/41 Washington, D.C.: U.S. Fish and Wildlife Service.
- Schneider, D.C. and P.M. Payne. 1983. Factors affecting haul-out of harbor seals at a site in southeastern Massachusetts. Journal of Mammalogy 64(3):518-520.
- Schroeder, B.A. and N.B. Thompson. 1987. Distribution of the loggerhead turtle, *Caretta caretta*, and the leatherback turtle, *Dermochelys coriacea*, in the Cape Canaveral, Florida area: Results of aerial surveys. Pages 45-53 in Witzell, W.N., ed. Proceedings of the Cape Canaveral, Florida Sea Turtle Workshop. NOAA Technical Report NMFS 53.
- Schroeder, C. and R.D. Kenney. 2001. Harbor seals, *Phoca vitulina*, in Rhode Island, USA waters. Page 191 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Schroeder, C.L. 2000. Population status and distribution of the harbor seal in Rhode Island waters. Master's thesis, University of Rhode Island.
- Schulte, D.W. and C.R. Taylor. 2009. Documenting spatial and temporal distribution of North Atlantic right whales off South Carolina and northern Georgia 2008-2009. Final Report. Contract No. WC133F-

- 06-CN-0251: Prepared for National Oceanic and Atmospheric Administration by Wildlife Trust, St. Petersburg, Florida.
- Schwartz, F.J. 1962. Summer occurrence of an immature little piked whale, *Balaenoptera acutorostrata*, in Chesapeake Bay, Maryland. *Chesapeake Science* 3(3):206-209.
- Schwartz, F.J. 1978. Behavioral and tolerance responses to cold water temperatures by three species of sea turtles (Reptilia, Cheloniidae) in North Carolina. Pages 16-18 in Henderson, G.E., ed. *Proceedings of the Florida and Interregional Conference on Sea Turtles*, 24-25 July 1976, Jensen Beach, Florida. Florida Marine Research Publications No. 33. St. Petersburg, Florida: Florida Department of Natural Resources.
- Selzer, L.A. and P.M. Payne. 1988. The distribution of white-sided (*Lagenorhynchus acutus*) and common dolphins (*Delphinus delphis*) vs. environmental features of the continental shelf of the northeastern United States. *Marine Mammal Science* 4(2):141-153.
- Seney, E.E. and J.A. Musick. 2007. Historical diet analysis of loggerhead sea turtles (*Caretta caretta*) in Virginia. *Copeia* 2007(2):478-479.
- Shane, S.H. 1990. Comparison of bottlenose dolphin behavior in Texas and Florida, with a critique of methods for studying dolphin behavior. Pages 541-558 in Leatherwood, S. and R.R. Reeves, eds. *The bottlenose dolphin*. San Diego, California: Academic Press.
- Shane, S.H., R.S. Wells, and B. Würsig. 1986. Ecology, behavior and social organization of the bottlenose dolphin: A review. *Marine Mammal Science* 2(1):34-63.
- Shoop, C.R. and R.D. Kenney. 1992. Seasonal distributions and abundances of loggerhead and leatherback sea turtles in waters of the northeastern United States. *Herpetological Monographs* 6:43-67.
- Slijper, E.J., W.L. van Utrecht, and C. Naaktgeboren. 1964. Remarks on the distribution and migration of whales, based on observations from Netherlands ships. *Bijdragen Tot de Dierkunde* 34:3-93.
- Slocum, C.J. and R. Schoelkopf. 2001. Population dynamics of phocid seals wintering in New Jersey and the Mid-Atlantic region (U.S.), 1993-2001. Page 199 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Slocum, C.J. and M. Davenport. 2009. Marine conservation: Assessing threats, and characterizing habitats of harbor seals (*Phoca vitulina concolor*; Phocidae) in southern New Jersey (USA). Page 236 in Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. Québec City, Canada, 12-16 October 2009.
- Slocum, C.J., A. Ferland, N. Furina, and S. Evert. 2005. What do harbor seals eat in New Jersey? A first report from the mid-Atlantic region (USA). Page 262 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Slocum, C.J., R. Schoelkopf, S. Tulevech, M. Stevens, S. Evert, and M. Moyer. 1999. Seal populations wintering in New Jersey (USA) have increased in abundance and diversity. Pages 174-175 in Abstracts, Thirteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 1999. Wailea, Hawaii.
- Smith, R.C., P. Dustan, D. Au, K.S. Baker, and E.A. Dunlap. 1986. Distribution of cetaceans and sea-surface chlorophyll concentrations in the California Current. *Marine Biology* 91:385-402.
- Smith, R.J. and A.J. Read. 1992. Consumption of euphausiids by harbor porpoise (*Phocoena phocoena*) calves in the Bay of Fundy. *Canadian Journal of Zoology* 70:1629-1632.
- Smith, T.D., R.B. Griffin, G.T. Waring, and J.G. Casey. 1996. Multispecies approaches to management of large marine predators. Pages 467-490 in Sherman, K., N.A. Jaworski, and T.J. Smayda, eds. *The Northeast Shelf Ecosystem: Assessment, sustainability, and management*. Cambridge, Massachusetts: Blackwell Science.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, J. Lien, D. Mattila, P.J. Palsbøll, J. Sigurjónsson, P.T. Stevick, and N. Øien. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science* 15(1):1-32.
- Stevick, P.T., L.S. Incze, S.D. Kraus, S. Rosen, N. Wolff, and A. Baukus. 2008. Trophic relationships and oceanography on and around a small offshore bank. *Marine Ecology Progress Series* 363:15-28.
- Stevick, P.T., J. Allen, P.J. Clapham, N. Friday, S.K. Katona, F. Larsen, J. Lien, D.K. Mattila, P.J. Palsbøll, J. Sigurjónsson, T.D. Smith, N. Øien, and P.S. Hammond. 2003a. North Atlantic

- humpback whale abundance and rate of increase four decades after protection from whaling. *Marine Ecology Progress Series* 258:263-273.
- Stevick, P.T., J. Allen, M. Bérubé, P.J. Clapham, S.K. Katona, F. Larsen, J. Lien, D.K. Mattila, P.J. Palsbøll, J. Robbins, J. Sigurjónsson, T.D. Smith, N. Øien, and P.S. Hammond. 2003b. Segregation of migration by feeding ground origin in North Atlantic humpback whales (*Megaptera novaeangliae*). *Journal of Zoology, London* 259:231-237.
- Stewart, K. and C. Johnson. 2006. *Dermochelys coriacea* - Leatherback sea turtle. Pages 144-157 in Meylan, P.A., ed. *Biology and conservation of Florida turtles*. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan, and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Marine Mammal Science* 9(3):309-315.
- Terhune, J.M. 1985. A linear decrease of harbor seal numbers. *Marine Mammal Science* 1(4):340-341.
- TEWG (Turtle Expert Working Group). 2007. An assessment of the leatherback turtle population in the Atlantic Ocean. NOAA Technical Memorandum NMFS-SEFSC-555:1-116.
- Thomas, L., S.T. Buckland, E.A. Rexstad, J.L. Laake, S. Strindberg, S.L. Hedley, J.R.B. Bishop, T.A. Marques, and K.P. Burnham. 2010. Distance software: Design and analysis of distance sampling surveys for estimating population size. *Journal of Applied Ecology* doi: 10.1111/j.1365-2664.2009.01737.x.
- Thompson, N.B., J.R. Schmid, S.P. Epperly, M.L. Snover, J. Braun-McNeill, W.N. Witzell, W.G. Teas, L.A. Csuzdi, and R.A. Myers. 2001. Stock assessment of leatherback sea turtles of the western North Atlantic. Pages 67-104 in NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center), ed. *Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the western North Atlantic*. NOAA Technical Memorandum NMFS-SEFSC-455.
- Thomsen, F., F. Ugarte, and P.G.H. Evans, eds. 2005. Proceedings of the workshop on estimation of $g(0)$ in line-transect surveys of cetaceans held at the European Cetacean Society's 18th Annual Conference, Vildmarkshotellet at Kolmården Djur Park, Kolmården, Sweden, 28th March 2004. *European Cetacean Society Newsletter* 44(Special Issue):1-46.
- Thomson, D.H. and W.J. Richardson. 1995. Marine mammal sounds. Pages 159-204 in Richardson, W.J., C.R. Greene, Jr., C.I. Malme, and D.H. Thomson, eds. *Marine mammals and noise*. San Diego, California: Academic Press.
- Torres, L.G., A.J. Read, and P. Halpin. 2008. Fine-scale habitat modeling of a top marine predator: Do prey data improve predictive capacity? *Ecological Applications* 18(7):1702-1717.
- Torres, L.G., W.A. McLellan, E. Meagher, and D.A. Pabst. 2005. Seasonal distribution and relative abundance of bottlenose dolphins, *Tursiops truncatus*, along the US mid-Atlantic Coast. *Journal of Cetacean Research and Management* 7(2):153-161.
- Toth-Brown, J. 2007. Aspects of the ecology of bottlenose dolphins, *Tursiops truncatus*, in New Jersey. Master's Thesis, Rutgers University.
- Toth-Brown, J., A.A. Hohn, and K.W. Able. 2007. Co-occurrence of two bottlenose dolphin population subunits in coastal New Jersey, USA. In *Abstracts, 17th Biennial Conference on the Biology of Marine Mammals*, 29 November-3 December 2007. Cape Town, South Africa.
- Toth, J.L., A.A. Hohn, K.W. Able, and A.M. Gorgone. In Press. Patterns of seasonal occurrence, distribution and site fidelity of coastal bottlenose dolphins (*Tursiops truncatus*) in southern New Jersey, U.S.A. *Marine Mammal Science* xx(x):xxx.
- True, F.W. 1885. The bottle-nose dolphin, *Tursiops tursio*, as seen at Cape May, New Jersey. *Science* V(116):338-339.
- Turgut, A. and C. Lefler. 2006. Acoustical monitoring of finback whale movements on the New Jersey Shelf. *Journal of the Acoustical Society of America* 120(5, Part 2):3266.
- UDSG (University of Delaware Sea Grant). 2000. Sea turtles count on Delaware Bay. *University of Delaware Sea Grant Reporter* 19(1):7.
- Ulmer, F.A., Jr. 1981. New Jersey's dolphins and porpoises. *New Jersey Audubon Society Occasional Paper* 137:1-11.
- Urian, K.W., A.A. Hohn, and L.J. Hansen. 1999. Status of the photo-identification catalog of coastal bottlenose dolphins of the western North Atlantic: Report of a workshop of catalog contributors. NOAA Technical Memorandum NMFS-SEFSC-425:1-24.

- USFWS (U.S. Fish and Wildlife Service). 2010. Endangered and threatened species: Proposed listing of nine distinct population segments of loggerhead sea turtles as endangered or threatened. Federal Register 75(50):12598-12656.
- Wang, K.R., P.M. Payne, and V.G. Thayer, compilers. 1994. Coastal stock(s) of Atlantic bottlenose dolphin: Status review and management. NOAA Technical Memorandum NMFS-OPR-4:1-120.
- Waring, G.T. and D.L. Palka. 2002. North Atlantic marine mammals. Pages 802-806 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. Encyclopedia of marine mammals. San Diego, California: Academic Press.
- Waring, G.T., E. Josephson, C.P. Fairfield-Walsh, and K. Maze-Foley eds. 2009. US Atlantic and Gulf of Mexico marine mammal stock assessments 2008. NOAA Technical Memorandum NMFS-NE-210: 1-429.
- Waring, G.T., P. Gerrior, P.M. Payne, B.L. Parry, and J.R. Nicolas. 1990. Incidental take of marine mammals in foreign fishery activities off the northeast United States, 1977-88. Fishery Bulletin 88(2):347-360.
- Watts, P. and D.E. Gaskin. 1985. Habitat index analysis of the harbor porpoise (*Phocoena phocoena*) in the southern coastal Bay of Fundy, Canada. Journal of Mammalogy 66:733-744.
- Weinrich, M., M. Martin, R. Griffiths, J. Bove, and M. Schilling. 1997. A shift in distribution of humpback whales, *Megaptera novaeangliae*, in response to prey in the southern Gulf of Maine. Fishery Bulletin 95(4):826-836.
- Wells, R.S. and M.D. Scott. 1999. Bottlenose dolphin--*Tursiops truncatus* (Montagu, 1821). Pages 137-182 in Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Volume 6: The second book of dolphins and the porpoises. San Diego, California: Academic Press.
- Westgate, A.J., A.J. Read, T.M. Cox, T.D. Schofield, B.R. Whitaker, and K.E. Anderson. 1998. Monitoring a rehabilitated harbor porpoise using satellite telemetry. Marine Mammal Science 14(3):599-604.
- Whitehead, H. 1982. Populations of humpback whales in the northwest Atlantic. Reports of the International Whaling Commission 32:345-353.
- Whitehead, H. and M.J. Moore. 1982. Distribution and movements of West Indian humpback whales in winter. Canadian Journal of Zoology 60:2203-2211.
- Whitman, A.A. and P.M. Payne. 1990. Age of harbour seals, *Phoca vitulina concolor*, wintering in southern New England. Canadian Field-Naturalist 104(4):579-582.
- Wiley, D.N., F.W. Wenzel, and S.B. Young. 1994. Extralimital residency of bottlenose dolphins in the western North Atlantic. Marine Mammal Science 10(2):223-226.
- Wiley, D.N., R.A. Asmutis, T.D. Pitchford, and D.P. Gannon. 1995. Stranding and mortality of humpback whales, *Megaptera novaeangliae*, in the mid-Atlantic and southeast United States, 1985-1992. Fishery Bulletin 93:196-205.
- Winn, H.E., E.A. Scott, and R.D. Kenney. 1985. Aerial surveys for right whales in the Great South Channel, Spring 1984. Prepared for the U.S. Marine Mammal Commission, Washington, D.C. by Graduate School of Oceanography, University of Rhode Island, Narragansett, Rhode Island.
- Winn, H.E., C.A. Price, and P.W. Sorensen. 1986. The distributional biology of the right whale (*Eubalaena glacialis*) in the western North Atlantic. Reports of the International Whaling Commission (Special Issue 10):129-138.
- Witherington, B., P. Kubilis, B. Brost, and A. Meylan. 2009. Decreasing annual nest counts in a globally important loggerhead sea turtle population. Ecological Applications 19(1):30-54.
- Witherington, B.E. 1994. Flotsam, jetsam, post-hatchling loggerheads, and the advecting surface smorgasbord. Pages 166-168 in Bjørndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-351.
- Witt, M.J., A.C. Broderick, D.J. Johns, C. Martin, R. Penrose, M.S. Hoogmoed, and B.J. Godley. 2007. Prey landscapes help identify potential foraging habitats for leatherback turtles in the northeast Atlantic. Marine Ecology Progress Series 337:231-243.
- Wood, S., A. Ferland, G.T. Waring, L. Sette, and S. Shaw. 2001. Harbor seal (*Phoca vitulina*) food habits along the New England coast. Pages 236-237 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Wood, S.N. 2006. Generalized additive models: An introduction with R. Boca Raton, Florida: Chapman & Hall/CRC.

Zollet, E.A. and A.J. Read. 2006. Depredation of catch by bottlenose dolphins (*Tursiops truncatus*) in the Florida king mackerel (*Scomberomorus cavalla*) troll fishery. Fishery Bulletin 104:343-349.