

**APPENDIX C**  
**SUPPLEMENTAL LITERATURE**

- Abbas, L.E. 1978. North Carolina charter boat industry. Pages 89-95 in F.E. Carlton and H. Clepper, eds. Marine recreational fisheries 3: Proceedings of the Second Annual Marine Recreational Fisheries Symposium, Norfolk, Virginia, March 29-30, 1978. Washington, DC: Sport Fishing Institute.
- Able, K.W. 1999. Checklist of fishes of the Jacques Cousteau National Estuarine Research Reserve at Mullica River-Great Bay. Contribution #99-22 of the Institute of Marine and Coastal Sciences and Contribution #99-101 of the Jacques Cousteau National Estuarine Research Reserve.
- Able, K.W., M.P. Fahay, D.A. Witting, R.S. McBride, and S.M. Hagan. 2006. Fish settlement in the ocean vs. estuary: Comparison of pelagic larval settled juvenile composition and abundance from southern New Jersey, U.S.A. *Estuarine, Coastal and Shelf Science* 66:280-280.
- Able, K.W., R.E. Matheson, W.W. Morse, M.P. Fahay, and G. Shepherd. 1990. Patterns of summer flounder *Paralichthys dentatus* early life history in the Mid-Atlantic Bight and New Jersey estuaries. *Fishery Bulletin* 88:1-12.
- Able, K.W., D.A. Witting, R.S. McBride, R.A. Rountree, and K.J. Smith. 1996. Fishes of polyhaline estuarine shores in Great Bay--Little Egg Harbor, New Jersey: A case study of seasonal and habitat influences. Pages 335-353 in Nordstrom, K.F. and C.T. Roman, eds. *Estuarine shores: Evolution, environments and human alterations*. New York, New York: John Wiley & Sons, Inc.
- Anderson, E.D. 1982. Silver hake *Merluccius bilinearis*. Pages 72-74 in M.D. Grosslein and T.R. Azarovitz, eds. *Fish distribution. Marine EcoSystem Analysis (MESA) New York Bight Atlas Monograph 15*. Albany: New York Sea Grant Institute.
- Arocha, F. 1997. The reproductive dynamics of swordfish *Xiphias gladius* L. and management implications in the northwestern Atlantic. Ph.D. dissertation, University of Miami.
- ASMFC (Atlantic States Marine Fisheries Commission). 2002. Interstate fishery management plan for spiny dogfish – Fishery management report no. 40. Washington, D.C.: Atlantic States Marine Fisheries Commission.
- Banselaben, J., J.C. Cox, and R.J. will. 2003. Beneficial use of dredged bedrock in the New York/New Jersey Harbor. ERDC/CEL TR-03-7. Vicksburg, Mississippi: U.S. Army Engineer Research and Development Center.
- Beaugrand, G. 2009. Decadal changes in climate and ecosystems in the North Atlantic Ocean and adjacent seas. *Deep-Sea Research II*: doi:10.1016/j.dsr2.2008.12.022.
- Berrien, P. and J. Sibunka. 1999. Distribution of fish eggs in the northeast U.S. continental shelf ecosystem, 1977-1987. NOAA Technical Report NMFS 145:1-310.
- Boesch, D., E. Burreson, W. Dennison, E. Houde, M. Kemp, V. Kennedy, R. Newell, K. Paynter, R. Orth, R. Ulanowicz, C. Peterson, J. Jackson, M. Kirby, H. Lenihan, B. Bourque, R. Bradbury, R. Cooke, and S. Kidwell. 2001. Factors in the decline of coastal ecosystems. *Science* 293:1589-1591.
- Bourne, D.W. 1987. Section III – The Fisheries. Pages 406-513 in R.H. Backus and D.W. Bourne, eds. *Georges Bank*. Cambridge: MIT Press.
- Byrnes, M.R., R.M. Hammer, B.A. Vittor, J.S. Ramsey, D.B. Synder, J.D. Wood, K.F. Bosma, T.D. Thibault, and N.W. Phillips. 2000. Environmental surveys of potential sand resource sites: Offshore New Jersey. Volume I: Main text. OCS Study MMS 2000-052. Herndon, Virginia: Minerals Management Service.
- Byrnes, M.R., R.M. Hammer, S.W. Kelley, J.L. Baker, D.B. Synder, T.D. Thibault, S.A. Zichichi, L.M. Lagera, Jr., S.T. Viada, B.A. Vittor, J.S. Ramsey, and J.D. Germano. 2004. Environmental surveys of potential borrow areas offshore northern New Jersey and southern New York and the environmental implications of sand removal for coastal and beach restoration. Volume I: Main text. OCS Study MMS 2004-044. Herndon, Virginia: Minerals Management Service.
- Callihan, J.L., L.T. Takata, R.J. Woodland, and D.H. Secor. 2008. Cohort splitting in bluefish, *Pomatomus saltatrix*, in the US mid-Atlantic Bight. *Fisheries Oceanography* 17(3):191-205.
- Camhi, M., J.A. Musick, and C. Simpendorfer. 2000. *Carcharinus obscurus* (Northwest Atlantic and Gulf of Mexico subpopulation). In: IUCN 2004. *The 2004 IUCN Red List of Threatened Species*. Accessed 13 December 2004. <http://www.redlist.org>.
- Casey, J.G. 1982. Blue shark *Prionaca glauca*. Pages 45-48 in M.D. Grosslein and T.R. Azarovitz, eds. *Fish distribution. Marine EcoSystem Analysis (MESA) New York Bight Atlas Monograph 15*. Albany: New York Sea Grant Institute.
- Castro, J.I. In Press. *The sharks of North America*. Oxford University Press.
- Charles, A. 2009. The interaction of fisheries and climate change: Socioeconomic and management practices. *ICES CM* 2009/F:03.

- Clapham, P.J., and R.M. Pace, III. 2001. Defining triggers for temporary area closures to protect right whales from entanglements: Issues and options. NMFS-NEFSC Reference Document 01-06:1-28.
- Collette, B.B., and G. Klein-MacPhee, eds. 2002. Bigelow and Schroeder's Fishes of the Gulf of Maine. Washington, D.C.: Smithsonian Institution Press.
- Colton, Jr., J.B., W.G. Smith, A.W. Kendall, Jr., P.L. Berrien, and M.P. Fahey. 1979. Principal spawning areas and times of marine fishes, Cape Sable to Cape Hatteras. Fishery Bulletin 76(4):911-915.
- Csanady, G.T., and P. Hamilton. 1988. Circulation of slopewater. Continental Shelf Research 8(5-7):565-624.
- Diaz, R.J., G.R. Cutter, Jr., and K.W. Able. 2003. The importance of physical and biogenic structure to juvenile fishes on the shallow inner continental shelf. Estuaries 26(1):12-20.
- Doyle, M.J., W.W. Morse, and J.A.W. Kendall. 1993. A comparison of larval fish assemblages in the temperate zone of the northeast Pacific and northwest Atlantic oceans. Bulletin of Marine Science 53(2):588-644.
- Drinkwater, K.F., F. Mueter, K.D. Friedland, M. Taylor, G.L. Hunt, Jr., J. Hare, and W. Melle. 2009. Recent climate forcing and physical oceanographic changes in Northern Hemisphere regions: A review and comparison of four marine ecosystems. Progress in Oceanography 81:10-28.
- Dunstone, D. 2009. Development of spatial information layers for commercial fishing and shellfishing in UK waters to support strategic siting of offshore windfarms. COWRIE FISHVALUE-07-08. Southampton, United Kingdom: ABP Marine Environmental Research Ltd.
- Eklund, A.M. 1988. Fishes inhabiting hard bottom reef areas in the Middle Atlantic Bight: Seasonality of species composition, catch rates, and reproduction. Master's thesis, University of Delaware.
- Eklund, A.M. and T.E. Targett. 1990. Reproductive seasonality of fishes inhabiting hard bottom areas in the Middle Atlantic Bight. Copeia 1990:1180-1184.
- Fahay, M.P. 1983. Guide to the early stages of marine fishes occurring in the western Atlantic Ocean, Cape Hatteras to the southern Scotian Shelf. Journal of the Northwest Atlantic Fisheries Science 4:1-123.
- Fay, C.W., R.J. Neves, and G.B. Pardue. 1983. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Mid-Atlantic) -- Surf clam. U.S. Fish and Wildlife Service FWS/OBS-82/11.13. U.S. Army Corps of Engineers TR EL-82-4.
- Fergusson, I., L. Compagno, and M. Marks. 2000. *Carcharodon carcharias*. 2004 IUCN red list of threatened species. Accessed 10 December 2004. <http://www.redlist.org>.
- Fordham S., S.L. Fowler, R. Coelho, K.J. Goldman, and M. Francis. 2006. *Squalus acanthias* (Northwest Atlantic population). 2006 IUCN Red List of Threatened Species. Accessed 10 May 2007. <http://www.iucnredlist.org/search/details.php/39326/summ>.
- Gardieff, S. 2004. Biological profiles: swordfish. Florida Museum of Natural History. Accessed 1 April 2004. <http://www.flmnh.ufl.edu/fish/Gallery/Descript/Swordfish/Swordfish.html>.
- Garrison, L.P. and J.S. Link. 2000. Dietary guild structure of the fish community in the Northeast United States continental shelf ecosystem. Marine Ecology Progress Series 202:231-240.
- Govoni, J.J., E.H. Laban, and J.A. Hare. 2003. The early life history of swordfish (*Xiphias gladius*) in the western North Atlantic. Fishery Bulletin 101(4):778-789.
- Grosslein, M.D. and T.R. Azarovitz, eds. 1982. Fish distribution: MESA New York Bight Atlas Monograph 15. Albany, New York: New York Sea Grant Institute.
- Habig, N., S. Enfield, T. deWolff, B. Bailey, M. Filippelli, S. Clark, S. Brennan, M. Taylor, P. Kerlinger, and C. Sutton. 2004. New Jersey offshore wind energy: Feasibility study. Final version. Prepared by Atlantic Renewable Energy Corporation, Richmond, Virginia and AWS Scientific, Inc., Albany, New York for New Jersey Board of Public Utilities, Trenton, New Jersey.
- Hagan, S.M. and K.W. Able. 2009. Diel variation in the pelagic fish assemblage in a temperate estuary. Estuaries and Coasts 31:33-42.
- Hales, L.S., Jr. and K.W. Able. 2001. Winter mortality, growth, and behavior of young-of-the-year of four coastal fishes in New Jersey (USA) waters. Marine Biology 139:45-54.
- Hare, J.A., J.H. Churchill, R.K. Cowen, T.J. Berger, P.C. Cornillon, P. Dragos, S.M. Glenn, J.J. Govoni, and T.N. Lee. 2002. Routes and rates of larval fish transport from the southeast to the northeast United States continental shelf. Limnology and Oceanography 47(6):1774-1789.

- Harley, C.D.G., A.R. Hughes, K.M. Hultgren, B.G. Miner, C.J.B. Sorte, C.S. Thornber, L.F. Rodriguez, L. Tomanek, and S.L. Williams. 2006. The impacts of climate change in coastal marine systems. *Ecology Letters* 9:228-241.
- Helfman, G.S., B.B. Collette, and D.E. Facey. 1999. *The diversity of fishes*. Malden, Massachusetts: Blackwell Science, Inc.
- Johnson, M.R., C. Boelke, L.A. Chiarella, P.D. Colosi, K. Greene, K. Lellis-Dibble, H. Ludemann, M. Ludwig, S. McDermott, J. Ortiz, D. Rusanowsky, M. Scott, and J. Smith. 2008. Impacts to marine fisheries habitat from nonfishing activities in the northeastern United States. NOAA Technical Memorandum NMFS-NE-209:1-322.
- Jones, D.S. 1981. Reproductive cycles of the Atlantic surf clam *Spisula solidissima*, and the ocean quahog *Arctica islandica* off New Jersey. *Journal of Shellfish Research* 1(1):23-32.
- Jury, S.H., J.D. Field, S.L. Stone, D.M. Nelson, and M.E. Monaco. 1994. Distribution and abundance of fishes and invertebrates in North Atlantic estuaries. ELMR Report No. 13. Silver Spring, Maryland: NOAA/NOS Strategic Environmental Assessments Division. 221 pp.
- Kelly, K.H. and J.R. Moring. 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (North Atlantic) -- Atlantic herring. U.S. Fish and Wildlife Services Biological Report 82(11.38). U.S. Army Corps of Engineers, TR EL-82-4.
- Kendall, A.W., Jr. and N.A. Naplin. 1981. Diel-depth distribution of summer ichthyoplankton in the Middle Atlantic Bight. *Fishery Bulletin* 79(4):705-726.
- Kilduff, P., J. Carmichael, and R. Latour. 2009. *Guide to fisheries science and stock assessments*. Washington, D.C.: Atlantic States Marine Fisheries Commission.
- Kotas, J.E. 2000. *Sphyrna lewini*. 2004 IUCN red list of threatened species. Accessed 10 December 2004. <http://www.redlist.org>.
- Long, D. and W. Figley. 1984. *New Jersey's recreational and commercial ocean fishing grounds*. Trenton: New Jersey Department of Environmental Protection, Bureau of Marine Fisheries.
- Ma, H., J.P. Grassle, and R.J. Chant. 2006. Vertical distribution of bivalve larvae along a cross-shelf transect during summer upwelling and downwelling. *Marine Biology* 149:1123-1138.
- MAFMC (Mid-Atlantic Fishery Management Council). 2008. Overview of the surfclam and ocean quahog fisheries and quota considerations for 2009, and 2010. Dover, Delaware: Mid-Atlantic Fishery Management Council.
- McPhie, R.P. and S.E. Campana. 2009. Reproductive characteristics and population decline of four species of skate (Rajidae) off the eastern coast of Canada. *Journal of Fish Biology* 75:223-246.
- Monaco, M.E., S.B. Weisberg, and T.W. Lowery. 1998. Summer habitat affinities of estuarine fish in the U.S. mid-Atlantic coastal system. *Fisheries Management and Ecology* 5:161-171.
- Montealegre-Quijano, S. and C.M. Vooren. 2010. Distribution and abundance of the life stages of the blue shark *Prionace glauca* in the southwest Atlantic. *Fisheries Research* 101:168-179.
- Morse, W.W., M.P. Fahay, and W.G. Smith. 1987. MARMAP surveys of the continental shelf from Cape Hatteras, North Carolina, to Cape Sable, Nova Scotia (1977-1984). Atlas Number 2. Annual distribution patterns of fish larvae. NOAA Technical Memorandum NMFS-F/NEC-47:1-215.
- Murawski, S.A., A.M. Lange, M.P. Sissenwine, and R.K. Mayo. 1983. Definition and analysis of multispecies ottertrawl fisheries off the northeast coast of the United States. *Journal du Conseil International Council pour l'Exploration de la Mer* 41:13-27.
- Musick, J.A. 2000. *Carcharinus plumbeus* (northwest Atlantic subpopulation). In: IUCN 2004. The 2004 IUCN Red List of Threatened Species. Accessed 13 December 2004. <http://www.redlist.org>.
- Musick, J.A., J.A. Colvocoresses, and E.J. Foell. 1985. Seasonality and the distribution, availability and composition of fish assemblages in Chesapeake Bight. Pages 451-474 in A. Yanez-Arancibia, ed. *Fish community ecology in estuaries and coastal lagoons: Towards an ecosystem integration*. Mexico City, Mexico: UNAM Press Mexico.
- NEFMC (New England Fishery Management Council). 1985. Fishery management plan, environmental impact statement, regulatory impact review and initial regulatory flexibility analysis for the northeast multi-species fishery. Saugus, Massachusetts: New England Fishery Management Council.
- NEFMC (New England Fishery Management Council), MAFMC (Mid-Atlantic Fishery Management Council), and NMFS (National Marine Fisheries Service). 2007. Northeast region standardized bycatch reporting methodology: An Omnibus amendment to the fishery management plans of the Mid-Atlantic and New England Fishery Management Councils. Newburyport, Massachusetts: New

- England Fishery Management Council, Dover, Delaware: Mid-Atlantic Fishery Management Council, and Gloucester and Woods Hole, Massachusetts: National Marine Fisheries Service.
- Nelson, D.M. and M.E. Monaco. 2000. National overview and evolution of NOAA's Estuarine Living Marine Resources (ELMR) Program. NOAA Technical Memorandum NOS NCCOS CCMA 144:1-60.
- NMFS (National Marine Fisheries Service). 2003c. Highly Migratory Species Essential Fish Habitat Shapefiles. Received December 2003 from Chris Rilling. Silver Spring, Maryland: National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Sustainable Fisheries, Highly Migratory Division.
- NMFS (National Marine Fisheries Service). 2004a. Northeast (NE) multispecies closed area regulations. Accessed 28 May 2004. <http://www.nero.noaa.gov/ro/doc/infodocs/info4.pdf>.
- NMFS (National Marine Fisheries Service). 2004b. Commercial fishing effort shapefiles for mid-water trawls and paired mid-water trawls. Received May 2003 from David Stevenson. Gloucester, Massachusetts: National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Regional Office.
- NOAA (National Oceanic and Atmospheric Administration). 2004. Magnuson-Stevens Fishery Conservation and Management Act provisions; fisheries of the northeastern United States; monkfish fishery; amendment 2 to the monkfish fishery management plan. Federal Register 70(1):68-69.
- Olney, J., Sr. and D.M. Bilkovic. 1998. Part 3: Literature survey of reproductive finfish and ichthyoplankton present in proposed sand mining locations. Pages 205-230 in G.r. Cutter, Jr., R.J. Diaz, J.A. Musick, J. Olney, D. Bilkovic, J.P.-Y. Maa, S. Kim, C.S. Hardaway, D. Milligan, R. Brindley, and C.H. Hobbs, ed. Environmental survey of potential sand resource sites offshore Delaware and Maryland. MMS OCS Study 2000-055. Herndon, Virginia: Minerals Management Service.
- Ottersen, G., S. Kim, G. Huse, J.J. Polovina, and N.C. Stenseth. 2009. Major pathways by which climate may force marine fish populations. *Journal of Marine Systems* doi.10.1016/j.jmarsys.2008.12.013.
- Pacheco, A.L. ed. 1988. Characterization of the Middle Atlantic water management unit of the northeast regional action plan. NOAA Technical Memorandum NMFS-F/NEC-56:1-332.
- Palko, B.J., G.L. Beardsley, and W.J. Richards. 1981. Synopsis of the biology of the swordfish, *Xiphias gladius* Linnaeus. NOAA Technical Report NMFS Circular 441 and FAO Fisheries Synopsis 127:1-21.
- Passarelli, N., C. Knickle, and K. DiVittorio. 2003. Biological profiles: shortfin mako. Florida Museum of Natural History. Accessed 03 December 2004. <http://www.flmnh.ufl.edu/fish/Gallery/Descript/ShortfinMako/Shortfinmako.html>.
- Perry, R.I., P. Cury, K. Brander, S. Jennings, C. Mollmann, and B. Planque. 2010. Sensitivity of marine systems to climate and fishing: Concepts, issues and management responses. *Journal of Marine Systems* 79:427-435.
- Phoel, W.C. 1985. Community structure of demersal fishes on the inshore U.S. Atlantic continental shelf: Cape Ann, Massachusetts to Cape Fear, North Carolina. Ph.D. diss., College of William and Mary in Virginia.
- Pollard, D., and A. Smith. 2000. *Carcharias taurus*. 2004 IUCN red list of threatened species. Accessed 10 December 2004. <http://www.redlist.org>.
- Punt, A. 1996. *Thunnus maccoyii*. In: IUCN 2008. 2008 IUCN Red List of Threatened Species. <[www.iucnredlist.org](http://www.iucnredlist.org)>. Downloaded on 25 November 2008.
- Resciniti, J. and B. Figley. 2005. Marine life colonization of experimental reef habitat in temperate ocean waters off New Jersey, 1996-2004. Trenton: New Jersey Department of Environmental Protection, Division of Fish and Wildlife.
- Ropes, J.W. 1968. Reproductive cycle of the surf clam, *Spisula solidissima*, in offshore New Jersey. *Biological Bulletin* 135:349-365.
- Rountree, R.A. and K.W. Able. 1996. Seasonal abundance, growth, and foraging habitats of juvenile smooth dogfish, *Mustelus canis*, in a New Jersey estuary. *Fishery Bulletin* 94:522-534.
- Safina, C. 1996a. *Thunnus thynnus*. 2004 IUCN red list of threatened species. Accessed 13 December 2004. <http://www.redlist.org>.
- Safina, C. 1996b. *Xiphias gladius*. 2004 IUCN red list of threatened species. Accessed 13 December 2004. <http://www.redlist.org>.



- Sedberry, G.R. 1983. Food habits and trophic relationships of a community of fishes on the outer continental shelf. NOAA Technical Report NMFS SSRF-773:1-56.
- Sherman, K., I. Belkin, K.D. Friedland, J. O'Reilly, and K. Hyde. 2009. Accelerated warming and emerging trends in fisheries biomass yields of the world's Large Marine Ecosystems. ICES CM 2009/E:01.
- Simpfendorfer, C. 2000. *Galeocerdo cuvier*. 2004 IUCN red list of threatened species. Accessed 10 December 2004. <http://www.redlist.org>.
- Smith, W.G. 1988. An analysis and evaluation of ichthyoplankton survey data from the northeast continental shelf ecosystem. NOAA Technical Memorandum NMFS-F/NEC-57:1-132.
- Smith, W. and W. Morse. 1988. Seasonal distribution, abundance and diversity patterns of fish eggs and larvae in the Middle Atlantic Bight. Pages 177-189 in A.L. Pacheco. ed. Characterization of the Middle Atlantic water management unit of the northeast regional action plan. NOAA Technical Memorandum NMFS-F/NEC-56:1-332.
- Sobel, J. 1996a. *Gadus morhua*. 2004 IUCN red list of threatened species. Accessed 13 December 2004. <http://www.redlist.org>.
- Sobel, J. 1996b. *Pleuronectes ferrugineus*. 2004 IUCN red list of threatened species. Accessed 9 December 2004. <http://www.redlist.org>.
- Spaur, C. 2007. Atlantic coast of Maryland shoreline protection project borrow sources for 2010-2014: Essential fish habitat (EFH) impact analysis. Baltimore, Maryland: U.S. Army Corps of Engineers.
- Stevens, J. 2000a. *Prionace glauca*. 2004 IUCN red list of threatened species. Accessed 10 December 2004. <http://www.redlist.org>.
- Stevens, J. 2000b. *Isurus oxyrinchus*. 2004 IUCN red list of threatened species. Accessed 10 December 2004. <http://www.redlist.org>.
- Stevenson, D., L. Chiarella, D. Stephan, R. Reid, K. Wilhelm, J. McCarthy, and M. Pentony. 2004. Characterization of the fishing practices and marine benthic ecosystems of the northeast U.S. shelf, and an evaluation of the potential effects of fishing on essential fish habitat. NOAA Technical Memorandum NMFS-NE-181:1-179.
- Stevens, B.P., R.K. Cowen, and M.H. Malchoff. 1999. Settlement and nursery habitats for demersal fishes on the continental shelf of the New York Bight. Fishery Bulletin 98(1):167-188.
- Stillwell, C.E. and N.E. Kohler. 1985. Food and feeding ecology of the swordfish *Xiphias gladius* in the western North Atlantic Ocean with estimates of daily ration. Marine Ecology Progress Series 22:239-247.
- Stone, S.L., T.A. Lowery, J.D. Field, S.H. Jury, D.M. Nelson, M.E. Monaco, C.D. Williams, and L.A. Andreasen. 1994. Distribution and abundance of fishes and invertebrates in Mid-Atlantic Estuaries. ELMR Report No. 12. Silver Spring, Maryland: NOAA/NOS Strategic Environmental Assessments Division.
- Taylor, D.L., P.M. Rowe, and K.W. Able. 2005. Habitat use of the inner continental shelf off southern New Jersey by summer-spawned bluefish (*Pomatomus saltatrix*). Fishery Bulletin 104:593-604.
- USACE (U.S. Army Corps of Engineers). 2007. Essential fish habitat assessment for Newark Bay maintenance dredging: Newark Bay – Port Newark Channel, Port Newark Pierhead Channel, and Port Elizabeth Channel of Newark Bay, Hackensack and Passaic rivers federal navigation project analysis. New York: U.S. Army Corps of Engineers, Operations Division, New York District.
- Vouglitois, J.J., K.W. Able, R.J. Kurtz, and K.A. Tighe. 1987. Life history and population dynamics of the bay anchovy in New Jersey. Transactions of the American Fisheries Society 116(2):141-153.
- Warlen, S.M., K.W. Able, and E.H. Laban. 2002. Recruitment of larval Atlantic menhaden (*Brevoortia tyrannus*) to North Carolina and New Jersey estuaries: Evidence for larval transport northward along the east coast of the United States. Fishery Bulletin 100:609-623.
- Wilk, S.J., A.L. Pacheco, and B. Baker. 1988. Fish and fisheries of the Middle Atlantic Bight. Pages 191-256 in A.L. Pacheco. ed. Characterization of the Middle Atlantic water management unit of the northeast regional action plan. NOAA Technical Memorandum NMFS-F/NEC-56:1-332.
- Witting, D.A., K.W. Able. And M.P. Fahay. 1999. Larval fishes of a Middle Atlantic Bight estuary: assemblage structure and temporal stability. Canadian Journal of Fisheries and Aquatic Sciences 56:222-230.
- Wood, Jr., P.W. 1982. Goosefish *Lophius americanus*. Pages 67-70 in M.D. Grosslein and T.R. Azarovitz, eds. Fish distribution. Marine EcoSystem Analysis (MESA) New York Bight Atlas Monograph 15. Albany: New York Sea Grant Institute.

Wuenschel, M.J., K.W. Able, and D. Bryne. 2009. Seasonal patterns of winter flounder *Pseudopleuronectes americanus* abundance and reproductive condition on the New York Bight continental shelf. *Journal of Fish Biology* 74:1508-1524.