

10.0 LITERATURE CITED

- Able, K.W. 1992. Checklist of New Jersey saltwater fishes. *Bulletin of the New Jersey Academy of Science* 37(1):1-11.
- Able, K.W. and M.P. Fahay. 1998. *The first year in the life of estuary fishes in the Middle Atlantic Bight*. New Brunswick, New Jersey: Rutgers University Press.
- Able, K.W.D.H.W., A. Muzeni-Corino, and D.G. Clarke. 2010. Spring and summer larval fish assemblages in the surf zone and nearshore off northern New Jersey, USA. *Estuaries and Coasts* 33(1):211-222.
- Allison, E.H., A.L. Perry, M.-C. Badjeck, W.N. Adger, K. Brown, D. Conway, A.S. Halls, G.M. Pilling, J.D. Reynolds, N.L. Andrew, and N.K. Dulvy. 2009. Vulnerability of national economies to the impacts of climate change on fisheries. *Fish and Fisheries* 10:173-196.
- ASMFC (Atlantic States Marine Fisheries Commission). 1994. *Proceedings of the Workshop on Saltwater Fishing Tournaments*. U.S. Fish and Wildlife Service, Atlantic States Marine Fisheries Commission Special Report Number 46.
- ASMFC (Atlantic States Marine Fisheries Commission). 1997. *Amendment 3 to the Interstate Fishery Management Plan for American Lobster*. Fishery Management Report No. 29 Washington, D.C.: Atlantic States Marine Fisheries Commission.
- ASMFC (Atlantic States Marine Fisheries Commission). 1999. *Amendment 1 to the Interstate Fishery Management Plan for Atlantic Sea Herring*. Fishery Management Report No. 33 Washington, D.C.: Atlantic States Marine Fisheries Commission.
- ASMFC (Atlantic States Marine Fisheries Commission). 2002. *Interstate Fishery Management Plan for Spiny Dogfish*. Fishery Management Report No. 40 Washington, D.C.: Atlantic States Marine Fisheries Commission.
- ASMFC (Atlantic States Marine Fisheries Commission). 2008a. *Interstate fishery management plan for the Atlantic coastal sharks*. Fishery Management Report No. 46. Washington, D.C.: Atlantic States Marine Fisheries Commission.
- ASMFC (Atlantic States Marine Fisheries Commission). 2008b. *ASMFC stock status overview*. Washington, D.C.: Atlantic States Marine Fisheries Commission.
- ASMFC (Atlantic States Marine Fisheries Commission). 2009a. *2008 annual report*. Washington, D.C.: Atlantic States Marine Fisheries Commission.
- ASMFC (Atlantic States Marine Fisheries Commission). 2009b. *American lobster stock assessment report for peer review*. Stock assessment report No. 09-01 (Supplement) of the Atlantic States Marine Fisheries Commission.
- ASMFC (Atlantic States Marine Fisheries Commission). 2010. *ASMFC stock status overview*. Washington, D.C.: Atlantic States Marine Fisheries Commission.
- Atlantic Sturgeon Status Review Team. 2007. *Status review of Atlantic sturgeon (Acipenser oxyrinchus oxyrinchus)*. Prepared for National Marine Fisheries Service, Northeast Regional Office, Gloucester, Massachusetts.
- Beare, D.J., F. Burns, A. Greig, E.G. Jones, K. Peach, M. Kienzle, E. McKenzie, and D.G. Reid. 2004. Long-term increases in prevalence of North Sea fishes having southern biogeographic affinities. *Marine Ecology Progress Series* 284:269-278.
- Block, B.A., H. Dewar, C. Farwell, and E.D. Prince. 1998. A new satellite technology for tracking the movements of Atlantic bluefin tuna. *Proceedings of the National Academy of Sciences of the United States of America* 95:9384-9389.
- Brander, K. 2010. Impacts of climate change on fisheries. *Journal of Marine Systems* 79:389-402.
- Briggs, J.C. 1974. *Marine zoogeography*. New York, New York: McGraw-Hill Book Company.
- Briggs, P.T. 1975. Shore-zone fishes of the vicinity of Fire Island Inlet, Great South Bay, New York. *New York Fish and Game Journal* 22(1):1-12.
- Buckel, J.A., M.J. Fogarty, and D.O. Conover. 1999. Foraging habits of bluefish, *Pomatomus saltatrix*, on the U.S. east coast continental shelf. *Fishery Bulletin* 97(4):758-775.
- Burgess, G.H. 2002. Spiny dogfishes. Family Squalidae. Pages 48-57 in Collette, B.B. and G. Klein-MacPhee, eds. *Bigelow and Schroeder's fishes of the Gulf of Maine*, 3d ed. Washington, D.C.: Smithsonian Institution Press.
- Burlas, M., G.L. Ray, and D. Clarke. 2001. *The New York District's Biological monitoring program for the Atlantic coast of New Jersey, Asbury Park to Manasquan Section Beach erosion control project*.

- Final report. New York District: U.S. Army Engineer and Vicksburg, Mississippi: U.S. Army Corps of Engineers, Waterways Experiment Station.
- Byrne, D.M. 2008. Ocean trawling survey. New Jersey Department of Environmental Protection, Division of Fish and Wildlife, Marine Fisheries Administration, Bureau of Marine Fisheries.
- Caddy, J.F., J. Csirke, S.M. Garcia, and R.J.R. Grainger. 1998. How pervasive is "fishing down marine food webs"? *Science* 282:1383.
- Cargnelli, L.M., S.J. Griesbach, D.B. Packer, and E. Weissberger. 1999a. Essential fish habitat source document: Atlantic surfclam, *Spisula solidissima*, life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-142:1-13.
- Cargnelli, L.M., S.J. Griesbach, D.B. Packer, and E. Weissberger. 1999b. Essential fish habitat source document: Ocean quahog, *Arctica islandica*, life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-148:1-12.
- Casey, J.G., J.J. Hoey, and M.D. Grosslein. 1987. Large pelagic predators. Pages 351-355 in Backus, R.H., ed. *Georges Bank*. Cambridge, Massachusetts: The MIT Press.
- Chang, S., F.W. Steimle, R.N. Reid, S.A. Fromm, V.S. Zdanowicz, and R.A. Pikanowski. 1992. Association of benthic macrofauna with habitat types and quality in the New York Bight. *Marine Ecology Progress Series* 89:237-251.
- Chase, B.C. 2002. Differences in diet of Atlantic bluefin tuna (*Thunnus thynnus*) at five seasonal feeding grounds on the New England continental shelf. *Fishery Bulletin* 100:168-180.
- Cheung, W.W.L., V.W.Y. Lam, and D. Pauly eds. 2008a. Modelling present and climate-shifted distribution of marine fishes and invertebrates. *Fisheries Centre Research Reports* 16(3). Vancouver, Canada: Fisheries Centre, University of British Columbia.
- Cheung, W.W.L., C. Close, V. Lam, R. Watson, and D. Pauly. 2008b. Application of macroecological theory to predict effects of climate change on global fisheries potential. *Marine Ecology Progress Series* 365:187-197.
- Cheung, W.W.L., V.W.Y. Lam, J.L. Sarmiento, K. Kearney, R. Watson, and D. Pauly. 2010. Large-scale redistribution of maximum fisheries catch potential in the global ocean under climate change. *Global Change Biology* 16:24-35.
- Choi, J.S., K.T. Frank, W.C. Leggett, and K. Drinkwater. 2004. Transition to an alternate state in a continental shelf ecosystem. *Canadian Journal of Fisheries and Aquatic Sciences* 61:505-510.
- Chuenpagdee, R., L.E. Morgan, S.M. Maxwell, E.A. Norse, and D. Pauly. 2003. Shifting gears: Assessing collateral impacts of fishing methods in US waters. *Frontiers in Ecology and the Environment* 1(10):517-524.
- Clark, S.H., S.X. Cadrin, D.F. Schick, P.J. Diodati, M.P. Armstrong, and D. McCarron. 2000. The Gulf of Maine northern shrimp (*Pandalus borealis*) fishery: A review of the record. *Journal of Northwest Atlantic Fishery Science* 27:193-226.
- Collie, J.S., A.D. Wood, and H.P. Jeffries. 2008. Long-term shifts in the species composition of a coastal fish community. *Canadian Journal of Fisheries and Aquatic Science* 65:1352-1365.
- Colvocoresses, J.A. and J.A. Musick. 1984. Species associations and community composition of Middle Atlantic Bight continental shelf demersal fishes. *Fishery Bulletin* 82(2):295-313.
- Cross, J.N., C.A. Zetlin, P.L. Berrien, D.L. Johnson, and C. McBride. 1999. Essential fish habitat source document: Butterfish, *Peprilus triacanthus*, life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-145:1-42.
- Dadswell, M.J., B.D. Taubert, T.S. Squiers, D. Marchette, and J. Buckley. 1984. Synopsis of biological data on shortnose sturgeon, *Acipenser brevirostrum* LeSueur 1818. NOAA Technical Report NMFS/S 140:1-45.
- Daetsch, J.C., B. Figley, and S. Canale. 2006. Guide to New Jersey's saltwater fishing. Trenton, New Jersey: New Jersey Department of Environmental Protection, Division of Fish and Wildlife.
- Dayton, P.K., S.F. Thrush, M.T. Agardy, and R.J. Hofman. 1995. Environmental effects of marine fishing. *Aquatic Conservation: Marine and Freshwater Ecosystems* 5:205-232.
- Drinkwater, K.F., A. Belgrano, A. Borja, A. Conversi, M. Edwards, C.H. Greene, G. Ottersen, A.J. Pershing, and H. Walker. 2003. The response of marine ecosystems to climate variability associated with the North Atlantic Oscillation. *Geophysical Monograph* 134:211-234.
- Dulvy, N.K., S.I. Rogers, S. Jennings, V. Stelzenmüller, S.R. Dye, and H.R. Skjoldal. 2008. Climate change and deepening of the North Sea fish assemblage: A biotic indicator of warming seas. *Journal of Applied Ecology* 45:1029-1039.

- Ecosystem Assessment Program. 2009. Ecosystem assessment report for the Northeast U.S. Continental Shelf Large Marine Ecosystem. NEFSC Reference Document 09-11. Woods Hole, Massachusetts: Northeast Fisheries Science Center.
- Eklund, A.M. and T.E. Targett. 1991. Seasonality of fish catch rates and species composition from the hard bottom trap fishery in the Middle Atlantic Bight (US East Coast). *Fisheries Research* 12:1-22.
- Epifanio, C.E. and R.W. Garvine. 2001. Larval transport on the Atlantic continental shelf of North America: A review. *Estuarine, Coastal and Shelf Science* 52:51-77.
- ESS Group Inc. 2006. Appendix 3.8-A: Additional life history descriptions for commercially and recreationally important species and forage species. Prepared for Cape Wind Associates, Inc., Boston, Massachusetts by ESS Group, Inc. Wellesley, Massachusetts.
- Figley, B. 2003. Marine life colonization of experimental reef habitat in temperate ocean waters of New Jersey. Trenton, New Jersey: New Jersey Department of Environmental Protection, Division of Fish and Wildlife, Bureau of Marine Fisheries.
- Figley, B. 2005. Artificial reef management plan for New Jersey, 2005. Trenton, New Jersey: State of New Jersey, Department of Environmental Protection, Division of Fish and Wildlife.
- Fodrie, F.J., K.L. Heck Jr., S.P. Powers, W.M. Graham, and K.L. Robinson. 2010. Climate-related, decadal-scale assemblage changes of seagrass-associated fishes in the northern Gulf of Mexico. *Global Change Biology* 16(1):48-59.
- Fogarty, M., L. Incze, R. Wahle, D. Mountain, A. Robinson, A. Pershing, K. Hayhoe, A. Richards, and M. J. 2007. Potential climate change impacts on marine resources of the Northeastern United States. Northeast Climate Impacts Assessment (NECIA) Technical Paper Series.
- Frank, K.T., R.I. Perry, and K.F. Drinkwater. 1990. Predicted response of Northwest Atlantic invertebrate and fish stocks to CO₂-induced climate change. *Transactions of the American Fisheries Society* 119:353-365.
- Frank, K.T., B. Petrie, and N.L. Shackell. 2007. The ups and downs of trophic control in continental shelf ecosystems. *Trends in Ecology and Evolution* 22(5):236-242.
- Freeman, B.L. and L.A. Walford. 1974. Anglers' guide to the United States Atlantic coast: Fish, fishing grounds & fishing facilities - Section III: Block Island to Cape May, New Jersey. Washington, D.C.: U.S. Government Printing Office.
- Froese, R. and D. Pauly, eds. 2005. FishBase. World Wide Web Electronic Publication. Accessed 1 January. <http://fishbase.org/search.cfm>.
- Fullenkamp, L. 2006. Characterization of fisheries operating in state waters of the Atlantic Ocean from Maine through Florida. Washington, D.C.: Atlantic States Marine Fisheries Commission.
- Genner, M.J., D.W. Sims, A.J. Southward, G.C. Budd, P. Masterson, M. McHugh, P. Rendle, E.J. Southall, V.J. Wearmouth, and S.J. Hawkins. 2010. Body size-dependent responses of a marine fish assemblage to climate change and fishing over a century-long scale. *Global Change Biology* 16:517-527.
- Giordano, C., S.L. Hartley, K. Kurz, K. Michalski, and B. Figley. 2008. New Jersey party and charter boat directory 2000: Additions 2001-2008. Trenton, New Jersey: New Jersey Department of Environmental Protection.
- Greene, K.E., J.L. Zimmerman, R.W. Laney, and J.C. Thomas-Blate. 2009. Atlantic coast diadromous fish habitat: A review of utilization, threats, recommendations for conservation, and research needs. ASMFC Habitat Management Series No. 9. Washington, D.C.: Atlantic States Marine Fisheries Commission.
- Greenstreet, S.P.R. and S.J. Hall. 1996. Fishing and the ground-fish assemblage structure in the north-western North Sea: An analysis of long-term and spatial trends. *Journal of Animal Ecology* 65:577-598.
- Hagan, S.M. and K.W. Able. 2003. Seasonal changes of the pelagic fish assemblage in a temperate estuary. *Estuarine, Coastal and Shelf Science* 56:15-29.
- Hare, J.A. and K.W. Able. 2007. Mechanistic links between climate and fisheries along the east coast of the United States: Explaining population outbursts of Atlantic croaker (*Micropogonias undulatus*). *Fisheries Oceanography* 16(1):31-45.
- Hare, J.A., M.P. Fahay, and R.K. Cowen. 2001. Springtime ichthyoplankton of the slope region off the north-eastern United States of America: Larval assemblages, relation to hydrography and implications for larval transport. *Fisheries Oceanography* 10(2):164-192.

- Haring, P. and J.-J. Maguire. 2008. The monkfish fishery and its management in the northeastern USA. *ICES Journal of Marine Science* 65:1370-1379.
- Hart, D.R. 2005. Sea scallop stock assessment update for 2005. Northeast Fisheries Science Center Reference Document 06-20. Woods Hole, Massachusetts: National Marine Fisheries Service, Northeast Fisheries Science Center.
- Hart, D.R. and A.S. Chute. 2004. Essential fish habitat source document: Sea scallop, *Placopecten magellanicus*, life history and habitat characteristics--Second edition. NOAA Technical Memorandum NMFS-NE-189:1-21.
- Hatfield, E.M.C. and S.X. Cadrin. 2002. Geographic and temporal patterns in size and maturity of the longfin inshore squid (*Loligo pealeii*) off the northeastern United States. *Fishery Bulletin* 100(2):200-213.
- Hiddink, J.G. and R.T. Hofstede. 2008. Climate induced increases in species richness of marine fishes. *Global Change Biology* 14:453-460.
- Hillman, R.E., N.W. Davis, and J. Wennemer. 1977. Abundance, diversity and stability in shore-zone fish communities in an area of Long Island Sound affected by the thermal discharge of a nuclear power station. *Estuarine and Coastal Marine Science* 5:355-381.
- Holbrook, S.J., R.J. Schmitt, and J.S. Stephens, Jr. 1997. Changes in an assemblage of temperate reef fishes associated with a climate shift. *Ecological Applications* 7(4):1299-1310.
- Hsieh, C.-h., C.S. Reiss, R.P. Hewitt, and G. Sugihara. 2008. Spatial analysis shows that fishing enhances the climatic sensitivity of marine fishes. *Canadian Journal of Fisheries and Aquatic Sciences* 65:947-961.
- Idoine, J. 1998. American lobster. Pages 120-122 in Clark, S.H., ed. Status of the fishery resources off northeastern United States. NOAA Technical Memorandum NMFS-NE-115.
- Idoine, J. 2001. Northern shrimp. Status of the fishery resources off northeastern United States. Woods Hole, Massachusetts: National Marine Fisheries Service, Northeast Fisheries Science Center.
- Jackson, J.B.C., M.X. Kirby, W.H. Berger, K.A. Bjorndal, L.W. Botsford, B.J. Bourque, R.H. Bradbury, R. Cooke, J. Erlandson, J.A. Estes, T.P. Hughes, S. Kidwell, C.B. Lange, H.S. Lenihan, J.M. Pandolfi, C.H. Peterson, R.S. Steneck, M.J. Tegner, and R.R. Warner. 2001. Historical overfishing and the recent collapse of coastal ecosystems. *Science* 293:629-638.
- JCNERR (Jacques Cousteau National Estuarine Research Reserve). 2009. Draft management plan 2009-2014. Tuckerton, New Jersey: Jacques Cousteau National Estuarine Research Reserve.
- Jensen, A.C. 1965. Life history of the spiny dogfish. *Fishery Bulletin* 65(3):527-554.
- Jiménez-Marrero, N.M., I. Mendez-Matos, R.A. Montoya-Ospina, E.H. Williams, Jr., L. Bunkley-Williams, and A.A. Mignucci-Giannoni. 1998. Valores de referencia de inmunoglobulina G en tres poblaciones del manatí (*Trichechus manatus*): Puerto Rico, Columbia y Florida. *Caribbean Journal of Science* 34(3-4):313-315.
- Kerns, T., P. Burns, C. Wilson, D. Allen, and B. Glenn. 2010. 2009 review of the Atlantic States Marine Fisheries Commission fishery management plan for American lobster (*Homarus americanus*) 2008 fishing year. Washington, D.C.: Atlantic States Marine Fisheries Commission.
- Layman, C.A. 2000. Fish assemblage structure of the shallow ocean surf-zone on the eastern shore of Virginia barrier islands. *Estuarine, Coastal and Shelf Science* 51:201-213.
- Lazaroff, C. 2001. Historic overfishing led to modern ocean problems. Environment News Service. Accessed 5 January 2005. <http://www.cgau1sr.org/msep/fish.htm>.
- Lehodey, P., J. Alheit, M. Barange, T. Baumgartner, G. Beaugrand, K. Drinkwater, J.-M. Fromentin, S.R. Hare, G. Ottersen, R.I. Perry, C. Roy, C.D.v.d. Lingen, and F. Werner. 2006. Climate variability, fish, and fisheries. *Journal of Climate* 19(20):5009-5030.
- Levesque, J.C. and D.W. Kerstetter. 2007. First observations on the re-established southeast Florida recreational swordfish tournament fishery. *Florida Scientist* 70(3):284-296.
- Long, D., W. Figley, and B. Preim. 1982. New Jersey's recreational and commercial ocean fishing grounds. Technical Series 82-1. Trenton, NJ: New Jersey Department of Environmental Protection, Division of Fish, Game and Wildlife, Marine Fisheries Administration, Bureau of Marine Fisheries.
- Ma, H., J.P. Grassle, and J.M. Rosario. 2006. Initial recruitment and growth of surfclams (*Spisula solidissima* Dillwyn) on the inner continental shelf of New Jersey. *Journal of Shellfish Research* 25(2):481-489.

- MAFMC (Mid-Atlantic Fishery Management Council). 1998. Amendment 8 to the Atlantic Mackerel, Squid, and Butterfish Fishery Management Plan--August 1998. Dover, DE: Mid-Atlantic Fishery Management Council in cooperation with National Marine Fisheries Service, New England Fishery Management Council, and South Atlantic Fishery Management Council.
- MAFMC (Mid-Atlantic Fishery Management Council). 2008. History of fishery management. Accessed 11 September 2006. <http://mafmc.org/mid-atlantic/fmp/fmp.htm>.
- MAFMC (Mid-Atlantic Fishery Management Council). 2010. Amendment 11 to the Atlantic mackerel, squid, and butterfish fishery management plan. Dover, DE: Mid-Atlantic Fishery Management Council in cooperation with National Marine Fisheries Service.
- MAFMC (Mid-Atlantic Fishery Management Council) and ASMFC (Atlantic States Marine Fisheries Commission). 1998a. Amendment 12 to the summer flounder, scup, and black sea bass Fishery Management Plan. Prepared by the Mid-Atlantic Fishery Management Council, Dover, Delaware and the Atlantic States Marine Fisheries Commission, Washington, D.C.
- MAFMC (Mid-Atlantic Fishery Management Council) and ASMFC (Atlantic States Marine Fisheries Commission). 1998b. Amendment 1 to the bluefish fishery management plan. Prepared by the Mid-Atlantic Fishery Management Council, Dover, Delaware and the Atlantic States Marine Fisheries Commission, Washington, D.C.
- MAFMC (Mid-Atlantic Fishery Management Council) and NEFMC (New England Fishery Management Council). 1999. Spiny Dogfish Fishery Management Plan. Prepared by Mid-Atlantic Fishery Management Council, Dover, Delaware and New England Fishery Management Council, Newburyport, Massachusetts.
- Maguire, J.-J., M. Sissenwine, J. Csirke, R. Grainger, and S. Garcia. 2006. The state of world highly migratory, straddling and other high seas fishery resources and associated species. FAO Fisheries Technical Paper No. 495. Rome, Italy: Food and Agriculture Organization of the United Nations.
- Mahon, R., S.K. Brown, K.C.T. Zwanenburg, D.B. Atkinson, K.R. Buja, L. Claffin, G.D. Howell, M.E. Monaco, R.N. O'Boyle, and M. Sinclair. 1998. Assemblages and biogeography of demersal fishes of the east coast of North America. *Canadian Journal of Fisheries and Aquatic Sciences* 55:1704-1738.
- Malakoff, D. 1997. Extinction on the high seas. *Science* 277:486-488.
- McBride, R.A. and F. Moslow. 1991. Origin, evolution, and distribution of shoreface sand ridges, Atlantic inner shelf, U.S.A. *Marine Geology* 97:57-85.
- McCandless, C.T., H.L. Pratt, Jr., and N.E. Kohler. 2002. Shark nursery grounds of the Gulf of Mexico and the east coast waters of the United States: An overview. An internal report to NOAA's Highly Migratory Species Office. Narragansett, Rhode Island: NOAA Fisheries Narragansett Lab. 287 pp.
- McCay, B. and M. Cieri. 2000. Fishing ports of the Mid-Atlantic. Report to the Mid-Atlantic Fishery Management Council. Department of Human Ecology, Cook College, Rutgers the State University, New Brunswick, New Jersey.
- McDermott, J.J. 1983. Food web in the surf zone of an exposed sandy beach along the Mid-Atlantic coast of the United States. Pages 529-538 in McLachlan, A. and T. Erasmus, eds. *Sandy beaches as ecosystems. Based on Proceedings of the First International Symposium on Sandy Beaches, held in Port Elizabeth, South Africa, 17-21 January 1983.* The Hague, Netherlands: Dr. W. Junk Publishers.
- McLaughlin, P.A., D.K. Camp, M.V. Angel, E.L. Bousfield, P. Brunel, R.C. Brusca, D. Cadien, A.C. Cohen, K. Conlan, L.G. Eldredge, D.L. Felder, J.W. Goy, T. Haney, B. Hann, R.W. Heard, E.A. Hendrycks, H.H. Hobbs III, J.R. Holsinger, B. Kensley, D.R. Laubitz, S.E. LeCroy, R. Lemaitre, R.F. Maddocks, J.W. Martin, P. Mikkelsen, E. Nelson, W.A. Newman, R.M. Overstreet, W.J. Poly, W.W. Price, J.W. Reid, A. Robertson, D.C. Rogers, A. Ross, M. Schotte, F.R. Schram, C.-T. Shih, L. Watling, and G.D.F. Wilson. 2005. Common and scientific names of aquatic invertebrates from the United States and Canada: Crustaceans. Special Publication 31. Bethesda, Maryland: American Fisheries Society.
- MMS (Mineral Management Service). 1999. Environmental report: Use of federal offshore sand resources for beach and coastal restoration in New Jersey, Maryland, Delaware, and Virginia. OCS Study MMS 99-0036 Herndon, Virginia: Prepared for Minerals Management Service by Louis Berger Group, Inc.

- Moser, J. and G.R. Shepherd. 2009. Seasonal distribution and movement of black sea bass (*Centropristis striata*) in the Northwest Atlantic as determined from a mark-recaptured experiment. *Journal of the Northwest Atlantic Fishery Science* 40:17-28.
- Moyle, P.B. and J.J. Cech. 1988. *Fishes as introduction to ichthyology*, second edition. Englewood Cliffs, New Jersey: Prentice Hall.
- Mueter, F.J. and M.A. Litzow. 2008. Sea ice retreat alters the biogeography of the Bering Sea continental shelf. *Ecological Applications* 18(2):309-320.
- Murawski, S.A. 1993. Climate change and marine fish distributions: Forecasting from historical analogy. *Transactions of the American Fisheries Society* 122(5):647-658.
- Musick, J.A. and L.P. Mercer. 1977. Seasonal distribution of black sea bass, *Centropristis striata*, in the Mid-Atlantic Bight with comments on the ecology and fisheries of the species. *Transactions of the American Fisheries Society* 106(1):12-25.
- Najjar, R.G., C.R. Pyke, M.B. Adams, D. Breitburg, C. Hershner, M. Kemp, R. Howarth, M.R. Mulholland, M. Paolisso, D. Secor, K. Sellner, D. Wardrop, and R. Wood. 2010. Potential climate-change impacts on the Chesapeake Bay. *Estuarine, Coastal and Shelf Science* 86:1-20.
- NDPSWG (Northeast Data Poor Stocks Working Group). 2007. Monkfish assessment report for 2007. Northeast Fisheries Science Center Reference Document 07-21. Woods Hole, Massachusetts: United States Department of Commerce, Northeast Fisheries Science Center.
- NEFMC (New England Fishery Management Council). 1983. American lobster fishery management plan. Saugus, Massachusetts: New England Fishery Management Council.
- NEFMC (New England Fishery Management Council). 1993. Final amendment #4 and supplemental environmental impact statement to the sea scallop fishery management plan. NMFS, SAFMC, MAFMC, NEFMC. 296 pp.
- NEFMC (New England Fishery Management Council). 1996. Final Amendment #7 to the northeast multispecies fishery management plan incorporating the supplemental environmental impact statement. Newburyport, Massachusetts: New England Fishery Management Council. 513 pp.
- NEFMC (New England Fishery Management Council). 1998a. Final Amendment 11 to the Northeast Multispecies Fishery Management Plan, Amendment 9 to the Atlantic Sea Scallop Fishery Management Plan, Amendment 1 to the Monkfish Fishery Management Plan, Amendment 1 to the Atlantic Salmon Fishery Management Plan, components of the proposed Atlantic Herring Fishery Management Plan for essential fish habitat: Incorporating the environmental assessment. Newburyport, Massachusetts: New England Fishery Management Council in consultation with National Marine Fisheries Service.
- NEFMC (New England Fishery Management Council). 1998b. Monkfish Fishery management plan -- Supplement 1. Newburyport, Massachusetts: National Marine Fisheries Service, Mid-Atlantic Fishery Management Council, New England Fishery Management Council. 488 pp.
- NEFMC (New England Fishery Management Council). 1998c. Monkfish fishery management plan Volume 1, including the environmental impact statement. Saugus, Massachusetts: New England Fishery Management Council and Mid-Atlantic Fishery Management Council in coordination with National Marine Fisheries Service. 529 pp.
- NEFMC (New England Fishery Management Council). 1999a. Final Atlantic herring fishery management plan incorporating the environmental impact statement and regulatory impact review including the regulatory flexibility analysis. Newburyport, Massachusetts: New England Fishery Management Council. 390 pp.
- NEFMC (New England Fishery Management Council). 1999b. Final Amendment 12 to the northeast multispecies fishery management plan (whiting, red hake, & offshore hake): Incorporating the supplemental environmental impact statement and regulatory impact review (including the regulatory flexibility analysis). Saugus, Massachusetts: New England Fishery Management Council.
- NEFMC (New England Fishery Management Council). 2003a. Final Amendment 10 to the Atlantic sea scallop fishery management plan with a supplemental environmental impact statement, regulatory impact review, and regulatory flexibility analysis. Newburyport, Massachusetts: New England Fishery Management Council in consultation with National Marine Fisheries Service and Mid-Atlantic Fishery Management Council.

- NEFMC (New England Fishery Management Council). 2003b. Fishery management plan for the northeast skate complex. Newburyport, Massachusetts: New England fishery Management Council in consultation with National Marine Fisheries Service.
- NEFMC (New England Fishery Management Council). 2004. Final amendment 13 to the northeast multispecies fishery management plan including a final supplemental environmental impact statement and an initial regulatory flexibility analysis. Newburyport, Massachusetts: New England Fishery Management Council.
- NEFMC (New England Fishery Management Council). 2007. Essential fish habitat (EFH) omnibus amendment draft supplemental environmental impact statement (DSEIS) Phase 1. Newburyport, Massachusetts: New England Fishery Management Council.
- NEFMC (New England Fishery Management Council). 2009. Final amendment 3 to the fishery management plan (FMP) for the northeast skate complex and final environmental impact statement (FEIS) with an initial regulatory flexibility act analysis. Newburyport, Massachusetts: New England Fishery Management Council.
- NEFMC (New England Fishery Management Council). 2010. Final amendment 4 to the fishery management plan (FMP) for Atlantic herring. Including the environmental assessment, regulatory impact review, and initial regulatory flexibility analysis. Newburyport, Massachusetts: New England Fishery Management Council.
- NEFMC (New England Fishery Management Council) and NMFS (National Marine Fisheries Service). 2000. Monkfish Stock Assessment and Fishery Evaluation (SAFE) report for the 1999 fishing year (May 1, 1999-April 30, 2000) incorporating the Monkfish Monitoring Committee report.
- NEFMC (New England Fishery Management Council) and MAFMC (Mid-Atlantic Fishery Management Council). 2006. Monkfish fishery management plan annual specifications for the 2006 fishing year incorporating stock assessment and fishery evaluation (SAFE) report for the 2004 fishing year and the environmental assessment and regulatory impact review. Newburyport, Massachusetts: New England Fishery Management Council.
- NEFMC (New England Fishery Management Council), MAFMC (Mid-Atlantic Fishery Management Council), and NMFS (National Marine Fisheries Service). 2004. Amendment 2 to the monkfish fishery management plan including a final supplemental environmental impact statement (FSEIS), regulatory impact review, and stock assessment and fishery evaluation (SAFE) report for the 2002 fishing year. Prepared by New England Fishery Management Council, Newburyport, Massachusetts, Mid-Atlantic Fishery Management Council, Dover Delaware and National Marine Fisheries Service, Silver Spring, Maryland.
- NEFSC (Northeast Fisheries Science Center). 2005. A report of the Fortieth Northeast Regional Stock Assessment Workshop (Fortieth SAW): Fortieth SAW assessment report. Northeast Fisheries Science Center Reference Document 05-04. Woods Hole, Massachusetts: Northeast Fisheries Science Center.
- Nelson, J.S., E.J. Crossman, H. Espinosa-Perez, L.T. Findley, C.R. Gilbert, R.N. Lea, and J.D. Williams. 2004. Common and scientific names of fishes from the United States, Canada, and Mexico. 6th ed. Bethesda, Maryland: American Fisheries Society.
- NJDEP (New Jersey Department of Environmental Protection). 1999. Reef balls: A new direction for the reef program. New Jersey Reef News. Trenton, New Jersey: New Jersey Department of Environmental Protection, Division of Fish, Game and Wildlife.
- NJDEP (New Jersey Department of Environmental Protection). 2000. Study reveals reefs enhance New Jersey's marine environment. New Jersey Reef News. Trenton, New Jersey: New Jersey Department of Environmental Protection, Division of Fish and Wildlife.
- NJDEP (New Jersey Department of Environmental Protection). 2007a. Valuing New Jersey's natural capital: An assessment of the economic value of the state's natural resources. Part I: Overview. State of New Jersey, New Jersey Department of Environmental Protection.
- NJDEP (New Jersey Department of Environmental Protection). 2007b. Valuing New Jersey's natural capital: An assessment of the economic value of the state's natural resources. State of New Jersey, New Jersey Department of Environmental Protection.
- NJDEP (New Jersey Department of Environmental Protection). 2008a. Stainless steel subway cars on TRAC to New Jersey reefs. New Jersey Reef News. Trenton, New Jersey: New Jersey Department of Environmental Protection, Division of Fish and Wildlife.

- NJDEP (New Jersey Department of Environmental Protection). 2008b. Locations of New Jersey artificial reefs. <http://www.state.nj.us/dep/fgw/refloc00.htm>. Electronic data. Download date: 19 February 2009.
- NJDEP (New Jersey Department of Environmental Protection). 2009. New Jersey ocean stock assessment program (2003-2008). Electronic data. Received 16 March from Don Byrne, Principal Biologist. Trenton, New Jersey, NJDEP Division of Fish and Wildlife.
- NMFS-IFD (National Marine Fisheries Service-International Fisheries Division). 2004. International agreements concerning living marine resources of interest to NOAA fisheries. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2009. 48th northeast regional stock assessment workshop (48th SAW) assessment summary report. Northeast Fisheries Science Center reference document 09-10. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2010. 49th northeast regional stock assessment workshop (49th SAW) assessment summary report. Northeast Fisheries Science Center reference document 10-01. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 1998. Final recovery plan for the shortnose sturgeon (*Acipenser brevirostrum*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 1999a. Amendment 1 to the Atlantic billfish fishery management plan. Silver Spring, Maryland: National Marine Fisheries Service. 423 pp.
- NMFS (National Marine Fisheries Service). 1999b. Final fishery management plan for Atlantic tuna, swordfish, and sharks. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2001. Guide to essential fish habitat designations in the northeast United States. Electronic data. Accessed January through June 2001. <http://www.nero.nmfs.gov/ro/doc/webintro.html>.
- NMFS (National Marine Fisheries Service). 2002. Magnuson-Stevens Act provisions; Essential Fish Habitat (EFH)--Final rule. Federal Register 67(12):2343-2383.
- NMFS (National Marine Fisheries Service). 2003a. Commercial fishing effort shapefiles for bottom trawls, scallop dredges, clam dredges, pots, bottom gill nets, and bottom longlines. Received May 2003 from David Stevenson. Gloucester, Massachusetts: National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Regional Office.
- NMFS (National Marine Fisheries Service). 2003b. Final amendment 1 to the fishery management plan for Atlantic tunas, swordfish, and sharks. Silver Spring, Maryland: National Marine Fisheries Service. Prepared by the Highly Migratory Species Management Division.
- NMFS (National Marine Fisheries Service). 2004. Highly migratory species. NOAA Fisheries, Office of Sustainable Fisheries. Accessed 21 January 2004. <http://www.nmfs.noaa.gov/sfa/hms>.
- NMFS (National Marine Fisheries Service). 2006. Final consolidated Atlantic Highly Migratory Species Fishery Management Plan. Silver Spring, Maryland: National Marine Fisheries Service, Office of Sustainable Fisheries, Highly Migratory Species Management Division.
- NMFS (National Marine Fisheries Service). 2008. Stock assessment and fishery evaluation (SAFE) report for Atlantic highly migratory species. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2009a. Atlantic highly migratory species; essential fish habitat. Federal Register 74(112):28018-28025.
- NMFS (National Marine Fisheries Service). 2009b. 2008 report to Congress - The status of U.S. fisheries. Silver Spring, Maryland: National Marine Fisheries Service, Office of Sustainable Fisheries.
- NMFS (National Marine Fisheries Service). 2009c. Final amendment 1 to the 2006 consolidated highly migratory species fishery management plan for essential fish habitat. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2009d. Fisheries of the United States 2008. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2010a. 2010 recreational compliance guide: Guide for complying with the Atlantic tunas, swordfish, sharks, and billfish regulations. Silver Spring, Maryland: National Marine Fisheries Service, Office of Sustainable Fisheries, Highly Migratory Species.

- NMFS (National Marine Fisheries Service). 2010b. Endangered and threatened wildlife; notice of 90-day finding on a petition to list Atlantic sturgeon as threatened or endangered under the Endangered Species Act (ESA). Federal Register 75(3):838-841.
- NMFS (National Marine Fisheries Service). 2010c. HMS commercial compliance guide. Guide for complying with the Atlantic tunas, swordfish, sharks, and billfish regulations. Silver Spring, Maryland: National Marine Fisheries Service, Office of Sustainable Fisheries, Highly Migratory Species.
- NMFS (National Marine Fisheries Service). 2010d. Final. Amendment 3 to the consolidated Atlantic highly migratory species fishery management plan. Silver Spring, Maryland: National Marine Fisheries Service.
- Nye, J.A., J.S. Link, J.A. Hare, and W.J. Overholtz. 2009. Changing spatial distribution of fish stocks in relation to climate and population size on the Northeast United States continental shelf. *Marine Ecology Progress Series* 393:111-129.
- Oviatt, C.A. 2004. The changing ecology of temperate coastal waters during a warming trend. *Estuaries* 27(6):895-904.
- Parker, R.O., Jr. and R.L. Dixon. 1998. Changes in a North Carolina reef fish community after 15 years of intense fishing-Global warming implications. *Transactions of the American Fisheries Society* 127:908-920.
- Parmesan, C. and G. Yohe. 2003. A globally coherent fingerprint of climate change impacts across natural systems. *Nature* 421:37-42.
- Pauly, D., V. Christensen, J. Dalsgaard, R. Froese, and F. Torres, Jr. 1998. Fishing down marine food webs. *Science* 279:860-863.
- Perry, A.L., P.J. Low, J.R. Ellis, and J.D. Reynolds. 2005. Climate change and distribution shifts in marine fishes. *Science* 308:1912-1915.
- Planque, B., J.-M. Fromentin, P. Cury, K.F. Drinkwater, S. Jennings, R.I. Perry, and S. Kifani. 2010. How does fishing alter marine populations and ecosystems sensitivity to climate? *Journal of Marine Systems* 79:403-417.
- Preble, D. 2001. *The fishes of the sea -- Commercial and sport fishing in New England*. Dobbs Ferry, New York: Sheridan House.
- Reid, R.N., D.J. Radosh, A.B. Frame, and S.A. Fromm. 1991. Benthic macrofauna of the New York Bight, 1979-89. NOAA Technical Report NMFS 103:1-54.
- Richards, R.A., P.C. Nitschke, and K.A. Sosebee. 2008. Population biology of monkfish *Lophius americanus*. *ICES Journal of Marine Science* 65:1291-1305.
- Rijnsdorp, A.D., M.A. Peck, G.H. Engelhard, C. Möllmann, and J.K. Pinnegar. 2009. Resolving the effect of climate change on fish populations. *ICES Journal of Marine Science* 66:1570-1583.
- Roessig, J.M., C.M. Woodley, J.J. Cech Jr, and L.J. Hansen. 2004. Effects of global change on marine and estuarine fishes and fisheries. *Reviews in Fish Biology and Fisheries* 14:251-275.
- Roman, C.T., N.A. Jaworski, F.T. Short, S. Findlay, and R.S. Warren. 2000. Estuaries of the northeastern United States: Habitat and land use signatures. *Estuaries* 23(6):743-764.
- Rose, K.A. 2005. Lack of relationship between simulated fish population responses and their life history traits: Inadequate models, incorrect analysis, or site-specific factors? *Canadian Journal of Fisheries and Aquatic Sciences* 62:886-902.
- Rosenzweig, C., D. Karoly, M. Vicarelli, P. Neofotis, Q. Wu, G. Casassa, A. Menzel, T.L. Root, N. Estrella, B. Seguin, P. Tryjanowski, C. Liu, S. Rawlins, and A. Imeson. 2008. Attributing physical and biological impacts to anthropogenic climate change. *Nature* 453:353-358.
- Ross, J.L. 1991. Assessment of the North Carolina winter trawl fishery, September 1985-April 1988. Special Scientific Report Number 54 Morehead City, North Carolina: North Carolina Department of Environment, Health, and Natural Resources.
- Ross, J.L. and D.W. Moyer. 1989. Assessment of North Carolina commercial finfisheries 1985-1987 fishing seasons. Completion report for Project 2-419-R. Morehead City, North Carolina: North Carolina Department of Natural Resources and Community Development.
- Rountree, R.A. and K.W. Able. 1997. Nocturnal fish use of New Jersey marsh creek and adjacent bay shoal habitats. *Estuarine, Coastal and Shelf Science* 44:703-711.
- SAFMC (South Atlantic Fishery Management Council). 1998. Final habitat plan for the South Atlantic region: Essential fish habitat requirements for fishery management plans of the South Atlantic Fishery Management Council: The shrimp fishery management plan, the red drum fishery

- management plan, the snapper grouper fishery management plan, the coastal migratory pelagics fishery management plan, the golden crab fishery management plan, the spiny lobster fishery management plan, the coral, coral reefs, and live/hard bottom habitat fishery management plan, the Sargassum habitat fishery management plan, and the calico scallop fishery management plan. Charleston, South Carolina: South Atlantic Fishery Management Council.
- Saila, S.B. and S.D. Pratt. 1973. Mid-Atlantic Bight fisheries. Pages 6-1 to 6-125 in Coastal and offshore environmental inventory: Cape Hatteras to Nantucket Shoals. University of Rhode Island: Marine Publication Series No. 2. Kingston, RI.
- Saltwater Directions. 2003a. Cape May: Cape May Point to Atlantic City. GPS detailed fishing chart: New Jersey Series map number NJ0101.
- Saltwater Directions. 2003b. Atlantic City: Ocean City to Barnegat Inlet. GPS detailed fishing chart: New Jersey Series map number NJ0102.
- Saltwater Directions. 2003c. Barnegat: Barnegat Inlet to Deal. GPS detailed fishing chart: New Jersey Series map number NJ0103.
- Schaefer, R.H. 1967. Species composition, size and seasonal abundance of fish in surf waters of Long Island. *New York Fish and Game Journal* 14(1):1-46.
- SeaWeb. 2002. Military technologies and increased fishing effort leave no place for fish to hide. (17 February 2002):2.
- Serchuk, F.M., S.A. Murawski, and J.W. Ropes. 1982. Ocean quahog *Arctica islandica*. Pages 144-146 in Grosslein, M.D. and T.R. Azarovitz, eds. Fish distribution. MESA New York Bight Atlas Monograph 15. Albany, New York: New York Sea Grant Institute.
- Shepherd, G.R. and M. Terceiro. 1994. The summer flounder, scup, and black sea bass fishery of the middle atlantic bight and southern New England waters. NOAA Technical Report NMFS 122:1-13.
- Sherman, K., M. Grosselein, D. Mountain, D. Busch, J. O'Reilly, and R. Theroux. 1996. The Northeast Shelf Ecosystem: An initial perspective. Pages 103-126 in Sherman, K., N.A. Jaworski, and T.J. Smayda, eds. The Northeast Shelf Ecosystem: Assessment, sustainability, and management. Cambridge, Massachusetts: Blackwell Science.
- Sogard, S.M. 1992. Variability in growth rates of juvenile fishes in different estuarine habitats. *Marine Ecology Progress Series* 85:35-53.
- Sosebee, K., A. Applegate, E. Brooks, T. Gedamke, and M. Traver. 2009. Skate species complex: Examination of potential biological reference points for the northeast region. In The Northeast Data Poor Stocks Working Group report, December 8-12, 2008 Meeting. Part A. Skate species complex, deep sea red crab, Atlantic wolfish, scup, and black sea bass. Northeast Fisheries Science Center Reference Document 09-02A. Woods Hole, Massachusetts: United States Department of Commerce, Northeast Fisheries Science Center.
- Southward, A.J., S.J. Hawkins, and M.T. Burrows. 1995. Seventy years' observations of changes in distribution and abundance of zooplankton and intertidal organisms in the western English Channel in relation to rising sea temperature. *Journal of Thermal Biology* 20(1/2):127-155.
- St. Martin, K., T. Johnson, and T. Rohrbach. 2005. A profile of recreational fishing in Point Pleasant New Jersey. Recreational Fishing and National Standard 8. A final report submitted to the Rutgers NOAA CMER Program. New Brunswick, New Jersey: The Fisheries Project, Rutgers University.
- Stebbing, A.R.D., S.M.T. Turk, A. Wheeler, and K.R. Clarke. 2002. Immigration of southern fish species to south-west England linked to warming of the North Atlantic (1960-2001). *Journal of the Marine Biological Association of the United Kingdom* 82:177-180.
- Steimle, F.W. and W. Figley. 1996. The importance of artificial reef epifauna to black sea bass diets in the Middle Atlantic Bight. *North American Journal of Fisheries Management* 16:433-439.
- Steimle, F.W. and C. Zetlin. 2000. Reef habitats in the Middle Atlantic Bight: Abundance, distribution, associated biological communities, and fishery resource use. *Marine Fisheries Review* 62(2):24-42.
- Stein, A.B., K.D. Friedland, and M. Sutherland. 2004. Atlantic sturgeon marine distribution and habitat use along the northeastern coast of the United States. *Transactions of the American Fisheries Society* 133:527-537.
- Stevenson, D.K. and M.L. Scott. 2005. Essential fish habitat source document: Atlantic herring, *Clupea harengus*, life history and habitat characteristics--Second edition. NOAA Technical Memorandum NMFS-NE-192:1-84.

- Szedlmayer, S.T. and K.W. Able. 1996. Patterns of seasonal availability and habitat use by fishes and decapod crustaceans in a southern New Jersey estuary. *Estuaries* 19(3):697-709.
- Taylor, D.L., R.S. Nichols, and K.W. Able. 2007. Habitat selection and quality for multiple cohorts of young-of-the-year bluefish (*Pomatomus saltatrix*): Comparisons between estuarine and ocean beaches in southern New Jersey. *Estuarine, Coastal and Shelf Science* 73:667-679.
- Theroux, R.B. and R.L. Wigley. 1998. Quantitative composition and distribution of the macrobenthic invertebrate fauna of the continental shelf ecosystems of the northeastern United States. NOAA Technical Report NMFS 140:1-240.
- Turgeon, D.D., J.F. Quinn, Jr., A.E. Bogan, E.V. Coan, F.G. Hochberg, W.G. Lyons, P.M. Mikkelsen, R.J. Neves, C.F.E. Roper, G. Rosenberg, B. Roth, A. Scheltema, F.G. Thompson, M. Vecchione, and J.D. Williams. 1998. Common and scientific names of aquatic invertebrates from the United States and Canada: Mollusks. Special Publication 26. 2d ed. Bethesda, Maryland: American Fisheries Society.
- Vasslides, J.M. and K.W. Able. 2008. Importance of shoreface sand ridges as habitat for fishes off the northeast coast of the United States. *Fishery Bulletin* 106:93-107.
- Viscido, S.V., D.E. Stearns, and K.W. Able. 1997. Seasonal and spatial patterns of an epibenthic decapod crustacean assemblage in north-west Atlantic continental shelf waters. *Estuarine, Coastal and Shelf Science* 45:377-392.
- Vonderweidt, C., T. Moore, and G. Skomal. 2009a. Review of the Atlantic States Marine Fisheries Commission's interstate fishery management plan for spiny dogfish (*Squalus acanthias*). Washington, D.C.: Atlantic States Marine Fisheries Commission.
- Vonderweidt, C., D. Libby, and W. Overholtz. 2009b. 2008 review of the fishery management plan for Atlantic sea herring (*Clupea harengus harengus*). Washington, D.C.: Atlantic States Marine Fisheries Commission.
- Walsh, H.J., K.E. Marancik, and J.A. Hare. 2006. Juvenile fish assemblages collected on unconsolidated sediments of the southeast United States continental shelf. *Fishery Bulletin* 104:256-277.
- Walther, G.-R., E. Post, P. Convey, A. Menzel, C. Parmesan, T.J.C. Beebee, J.-M. Fromentin, O. Hoegh-Guldberg, and F. Bairlein. 2002. Ecological responses to recent climate change. *Nature* 416:389-395.
- Weinberg, J. 1998. Ocean quahog. Pages 128-130 in Clark, S.H., ed. Status of the Fishery Resources off the Northeastern United States for 1998. NOAA Technical Memorandum NMFS-NE-115.
- Weinberg, J. 2000. Atlantic surfclam. Status of the fishery resources off the northeastern United States for 2000. NOAA Technical Memorandum NMFS-NE-115.
- Weinberg, J. 2001. Ocean quahog. Status of the fishery resources off the northeastern United States for 2001. NOAA Technical Memorandum NMFS-NE-115.
- Weinberg, J.R. 2005. Bathymetric shift in the distribution of Atlantic surfclams: Response to warmer ocean temperature. *ICES Journal of Marine Science* 62:1444-1453.
- Wigley, R.L. and R.B. Theroux. 1981. Atlantic continental shelf and slope of the United States--Macrobenthic invertebrate fauna of the middle Atlantic Bight region--Faunal composition and quantitative distribution. Geological Survey Professional Paper 529-N. Washington, D.C.: U.S. Government Printing Office.
- Wilber, D.H., D.G. Clarke, G.L. Ray, and M. Burlas. 2003. Response of surf zone fish to beach nourishment operations on the northern coast of New Jersey, USA. *Marine Ecology Progress Series* 250:231-246.
- Wilber, D.H., D.G. Clarke, M.H. Burlas, H. Ruben, and R.J. Will. 2003. Spatial and temporal variability in surf zone fish assemblages on the coast of northern New Jersey. *Estuarine, Coastal and Shelf Science* 56:291-304.
- Williams, N. 1998. Overfishing disrupts entire ecosystems. *Science* 279:809.
- Wood, A.J.M., J.S. Collie, and J.A. Hare. 2009. A comparison between warm-water fish assemblages of Narragansett Bay and those of Long Island Sound waters. *Fishery Bulletin* 107:89-100.
- Worm, B., E.B. Barbier, N. Beaumont, J.E. Duffy, C. Folke, B.S. Halpern, J.B.C. Jackson, H.K. Lotze, F. Micheli, S.R. Palumbi, E. Sala, K.A. Selkoe, J.J. Stachowicz, and R. Watson. 2006. Impacts of biodiversity loss on ocean ecosystem services. *Science* 314:787-790.
- Zar, J.H. 1999. *Biostatistical analysis*, 4th Ed. Prentice Hall, Upper Saddle River, NJ.

This page intentionally left blank