

HAZARDOUS WASTE GENERATOR CATEGORIES & PAPER DOCUMENTATION

[Code of Federal Regulations (40 CFR) references in brackets in table below]

REQUIREMENTS	CESQG Conditionally Exempt Small Quantity Generator [261.5]	SQG Small Quantity Generator	LQG Large Quantity Generator
1) Monthly Generation Limits	≤ 220 lbs haz. waste &/or ≤ 2.2 lbs acute haz. waste *	>220 lbs but <2200 lbs haz. waste & ≤ 2.2 lbs acute haz. waste * [262.34(d)]	≥ 2200 lbs haz. waste or >2.2 lbs acute haz. waste *
2) Accumulation Quantity Limits	≤ 2200 lbs haz. waste &/or ≤ 2.2 lbs acute h.w. onsite	$\leq 13,200$ lbs haz. waste & ≤ 2.2 lbs acute h.w. onsite [262.34(d)]	No limit
3) Accumulation Time Limits	Unlimited	180 days [262.34(d)], 270 days if receiving facility >200 miles [(e)], extensions granted? [(f)]	90 days [262.34(a)], extensions granted? [262.34(b)]
4) EPA ID Number Required	No - voluntary (See NJX program information)	Yes - Contact: Region II USEPA 212-637-4106 [262.12]	Yes - Contact: Region II USEPA 212-637-4106 [262.12]
5) Hazardous Waste Manifest Required	No - Voluntary (See NJX program information)	Yes - unless waste is reclaimed pursuant to 262.20(e)(1)	Yes [262.20]
6) Manifest Copy Retention	None - voluntary	3 years [262.40(a)]	3 years [262.40(a)]
7) Exception Reporting (failing to receive copy of manifest with TSDF operator signature)	None	None - but within 60 days generator must submit copy of manifest with note that signed TSDF copy is missing [262.42(b)]	1) generator must contact initial transporter or the TSDF operator within 35 days of shipping date [262.42(a)] 2) generator must submit written exception report within 45 days of shipping date to NJDEP [262.42(a)]
8) Land Disposal Restriction notification/certification accompanying shipments	None	Required for certain haz. Wastes. Keep your copy for 5 years [268.7]	Required for certain haz. Wastes. Keep your copy for 5 years [268.7]
9) Biennial Report	None	None [262.44]	Submitted on each even year to report on manifest activity for previous odd year [262.41]
10) Inspections	None	1) Weekly for haz. waste storage containers [265.174] 2) Daily /weekly for haz. waste storage tanks [265.201(c)]	1) Weekly for haz. waste storage containers [265.174] 2) Daily/bimonthly/yearly for haz. waste storage tanks (log required) [265.195]
11) Haz. Waste Training	None	Basic - waste handling familiarization & emergency procedures (no drills required) [262.34(d)(5)(iii)]	Full training (no drills required) [265.16]
12) Preparedness & Prevention	None	Familiarize fire, police, hospital & have emergency response contractor agreement (formal fire inspection not required) [265.30-37]	Familiarize fire, police, hospital & have emergency response contractor agreement (formal fire inspection not required) [265.30-37]
13) Contingency Plan	None	Basic plan - By the phone: Emer. Coord., name & #, fire dept. #, & locat. of fire ext. & alarm & spill equipment [262.34(d)(5)(ii)]	Complete plan [265.50-56]

Notes: 1) The table does not represent all requirements. See regs. In brackets and see NJAC 7:26G , particularly Subchapters 5 through 11 as published in N.J. Register 10/21/96.

2) 1 x 55-gal drum = 440 lbs (200 kg) at specific gravity of 1.

3) $>$ = greater than, $<$ = less than, \geq = equal to or greater than, \leq = equal to or less than.

* 220 lbs of residue or contaminated media from cleanup of an acute hazardous waste spill on or into the land or water.

HAZARDOUS WASTE GENERATOR CATEGORIES & PAPER DOCUMENTATION

[Code of Federal Regulations (40 CFR) references in brackets in table below]

Notes: 1) The table does not represent all requirements. See regs. In brackets and see NJAC 7:26G , particularly Subchapters 5 through 11 as published in N.J. Register 10/21/96.

2) 1 x 55-gal drum = 440 lbs (200 kg) at specific gravity of 1.

3) > = greater than, < = less than, ≥ = equal to or greater than, ≤ = equal to or less than.

* 220 lbs of residue or contaminated media from cleanup of an acute hazardous waste spill on or into the land or water.