

AMBIENT LAKE MONITORING NETWORK

Lake Name: Bloodgood's Pond

County: UNION

SiteID: NJW04459-281

Municipality: CLARK TWP

Surface to Bottom Profile

Season: Spring

Station	Tot. Depth (M)	Profile Depth (M)	Secchi (M)	Water Temp (C)	DO (mg/L)	DO (%Sat)	pH (SU)	Conductivity (mS/cm)
1	1.6	1	0.6	15.29	8.13	81.5	6.93	0.329

Season: Summer

Station	Tot. Depth (M)	Profile Depth (M)	Secchi (M)	Water Temp (C)	DO (mg/L)	DO (%Sat)	pH (SU)	Conductivity (mS/cm)
1	1.8	1	0.7	20.2	6.58	72.2	6.88	0.305

Season: Fall

Station	Tot. Depth (M)	Profile Depth (M)	Secchi (M)	Water Temp (C)	DO (mg/L)	DO (%Sat)	pH (SU)	Conductivity (mS/cm)
1	2	1	2	14.54	7.77	76.4	7.62	0.703

-Secchi measurements are not recorded for outlets.

-A blank Secchi measurement for lake stations means that an accurate measurement could not be recorded.

-A blank parameter result means the parameter could not be measured due to a meter malfunction.

AMBIENT LAKE MONITORING NETWORK

Lake Name: Bloodgood's Pond

County: UNION

SiteID: NJW04459-281

Municipality: CLARK TWP

Lake Profile Raw Data

Season: Spring

Station	Tot Phos (mg/L)	TKN (mg/L)	Nitrite-Nitrate (mg/L)	Ammonia-N (mg/L)	Chl a (ug/L)	Alk (ppm)	Hard (ppm)	Turbidity (NTU)
1	0.126	0.889	0.584	0.0746	11.29	40	76.2	13.7

Season: Summer

Station	Tot Phos (mg/L)	TKN (mg/L)	Nitrite-Nitrate (mg/L)	Ammonia-N (mg/L)	Chl a (ug/L)	Alk (ppm)	Hard (ppm)	Turbidity (NTU)
1	0.128	1.07	0.64	0.0581	12.66	55	90.3	9.65

Season: Fall

Station	Tot Phos (mg/L)	TKN (mg/L)	Nitrite-Nitrate (mg/L)	Ammonia-N (mg/L)	Chl a (ug/L)	Alk (ppm)	Hard (ppm)	Turbidity (NTU)
1	0.096	0.278	1.39	0.0285	1.48	65	248	3.25

Sample Device - Horizontal Polycarbonate Sampler

"ND" indicates the result is at a concentration below the analytical method's Reporting Limit (RL). See Volume I, Methods.

-A blank parameter result means the parameter could not be analyzed due to laboratory error.