

Barnegat Bay Inventory of Research

1. Developing Water Quality Targets

A Profile of the Barnegat Bay. Rogers, Golden & Halpern, Philadelphia, PA, 1990.

A watershed management plan for Barnegat Bay. New Jersey. Dept. of Environmental Protection and Energy, Trenton, N.J. [1993]

Bowen, J. L., J. M. Ramstack, S. Mazzilli, and I. Valiela. 2007. NLOAD: an interactive, web-based modeling tool for nitrogen management in estuaries. *Ecological Applications*, 17(5) Supplement: pp. S17-S30. (Also- Water Quality -- Ecosystem).

Glibert, P., C. Madden, W. Boynton, W. Boynton, E. Dettman, W. Nelson, J. Lehrter, J. Lattimer, D. Flemer, M. Kennish, S. Bricker, and J. Oliver. 2008. A Framework for Developing Nutrient Criteria. In: *Estuarine Nutrient Criteria Development*. U.S. Environmental Protection, Technical Report, Washington, D.C., pp. 167-188. (Also- Water Quality – Ecosystem; Nutrients/DO; Salinity/Hydrology).

Dr. Mike Kennish and Scott Haag. Development of Nutrient Pollution Indicators for the BB-LEH Estuary using Eelgrass. 2009.

NJDEP. 2010. Nutrient and Ecological Histories in Barnegat Bay, New Jersey Investigator, David Velinsky, Patrick Center for Environmental Research, Research for New Jersey Department of Environmental Protection (Ongoing). (See also Nutrients, salinity/hydrology and water quality [Ecosystem health]).

2. Recreation

Effect of approaching boats on nesting black skimmers: using response distances to establish protective buffer zones. Burger, Joanna. Menasha, Wis. Wildlife Society, 2010.

Waterfront public access guide for Barnegat Bay Watershed. United States. National Oceanic and Atmospheric Administration. And State of New Jersey, Dept. of Environmental Protection, [1995].

Paul Bologna. Assessment of Sea Nettle Polyps in BB. 2010 (Ongoing)

Kennish, M. J. (ed.). 2002. Impacts of Motorized Watercraft on Shallow Estuarine and Coastal Marine Environments. *Journal of Coastal Research*, Special Issue 37, 202 pp. (Also- Water Quality – Ecosystem; Nutrients/DO; Salinity/Hydrology)

3. Air Deposition

Gao, Y., M. J. Kennish, and A. McGuirk-Flynn. 2007. Atmospheric nitrogen deposition to the New Jersey coastal waters and its implications. *Ecological Applications*, 17(5) Supplement: S31-S41.

“New Jersey Atmospheric Deposition Network,” John R. Reinfelder, Lisa A. Totten, Steven J. Eisenreich, and Michael Aucott, Final Report to NJDEP, <http://www.state.nj.us/dep/dsr/njadn/fullreport.pdf>

Paerl, H.W., W.R. Boynton, R.L. Dennis, C.T. Driscoll, H.S.Greening, J.N. Kremer, N.N. Rabalais, and S.P. Seitzinger. 2000. Atmospheric deposition of nitrogen in coastal waters: Biogeochemical and ecological implications. *In: R. Valigura, (editor), Nitrogen loading in coastal water bodies: An atmospheric perspective, Coastal and Estuarine Studies, volume 57, AGU Press.*

Seitzinger, S.P., C. Kroeze, A.F. Bouwman, N. Caraco, F. Dentener, and R.V. Styles. 2002. Global patterns of dissolved inorganic and particulate nitrogen inputs to coastal systems: Recent conditions and future projections. *Estuaries* 25(4b):640-655.

Sybil P. Seitzinger, Hilairy Hartnett, Georgina Spyres, and Ronald Lauck, 2005. “Chemical Composition and Bioavailability of Dissolved Organic Nitrogen in Atmospheric Wet Deposition from Urban and Rural New Jersey Sites,” Report to NJDEP, <http://www.state.nj.us/dep/dsr/ecological/chemcompbioavail-final.pdf>

Weiben, C., and Baker, R., 2009, Contributions of Nitrogen to the Barnegat Bay-Little Egg Harbor Estuary: Updated Loading Estimates, Barnegat Bay Partnership, <http://www.bbep.org/studies.html>. (Also- Storm Water, Water Quality (ecosystem), Salinity/hydrology, Nutrients/DO, Land use).

4. Storm water:

Ron Baker and Christine Wieben. Quantifying Sources of Nutrient Inputs to BB_LEH: Monitoring and Discrete sampling of streams and shallow groundwater. 2010. (Ongoing).

Ron Baker and Christine Wieben. Evaluating Present and Future Watershed Inputs to the BB-LEH, Nitrogen inputs to Groundwater. 2009

Ron Baker and Christine Wieben. Determining Sources of Nitrogen Inputs to Barnegat Bay-LEH Estuary. 2008

Birdsall Engineering. FC/FS Sampling in Long Swamp Creek Watershed. 2008

Birdsall Engineering. Silver Bay Bacterial Source Tracking. 2008

Souza, S. An analysis of pollution reduction capability of existing BMPs located in the Toms River sub-watershed of Barnegat Bay, 2010.

5. Fisheries/Shellfisheries:

Studies of the upper Barnegat system, McClain, John F., New Jersey Dept. of Environmental Protection, Division of Fish, Game and Shellfish, Bureau of Fisheries, Nacote Creek Research Station, 1973.

Ken Able. Implementing American eel passage on existing dams. 2011

Paul Bologna. Assessment of Sea Nettle Polyps in BB. 2010

Paul Bologna. Assessing Harmful Macroalgal Blooms on SAV. 2007

Dr. Monica Bricelj. Status and Trends of Shellfish Populations in BB with a focus on hard clam. 2011

Bricelj, V.M., 2009. Factors controlling *Mercenaria mercenaria* populations in south shore bays of Long Island, NY. The Hard Clam Research Initiative. New York Sea Grant Institute publication NYSGI-T-09-001, 43
p.<http://www.seagrant.sunysb.edu/hclam/pdfs/HardClams09.pdf> (Also- Water Quality (ecosystem), Salinity/hydrology)

Bricelj, V.M., S. P. MacQuarrie, 2007. Effects of brown tide (*Aureococcus anophagefferens*) on hard clam, *Mercenaria mercenaria*, larvae and implications for benthic recruitment. *Mar. Ecol. Prog. Ser.* 331:147-159. <http://www.int-res.com/abstracts/meps/v331/p147-159> (Also- Water Quality (ecosystem), Salinity/hydrology)

Celestino, M. 2003. "Shellfish Stock Assessment of Little Egg Harbor Bay." New Jersey Department of Environmental Protection, Division of Fish and Wildlife, Bureau of Shellfisheries, Port Republic, New Jersey 08241. 41 pp.

Celestino, M. 2005. "Analysis of the abundances of *Mercenaria mercenaria* and other molluscs on prospective aquaculture leased grounds in New Jersey." Master's thesis. Rutgers, The State University of New Jersey. 68 pp.

Celestino, M. 2006. "Determination of abundance and distribution of bay scallops (*Argopecten irradians*) in Little Egg Harbor Bay [2005 survey]." New Jersey Department of Environmental Protection, Division of Fish and Wildlife, Bureau of Shellfisheries, Port Republic, New Jersey 08241. 28 pp.

Cunliffe, J. E. and M. J. Kennish. 1974. Shell growth patterns in the hard-shelled clam. *Underwater Naturalist*, 8:20-24. (**Water Quality – Ecosystem; Shellfisheries/Fisheries**)

Celestino, M. 2007. “Determination of abundance and distribution of bay scallops (*Argopecten irradians*) in Little Egg Harbor Bay [2006 survey].” New Jersey Department of Environmental Protection, Division of Fish and Wildlife, Bureau of Shellfisheries, Port Republic, New Jersey 08241. 34 pp.

Danila, D. J. and M. J. Kennish. 1981. A tagging study of the winter flounder (*Pseudopleuronectes americanus*) in Barnegat Bay, New Jersey. *Proceedings of Oceans* 81, pp. 759-764.

Eight Month Study of the Little Egg Harbor – Manahawkin Bay System, Miscellaneous Report #14M of the Bureau of Fisheries. 1974. (Also: Developing Water Quality Targets, Recreation, Water Quality(public health), Water Quality(ecosystem), Salinity/hydrology, Nutrients/DO)

Hillman, R. J. and M. J. Kennish. 1984. Commercial and sport fisheries. In: Kennish, M. J. and R. A. Lutz, eds., *Ecology of Barnegat Bay, New Jersey*. Springer-Verlag, New York, pp. 281-301. (Also- Commercial)

Kennish, M. J. 1980. Shell microgrowth analysis: *Mercenaria mercenaria* as a type example for research in population dynamics. In: Rhoads, D. C. and R. A. Lutz, eds., *Skeletal Growth of Aquatic Organisms*. Plenum Press, New York, pp. 255-294. (**Shellfisheries/Fisheries**)

Kennish, M. J., R. A. Lutz, and D. C. Rhoads. 1980. Preparation of acetate peels and fractured sections for observation of growth patterns within the bivalve shell. In: Rhoads, D. C. and R. A. Lutz, eds, *Skeletal Growth of Aquatic Organisms*. Plenum Press, New York, pp. 597-601. (**Shellfisheries/Fisheries**)

Kennish, M. J. 1999. The Barnegat Bay National Estuary Program: results of the period 1995-1999. *Bulletin of the New Jersey Academy of Science*, 44:1-13. (**Water Quality – Ecosystem; Nutrients/DO; Salinity/Hydrology**)

Paul Jivoff. Fecundity of BB Blue Crab: the influence of size, seasons and relative fishing efforts. 2011

Paul Jivoff. Assessing Population Structure, Reproductive Potential and Movement of adult Blue Crab in BB. 2010

Paul Jivoff. Assessing Population Structure, Reproductive Potential and Fishing Efforts for Blue Crab in Barnegat Bay. 2009

Paul Jivoff. The impact of artificial shoreline on species diversity. 2007

Paul Jivoff. Blue Crab Population Studies in the Barnegat Bay-Little Egg Harbor Estuary: The Effect of Artificial Shoreline on Habitat Quality and Mortality of Blue Crabs. 2005

Joseph, J. W. 1986. Inventory of New Jersey's estuarine shellfish resources. Project No. 3-405-R.

Joseph, J. W. 1987. Inventory of New Jersey's estuarine shellfish resources. Project No. 3-405-R.

Kennish, M. J., R. J. Hillman, and D. J. Danila. 1982. Assessment of the blue crab, *Callinectes sapidus* Rathbun, in Barnegat Bay, New Jersey. Bulletin of the New Jersey Academy of Science, 27:59-71.

Kennish, M. J. and R. E. Loveland. 1980. Growth models of the northern quahog, *Mercenaria mercenaria* (Linné). Proceedings of the National Shellfisheries Association, 70:230-239.

Kennish, M. J. 1984. The use of shell growth patterns in age determinations of the hard clam, *Mercenaria mercenaria* (Linné). In: Mitchell, D. H. and T. E. Johnson, eds., Invertebrate Models in Aging Research. CRC Press, Boca Raton, Florida, pp. 143-164.

Kennish, M. J., J. J. Vouglitois, D. J. Danila, and R. A. Lutz. 1984. Shellfish. In: Kennish, M. J. and R. A. Lutz, eds., Ecology of Barnegat Bay, New Jersey. Springer-Verlag, New York, pp. 171-200.

Krauter, J. N., M. J. Kennish, J. Dobarro, S. R. Fegley, and G. E. Flimlin, Jr. 2003. Rehabilitation of the northern quahog (hard clam) (*Mercenaria mercenaria*) habitats by shelling - 11 years in Barnegat Bay, New Jersey. Journal of Shellfish Research, 22: 61-67.

Dr. Rick Lathrop. Submerged Aquatic Vegetation and Benthic Habitat Mapping for the Barnegat Bay-Little Egg Harbor Estuary. 2004

Macomber, R. T. and D. Allen. 1979. The New Jersey submerged aquatic vegetation distribution atlas final report: distribution level maps with percent cover and species association information of submersed aquatic vegetation in New Jersey's coastal zone. Earth Satellite Corporation, Washington, D.C. Finding(s) & relevance to health or impairment of Barnegat/Manahawkin/Little Egg Harbor bays: A baseline survey: the first comprehensive [aerial] survey of SAV in Barnegat, Manahawkin, and Little Egg Harbor bays.

McCloy, T. W. and J. W. Joseph. 1985. Inventory of New Jersey's estuarine shellfish resources. Project No. 3-332-R.

Studies of Upper Barnegat System, Miscellaneous Report #10M of the Bureau of Marine Fisheries. 1972. (Also-Developing Water Quality Targets, Recreation, Water Quality (public health), Water Quality (ecosystem), Salinity/hydrology, Nutrients/DO)

US Department of the Interior. 1963. Distribution of shellfish in relation to the New Jersey Intracoastal Waterway.

Vouglitois, J.J., K.W. Able, R.J. Kurtz and K.A. Tighe. 1987. Life history and population dynamics of the bay anchovy in New Jersey. *Trans. Amer. Fish. Soc.* 116(2):141-153.

Wilson, K.A., K.A. Able and K.L. Heck Jr. 1990. Predation rates on juvenile blue crabs in estuarine nursery habitats: Evidence for the importance of macroalgae (*Ulva lactuca*). *Mar. Ecol. Prog. Ser.* 58(3):243-251.

Sogard, S.M. and K.W. Able. 1991. A comparison of eelgrass, sea lettuce macroalgae, and marsh creeks as habitats for epibenthic fishes and decapods. *Est. Coast. Shelf Sci.* 33:501-519.

Rountree, R.A. and K.W. Able. 1992. Fauna of polyhaline subtidal marsh creeks in southern New Jersey: Composition, abundance and biomass. *Estuaries* 15(2):171-185.

Rountree, R.A. and K.W. Able. 1992. Foraging habits, growth, and temporal patterns of salt-marsh creek habitat use by young-of-year summer flounder in New Jersey. *Trans. Am. Fish. Soc.* 121: 765-776.

Rountree, R.A. and K.W. Able. 1993. Diel variation in decapod crustacean and fish assemblages in New Jersey polyhaline marsh creeks. *Est. Coast. Shelf Sci.* 37: 181-201.

Rountree, R.A. and K.W. Able. 1996. Seasonal abundance, growth and foraging habits of juvenile smooth dogfish, *Mustelus canis*, in a New Jersey estuary. *Fish. Bull.* 94(3): 522-534.

Szedlmayer, S.T. and K.W. Able. 1996. Patterns of seasonal availability and habitat use by fishes and decapod crustaceans in a southern New Jersey estuary. *Estuaries* 19(3): 697-707.

Rountree, R.A. and K.W. Able. 1997. Nocturnal fish use of New Jersey marsh creek and adjacent bay shoal habitats. *Est. Coast. Shelf Sci.* 44: 703-711.

Witting, D.A., K.W. Able and M.P. Fahay. 1999. Larval fishes of a Middle Atlantic Bight estuary: assemblage structure and temporal stability. *Can. J. Fish. Aquat. Sci.* 56: 1-10.

Phelan, B.A., R. Goldberg, A.J. Bejda, J. Pereira, S. Hagan, P. Clark, A.L. Studholme, A. Calabrese and K.W. Able. 2000. Estuarine and habitat-related differences in growth rates

of young-of-the-year winter flounder (*Pseudopleuronectes americanus*) and tautog (*Tautoga onitis*) in three northeastern US estuaries. *J. Exp. Mar. Biol. Ecol.* 247: 1-28.

Chant, R.J. M.C. Curran, K.W. Able and S.M. Glenn. 2000. Delivery of winter flounder (*Pseudopleuronectes americanus*) larvae to settlement habitats in coves near tidal inlets. *Est. Coast. Shelf Sci.* 51: 529-541.

Sogard, S.M., K.W. Able and S.M. Hagan. 2001. Long-term assessment of settlement and growth of juvenile winter flounder (*Pseudopleuronectes americanus*) in New Jersey estuaries. *J. Sea Res.* 45(3-4): 189-204.

Jivoff, P.R. and K.W. Able. 2001. Characterization of the fish and selected decapods in Little Egg Harbor. *Journal of Coastal Research* SI (32): 178-196.

Bologna, P.A.X., A. Wilbur and K.W. Able. 2001. Reproduction, population structure, and recruitment failure in a bay scallop (*Argopecten irradians* Lamarck) population from coastal New Jersey, USA. *J. Shellfish Research* 20(1): 89-96.

Curran, M.C. and K.W. Able. 2002. Annual stability in the use of coves near inlets as settlement areas for winter flounder (*Pseudopleuronectes americanus*). *Estuaries* 25(2): 227-234.

Warlen, S.M., K.W. Able and E. Laban. 2002. Recruitment of larval Atlantic menhaden (*Brevoortia tyrannus*) to North Carolina and New Jersey estuaries: evidence for larval transport northward along the east coast of the United States. *Fish. Bull.* 100(3): 609-623.

Correia, A.T., K.W. Able, C. Antunes, and J. Coimbra. 2004. Early life history of the American conger eel (*Conger oceanicus*) as revealed by otolith microstructure and microchemistry of metamorphosing leptocephali. *Mar. Biol.* 145: 477-488.

Able, K.W., M.P. Fahay, D.A. Witting, R.S. McBride and S.M. Hagan. 2006. Fish settlement in the ocean vs. estuary: comparison of pelagic larval and settled juvenile composition and abundance from southern New Jersey, USA. *Estuarine, Coastal and Shelf Science* 66: 280-290.

Hare, J.A. and K.W. Able. 2007. Mechanistic links between climate and fisheries along the east coast of the United States: explaining population outbursts of Atlantic croaker (*Micropogonias undulatus*). *Fisheries Oceanography* 16:1, 31-45.

Sullivan, M.C., K.W. Able, J.A. Hare and H.J. Walsh. 2006. *Anguilla rostrata* glass eel ingress into two U.S. east coast estuaries: patterns, processes and implications for adult abundance. *Journal of Fish Biology* 69:1081-1101.

Sackett, D.K., K.W. Able and T.M. Grothues. 2007. Dynamics of summer flounder, *Paralichthys dentatus*, seasonal migrations based on ultrasonic telemetry. *Estuarine Coastal and Shelf Sciences* 74:119-130.

Able, K.W. and T.M. Grothues. 2007. Diversity of estuarine movements of striped bass (*Morone saxatilis*): a synoptic examination of an estuarine system in southern New Jersey. *Fishery Bulletin* 105:426-435.

Sackett, D.K., K.W. Able and T.M. Grothues. 2008. Habitat dynamics of summer flounder, *Paralichthys dentatus*, within a shallow USA estuary, based on multiple approaches using acoustic telemetry. *Marine Ecology Progress Series* 364:199-212.

Grothues, T. M., K. W. Able, J. Carter and T. W. Arienti. 2009. Migration patterns of striped bass through nonnatal estuaries of the U.S. Atlantic coast. Pp. 135-160 *In:* Haro, A. J., K. L. Smith, R. A. Rulifson, C. M. Moffitt, R. J. Klauda, M. J. Dadswell, R. A. Cunjak, J. E. Cooper, K. L. Beal, and T. S. Avery (eds.) 2009. *Challenges for Diadromous Fishes in a Dynamic Global Environment*. American Fisheries Society Symposium 69, Bethesda, Maryland.

6. Water Quality (Public Health):

“Microbial Indicators of Human and Non-human Fecal Contamination of Coastal Waters and Shellfish,” NJDEP Publication, by Atherholt, T. McGeorge, L., Sobsey, M.D., Eisele, W. and E. Feerst, <http://www.state.nj.us/dep/dsr/altind.pdf>.

Birdsall Engineering. FC/FS Sampling in Long Swamp Creek Watershed. 2008

Birdsall Engineering. Silver Bay Bacterial Source Tracking. 2008

Hickman, R.E. and Barringer, T.H., 1999, Trends in water quality of New Jersey streams, Water Years 1986-95: U.S. Geological Survey water Resources Investigations Report 98-4204, 174. (Also- Water quality (ecosystem), Salinity/hydrology, Nutrients/DO).

Hunchak-Kariouk, K., and Nicholson, R.S., 2001, Watershed contributions of nutrients and other nonpoint source contaminants to the Barnegat Bay-Little Egg Harbor estuary: *Journal of Coastal Research*, Special Issue 32, pp. 28-82. (Also- Water quality (ecosystem), Salinity/hydrology, Nutrients/DO, Land use)

NJDEP. 2000. Pfiesteria: Background Information and Contingency Plan, May 24, 2000, Joint NJDEP and DHSS Guidance.
<http://www.state.nj.us/dep/dsr/pfiesteria/contingency.PDF>

NJDEP. 2004. “Monitoring Program for Chemical Contaminants in Fish from the State of New Jersey (Second Year of Routine Monitoring Program),” Final Report to NJDEP, Richard J. Horwitz, Paul F. Overbeck, Jeff Ashley, David Velinsky and Linda Zadoudeh,

Philadelphia Academy of Natural Sciences.

<http://www.state.nj.us/dep/dsr/ANSP%20Routine%20Monitoring%20Year%202%20-2006.pdf>

Wieben, C., 2007, Assessment of a Shallow Ground-Water-Quality Indicator. Barnegat Bay Partnership, <http://www.bbep.org/studies.html>. (Also-Water Quality (ecosystem), Nutrients/DO)

Christine Wieben. Assessment of Shallow Groundwater Quality Indicator. 2007 Identify and reduce pollution sources from land use and other sources with a priority on nitrogen and pathogens (WQ3)

7. Water Quality (Ecosystem):

Dave Friedman. Sub-aqueous Vegetation Sediment Classification System and Mapping. Study for the Barnegat Bay. 2005

Bologna, P. A. X., R. Lathrop, P. D. Bowers, and K. W. Able. 2000. Assessment of the Health and Distribution of Submerged Aquatic Vegetation from Little Egg Harbor, New Jersey. Technical Report, Contribution #2000-11, Institute of Marine and Coastal Sciences, Rutgers University, New Brunswick, New Jersey. 30 pp. (Seagrass demographics).

Bowen, J.L., Ramstack, J.M., Mazzilli, S., and Valiela, I., 2007. NLOAD: An interactive, web-based modeling tool for nitrogen management in estuaries, in: Ecological Applications, 17(5) Supplement, pp. S17-S30. (Also- Nutrients/DO, Land use)

Bricker, S. B., B. Longstaff, W. Dennison, A. Jones, K Boicourt, C. Wicks, and J. Woerner. 2007. Effects of nutrient enrichment in the nation's estuaries: a decade of change. NOAA, National Ocean Service, Special Projects Office and National Centers for Coastal Ocean Science, Silver Spring, Maryland, USA. (Also- Salinity/hydrology; Nutrients/DO).

Bricker S. B., C. G. Clement, D. E. Pirhalla, S. P. Orlando, and D. R. G. Farrow. 1999. National Estuarine Eutrophication Assessment: effects of nutrient enrichment in the nation's estuaries. NOAA, National Ocean Service, Special Projects Office and National Centers for Coastal Ocean Science, Silver Spring, Maryland, USA. (Also- Salinity/Hydrology; Nutrients/DO).

Flimlin, G. and M. J. Kennish (eds.). 1997. Proceedings of the Barnegat Bay Ecosystem Workshop. Barnegat Bay Estuary Program, Rutgers Cooperative Extension of Ocean County, Toms River, New Jersey, 377 pp. (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries; Land Use)

Gastrich, M. D., J. A. Leigh-Bell, C. J. Gobler, O. R. Anderson, S. W. Wilhelm, and M. Bryan. 2004b. Viruses as potential regulators of regional brown tide blooms caused by the alga, *Aureococcus anophagefferens*. *Estuaries* 27: 112-119. (Also- Nutrients/DO).

Gastrich, M. D., R. Lathrop, S. Haag, M. P. Weinstein, M. Danko, D. A. Caron, and R. Schaffner. 2004a. Assessment of brown tide blooms, caused by *Aureococcus anophagefferans*, and contributing factors in New Jersey coastal bays: 2000-2002. *Harmful Algae* 3: 305-320. (Also- Nutrients/DO).

Haag, S. 2010. Distributional change in seagrass as an ecological indicator of estuarine health for the Barnegat Bay – Little Egg Harbor Estuary, New Jersey. M.S. Thesis, Rutgers University, New Brunswick, New Jersey. (Also- Nutrients/DO; Salinity/Hydrology).

Haag, S. M., M. J. Kennish, and G. P. Sakowicz. 2008. Seagrass habitat characterization in estuarine waters of the Jacques Cousteau National Estuarine Research Reserve using underwater videographic imaging techniques. *Journal of Coastal Research*, SI 55:171-179. (Also- Nutrients/DO; Salinity/Hydrology).

Hillman, R. E., C. Werme, and M. J. Kennish. 1991. Chemical stimulation of larval shipworm settlement: importance of malic acid and woodborer metabolites. *Bulletin of the New Jersey Academy of Science*, 36:17-22. (Also- Nutrients/DO; Salinity/Hydrology)

Kennish, M. J. 2000. Barnegat Inlet, New Jersey: a case study of stabilization impacts. *Bulletin of the New Jersey Academy of Science*, 45:13-18. (Also- Nutrients/DO; Salinity/Hydrology)

Kennish, M. J. (ed.). 2001. Barnegat Bay-Little Egg Harbor, New Jersey: Estuary and Watershed Assessment. *Journal of Coastal Research*, Special Issue 32, 280 pp. (Also- Nutrients/DO; Salinity/Hydrology; Land Use; Industrial; Commercial).

Kennish, M. J. 2001. Characterization of the Barnegat Bay-Little Egg Harbor Estuary and Watershed. *Journal of Coastal Research*, Special Issue 32: 3-12. (Also-Nutrients/DO; Salinity/Hydrology).

Kennish, M. J. 2001. Physical description of the Barnegat Bay-Little Egg Harbor Estuary. *Journal of Coastal Research*, SI 32:13-27. (Also- Nutrients/DO; Salinity/Hydrology)

Kennish, M. J. 2001. Zooplankton of the Barnegat Bay-Little Egg Harbor Estuary. *Journal of Coastal Research*, SI 32:163-166. (Also- Nutrients/DO; Salinity/Hydrology; Industrial; Commercial)

Kennish, M. J. 2001. Benthic communities of the Barnegat Bay-Little Egg Harbor Estuary. *Journal of Coastal Research*, SI 32:167-177.

Kennish, M. J. 2001. State of the estuary and watershed: an overview. *Journal of Coastal Research*, Special Issue 32: 243-273. (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries; Industrial; Commercial)

Kennish, M. J. 2001. Summary and conclusions. *Journal of Coastal Research*, SI 32:275-280. (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries; Industrial; Commercial)

Kennish, M. J. and S. M. Haag. 2003. Epibenthic community monitoring in New Jersey coastal bays: a priority initiative of estuarine research programs. *Bulletin of the New Jersey Academy of Science*, 48: 11-15. (Also- Nutrients/DO; Salinity/Hydrology)

Kennish, M. J., S. M. Haag, and G. P. Sakowicz. 2006. Application of underwater videography to characterize seagrass habitats in Little Egg Harbor, New Jersey. *Bulletin of the New Jersey Academy of Science*, 51:1-6. (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries)

Kennish, M. J. 2007. Barnegat Bay-Little Egg Harbor Estuary: Ecosystem Condition and Recommendations. Technical Report, Institute of Marine and Coastal Sciences, Rutgers University, New Brunswick, New Jersey. 55 pp. (Also- Developing Water Quality Targets; Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries)

Kennish, M. J. 2007. National Estuary Program Coastal Condition Report: Chapter 3. Barnegat Bay National Estuary Program. Review Comments on NCA Coastal Condition Report, Submitted to U.S. Environmental Protection Agency, Region 2, New York. 7 pp. (Also- Developing Water Quality Targets; Nutrients/DO; Salinity/Hydrology).

Kennish, M. J. (ed.). 2007. Eutrophication of Estuarine and Shallow Coastal Marine Systems. *Ecological Applications*, Volume 17(5) Supplement. 196 pp. (Also- Developing Water Quality Targets; Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries; Atmospheric Deposition; Land Use)

Kennish, M. J., S. M. Haag, and G. P. Sakowicz. 2007. Demographic Investigation of SAV in the Barnegat Bay-Little Egg Harbor Estuary with Assessment of Potential Impacts of Benthic Macroalgae and Brown Tides. Technical Report, Institute of Marine and Coastal Sciences, Rutgers University, New Brunswick, New Jersey. 366 pp. (Also- Developing Water Quality Targets; Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries; Atmospheric Deposition; Land Use)

Kennish, M. J., S. M. Haag, and G. P. Sakowicz. 2008. Seagrass demographic and spatial habitat characterization in Little Egg Harbor, New Jersey, using fixed transects. *Journal of Coastal Research*, Special Issue, 55: 148-170. (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries)

Kennish, M. J., S. M. Haag, and G. P. Sakowicz. 2010. Seagrass decline in New Jersey coastal lagoons: a response to increasing eutrophication. In: M. J. Kennish and H. W. Paerl (eds.), *Coastal Lagoons: Critical Habitats of Environmental Change*. Taylor and Francis Publishers, Boca Raton, Florida. (In press). (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries).

Kennish, M. J. 1984. Introduction. In: Kennish, M. J. and R. A. Lutz, eds., *Ecology of Barnegat Bay, New Jersey*. Springer-Verlag, New York. (Also- Nutrients/DO; Salinity/Hydrology)

Kennish, M. J. 1984. Summary and Conclusions. In: Kennish, M. J. and R. A. Lutz, eds., *Ecology of Barnegat Bay, New Jersey*. Springer-Verlag, New York, pp. 339-353. (Also- Nutrients/DO; Salinity/Hydrology; Industrial; Commercial)

Kennish, M. J. 1999. The Barnegat Bay National Estuary Program: results of the period 1995-1999. *Bulletin of the New Jersey Academy of Science*, 44:1-13. (Also- Nutrients/DO; Salinity/Hydrology)

Kennish, M. J. and R. E. Loveland. 1984. Trophic relationships. In: Kennish, M. J. and R. A. Lutz, eds., *Ecology of Barnegat Bay, New Jersey*. Springer-Verlag, New York, pp. 302-317.

Kennish, M. J. and R. A. Lutz (eds.). 1984. *Ecology of Barnegat Bay, New Jersey*. Springer-Verlag, New York. 396 pp. (Also- Water Quality – Public Health; Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries; Commercial; Industrial Use)

Kennish, M. J., M. B. Roche, and T. R. Tatham. 1984. Anthropogenic effects on aquatic communities. In: Kennish, M. J. and R. A. Lutz, eds., *Ecology of Barnegat Bay, New Jersey*. Springer-Verlag, New York, pp. 318-338. (Also- Nutrients/DO; Salinity/Hydrology; Industrial; Commercial)

Kennish, M. J. 1997. The Barnegat Bay National Estuary Program: an overview of anthropogenic impacts. In: Flimlin, G. and M. J. Kennish, eds., *Proceedings of the Barnegat Bay Ecosystem Workshop*. Barnegat Bay Estuary Program, Rutgers Cooperative Extension of Ocean County, Toms River, New Jersey, pp. 351-360. (Also- Nutrients/DO; Salinity/Hydrology)

Kennish, M. J., S. M. Haag, and G. P. Sakowicz. 2009. Assessment of Eutrophication in the Barnegat Bay-Little Egg Harbor System: Use of SAV Biotic Indicators of Estuarine Condition. Technical Report, New Jersey Department of Environmental Protection, Trenton, New Jersey. 73 pp. (Also- Nutrients/DO; Salinity/Hydrology)

Kennish, M. J. and S. M. Haag. 2009. Developing a Nutrient Pollution Indicator for the Barnegat Bay-Little Egg Harbor Estuary Using Eelgrass, *Zostera marina*. Technical Report, Barnegat Bay National Estuary Program, Toms River, New Jersey. 38 pp. (Also- Nutrients/DO; Salinity/Hydrology)

Kennish, M. J. 2007. *Barnegat Bay-Little Egg Harbor Estuary: Ecosystem Condition and Recommendations*. Technical Report, Institute of Marine and Coastal Sciences, Rutgers University, New Brunswick, New Jersey. 55 pp. (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries)

Kennish, M. J., S. M. Haag, and G. P. Sakowicz. 2007. Demographic Investigation of SAV in the Barnegat Bay-Little Egg Harbor Estuary with Assessment of Potential Impacts of Benthic Macroalgae and Brown Tides. Technical Report, Institute of Marine and Coastal Sciences, Rutgers University, New Brunswick, New Jersey. 366 pp. (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries; Atmospheric Deposition)

Kennish, M. J., S. M. Haag, and G. P. Sakowicz. 2005. Submersed Aquatic Vegetation: Tier 2 Monitoring in the Jacques Cousteau National Estuarine Research Reserve. Technical Report, National Estuarine Research Reserve System, Silver Spring, Maryland. 75 pp. (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries)

Kennish, M. J. (ed.). 2001. Scientific Characterization of the Barnegat Bay-Little Egg Harbor Estuary and Watershed. Technical Report, Barnegat Bay Estuary Program, Toms River, New Jersey. 1,100 pp. (Also- Nutrients/DO; Salinity/Hydrology; Shellfisheries/Fisheries; Land Use; Industrial Use; Commercial; Stormwater; Recreation)

Dr. Mike Kennish and Scott Haag. Demographic Investigation of SAV. 2006

Dr. Rick Lathrop and Mike Kennish. SAV Remote Sensing and in situ survey of SAV in BB. 2009

Livingston, R. J. 2000. Eutrophication processes in coastal systems: origin and succession of plankton blooms and effects on secondary production. CRC Press, Boca Raton, Florida. (Also- Nutrients/DO; Salinity/Hydrology).

Livingston, R. J. 2002. Trophic organization in coastal systems. CRC Press, Boca Raton, Florida. (Also- Nutrients/DO; Salinity/Hydrology).

Loveland, R. E., J. F. Brauner, J. E. Taylor, and M. J. Kennish. 1984. Macroflora. In: Kennish, M. J. and R. A. Lutz, eds., Ecology of Barnegat Bay, New Jersey. Springer-Verlag, New York, pp. 78-94. (Also- Ecosystem; Nutrients/DO; Salinity/Hydrology)

Moser, F. C. 1998. Sources and sinks of nitrogen and trace metals, and benthic macrofauna assemblages in Barnegat Bay, New Jersey. Ph.D. Thesis, Rutgers University, New Brunswick, New Jersey. (Also- Nutrients/DO; Salinity/Hydrology).

Moser, F. C. and R. F. Bopp. 2001. Particle-associated contaminants in the Barnegat Bay-Little Egg Harbor Estuary. Journal of Coastal Research, Special Issue 32: 229-242. (Also- Nutrients/DO; Salinity/Hydrology)

Nixon, S. W. 1995. Coastal marine eutrophication: a definition, social causes, and future concerns. Ophelia 41: 199-219. (Also- Nutrients/DO; Salinity/Hydrology).

Seitzinger, S.P. and Pilling, I.E., 1992, Eutrophication and nutrient loading in Barnegat Bay: initial studies of the importance of sediment-water nutrient interactions, Report No. 92-24F, The Academy of Natural Sciences, Philadelphia, PA. (Also- nutrients/DO)

Seitzinger, S.P., Styles, R.M., and Pilling, I.E., 2001. Benthic macroalgal and Phytoplankton production in Barnegat Bay, New Jersey (USA): microcosm experiments and data synthesis: *Journal of Coastal Research*, Special Issue 32, pp. 144-162. (Also-nutrients/DO)

Seitzinger, S. P., R. M. Styles, and I. E. Pilling. 2001. Benthic microalgal and phytoplankton production in Barnegat Bay, New Jersey (USA): microcosm experiments and data synthesis. *Journal of Coastal Research*, Special Issue 32: 144-162. (Also-Nutrients/DO; Salinity/Hydrology).

Smith, S., Bricker, S., P. Pacheco, P., and Buddemeier, R.W., 2003. Preliminary NOAA Estuarine Typology Database Available from:
http://drysdale.kgs.ku.edu/estuary/hp_firststep.cfm. (Also- Nutrients/DO)

8. Salinity/Hydrology:

Burger, J., C. D. Jenkins, Jr., F. Lesser, and M. Gochfeld. 2001. Status and trends of colonially-nesting birds in Barnegat Bay. *Journal of Coastal Research*, Special Issue 32: 197-211.

Burger, J. 2002. Effects of motorboats and personal watercraft on nesting terns: conflict resolution and the need for vigilance. *Journal of Coastal Research*, Special Issue 37: 7-17.

Develop BB watershed-specific implementation plan for State Water Supply Plan, including feasibility of conservation, reuse, and other demand management tools (WS2) Support development of programs to characterize and assess shallow water aquifer withdrawals, especially for irrigation (WS3) Review existing data and consider the need for a new study to determine the freshwater input is needed to ensure a healthy ecosystem (WS4)

Hydrographic Study of Barnegat Bay, Qizhong (George) Guo, Norbert P. Psuty, George P. Lordi, Scott Glenn², Matthew R. Mund, and Mary Downes Gastrich, Report to NJDEP, <http://www.state.nj.us/dep/dsr/coastal/hydrographic.pdf> and <http://www.civeng.rutgers.edu/water/est/barnegat.htm>.

Kennish, M. J. 2000. Barnegat Inlet, New Jersey: a case study of stabilization impacts. *Bulletin of the New Jersey Academy of Science*, 45:13-18. (**Water Quality – Ecosystem; Nutrients/DO; Salinity/Hydrology**)

Kenneth G. Miller, Peter J. Sugarman, James V. Browning, Benjamin P. Horton, Alissa Stanley, Alicia Kahn, Jane Uptegrove and Michael Aucott. "Sea level rise in New Jersey

over the past 5000 years: Implications to anthropogenic changes,” Global and Planetary Change, (2009) 66 (1-2) 10-18.

Cooper et al., Future Sea Level Rise and the New Jersey Coast – Assessing Potential Impacts and Opportunities, (Science, Technology and Environmental Policy Program, Woodrow Wilson School of Public and International Affairs Princeton University 2005, <http://www.princeton.edu/step/people/faculty/michael-oppenheimer/recent-publications/Future-Sea-Level-Rise-and-the-New-Jersey-Coast-Assessing-Potential-Impacts-and-Opportunities.pdf>).

Richard G. Lathrop Jr. and Aaron Love, Vulnerability of New Jersey’s Coastal Habitats to Sea Level Rise, (Center for Remote Sensing and Spatial Analysis - CRSSA, Rutgers University, January 2007).

Alissa Stanley, Kenneth G. Miller, Peter Sugarman and Michael Aucott. Holocene Sea-Level Rise in New Jersey: An Interim Report, (Rutgers University, Center for Environmental Indicators, submitted to NJDEP September 15, 2004, Grant – Interim Report). <http://www.state.nj.us/dep/dsr/climate/holocene.pdf>

Baker, R.J. and Hunchak-Kariouk, K, 2006. Relations of water quality to streamflow, season, and land use for four tributaries to the Toms River, Ocean County, New Jersey, 1994-99: U.S. Geological Survey Scientific Investigations Report 2005-5274, 72 p. (Also- Salinity/hydrology, Nutrients/DO, Land use)

Guo Q., and Psuty, N.P., 2000. The nitrogen flux through Barnegat Inlet: The ocean as source as well as sink: The Jersey ShoreLine, New Jersey Sea Grant College Program, 19(4), August, 2000. (Also- Salinity/hydrology, Nutrients/DO)

9. Nutrients and Dissolved Oxygen

Dr. Ron Baker and Christine Wieben. Quantifying Sources of Nutrient Inputs to BB_LEH: Monitoring and Discrete sampling of streams and shallow groundwater. 2010

Dr. Ron Baker and Christine Wieben. Evaluating Present and Future Watershed Inputs to the BB-LEH, Nitrogen inputs to Groundwater. 2009

Dr. Ron Baker and Christine Wieben. Determining Sources of Nitrogen Inputs to Barnegat Bay-LEH Estuary. 2008

Chizmadia, P. A., M. J. Kennish, and V. L. Ogori. 1984. Physical description of Barnegat Bay. In: Kennish, M. J. and R. A. Lutz, eds., Ecology of Barnegat Bay, New Jersey. Springer-Verlag, New York, pp. 1-28. (Also- Salinity/Hydrology)

Guo Q., and Psuty, N.P., 2000. The nitrogen flux through Barnegat Inlet: The ocean as source as well as sink: The Jersey ShoreLine, New Jersey Sea Grant College Program, 19(4), August, 2000. (Also- Salinity/hydrology, Nutrients/DO)

Kennish, M. J. and A. R. Townsend. 2007. Nutrient enrichment and estuarine eutrophication. *Ecological Applications*, 17(5) Supplement: pp. S1-S2. (Also- Nutrients/DO; Salinity/Hydrology; Land Use)

Kennish, M. J., S. B. Bricker, W. C. Dennison, P. M. Glibert, R. J. Livingston, K. A. Moore, R. T. Noble, H. W. Paerl, J. M. Ramstack, S. Seitzinger, D. A. Tomasko, and I. Valiela. 2007. Barnegat Bay-Little Egg Harbor Estuary: case study of a highly eutrophic coastal bay system. *Ecological Applications*, 17(5) Supplement: pp. S3-S16. (Also- Nutrients/DO; Salinity/Hydrology; Atmospheric Deposition; Land Use).

Dr. Mike Kennish and Scott Haag. Development of Nutrient Pollution Indicators for the BB-LEH Estuary using Eelgrass. 2009.

Kennish, M. J. 2009. Eutrophication of Mid-Atlantic coastal bays. *Bulletin of New Jersey Academy of Science*, 55: 5-12. (Also- Nutrients/DO; Salinity/Hydrology; Atmospheric Deposition; Land Use)

Seitzinger, S. and I. Pilling, 1992-1993, "Eutrophication and Nutrient Loading in Barnegat Bay," Report to NJDEP.

Seitzinger, S.P., and R.W. Sanders. 1997. Contribution of dissolved organic nitrogen from rivers to estuarine eutrophication. *Marine Ecology Progress Series* 159:1-12.

Dr. Stephen Souza. An analysis of pollution reduction capability of existing BMPs located in the TR sub-watershed of BB. 2010

Continue assessing eutrophication and estuarine condition through (1) development of agreed upon biological indicators (e.g., SAV, phytoplankton blooms, harmful algal blooms, others), (2) consistent monitoring and evaluation (including Oyster Creek NGS) (WQ2) Identify and reduce pollution sources from land use and other sources with a priority on nitrogen and pathogens (WQ3) Develop capability to conduct source tracking on small drainage area scale to inform retrofits that may be needed (WQ3A)

Eutrophication and nutrient loading in Barnegat Bay : importance of sediment-water nutrient interactions, final report. Seitzinger, Sybil P., Philadelphia, Academy of Natural Sciences, Division of Environmental Research, [1992]

Water quality and septic systems: Ocean Acres subdivision, Stafford and Barnegat townships, Ocean County, New Jersey. Saunders, Wayne R., Bureau of Water Quality Planning and Management, Division of Water Resources, New Jersey Dept. of Environmental Protection, 1979.

10. Land Use

Arnold, C. L. and C. J. Gibbons. 1996. Impervious surface coverage: the emergence of a key environmental indicator. *Journal of American Planning Association* 62: 243-258.

Carter, G., P., Eight Characterizing Indicators in the Barnegat Bay watershed, Ocean County, New Jersey: Journal of Coastal Research, Special Issue 32, pp. 82-101. (Also-Recreation, Shell fisheries/fisheries, Water Quality (public health), Water Quality (ecosystem), Water Quality Targets, Nutrients/DO, Land use.

Paul Jivoff. The impact of artificial shoreline on species diversity. 2007

Paul Jivoff. Blue Crab Population Studies in the Barnegat Bay-Little Egg Harbor Estuary: The Effect of Artificial Shoreline on Habitat Quality and Mortality of Blue Crabs. 2005

Lathrop, R. and S. Haag. 2007. Assessment of land-use change and riparian zone status in the Barnegat Bay and Little Egg Harbor watershed: 1995-2002-2006. Technical Report to the Barnegat Bay National Estuary Program (BB NEP), 1-27, Center for Remote Sensing and Spatial Analysis, Rutgers University.

Rick Lathrop. GIS Based Tool for Riparian Zone Health Assessment. 2007

Dr. Rick Lathrop. Barnegat Bay Build-out Analysis. 2001

Assessing the effects of development pressure on Barnegat Bay : impacts of marinas on juvenile fishes and crabs, final report. Able, Kenneth W., Center for Coastal and Environmental Studies, Rutgers--the State University of New Jersey, 1990.

An investigation of two marinas as sources of pollution in Barnegat Bay, N.J., Boettcher, Helene., NJDEP, Trenton, N.J. 1988.

Impact of Soil Disturbance During Construction on Bulk Density and Infiltration in Ocean County, New Jersey
Ocean County Soil Conservation District, Schnabel Engineering Associates, Inc. ,USDA Natural Resources Conservation Service
March 2001 (Rev. 06/01/01)*

11. Water Use

Characterization of the Aquatic Resources and Impingement and Entrainment at Oyster Creek Nuclear Generating Station, Prepared for AmerGen, an Exelon Company by URS Corporation and Normandeau Associates, Inc. (Revised February 2010).

Kennish, M. J. 1977. Growth increment analysis of *Mercenaria mercenaria* from artificially-heated coastal marine waters: a practical monitoring method. *Proceedings of the XII International Chronobiology Conference*, Washington, D. C., pp. 663-669. **(Water Quality – Ecosystem; Shellfisheries/Fisheries)**

Kennish, M. J. 1976. Monitoring thermal discharges: a natural method. *Underwater Naturalist*, 9:8-11. **(Water Quality – Ecosystem)**

Kennish, M. J. and R. K. Olsson. 1975. Effects of thermal discharges on the microstructural growth of *Mercenaria mercenaria*. *Environmental Geology*, 1:41-64. **(Water Quality – Ecosystem; Shellfisheries/Fisheries)**

Technical Review and Evaluation of Thermal Effects Studies and Cooling Water Intake Structure Demonstration of Impact for the Oyster Creek Nuclear Generating Station, Revised Final Report, Prepared by Summers, J. K., Versar, Inc., ESM Operations, May 1989.

Jersey Central Power and Light, Oyster Creek and Forked River Nuclear Generating Stations, 316(a) and (b) Demonstration, 1978

Technical review and evaluation of thermal effects studies and cooling water intake structure demonstration of impact for the Oyster Creek Nuclear Generating Station : revised final report. [1989].