PUBLIC NOTICE

ENVIRONMENTAL PROTECTION

OFFICE OF WATER RESOURCES MANAGEMENT COORDINATION

Proposed Amendment to the Ocean County Water Quality Management Plan

Public Notice

Take notice that the New Jersey Department of Environmental Protection (Department) seeks public comment on a proposed amendment to the Ocean County Water Quality Management This amendment proposal, (Program Interest No. 435448, Activity No. (WOM) Plan. AMD170003) entitled "Mesivta Nezer Hatorah", submitted by Tony D Environmental Permitting on behalf of Mesivta Nezer Hatorah, would expand the Ocean County Utilities Authority sewer service area (SSA) by 1.2 acres to allow for the construction of a proposed 25-bed dormitory within an existing private school. The school is currently served by an Individual Subsurface Sewage Disposal System (ISSDS) with a flow of less than 2,000 gallons per day (gpd). In addition to the proposed dormitory, this amendment would also add the school to SSA to be served by the OCUA. The dormitory would be located within the existing school building. The proposed project site is in Lakewood Township, Ocean County on Block 1123, Lots 1 and 8 located east of Vine Avenue and north of Essex Avenue (also known as Vermont Avenue). This proposed amendment has been reviewed in accordance with the Water Quality Management Planning rules at N.J.A.C. 7:15 and represents the Department's decision to proceed further with the amendment application as provided in N.J.A.C. 7:15-3.5(g)5.

Pursuant to N.J.A.C. 7:15-4.4(d), sewer service may only be provided to areas that are not identified as Environmentally Sensitive Areas (ESAs), certain coastal planning areas, or areas

subject to US Environmental Protection Agency (EPA) 201 Facilities Plan grant conditions, except as otherwise provided at N.J.A.C. 7:15-4.4(i) through (l).

Pursuant to N.J.A.C. 7:15-4.4(e), ESAs are any contiguous area, based on a composite Geographic Information System (GIS) analysis, of 25 acres or larger consisting of any of the following features alone or in combination: areas mapped as threatened and endangered wildlife species habitat as identified on the Department's Landscape Maps of Habitat for Endangered, Threatened or Other Priority Wildlife as Rank 3, 4, or 5 (Landscape Maps); areas mapped as Natural Heritage Priority Sites; Category One waters designated in the Department's Surface Water Quality Standard, N.J.A.C. 7:9B, based on the Department's maps of such waters and their corresponding 300 foot riparian zones based upon the Flood Hazard Area Control Act Rules, N.J.A.C. 7:13; and wetlands as mapped pursuant to N.J.S.A. 13:19A-1 and 13:9B-25.

In accordance with N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as ESAs, such as threatened and endangered wildlife habitat identified pursuant to N.J.A.C. 7:15-4.4(e)1. Areas identified by the Landscape Maps as being suitable habitat for threatened and endangered wildlife species Rank 3 (State threatened), Rank 4 (State endangered), and Rank 5 (Federal endangered or threatened) are not to be included in proposed SSAs except as provided under N.J.A.C. 7:15-4.4(i) through (l). To evaluate areas mapped pursuant to N.J.A.C. 7:15-4.4(e)1 as threatened or endangered wildlife species habitat, the Department utilized its Landscape Maps, version 3.3 at http://www.nj.gov/dep/gis/listall.html, and determined that the site is mapped as Rank 3 Barred Owl habitat.

N.J.A.C. 7:15-4.4(j)2 provides that an applicant may rebut the presumption that the Department's environmental data is accurate by providing a Habitat Suitability Determination

(HSD) prepared pursuant to N.J.A.C. 7:15-4.6 that demonstrates that an area is not suitable habitat for endangered or threatened wildlife species. On July 27, 2016, the applicant submitted a HSD prepared by Dubois Environmental Consultants. Department review of the HSD determined that the fragmented landscape resulting from significant nearby development renders the area unsuitable habitat for the Barred Owl. Additional site reviews and inspections by Department staff of nearby properties have all concluded that this portion of Lakewood Township no longer features suitable Barred Owl habitat.

In accordance with N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as ESAs, such as Natural Heritage Priority Sites identified pursuant to N.J.A.C. 7:15-4.4(e)2. Areas mapped as Natural Heritage Priority Sites are not to be included in proposed SSAs, except as provided under N.J.A.C. 7:15-4.4(i) through (l). To evaluate areas mapped as Natural Heritage Priority Sites pursuant to N.J.A.C. 7:15-4.4(e)2, the Department utilized its GIS data at http://www.nj.gov/dep/gis/listall.html. There are no Natural Heritage Priority Sites located on the subject site.

In accordance with N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as ESAs, such as Category One waters and their corresponding 300-foot riparian zones pursuant to N.J.A.C. 7:15-4.4(e)3. Areas identified as Category One waters and their corresponding 300-foot riparian zones are not to be included in SSAs, except as provided under N.J.A.C. 7:15-4.4(i) through (l). To evaluate the existence of Category One waters and their corresponding 300-foot riparian zones pursuant to N.J.A.C. 7:15-4.4(e)3, the Department utilized its GIS data at http://www.nj.gov/dep/gis/listall.html. There are no Category One waters or their corresponding 300-foot riparian zones on the subject site.

In accordance with N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as ESAs, such as mapped wetlands pursuant to N.J.A.C. 7:15-4.4(e)4. Areas mapped as wetlands pursuant to N.J.S.A. 13:9A-1 and 13:9B-25 are not to be included in proposed SSAs, except as provided under N.J.A.C. 7:15-4.4(i) through (l). To evaluate the existence of mapped wetlands pursuant to N.J.A.C. 7:15-4.4(e)4, the Department utilized its GIS data at http://www.nj.gov/dep/gis/listall.html. There are no wetlands nor wetlands transition areas located on the proposed project site.

Pursuant to N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as coastal planning areas pursuant to N.J.A.C. 7:15-4.4(f). Areas mapped as Coastal Fringe Planning Areas, Coastal Rural Planning Areas, and Coastal Environmentally Sensitive Planning Areas are not to be included in SSA, except, as provided under N.J.A.C. 7:15-4.4(f)1 and 2, to abate an existing imminent public health and safety issue, to accommodate infill development or as necessary to create a linear boundary that coincides with recognizable geographic, political, or environmental features depicted in the Department's GIS coverage. To evaluate the existence of any coastal planning areas identified on the CAFRA Planning Map available at http://www.nj.gov/dep/gis/listall.html. The subject site is not located within any Coastal Fringe Planning Areas, Coastal Rural Planning Areas, or Coastal Environmentally Sensitive Planning Areas.

In accordance with N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as areas subject to 201 Facilities Plan grant conditions pursuant to N.J.A.C. 7:15-4.4(g). Areas with Federal 201 grant limitations that prohibit the extension of sewers into specified

ESAs are excluded from the SSA, unless documentation can be provided demonstrating that a mapping revision or waiver has been obtained from EPA, as provided under N.J.A.C 7:15-4.4(g). To evaluate the existence of 201 Facilities Plan grant conditions that prohibit the expansion of SSA to ESAs, the Department reviewed the EPA list of New Jersey Counties with ESA Grant Conditions at https://www3.epa.gov/region02/water/sewer.html. There are no 201 Facilities Plan grant conditions for the proposed site.

Pursuant to N.J.A.C. 7:15-4.4(h)1 and 2, the Department shall consider in the delineation of areas eligible for sewer service, the land uses allowed in zoning ordinances and future land uses shown in municipal or county master plans. The applicant received Preliminary and Final Major Site Plan Approval on July 21, 2016 with the adoption of Resolution SP-2129 by the Lakewood Township Planning Board. In an October 26, 2017 email, the Ocean County Planning Board stated that it would not offer a position on the proposed project.

Pursuant to N.J.A.C. 7:15-3.5(j)2, projects that propose to add 100 or more acres to the SSA or where the additional SSA would generate 20,000 gpd or more of wastewater, a modification to the wastewater treatment capacity analysis prepared in accordance with N.J.A.C. 7:15-4.5(b) to include the proposed project or activity is required. The proposed project plans to add 1.2 acres to the SSA and the projected wastewater flow for the proposed project, anticipated to be received by the Ocean County Utilities Authority, is 3,375 gpd based on flow calculations in accordance with N.J.A.C. 7:14A-23.3. Therefore, no wastewater capacity analysis is required for this amendment.

This notice is to inform the public that a plan amendment has been proposed for the Ocean County WQM Plan. All information related to the WQM Plan and the proposed amendment is located at:

Ocean County Department of Planning

129 Hooper Avenue

Toms River, NJ 08754

AND

NJ Department of Environmental Protection

Office of Water Resources Management Coordination

P.O. Box 420, Mail Code 401-02A

401 East State Street

Trenton, NJ 08625-0420

The Department's file is available for inspection through the Open Public Records Act. Requests may be made on-line at http://www.nj.gov/opra/.

Interested persons may submit written comments on the amendment to WQM Program Docket, at the Department address cited above. Comments should reference Program Interest No. 435448, Activity No. AMD170003, and must be submitted within 30 days of the date of this public notice or within 15 days of the last public hearing, as described below. A copy should be sent to:

Mr. Anthony Agliata

Ocean County Department of Planning

P.O. Box 2191

Toms, River NJ 08754-2191

AND

Mr. Tony DiLodovico

Tony D Environmental Permitting

One Briarwood Court

Jackson, NJ 08527

Interested persons may request in writing that the Department hold a non-adversarial public hearing on the amendment or extend the public comment period in this notice. Such request should reference Program Interest No. 435448, Activity No. AMD170003 and must demonstrate sufficient public interest for the public hearing or extension of the comment period, as defined under N.J.AC. 7:1D-5.2(d). The request must be submitted within 30 days of the date of this notice to the WQM Program Docket at the Department address cited above. Should the Department decide to hold a public hearing, notice of said hearing and the revised comment period's closing date will be published in a future New Jersey Register. If a non-adversarial public hearing for the amendment is held, the public comment period provided by this notice shall close 15 days after the last public hearing. All comments submitted prior to the close of the comment period shall be considered by Ocean County and the Department in reviewing the amendment request.

Sewer service is not guaranteed by this amendment. This proposed amendment represents only one part of the permit process and other issues may need to be addressed. These issues may include, but are not limited to, obtaining all permits for the proposed projects; meeting all regulatory requirements for needed permits, compliance with stormwater regulations; antidegradation; effluent limitations; water quality analysis; exact locations and designs of future

treatment works; development in wetlands and flood prone areas, or other environmentally sensitive areas which are subject to regulation under Federal or State law or to any contractual arrangements between municipalities, authorities and/or private parties. Inclusion in the sewer service area as a result of the approval of this amendment does not eliminate the need to obtain all necessary permits, approvals or certifications required by any Federal, State, County or municipal review agency with jurisdiction over this project/activity.

SIGNED

Alan Miller, Manager Office of WRM Coordination Department of Environmental Protection

January 11, 2018

Date