

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

PUBLIC NOTICE

ENVIRONMENTAL PROTECTION

OFFICE OF WATER RESOURCES MANAGEMENT COORDINATION

Proposed Amendment to the Tri-County Water Quality Management Plan

Public Notice

Take notice that the New Jersey Department of Environmental Protection (Department) seeks public comment on a proposed amendment to the Tri-County Quality Management (WQM) Plan. This amendment proposal, (Program Interest No. 435433, Activity No. AMD170004) entitled “East Greenwich Subdivision”, submitted by Boundary Road Development, would expand the Gloucester County Utilities Authority sewer service area (SSA) by 34.23 acres to allow for the construction of a proposed 138-unit residential development consisting of 124 three-bedroom single family homes, 14 three-bedroom duplex units (one family per unit) and a 2,600-square foot community center. The project site is in East Greenwich Township, Gloucester County, on portions of lots 14.01 and 20 in Block 206, west of West Cohawkin Road (County Route 667) and north of the former Conrail Railroad right-of-way. This proposed amendment has been reviewed in accordance with the Water Quality Management Planning rules at N.J.A.C. 7:15 and represents the Department’s decision to proceed further with the amendment application as provided in N.J.A.C. 7:15-3.5(g)5.

Pursuant to N.J.A.C. 7:15-4.4(d), sewer service may only be provided to areas that are not identified as Environmentally Sensitive Areas (ESAs), certain coastal planning areas, or areas subject to US Environmental Protection Agency (EPA) 201 Facilities Plan grant conditions, except as otherwise provided at N.J.A.C. 7:15-4.4(i) through (l).

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

Pursuant to N.J.A.C. 7:15-4.4(e), ESAs are any contiguous area, based on a composite Geographic Information System (GIS) analysis, of 25 acres or larger consisting of any of the following features alone or in combination: areas mapped as threatened and endangered wildlife species habitat as identified on the Department's Landscape Maps of Habitat for Endangered, Threatened or Other Priority Wildlife as Rank 3, 4, or 5 (Landscape Maps); areas mapped as Natural Heritage Priority Sites; Category One waters designated in the Department's Surface Water Quality Standard, N.J.A.C. 7:9B, based on the Department's maps of such waters and their corresponding 300 foot riparian zones based upon the Flood Hazard Area Control Act Rules, N.J.A.C. 7:13; and wetlands as mapped pursuant to N.J.S.A. 13:19A-1 and 13:9B-25.

Pursuant to N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as ESAs, such as threatened and endangered wildlife habitat identified pursuant to N.J.A.C. 7:15-4.4(e)1. Areas identified by the Landscape Maps as being suitable habitat for threatened and endangered wildlife species Rank 3 (State threatened), Rank 4 (State endangered), and Rank 5 (Federal endangered or threatened) are not to be included in proposed SSAs except as provided under N.J.A.C. 7:15-4.4(i) through (l). To evaluate areas mapped pursuant to N.J.A.C. 7:15-4.4(e)1 as threatened or endangered wildlife species habitat, the Department utilized its Landscape Maps, version 3.3 at <http://www.nj.gov/dep/gis/listall.html>. There is no threatened or endangered wildlife species habitat mapped within the proposed SSA.

Pursuant to N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as ESAs, such as Natural Heritage Priority Sites identified pursuant to N.J.A.C. 7:15-4.4(e)2. Areas mapped as Natural Heritage Priority Sites are not to be included in proposed SSAs, except as provided under N.J.A.C. 7:15-4.4(i) through (l). To evaluate areas mapped as Natural

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

Heritage Priority Sites pursuant to N.J.A.C. 7:15-4.4(e)2, the Department utilized its GIS data at <http://www.nj.gov/dep/gis/listall.html>. There are no Natural Heritage Priority Sites in the proposed SSA.

Pursuant to N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as ESAs, such as Category One waters and their corresponding 300-foot riparian zones pursuant to N.J.A.C. 7:15-4.4(e)3. Areas identified as Category One waters and their corresponding 300-foot riparian zones are not to be included in SSAs, except as provided under N.J.A.C. 7:15-4.4(i) through (l). To evaluate the existence of Category One waters and their corresponding 300-foot riparian zones pursuant to N.J.A.C. 7:15-4.4(e)3, the Department utilized its GIS data at <http://www.nj.gov/dep/gis/listall.html>. There are no Category One waters or their corresponding 300-foot riparian zones in the proposed SSA.

Pursuant to N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as ESAs, such as mapped wetlands pursuant to N.J.A.C. 7:15-4.4(e)4. Areas mapped as wetlands pursuant to N.J.S.A. 13:9A-1 and 13:9B-25 are not to be included in proposed SSAs, except as provided under N.J.A.C. 7:15-4.4(i) through (l). To evaluate the existence of mapped wetlands pursuant to N.J.A.C. 7:15-4.4(e)4, the Department utilized its GIS data at <http://www.nj.gov/dep/gis/listall.html> and identified wetlands on the subject site. Pursuant to N.J.A.C. 7:15-4.4(j)3, the applicant provided Letter of Interpretation/Line Verification File No. 0803-03-0014.3 FWW170003 (LOI), demonstrating that the Department had confirmed that certain adjustments to areas mapped as wetlands were appropriate to reflect the actual extent of wetlands and transition areas on the site.

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

Pursuant to N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as coastal planning areas pursuant to N.J.A.C. 7:15-4.4(f). Areas mapped as Coastal Fringe Planning Areas, Coastal Rural Planning Areas, and Coastal Environmentally Sensitive Planning Areas are not to be included in SSA, except, as provided under N.J.A.C. 7:15-4.4(f)1 and 2, to abate an existing imminent public health and safety issue, to accommodate infill development or as necessary to create a linear boundary that coincides with recognizable geographic, political, or environmental features depicted in the Department's GIS coverage. To evaluate the existence of any coastal planning areas identified in N.J.A.C. 7:15-4.4(f), the Department evaluated the presence of coastal planning areas identified on the CAFRA Planning Map available at <http://www.nj.gov/dep/gis/listall.html>. The subject site is not located within any Coastal Fringe Planning Areas, Coastal Rural Planning Areas, or Coastal Environmentally Sensitive Planning Areas.

Pursuant to N.J.A.C. 7:15-4.4(d), areas shall only be eligible for SSA if they are not identified as areas subject to 201 Facilities Plan grant conditions pursuant to N.J.A.C. 7:15-4.4(g). Areas with Federal 201 grant limitations that prohibit the extension of sewers into specified ESAs are excluded from the SSA, unless documentation can be provided demonstrating that a mapping revision or waiver has been obtained from EPA, as provided under N.J.A.C. 7:15-4.4(g). To evaluate the existence of 201 Facilities Plan grant conditions that prohibit the expansion of SSA to ESAs, the Department reviewed the EPA list of New Jersey Counties with ESA Grant Conditions at <https://www.epa.gov/npdes-permits/environmentally-sensitive-area-esa-grant-condition-waiver-program-region-2>. There are no 201 Facilities Plan grant conditions for the proposed site.

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

Pursuant to N.J.A.C. 7:15-4.4(h)1 and 2, the Department shall consider in the delineation of areas eligible for sewer service, the land uses allowed in zoning ordinances and future land uses shown in municipal or county master plans. On September 19, 2017, the East Greenwich Township Planning/Zoning Board of Adjustment issued Resolution 2017-9 granting subdivision/site plan approval for the proposed project. On January 17, 2018, the Gloucester County Planning Division issued a letter confirming that the proposed project is consistent with the Gloucester County Development Management Plan's Goal Statements.

Pursuant to N.J.A.C. 7:15-3.5(j)2, projects that propose to add 100 or more acres to the SSA or where the additional SSA would generate 20,000 gpd or more of wastewater, a modification to the wastewater treatment capacity analysis prepared in accordance with N.J.A.C. 7:15-4.5(b) to include the proposed project or activity is required. The proposed project plans to add 34.23 acres to the SSA and the projected wastewater flow for the proposed project, anticipated to be received by the Gloucester County Utilities Authority, is 41,919 gpd based on flow calculations in accordance with N.J.A.C. 7:14A-23.3. The Gloucester County Utilities Authority Sewage Treatment Plant is currently permitted to discharge up to 27 Million Gallons per Day (MGD) under New Jersey Pollutant Discharge Elimination System (NJPDES) permit NJ0024686. Based on the highest consecutive 12-month rolling average flow from NJPDES Discharge Monitoring Reports over the most recent five-year period, for the 12-month period from November 2015 to October 2016, the existing wastewater flow discharged from the Gloucester County Utilities Authority Sewage Treatment Plant was calculated to be 17.75 MGD. Therefore, the additional flow should not cause the facility to exceed its permitted capacity.

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

This notice is to inform the public that a plan amendment has been proposed for the Tri-County WQM Plan. All information related to the WQM Plan and the proposed amendment is located at:

Gloucester County Planning Division
1200 North Delsea Drive
Clayton, NJ 08312

AND

NJ Department of Environmental Protection
Office of Water Resources Management Coordination
P.O. Box 420, Mail Code 401-02A
401 East State Street
Trenton, NJ 08625-0420

The Department's file is available for inspection through the Open Public Records Act. Requests may be made on-line at <http://www.nj.gov/opra/>.

Interested persons may submit written comments on the amendment to WQM Program Docket, at the Department address cited above. Comments should reference Program Interest No. 435433, Activity No. AMD170004, and must be submitted within 30 days of the date of this public notice or within 15 days of the last public hearing, as described below. A copy should be sent to:

Ms. Theresa Ziegler
Gloucester County Planning Division
1200 North Delsea Drive

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

Clayton, NJ 08312

AND

Mr. William Gilmore

Boundary Road Development

213 Cherry Tree Court

Franklinville, NJ 08322

Interested persons may request in writing that the Department hold a non-adversarial public hearing on the amendment or extend the public comment period in this notice. Such request should reference Program Interest No. 435433, Activity No. AMD170004 and must demonstrate sufficient public interest for the public hearing or extension of the comment period, as defined under N.J.A.C. 7:1D-5.2(d). The request must be submitted within 30 days of the date of this notice to the WQM Program Docket at the Department address cited above. Should the Department decide to hold a public hearing, notice of said hearing and the revised comment period's closing date will be published in a future New Jersey Register. If a non-adversarial public hearing for the amendment is held, the public comment period provided by this notice shall close 15 days after the last public hearing. All comments submitted prior to the close of the comment period shall be considered by Gloucester County and the Department in reviewing the amendment request.

Sewer service is not guaranteed by this amendment. This proposed amendment represents only one part of the permit process and other issues may need to be addressed. Inclusion in the sewer service area as a result of the approval of this amendment does not eliminate the need to obtain all necessary permits, approvals or certifications required by any Federal, State, County or municipal review agency with jurisdiction over this project/activity.

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

SIGNED

Alan Miller, Manager
Office of WRM Coordination
Department of Environmental Protection

February 8, 2018

Date