## **PUBLIC NOTICE**

#### **ENVIRONMENTAL PROTECTION**

## WATERSHED AND LANDMANAGEMENT

# **DIVISION OF WATERSHED PROTECTION AND RESTORATION**

#### Adopted Amendment to the Upper Raritan Water Quality Management Plan

Take notice that on September 22, 2023, pursuant to the provisions of the New Jersey Water Quality Planning Act, N.J.S.A. 58:11-1 et seq., and the Water Quality Management Planning rules, N.J.A.C. 7:15, the New Jersey Department of Environmental Protection (Department) adopted an amendment to the Upper Raritan Water Quality Management (WQM) Plan. The amendment, identified as "00 Hamilton Drive, LLC" (Program Interest No. 435434, Activity No. AMD230001) expands the sewer service area (SSA) of the Somerset Raritan Valley Sewerage Authority (SRVSA) (NJPDES No. NJ0024864) by 6.42 acres to serve 9 proposed single family three-bedroom homes located on a portion of Block 183.05, Lot 35, in Hillsborough Township, Somerset County. The project will generate a projected wastewater flow of 2,700 gallons per day (gpd) based on flow calculated in accordance with N.J.A.C. 7:14A-23.3.

Preliminary notice was published in the New Jersey Register on July 17, 2023, at 55 N.J.R. 1492(a). No public comments were received during the comment period. This notice represents the Department's determination that the amendment is compliant with the regulatory criteria at N.J.A.C. 7:15 as described below.

In accordance with N.J.A.C. 7:15-3.5(g)6, the Department instructed the applicant to request written statements of consent from Hillsborough Township, SRVSA, Hillsborough Township Municipal Utilities Authority (MUA), Somerset County Board of County Commissioners and the Delaware & Raritan Canal Commission. Hillsborough Township adopted a resolution, Consent # 25., on August 22, 2023, consenting to the proposed amendment. SRVSA declined to comment or pass a resolution on the proposed amendment. The Hillsborough Township MUA sent a letter to SRVSA, dated July 31, 2023, stating that they did not agree with the amendment at that time. However, in an email to the Department dated September 12, 2023, the MUA stated that they declined to comment on the proposed amendment. The Somerset County Board of County Planning Board, as the reviewing agent for the Somerset County Board of County Commissioners, adopted a resolution on July 18, 2023, consenting to the proposed amendment. The Delaware & Raritan Canal Commission declined to comment or pass a resolution on the proposed amendment.

In accordance with N.J.A.C. 7:15-3.3(b), site specific amendments are limited to proposed alterations to the eligible SSA needed to address a specific project or activity. N.J.A.C. 7:15-3.5(j)2 requires that site specific amendments proposing to add 100 or more acres or generating 20,000 gpd or more of wastewater flow shall include a proposed modification to the wastewater treatment capacity analysis prepared in accordance with N.J.A.C. 7:15-4.5(b) to include the proposed project or activity. The project involves less than 100 acres of SSA and will generate less than 20,000 gpd of wastewater flow; therefore, update of the wastewater treatment capacity analysis is not required.

Pursuant to N.J.A.C. 7:15-4.4(d), the following are not eligible for delineation as SSA, except as otherwise provided at N.J.A.C. 7:15-4.4(i), (j), (k), and (l): environmentally sensitive areas (ESAs) identified pursuant to N.J.A.C. 7:15-4.4(e), as any contiguous area of 25 acres or larger consisting of any of the following, alone, or in combination: endangered or threatened wildlife species habitat, Natural Heritage Priority Sites, riparian zones of Category One (C1) waters and their tributaries, or wetlands; coastal planning areas identified at N.J.A.C. 7:15-4.4(f), and; ESAs subject to 201 Facilities Plan grant conditions pursuant to N.J.A.C. 7:15-4.4(g). The Department conducted an evaluation of the project site using a GIS shapefile provided by the applicant compared to the Department's GIS data layers available at <a href="https://gisdata-nidep.opendata.arcgis.com">https://gisdata-nidep.opendata.arcgis.com</a> and/or other information as noted below, to determine the presence of any such areas in accordance with N.J.A.C. 7:15-4.4(e), (f), and (g) and made the following findings:

- The Department determined that the expanded SSA does not contain any areas mapped as endangered or threatened wildlife species habitat Rank 3, 4, or 5 on the Department's Landscape Maps of Habitat for Endangered, Threatened or other Priority Wildlife based on the "Landscape Project Data" Version 3.3 GIS data layers, in accordance with N.J.A.C. 7:15-4.4(e)1.
- The Department determined that the expanded SSA does not contain any areas mapped as Natural Heritage Priority Sites based on the "Natural Heritage Priority Sites" GIS data layer, in accordance with N.J.A.C. 7:15-4.4(e)2.

- The Department determined that the expanded SSA does not contain any C1 waters or 300-foot riparian zones along any C1 waters or upstream tributaries within the same HUC-14 watershed of any C1 waters based on the "Surface Water Quality Standards" GIS data layer, in accordance with N.J.A.C. 7:13-4.1(c)1 and 7:15-4.4(e)3.
- The Department determined that there are wetlands located on the project site based on the "Wetlands 2012" GIS data layer, in accordance with N.J.A.C. 7:15-4.4(e)4. However, pursuant to N.J.A.C. 7:15-4.4(j)3, a Freshwater Wetlands Letter of Interpretation (LOI)/Line Verification File # 1810-21-0010.1 was obtained, confirming that there are no freshwater wetlands, wetland transition areas or, open waters onsite.
- The Department determined that the expanded SSA does not contain any areas mapped as Fringe Planning Areas, Rural Planning Areas, or Environmentally Sensitive Planning Areas within the Coastal Area Facility Review Act (CAFRA) zone based on the "CAFRA (polygon)" GIS layer and the "State Plan Data" GIS layer, in accordance with N.J.A.C. 7:15-4.4(f).
- The Department determined that there are no 201 Facilities Plan grant conditions applicable to the project based on the U.S. Environmental Protection Agency (USEPA) list of New Jersey Grantees with ESA Grant Conditions at <a href="https://www.epa.gov/npdes-permits/environmentally-sensitive-area-esa-grant-condition-waiver-program-region-2">https://www.epa.gov/npdes-permits/environmentally-sensitive-area-esa-grant-condition-waiver-program-region-2</a> in accordance with N.J.A.C. 7:15-4.4(g).

Pursuant to N.J.A.C. 7:15-4.4(h)1 and 2, the Department considered the land uses allowed in adopted zoning ordinances, future land uses shown in adopted municipal and county master plans, and other local land use objectives. The project received a memorandum of support from

the Township of Hillsborough dated April 5, 2023, which addressed the rezoning of this property for the proposed use. The Somerset County Planning Department issued a letter dated May 23, 2023, stating that the project is supported based on the proximity to existing sewer service and consistency with the local zoning.

Sewer service is not guaranteed by the adoption of this amendment since it represents only one part of the permit process and other issues may need to be addressed. Inclusion in the SSA as a result of the approval of this amendment does not eliminate the need to obtain all necessary permits, approvals or certifications required by any Federal, State, county or municipal review agency with jurisdiction over this project/activity.

9/22/2023

Date

Gabriel Mahon, Bureau Chief

Bureau of NJPDES Stormwater Permitting and Water Quality Management

Division of Watershed Protection and Restoration

NJ Department of Environmental Protection