DRAFT METHODOLOGY FOR THE 2012 DELAWARE RIVER AND BAY WATER QUALITY ASSESSMENT REPORT



JULY 2011

1	Int	rodu	ıction	3
	1.1	Cod	ordination and Schedule	3
2	Ass	essr	nent Methodology	3
	2.1	Dat	ta Window	3
	2.2	Ass	sessment Units	4
	2.3	Des	signated Uses and Data Requirements	7
	2.3	.1	Aquatic Life	9
	2.3	.2	Drinking Water	13
	2.3	.3	Contact Recreation	15
	2.3	.4	Fish Consumption	16
	2.3	.5	Shellfish Consumption	17
	2.4	Ass	sessment Summary	18
	2.5	Thi	reatened Waters	18

1 Introduction

The Delaware River Basin Commission (DRBC) will assess waters of the mainstem Delaware River to determine whether the river is supporting the designated uses expressed in the Commission's Administrative Manual Part III, Water Quality Regulations (18 CFR Part 410). DRBC's Water Quality Regulations can be found at http://www.nj.gov/drbc/regs/WQregs.pdf. DRBC's assessment will be completed and submitted to the U.S. Environmental Protection Agency on April 1, 2012 under the title 2012 Delaware River and Bay Water Quality Assessment Report. The title of the report has been changed from the previous several cycles to reflect that DRBC is performing the assessment function (more closely aligned with Section 305(b) of the Clean Water Act), but does not list impaired waters under Section 303(d) of the Clean Water Act.

This notice describes the proposed assessment methodology to be used by DRBC in performing its assessment for 2012. The purpose of this notice is to solicit comments and input from interested parties regarding the proposed assessment methodology. The Assessment Methodology proposed here is based on the methodology used in the 2010 report.

1.1 Coordination and Schedule

Because DRBC's role is to assess shared waters in the Basin, coordination with the Basin States is important. The Integrated Listing process defines a list of waters for which TMDLs must be prepared (i.e., 303(d) list). However, the regulatory responsibility for preparing a 303(d) list rests with the States.

In order to maximize agreement between the DRBC's 2012 Assessment and the Basin States' Integrated Lists, and to ensure that the Basin States have adequate time for their public noticing processes, it is DRBC's intent to provide a preliminary assessment to the States in advance of their administrative deadlines. To meet this task, the DRBC prepares the preliminary assessment and coordinates discussions with the Basin States during the year prior to the April 1, 2012, deadline. DRBC will provide a draft report to the states by December 14, 2011.

2 Assessment Methodology

The sections below describe specific details related to the 2012 assessment.

2.1 Data Window

For the 2012 assessment, DRBC will assess *readily available* data for a 5-year data window ending September 30, 2011.

Along with the notice of this methodology, DRBC will publish a notice in the Federal Register soliciting available data for inclusion in the 2012 assessment.

2.2 Assessment Units

Assessment units (AUs) are the spatial reaches within which data are grouped for assessment. Consistent with the 2010 assessment, assessment units for most designated uses will consist of DRBC's Water Quality Management (WQM) Zones, as described in DRBC's Water Quality Regulations

(http://www.nj.gov/drbc/regs/WQregs.pdf). WQM Zones include zones 1A, 1B, 1C, 1D, and 1E in the non-tidal river and Zones 2, 3, 4, and 5 in the tidal river, and Zone 6 in Delaware Bay. Zone C1-8 and intrastate streams (zones E, W1, W2, N1 and N2) are not assessed by DRBC, but rather are captured in the Integrated Reports of the Basin States. Figure 2-1 shows the assessment units for Delaware River and Bay, and Table 2-1 shows the river mile (miles from the mouth of the bay) limits for each assessment unit.






Figure 1. Delaware River Water Quality Management Zones/Assessment Units

Table 1. Delaware River Water Quality Management (WQM) Zones

WQM zone	Location (as River Mile)		
1A	330.7 – 289.9		
1B	289.9 – 254.75		
1C	254.75 – 217.0		
1D	217.0 – 183.66		
1E	183.66 – 133.4		
2	133.4 – 108.4		
3	108.4 – 95.0		
4	95.0 – 78.8		
5	78.8 – 48.2		
6	48.2 – 0.0		

It should be noted that Zone 4 includes standards for primary contact recreation up to River Mile 81.8, but secondary contact recreation only above River Mile 81.8. Similarly, Zone 5 is a transitional Zone between the estuary and the Bay. DRBC water quality regulations include different dissolved oxygen criteria for 3 sub-reaches within Zone 5. For Zone 5, the spatial location of measurements determines which DO criteria are applicable. However, Zones 4 and 5 are still treated as assessment units despite varied criteria within these zones.

Zone 6 encompasses numerous shellfish management subareas within the zone. Since a high degree of variability in the shellfish management areas is possible, and shellfish management areas are under the purview of the states, DRBC assesses individual shellfish management areas for the shellfish assessment, rather than Zone 6 as a whole.



Figure 2. Example Zone 6 Shellfish Management Assessment Units (2010)

2.3 Designated Uses and Data Requirements

Water uses are paramount in determining surface water quality standards. DRBC's Water Quality Standards require that all surface waters of the Basin be maintained in a safe and satisfactory condition for the following six (6) uses:

- 1) Agricultural, industrial and public water supplies after reasonable treatment, except where natural salinity precludes such uses;
- 2) Wildlife, fish and other aquatic life;
- 3) Recreation;
- 4) Navigation;
- 5) Controlled and regulated waste assimilation to the extent that such use is compatible with other uses; and
- 6) Such other uses as may be provided by the Commission's Comprehensive Plan.

Table 2 shows the designated uses assessed in each AU. The designated uses assessed in the non-tidal AUs (WQM zones: 1A, 1B, 1C, 1D, and 1E) include aquatic life, drinking water, primary recreation, and fish consumption.

Maintenance of resident fish and other aquatic life, and passage of anadromous fish, are designated uses for all WQM Zones. Propagation of fish is a designated use for all WQM Zones <u>except</u> Zones 3 and 4.

The tidal Delaware River AUs (WQM Zones 2, 3, 4, and 5) are all designated for aquatic life and fish consumption. The drinking water use is designated in Zones 2 and 3 only. Primary contact recreation is designated for Zones 2 and 5, and Zone 4 below River Mile 81.8. Where primary contact recreation is not designated (Zone 3 and Zone 4 above River Mile 81.8), secondary contact recreation is designated. Secondary contact recreation is a designated use in all zones, however, where the primary contact use is designated, the standards are protective of both primary and secondary contact uses.

We assume that if the drinking water designated use is attained, agricultural and industrial uses are protected as well. We will assess agricultural and industrial uses separately, if the drinking water use is not attained.

The Delaware Bay AU (WQM Zone 6) is assessed for aquatic life, primary recreation, fish consumption, and shellfish.

DRBC WQM Zone or AU **Designated Use** 2 3 1A 1B 1C 1D 1E 4 5 6 \checkmark **√** \checkmark \checkmark \checkmark \checkmark ✓ \checkmark Aquatic Life **Drinking Water √** \checkmark \checkmark \checkmark \checkmark \checkmark **√** \checkmark \checkmark \checkmark **Primary Recreation** Secondary Recreation \checkmark **√** \checkmark √ Fish Consumption **Shellfish Consumption**

Table 2. Designated Uses Applicable to Each AU (WQM Zone).

The remainder of this section looks at the general approach for each designated use assessed relative to DRBC water quality standards and other supporting evidence. The tables below also describe the parameter-specific data requirements. It should be noted, however, that assessments might also be made using less robust data than indicated by the objectives, when the weight of evidence is compelling.

Listed below are cases where insufficient data (ID) are available and the uses can not be assessed against DRBC criteria. Such data would fail to support the designated use, but the assessment may be identified as "ID" rather than "not supported" when the following conditions exist:

- a) The number of samples per AU over an assessment period or season was below data requirements
- b) Background level was not specified in DRBC WQR and can not reasonably be determined for a particular AU
- c) The parameter was not monitored in an AU
- d) The parameter was analyzed in a matrix other than surface water

2.3.1 Aquatic Life

Aquatic life is to be protected in all DRBC WQM zones. The assessment for aquatic life is based upon:

- dissolved oxygen (DO);
- pH;
- temperature;
- total dissolved solids (TDS);
- alkalinity;
- toxic chemicals; and
- biological monitoring.

Table 3 below shows the criteria, assessment method, and data objectives for the aquatic life use assessment.

DRBC's temperature criteria in Zones 1A through 1E are structured as allowable increases above ambient stream temperature, but ambient stream temperature is not defined. For this reason, DRBC did not assess against its temperature criteria in Zones 1A through 1E in the previous assessment cycle. We recognize, however, that lack of assessment is undesirable. For this assessment cycle, DRBC will estimate ambient stream temperature using data or models, and compare observed temperatures to the allowable increase. While some uncertainty is inherent in this approach, we believe the benefits of performing the assessment justify the uncertainty.

DRBC has adopted numeric toxics criteria in Zones 2 through 5. In addition, DRBC has a narrative standard requiring that:

"the waters shall be substantially free from ... substances in concentrations or combinations which are toxic or harmful to human, animal, plant, or aquatic life"

In previous assessment cycles, DRBC assessed data from zones 2 through 5 against its numeric criteria, but performed no toxics assessments (for aquatic life) outside zones 2 through 5. For this assessment cycle, where DRBC has not adopted numeric toxics criteria (Zones 1A through 1E and in Zone 6), it will implement its narrative toxics standard by comparing measured toxics concentrations to EPA's most recent National Recommended Water Quality Criteria for each parameter where an appropriate Criteria Maximum Concentration (CMC) and Criterion Continuous Concentration (CCC) are listed. EPA's most recent recommended criteria can be found at http://www.epa.gov/waterscience/criteria/wqctable/#cmc

Some criteria require hardness values to compute the actual criteria numeric value. In these cases, multiple sources of hardness information may be used. Where multiple sources of hardness data are available, the assessment will consider the weight of evidence for multiple derivations of the criteria. Sources of hardness data could include:

- Site-specific paired hardness measured concurrently with toxic analytical parameter;
- Median site-specific hardness measured at other times;
- Hardness values listed in DRBC Water Quality Regulations.

DRBC regulations include aquatic life toxics criteria for fresh and marine waters. Upstream of the Delaware Memorial Bridge (RM 68.7), DRBC's freshwater criteria will be used. Between the Delaware Memorial Bridge and Liston Pt. (RM 48.06), the more stringent of the freshwater or marine criteria will be used. Downstream from Liston Pt., the marine criteria will be used.

Biological monitoring data will again be used for the aquatic life assessment, as was done for the 2010 report, using an interim methodology. The DRBC initiated biological monitoring of the Delaware River above the head-of-tide in 2001 using benthic macroinvertebrate collections. Through work with the Biological Advisory Subcommittee to the WQAC, the DRBC has developed an interim methodology (Silldorff and Limbeck 2009; see www.state.nj.us/drbc/Bioassessment-draft-July2009rev.pdf) that uses benthic macroinvertebrate data as a direct assessment of the condition of the aquatic life use in the non-tidal Delaware River (Zones 1A to 1E). This interim methodology is based on a multi-metric index (termed Index of Biotic Integrity or IBI) that averages the standardized scores of 6 individual metrics (taxa richness, EPT richness, Shannon-Wiener diversity, biotic index, intolerant percent richness, and scraper richness). The multi-metric IBI scores can range from 0 up to 100, with higher values indicating improved aquatic life use condition. Under the current methodology, the DRBC has identified an IBI score of 75.6 units as the threshold between attainment (IBI>75.6) and non-attainment (IBI<75.6) for aquatic life use. Based on input from and discussion with the Biological Advisory Subcommittee, the DRBC will limit the

application of this interim methodology in the 2012 Integrated Assessment to classification of non-tidal zones to only Categories 1, 2, and 3. For zones not meeting the attainment threshold using the methodology identified in Table 3, the biological assessment will classify the aquatic life as Category 3a, "Waters of Concern" (see Table 9).



Table 3. Aquatic Life data Requirements and assessment criteria

Parameter	AU	Criteria	Assessment Method	Data Requirements
DO	All	Meet all Zone specific instantaneous minimum, minimum 24-hour average, spawning, and seasonal criteria listed in DRBC Water Quality Regulations, Sections 3.20 and 3.30	For instantaneous minimums, less than 1 observation plus 1 confirmatory observation per AU fail the criteria. For 24-hour averages, less than one 24-hour average plus one confirmatory 24-hour average fail the criteria.	For instantaneous minimums, at least 20 measurements over the assessment period. For 24-hour averages, at least 20 daily averages over the assessment period.
Temperature	1A-1E	Not to exceed Zone specific increases above ambient temperature	Estimate ambient temperature using data or models. Less than 1 observation plus 1 confirmatory observation per AU fail the criteria, considered in conjunction with the ambient temperature variability or model standard error.	At least 20 samples per AU over the assessment period
	2-6	Not to exceed Zone specific maximum temperatures listed in DRBC Water Quality Regulations, Sections 3.30 and 4.30	Less than 1 daily average plus 1 confirmatory daily average per AU fail the criteria	At least 20 samples per AU over the assessment period
рН	All	Meet Zone specific pH criteria range listed in DRBC Water Quality Regulations, Sections 3.20 and 3.30	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria, unless evidence shows that pH violation are the result of natural conditions and biological communities are not impaired	At least 20 samples per AU over the assessment period
TDS	1A-1E, 2-4	Not to exceed Zone specific TDS criteria listed in the DRBC Water Quality Regulations, Sections 3.20, 3.30 and 4.20.2	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria	At least 20 samples per AU over the assessment period
Alkalinity	1E, 2-6	Meet Zone specific criteria range in DRBC Water Quality Regulations, Sections 3.20 and 3.30	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria	At least 20 samples per AU over the assessment period
Toxic Pollutants	2-5	Not to exceed criteria noted in DRBC Water Quality Regulations, Table 5	No more than one (1) exceedence in an AU over a three year window	Available data
	1, 6	Not to exceed EPA recommended CCC criteria	No more than one (1) exceedence in an AU over a three year window	Available data
Biological Monitoring	1A – 1E	6-metric IBI not to fall below 75.6 unit threshold	No more than 30% of samples per AU below the threshold in the assessment period	At least 2 years of data with multiple sites per AU in each

2.3.2 Drinking Water

Drinking water use is designated for WQM zones 1A through 1E, 2, and 3. The parameters used for determining drinking water use support are:

- TDS;
- chlorides;
- toxic substances (human health criteria for systemic toxicants and carcinogens in Zones 2 and 3 only);
- hardness;
- odor;
- phenol;
- sodium (Na); and
- turbidity.

Since this particular use relates to human health, the assessment also takes into account information on actual impacts to the use such as frequent or extended closures of drinking water facilities due to recurring or chronic water quality concerns.

Table 4. Drinking Water data requirements and assessment criteria

Parameter	AU	Criteria	Assessment Method	Data Requirements
TDS	1A-1E, 2-3	Not to exceed Zone specific TDS criteria listed in the DRBC Water Quality Regulations, Sections 3.20, 3.30 and 4.20.2	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria	At least 20 samples per AU over the assessment period
Hardness	2-3	Not to exceed Zone specific 30-day average criteria listed in DRBC Water Quality Regulations, Section 3.30.2 and 3.30.3	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria	At least three samples in a 30- day period At least 20 samples per AU over the assessment period
Chlorides	2-3	Not to exceed Zone specific criteria listed in DRBC Water Quality Regulations, Section 3.30.2 and 3.30.3	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria	At least two samples in a 15- day period (AU 2) At least three samples in a 30- day period (AU 3) At least 20 samples per AU over the assessment period
Odor	1A-1E, 2-3	Not to exceed Zone specific criteria listed in DRBC Water Quality Regulations, Sections 3.20 and 3.30	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria	Available data
PhenoIs	1A-1E, 2-3	Not to exceed Zone specific criteria listed in DRBC Water Quality Regulations, Section 3.20 and 3.30	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria	At least 20 samples per AU over the assessment period
Na	3 at or above RM 98	Not to exceed 30-day average criteria listed in DRBC Water Quality Regulations, Section 3.30.3	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria	At least three samples in a 30- day period (AU 3) At least 20 samples per AU over the assessment period
Turbidity	1A-1E, 2-3	Not to exceed Zone specific criteria listed in DRBC Water Quality Regulations, Sections 3.20 and 3.30	Less than 1 observation plus 1 confirmatory observation per AU fail the criteria	At least three samples in a 30- day period (AU 3) At least 20 samples per AU over the assessment period
Systemic Toxicants	2-3	Not to exceed criteria listed in DRBC Water Quality Regulations, Section 3.30, Table 7	No more than one (1) exceedence in an AU over a three year window	At least 10 samples per AU over the assessment period
Carcinogens	2-3	Not to exceed criteria listed in DRBC Water Quality Regulations, Section 3.30, Table 6	No more than one (1) exceedence in an AU over a three year window	At least 10 samples per AU over the assessment period
Drinking Water Closures	1A-1E, 2-3	No frequent or extended closures of drinking water facilities due to recurring or chronic water quality concerns	No closures affecting an AU over over the assessment period	Administrative closures for drinking water supply over the assessment period

2.3.3 Contact Recreation

In the DRBC Water Quality Regulations, the "Recreation" designated use includes all water-contact sports, and thus corresponds to "primary contact" recreation. Some waters, however, are designated as "Recreation - secondary contact" which restricts activities to where the probability of significant contact or water ingestion is minimal, encompassing but not limited to:

- 1. boating,
- 2. fishing,
- 3. those other activities involving limited contact with surface waters incident to shoreline recreation.

Criteria protective of the primary contact designated use are also protective of secondary contact uses. Criteria protective of secondary contact uses are not protective of primary contact uses.

Primary

Primary contact recreation applies to zones 1A-1E, 2, 4 below RM 81.8, and 5 and 6. The parameter used for determining primary contact recreation in zones 1A-1E is fecal coliform. In addition to fecal coliform, enterococcus bacteria is used to assess primary contact recreation in the tidal zones 2, 4, 5, and 6. Zone 4 is only assessed against primary contact standards below RM 81.8. The criteria are based on a geometric mean, with samples taken at a certain frequency and location as to permit valid interpretation.

Secondary

DRBC WQM zones 3 and 4 above RM 81.8 are restricted to secondary contact recreation. Fecal coliform and enterococcus bacteria are used to assess secondary contact recreation (Table 4-4). Zone 4 is assessed against secondary contact standards above RM 81.8. The criteria are based on a geometric mean, with samples taken at a certain frequency and location as to permit valid interpretation.

Table 5. Primary Contact Recreation data requirements and assessment criteria

Parameter	AU ^A	Criteria	Assessment Method	Data Requirements
Fecal coliform	1A-1E,2,4 (below RM 81.8),5,6	Not to exceed Zone specific Fecal coliform criteria listed in the DRBC Water Quality Regulations, Sections 3.20 and 3.30	Geometric mean of samples per AU during each assessment year	At least 5 samples per AU during each assessment year
Enterococcus	2,4 (below RM 81.8)	Not to exceed Zone and sub-Zone specific Enterococcus criteria listed in the DRBC Water Quality Regulations, Section 3.30	Geometric mean of samples per AU during each assessment year	At least 5 samples per AU during each assessment year
	5,6	Not to exceed Zone and sub-Zone specific Enterococcus criteria listed in the DRBC Water Quality Regulations, Section 3.30	Geometric mean of samples per AU during each assessment year	At least 5 samples per AU during each assessment year

AWQM zone 4 is assessed for the parameters below RM 81.8.

Table 6. Secondary Contact Recreation data requirements and assessment criteria

Parameter	AUA	Criteria	Assessment Method	Data Requirements
Fecal coliform	3,4 (above	Not a single	Geometric mean of samples	At least 5 samples per AU
	RM 81.8)	geometric mean to	per AU during each	during each assessment
		exceed 770 / 100 ml	assessment year	year
Enterococcus	3,4 (above	Not a single	Geometric mean of samples	At least 5 samples per AU
	RM 81.8)	geometric mean to	per AU during each	during each assessment
		exceed 88 / 100 ml	assessment year	year

^AWQM zone 4 is assessed for the parameters above RM 81.8.

2.3.4 Fish Consumption

Fish consumption designated use applies to all DRBC WQM zones. An assessment of "not supporting" the designated use is primarily based upon the presence of one or more consumption advisories in the main stem Delaware River and/or Estuary issued by a Basin State. For the purposes of this assessment, advisories related to the general population only are used, rather than advisories for more sensitive subpopulations. However, DRBC will review targeted consumption advisories for sensitive subpopulations in the absence of consumption advisories for the general population. The states' fish advisory reports current to the assessment period are used in the fish consumption assessment.

Monitoring data, if available, may also be used to support listed fish consumption advisories.

Table 7. Fish Consumption Data requirements and assessment criteria

Parameter	AU	Criteria	Assessment Method	Data Requirements
Fish	1A-1E, 2-6	Not a single fish	Count of the number	NY, NJ, DE, and PA
Consumption		advisory listed for an	of fish consumption	fish consumption
Advisory		AU	advisories per AU	advisories for the
			listed over the	general population
			assessment period	based upon the Basin
			·	states' water quality or
				fish tissue data

2.3.5 Shellfish Consumption

Shellfish consumption designated use only applies to DRBC WQM zone 6 (RM 48.2 to the mouth of the Delaware Bay). New Jersey and Delaware assess this use in their coastal waters, using procedures developed by the <u>FDA National Shellfish Sanitation Program</u> (NSSP). Both states use total coliform (as most probable number) as the assessment tool and compare it against federal shellfish standards.

In both states, waters classified for shellfishing may be opened for that use all year round. In some cases, the AU is opened seasonally (typically in winter). In other cases, harvesting may be prohibited due to administrative closures based upon proximity to sewer outfalls. In still other cases, waters may be open to harvesting, but with special treatment of the shellfish, such as transplantation to cleaner waters for a period of time prior to the harvesting. Finally, some waters are closed to shellfish harvesting due to existing water quality concerns.

Table 8. Shellfish Consumption data requirements and assessment criteria

Parameter	AUA	Criterion	Assessment Method	Data Requirements
Parameter Shellfish Consumption Classifications	6	No prohibitions and/or year-round closures in an AU. Shellfish waters with special conditions and temporal windows are assessed as	Assessment Method Determine the number of shellfish harvesting prohibitions, year-round closures, and limiting conditions per AU listed over the assessment period	Data Requirements DE and NJ shellfish consumption and harvesting advisories, prohibitions, closures, and limiting conditions per AU over the assessment period
		supporting but with conditions		

A WQM zone 6 is subdivided into multiple units based on Shellfish Management Directives.

2.4 Assessment Summary

Beginning with the 2010 Assessment, DRBC ended the practice of placing assessment units into a single final Assessment Category. Since assessment units may support certain designated uses, and fail to support other designated uses, assigning a final assessment category was deemed to be confusing.

In addition, DRBC does not list assessment units on a 303(d). Instead, we provide information to states to support their listing decisions, but state assessment methodologies differ from each other. Given the different state assessment methodologies, it would be impossible to DRBC to devise one methodology which would allow a unified final assessment category agreed upon by all states.

Alternatively, the 2012 Assessment will include a summary of the individual assessments for each designated use.

2.5 Threatened Waters

Consistent with EPA's "Guidance for 2006 Assessment, Listing and Reporting Requirements Pursuant to Sections 303(d), 305(b) and 314 of the Clean Water Act - July 29, 2005" DRBC will review data trends, where appropriate, to assess whether impairments in future listing cycles are likely.

References Cited:

Silldorff, E.L. and R.L. Limbeck. 2009. "Interim Methodology for Bioassessment of the Delaware River for the DRBC 2010 Integrated Assessment". Delaware River Basin Commission draft report to the Biological Advisory Subcommittee; revision date 24-July-2009. 26 pp.