

Cases of Childhood Vaccine-Preventable Diseases*

New Jersey 1986-2004

	<u>Diphtheria</u>	<u>Tetanus</u>	<u>Pertussis</u>	<u>Polio (Wild)</u>	<u>Measles</u>	<u>Mumps</u>	<u>Rubella</u>	<u>Hib</u>
1986	0	1	20	0	911	51	4	NA
1987	0	4	26	0	39	74	1	NA
1988	0	0	32	0	405	57	4	NA
1989	0	2	24	0	462	214	7	NA
1990	0	3	38	0	473	143	1	60
1991	0	0	15	0	1,138	44	4	38
1992	0	2	58	0	42	13	5	22
1993	0	0	86	0	12	18	15	27
1994	0	2	15	0	175	13	1	16 (6)
1995	0	0	20	0	8	21	3	33 (5)
1996	0	0	31	0	3	4	2	65 (9)
1997	0	2	14	0	3	8	0	53 (8)
1998	0	1	29	0	8	6	14	53 (9)
1999	0	0	30	0	0	2	5	58 (1)
2000	0	1	58	0	0	4	1	NA
2001	0	0	23	0	1...	4	1	NA
2002	0	1	77**	0	1...	3	0	NA
2003	0	0	188**	0	2	6	2	NA
2004	0	0	223**	0	2	7	3	NA

* All ages.

** Change in case definition. Includes probable cases. In year 2003, there were 59 confirmed and 129 probable cases.

() Hib cases less than 5 years old.

... Imported case

Source: New Jersey Department of Health and Senior Services
Public Health Services, Immunization Program
June 3, 2005