

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q1 2010												
Atlanticare Regional Medical Center-Mainland	40	5	4	10.0%	1	2.5%	2	5.0%	32	80.0%	2	5.0%
Bayonne Medical Center	6	1	0	0.0%	0	0.0%	5	83.3%	4	66.7%	2	33.3%
Capital Health System at Mercer	15	0	0	0.0%	0	0.0%	15	100.0%	14	93.3%	0	0.0%
Chilton Memorial Hospital	13	0	0	0.0%	0	0.0%	13	100.0%	10	76.9%	1	7.7%
Christ Hospital	13	2	0	0.0%	0	0.0%	9	69.2%	12	92.3%	1	7.7%
Clara Maass Medical Center	8	0	0	0.0%	0	0.0%	8	100.0%	6	75.0%	1	12.5%
Community Medical Center	31	0	0	0.0%	0	0.0%	31	100.0%	24	77.4%	2	6.5%
Cooper Hospital/University Medical Center	14	3	7	50.0%	0	0.0%	4	28.6%	11	78.6%	1	7.1%
Deborah Heart and Lung Center	9	3	4	44.4%	0	0.0%	1	11.1%	7	77.8%	0	0.0%
Englewood Hospital and Medical Center	16	0	1	6.3%	1	6.3%	14	87.5%	13	81.3%	2	12.5%
Hackensack University Medical Center	39	1	7	17.9%	1	2.6%	29	74.4%	34	87.2%	1	2.6%
Holy Name Hospital	19	0	0	0.0%	0	0.0%	18	94.7%	15	78.9%	3	15.8%
Hunterdon Medical Center	17	0	0	0.0%	0	0.0%	17	100.0%	16	94.1%	0	0.0%
Jersey City Medical Center	10	0	5	50.0%	0	0.0%	3	30.0%	8	80.0%	2	20.0%
Jersey Shore University Medical Center	21	4	2	9.5%	1	4.8%	11	52.4%	18	85.7%	1	4.8%
JFK Medical Center (Edison)	23	0	0	0.0%	0	0.0%	21	91.3%	16	69.6%	3	13.0%
Monmouth Medical Center	5	0	0	0.0%	0	0.0%	5	100.0%	4	80.0%	0	0.0%
Morristown Memorial Hospital	39	1	0	0.0%	1	2.6%	35	89.7%	28	71.8%	8	20.5%
Mountainside Hospital	8	0	1	12.5%	1	12.5%	6	75.0%	7	87.5%	0	0.0%
Newark Beth Israel Medical Center	12	0	0	0.0%	0	0.0%	12	100.0%	12	100.0%	0	0.0%
Ocean Medical Center	15	0	0	0.0%	0	0.0%	14	93.3%	12	80.0%	1	6.7%
Our Lady of Lourdes Medical Center	29	2	1	3.4%	2	6.9%	24	82.8%	23	79.3%	2	6.9%
Overlook Hospital	22	0	0	0.0%	0	0.0%	22	100.0%	14	63.6%	2	9.1%
Raritan Bay Medical Center - Perth Amboy	15	0	3	20.0%	1	6.7%	11	73.3%	15	100.0%	0	0.0%
Riverview Medical Center	13	0	1	7.7%	0	0.0%	12	92.3%	11	84.6%	0	0.0%
Robert Wood Johnson University Hospital	38	3	3	7.9%	2	5.3%	32	84.2%	37	97.4%	0	0.0%
RWJ University Hospital at Hamilton	17	2	0	0.0%	0	0.0%	15	88.2%	13	76.5%	2	11.8%
Somerset Medical Center	16	1	0	0.0%	0	0.0%	15	93.8%	13	81.3%	1	6.3%
St. Barnabas Medical Center	11	1	1	9.1%	0	0.0%	7	63.6%	8	72.7%	1	9.1%
St. Clare's Hospital - Denville	12	0	0	0.0%	0	0.0%	12	100.0%	12	100.0%	0	0.0%
St. Francis Medical Center	15	1	0	0.0%	0	0.0%	14	93.3%	10	66.7%	3	20.0%
St. Joseph's Hospital and Medical Center	11	2	1	9.1%	0	0.0%	8	72.7%	10	90.9%	1	9.1%
St. Mary's Hospital (Passaic)	5	1	1	20.0%	0	0.0%	4	80.0%	3	60.0%	1	20.0%
St. Michael's Medical Center	5	0	1	20.0%	0	0.0%	3	60.0%	4	80.0%	0	0.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
									<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Peter's University Hospital	6	0	0	0.0%	0	0.0%	6	100.0%	4	66.7%	2	33.3%
Trinitas Hospital	16	0	0	0.0%	0	0.0%	15	93.8%	11	68.8%	1	6.3%
UMDNJ-University Hospital	7	0	0	0.0%	0	0.0%	7	100.0%	6	85.7%	1	14.3%
Underwood - Memorial Hospital	20	0	0	0.0%	0	0.0%	19	95.0%	17	85.0%	2	10.0%
University Medical Center at Princeton	10	0	0	0.0%	0	0.0%	10	100.0%	8	80.0%	0	0.0%
Valley Hospital	28	2	0	0.0%	0	0.0%	26	92.9%	23	82.1%	0	0.0%
Virtua-Memorial Hospital Burlington Cty.	11	0	0	0.0%	0	0.0%	11	100.0%	3	27.3%	3	27.3%
Virtua-West Jersey Hospital Marlton	21	0	0	0.0%	0	0.0%	21	100.0%	16	76.2%	0	0.0%
Total	701	35	43	6.1%	11	1.6%	567	80.9%	564	80.5%	53	7.6%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q2 2010												
Atlanticare Regional Medical Center-Mainland	43	15	10	23.3%	2	4.7%	3	7.0%	39	90.7%	2	4.7%
Bayonne Medical Center	5	0	0	0.0%	0	0.0%	5	100.0%	3	60.0%	1	20.0%
Capital Health System at Mercer	9	0	0	0.0%	0	0.0%	9	100.0%	7	77.8%	1	11.1%
Chilton Memorial Hospital	13	0	0	0.0%	0	0.0%	13	100.0%	12	92.3%	0	0.0%
Christ Hospital	4	0	0	0.0%	0	0.0%	4	100.0%	2	50.0%	2	50.0%
Clara Maass Medical Center	13	0	0	0.0%	0	0.0%	13	100.0%	12	92.3%	0	0.0%
Community Medical Center	31	0	0	0.0%	0	0.0%	31	100.0%	26	83.9%	0	0.0%
Cooper Hospital/University Medical Center	18	2	5	27.8%	0	0.0%	10	55.6%	17	94.4%	0	0.0%
Deborah Heart and Lung Center	9	0	0	0.0%	0	0.0%	4	44.4%	4	44.4%	1	11.1%
Englewood Hospital and Medical Center	11	1	1	9.1%	2	18.2%	7	63.6%	11	100.0%	0	0.0%
Hackensack University Medical Center	25	0	1	4.0%	2	8.0%	20	80.0%	22	88.0%	1	4.0%
Holy Name Hospital	14	0	0	0.0%	0	0.0%	14	100.0%	10	71.4%	3	21.4%
Hunterdon Medical Center	18	0	0	0.0%	0	0.0%	18	100.0%	16	88.9%	0	0.0%
Jersey City Medical Center	18	1	10	55.6%	1	5.6%	7	38.9%	13	72.2%	3	16.7%
Jersey Shore University Medical Center	25	7	8	32.0%	1	4.0%	10	40.0%	21	84.0%	1	4.0%
JFK Medical Center (Edison)	21	0	1	4.8%	1	4.8%	18	85.7%	19	90.5%	0	0.0%
Monmouth Medical Center	3	0	0	0.0%	0	0.0%	3	100.0%	3	100.0%	0	0.0%
Morristown Memorial Hospital	37	1	0	0.0%	0	0.0%	36	97.3%	30	81.1%	1	2.7%
Mountainside Hospital	14	0	0	0.0%	0	0.0%	14	100.0%	10	71.4%	1	7.1%
Newark Beth Israel Medical Center	12	2	0	0.0%	0	0.0%	10	83.3%	12	100.0%	0	0.0%
Ocean Medical Center	24	0	0	0.0%	0	0.0%	23	95.8%	19	79.2%	1	4.2%
Our Lady of Lourdes Medical Center	46	6	0	0.0%	0	0.0%	40	87.0%	33	71.7%	5	10.9%
Overlook Hospital	14	0	0	0.0%	0	0.0%	14	100.0%	8	57.1%	2	14.3%
Raritan Bay Medical Center - Perth Amboy	18	2	2	11.1%	0	0.0%	13	72.2%	17	94.4%	0	0.0%
Riverview Medical Center	16	0	1	6.3%	0	0.0%	15	93.8%	14	87.5%	1	6.3%
Robert Wood Johnson University Hospital	46	3	2	4.3%	1	2.2%	39	84.8%	44	95.7%	0	0.0%
RWJ University Hospital at Hamilton	16	0	0	0.0%	0	0.0%	16	100.0%	12	75.0%	1	6.3%
Somerset Medical Center	29	1	0	0.0%	1	3.4%	27	93.1%	23	79.3%	1	3.4%
St. Barnabas Medical Center	9	0	0	0.0%	0	0.0%	7	77.8%	6	66.7%	0	0.0%
St. Clare's Hospital - Denville	15	0	0	0.0%	0	0.0%	15	100.0%	14	93.3%	0	0.0%
St. Francis Medical Center	9	2	0	0.0%	1	11.1%	6	66.7%	8	88.9%	1	11.1%
St. Joseph's Hospital and Medical Center	37	6	3	8.1%	0	0.0%	29	78.4%	36	97.3%	0	0.0%
St. Mary's Hospital (Passaic)	9	2	1	11.1%	0	0.0%	5	55.6%	5	55.6%	1	11.1%
St. Michael's Medical Center	5	0	2	40.0%	0	0.0%	2	40.0%	1	20.0%	2	40.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Peter's University Hospital	3	0	0	0.0%	0	0.0%	3	100.0%	1	33.3%	2	66.7%
Trinitas Hospital	12	0	0	0.0%	0	0.0%	12	100.0%	6	50.0%	2	16.7%
UMDNJ-University Hospital	13	0	2	15.4%	1	7.7%	10	76.9%	11	84.6%	2	15.4%
Underwood - Memorial Hospital	22	0	0	0.0%	0	0.0%	22	100.0%	19	86.4%	0	0.0%
University Medical Center at Princeton	10	0	0	0.0%	0	0.0%	9	90.0%	8	80.0%	0	0.0%
Valley Hospital	28	1	0	0.0%	0	0.0%	27	96.4%	25	89.3%	1	3.6%
Virtua-Memorial Hospital Burlington Cty.	14	0	0	0.0%	0	0.0%	13	92.9%	10	71.4%	2	14.3%
Virtua-West Jersey Hospital Marlton	23	0	0	0.0%	0	0.0%	23	100.0%	20	87.0%	1	4.3%
Total	761	52	49	6.4%	13	1.7%	619	81.3%	629	82.7%	42	5.5%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q3 2010												
Atlanticare Regional Medical Center-Mainland	55	5	20	36.4%	5	9.1%	7	12.7%	49	89.1%	3	5.5%
Bayonne Medical Center	7	0	0	0.0%	0	0.0%	6	85.7%	7	100.0%	0	0.0%
Capital Health System at Mercer	14	0	0	0.0%	0	0.0%	14	100.0%	10	71.4%	1	7.1%
Chilton Memorial Hospital	8	0	0	0.0%	0	0.0%	8	100.0%	8	100.0%	0	0.0%
Christ Hospital	10	1	0	0.0%	0	0.0%	8	80.0%	8	80.0%	2	20.0%
Clara Maass Medical Center	13	0	1	7.7%	0	0.0%	13	100.0%	12	92.3%	0	0.0%
Community Medical Center	32	0	1	3.1%	0	0.0%	31	96.9%	27	84.4%	0	0.0%
Cooper Hospital/University Medical Center	17	1	5	29.4%	0	0.0%	11	64.7%	14	82.4%	3	17.6%
Deborah Heart and Lung Center	16	1	3	18.8%	1	6.3%	7	43.8%	13	81.3%	0	0.0%
Englewood Hospital and Medical Center	5	1	0	0.0%	0	0.0%	4	80.0%	5	100.0%	0	0.0%
Hackensack University Medical Center	37	6	32	86.5%	2	5.4%	4	10.8%	27	73.0%	7	18.9%
Holy Name Hospital	7	0	0	0.0%	0	0.0%	7	100.0%	7	100.0%	0	0.0%
Hunterdon Medical Center	18	0	0	0.0%	0	0.0%	18	100.0%	17	94.4%	0	0.0%
Jersey City Medical Center	7	0	1	14.3%	0	0.0%	6	85.7%	6	85.7%	0	0.0%
Jersey Shore University Medical Center	28	2	4	14.3%	1	3.6%	22	78.6%	23	82.1%	2	7.1%
JFK Medical Center (Edison)	21	0	0	0.0%	0	0.0%	21	100.0%	16	76.2%	4	19.0%
Monmouth Medical Center	5	0	0	0.0%	0	0.0%	5	100.0%	5	100.0%	0	0.0%
Morristown Memorial Hospital	35	1	0	0.0%	1	2.9%	33	94.3%	29	82.9%	3	8.6%
Mountainside Hospital	8	0	0	0.0%	0	0.0%	7	87.5%	5	62.5%	0	0.0%
Newark Beth Israel Medical Center	2	0	0	0.0%	0	0.0%	2	100.0%	2	100.0%	0	0.0%
Ocean Medical Center	18	0	0	0.0%	0	0.0%	17	94.4%	12	66.7%	4	22.2%
Our Lady of Lourdes Medical Center	32	2	0	0.0%	1	3.1%	29	90.6%	27	84.4%	3	9.4%
Overlook Hospital	14	0	0	0.0%	1	7.1%	12	85.7%	11	78.6%	1	7.1%
Raritan Bay Medical Center - Perth Amboy	17	0	1	5.9%	0	0.0%	13	76.5%	15	88.2%	1	5.9%
Riverview Medical Center	20	2	0	0.0%	1	5.0%	17	85.0%	18	90.0%	0	0.0%
Robert Wood Johnson University Hospital	31	1	2	6.5%	4	12.9%	24	77.4%	30	96.8%	1	3.2%
RWJ University Hospital at Hamilton	15	0	1	6.7%	0	0.0%	14	93.3%	12	80.0%	2	13.3%
Somerset Medical Center	23	0	0	0.0%	0	0.0%	23	100.0%	21	91.3%	1	4.3%
St. Barnabas Medical Center	14	0	3	21.4%	0	0.0%	11	78.6%	13	92.9%	0	0.0%
St. Clare's Hospital - Denville	17	0	0	0.0%	0	0.0%	17	100.0%	13	76.5%	1	5.9%
St. Francis Medical Center	6	0	0	0.0%	0	0.0%	6	100.0%	4	66.7%	1	16.7%
St. Joseph's Hospital and Medical Center	30	3	1	3.3%	0	0.0%	27	90.0%	27	90.0%	0	0.0%
St. Mary's Hospital (Passaic)	6	2	0	0.0%	0	0.0%	3	50.0%	3	50.0%	2	33.3%
St. Michael's Medical Center	7	0	0	0.0%	1	14.3%	6	85.7%	6	85.7%	1	14.3%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Baloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Peter's University Hospital	7	0	0	0.0%	0	0.0%	7	100.0%	4	57.1%	1	14.3%
Trinitas Hospital	25	2	1	4.0%	0	0.0%	21	84.0%	16	64.0%	4	16.0%
UMDNJ-University Hospital	13	0	1	7.7%	1	7.7%	11	84.6%	12	92.3%	0	0.0%
Underwood - Memorial Hospital	21	0	0	0.0%	0	0.0%	20	95.2%	17	81.0%	0	0.0%
University Medical Center at Princeton	6	0	0	0.0%	0	0.0%	6	100.0%	4	66.7%	0	0.0%
Valley Hospital	24	2	0	0.0%	1	4.2%	21	87.5%	19	79.2%	3	12.5%
Virtua-Memorial Hospital Burlington Cty.	16	0	0	0.0%	0	0.0%	16	100.0%	7	43.8%	2	12.5%
Virtua-West Jersey Hospital Marlton	14	0	0	0.0%	0	0.0%	14	100.0%	10	71.4%	1	7.1%
Total	721	32	77	10.7%	20	2.8%	569	78.9%	591	82.0%	54	7.5%

Primary PCI procedures that were unsuccessful are excluded from door-to-baloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q4 2010												
Atlanticare Regional Medical Center-Mainland	47	2	30	63.8%	0	0.0%	9	19.1%	39	83.0%	3	6.4%
Bayonne Medical Center	13	1	3	23.1%	1	7.7%	7	53.8%	12	92.3%	1	7.7%
Capital Health System at Mercer	10	0	0	0.0%	0	0.0%	10	100.0%	6	60.0%	1	10.0%
Chilton Memorial Hospital	15	0	0	0.0%	0	0.0%	15	100.0%	13	86.7%	2	13.3%
Christ Hospital	9	1	0	0.0%	0	0.0%	8	88.9%	6	66.7%	1	11.1%
Clara Maass Medical Center	20	1	0	0.0%	0	0.0%	19	95.0%	15	75.0%	1	5.0%
Community Medical Center	36	0	1	2.8%	1	2.8%	34	94.4%	27	75.0%	0	0.0%
Cooper Hospital/University Medical Center	14	0	0	0.0%	0	0.0%	14	100.0%	10	71.4%	0	0.0%
Deborah Heart and Lung Center	6	1	1	16.7%	0	0.0%	2	33.3%	3	50.0%	0	0.0%
Englewood Hospital and Medical Center	16	3	0	0.0%	1	6.3%	12	75.0%	12	75.0%	4	25.0%
Hackensack University Medical Center	42	3	38	90.5%	2	4.8%	4	9.5%	37	88.1%	2	4.8%
Holy Name Hospital	15	0	0	0.0%	0	0.0%	15	100.0%	12	80.0%	3	20.0%
Hunterdon Medical Center	15	0	0	0.0%	0	0.0%	15	100.0%	15	100.0%	0	0.0%
Jersey City Medical Center	19	2	13	68.4%	1	5.3%	7	36.8%	17	89.5%	1	5.3%
Jersey Shore University Medical Center	23	5	2	8.7%	2	8.7%	14	60.9%	12	52.2%	6	26.1%
JFK Medical Center (Edison)	23	0	0	0.0%	0	0.0%	23	100.0%	16	69.6%	0	0.0%
Monmouth Medical Center	3	0	0	0.0%	0	0.0%	3	100.0%	3	100.0%	0	0.0%
Morristown Memorial Hospital	38	5	6	15.8%	0	0.0%	30	78.9%	28	73.7%	3	7.9%
Mountainside Hospital	16	0	0	0.0%	0	0.0%	15	93.8%	13	81.3%	1	6.3%
Newark Beth Israel Medical Center	16	0	0	0.0%	0	0.0%	15	93.8%	16	100.0%	0	0.0%
Ocean Medical Center	19	0	0	0.0%	0	0.0%	19	100.0%	18	94.7%	0	0.0%
Our Lady of Lourdes Medical Center	30	0	1	3.3%	0	0.0%	28	93.3%	28	93.3%	1	3.3%
Overlook Hospital	22	0	0	0.0%	0	0.0%	22	100.0%	15	68.2%	2	9.1%
Raritan Bay Medical Center - Perth Amboy	36	7	4	11.1%	1	2.8%	24	66.7%	33	91.7%	2	5.6%
Riverview Medical Center	22	2	0	0.0%	2	9.1%	17	77.3%	18	81.8%	3	13.6%
Robert Wood Johnson University Hospital	44	1	4	9.1%	4	9.1%	36	81.8%	44	100.0%	0	0.0%
RWJ University Hospital at Hamilton	15	0	0	0.0%	0	0.0%	15	100.0%	10	66.7%	3	20.0%
Somerset Medical Center	22	0	0	0.0%	1	4.5%	20	90.9%	16	72.7%	2	9.1%
St. Barnabas Medical Center	13	0	1	7.7%	0	0.0%	10	76.9%	9	69.2%	0	0.0%
St. Clare's Hospital - Denville	23	0	0	0.0%	0	0.0%	23	100.0%	15	65.2%	2	8.7%
St. Francis Medical Center	13	1	0	0.0%	1	7.7%	11	84.6%	6	46.2%	1	7.7%
St. Joseph's Hospital and Medical Center	33	2	0	0.0%	1	3.0%	28	84.8%	29	87.9%	2	6.1%
St. Mary's Hospital (Passaic)	6	2	0	0.0%	1	16.7%	2	33.3%	5	83.3%	1	16.7%
St. Michael's Medical Center	3	2	1	33.3%	0	0.0%	1	33.3%	2	66.7%	0	0.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
									<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Peter's University Hospital	4	0	0	0.0%	0	0.0%	4	100.0%	3	75.0%	0	0.0%
Trinitas Hospital	17	2	0	0.0%	1	5.9%	14	82.4%	6	35.3%	5	29.4%
UMDNJ-University Hospital	4	1	0	0.0%	1	25.0%	2	50.0%	4	100.0%	0	0.0%
Underwood - Memorial Hospital	25	0	0	0.0%	1	4.0%	24	96.0%	23	92.0%	1	4.0%
University Medical Center at Princeton	6	0	0	0.0%	0	0.0%	6	100.0%	4	66.7%	1	16.7%
Valley Hospital	22	2	0	0.0%	0	0.0%	20	90.9%	15	68.2%	2	9.1%
Virtua-Memorial Hospital Burlington Cty.	19	1	0	0.0%	0	0.0%	18	94.7%	11	57.9%	1	5.3%
Virtua-West Jersey Hospital Marlton	13	0	0	0.0%	0	0.0%	13	100.0%	13	100.0%	0	0.0%
Total	807	47	105	13.0%	22	2.7%	628	77.8%	639	79.2%	58	7.2%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
2010 Total												
Atlanticare Regional Medical Center-Mainland	185	27	64	34.6%	8	4.3%	21	11.4%	159	85.9%	10	5.4%
Bayonne Medical Center	31	2	3	9.7%	1	3.2%	23	74.2%	26	83.9%	4	12.9%
Capital Health System at Mercer	48	0	0	0.0%	0	0.0%	48	100.0%	37	77.1%	3	6.3%
Chilton Memorial Hospital	49	0	0	0.0%	0	0.0%	49	100.0%	43	87.8%	3	6.1%
Christ Hospital	36	4	0	0.0%	0	0.0%	29	80.6%	28	77.8%	6	16.7%
Clara Maass Medical Center	54	1	1	1.9%	0	0.0%	53	98.1%	45	83.3%	2	3.7%
Community Medical Center	130	0	2	1.5%	1	0.8%	127	97.7%	104	80.0%	2	1.5%
Cooper Hospital/University Medical Center	63	6	17	27.0%	0	0.0%	39	61.9%	52	82.5%	4	6.3%
Deborah Heart and Lung Center	40	5	8	20.0%	1	2.5%	14	35.0%	27	67.5%	1	2.5%
Englewood Hospital and Medical Center	48	5	2	4.2%	4	8.3%	37	77.1%	41	85.4%	6	12.5%
Hackensack University Medical Center	143	10	78	54.5%	7	4.9%	57	39.9%	120	83.9%	11	7.7%
Holy Name Hospital	55	0	0	0.0%	0	0.0%	54	98.2%	44	80.0%	9	16.4%
Hunterdon Medical Center	68	0	0	0.0%	0	0.0%	68	100.0%	64	94.1%	0	0.0%
Jersey City Medical Center	54	3	29	53.7%	2	3.7%	23	42.6%	44	81.5%	6	11.1%
Jersey Shore University Medical Center	97	18	16	16.5%	5	5.2%	57	58.8%	74	76.3%	10	10.3%
JFK Medical Center (Edison)	88	0	1	1.1%	1	1.1%	83	94.3%	67	76.1%	7	8.0%
Monmouth Medical Center	16	0	0	0.0%	0	0.0%	16	100.0%	15	93.8%	0	0.0%
Morristown Memorial Hospital	149	8	6	4.0%	2	1.3%	134	89.9%	115	77.2%	15	10.1%
Mountainside Hospital	46	0	1	2.2%	1	2.2%	42	91.3%	35	76.1%	2	4.3%
Newark Beth Israel Medical Center	42	2	0	0.0%	0	0.0%	39	92.9%	42	100.0%	0	0.0%
Ocean Medical Center	76	0	0	0.0%	0	0.0%	73	96.1%	61	80.3%	6	7.9%
Our Lady of Lourdes Medical Center	137	10	2	1.5%	3	2.2%	121	88.3%	111	81.0%	11	8.0%
Overlook Hospital	72	0	0	0.0%	1	1.4%	70	97.2%	48	66.7%	7	9.7%
Raritan Bay Medical Center - Perth Amboy	86	9	10	11.6%	2	2.3%	61	70.9%	80	93.0%	3	3.5%
Riverview Medical Center	71	4	2	2.8%	3	4.2%	61	85.9%	61	85.9%	4	5.6%
Robert Wood Johnson University Hospital	159	8	11	6.9%	11	6.9%	131	82.4%	155	97.5%	1	0.6%
RWJ University Hospital at Hamilton	63	2	1	1.6%	0	0.0%	60	95.2%	47	74.6%	8	12.7%
Somerset Medical Center	90	2	0	0.0%	2	2.2%	85	94.4%	73	81.1%	5	5.6%
St. Barnabas Medical Center	47	1	5	10.6%	0	0.0%	35	74.5%	36	76.6%	1	2.1%
St. Clare's Hospital - Denville	67	0	0	0.0%	0	0.0%	67	100.0%	54	80.6%	3	4.5%
St. Francis Medical Center	43	4	0	0.0%	2	4.7%	37	86.0%	28	65.1%	6	14.0%
St. Joseph's Hospital and Medical Center	111	13	5	4.5%	1	0.9%	92	82.9%	102	91.9%	3	2.7%
St. Mary's Hospital (Passaic)	26	7	2	7.7%	1	3.8%	14	53.8%	16	61.5%	5	19.2%
St. Michael's Medical Center	20	2	4	20.0%	1	5.0%	12	60.0%	13	65.0%	3	15.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health and Senior Services
Primary Angioplasty Quarterly Report 1/1/2010 - 12/31/2010**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Peter's University Hospital	20	0	0	0.0%	0	0.0%	20	100.0%	12	60.0%	5	25.0%
Trinitas Hospital	70	4	1	1.4%	1	1.4%	62	88.6%	39	55.7%	12	17.1%
UMDNJ-University Hospital	37	1	3	8.1%	3	8.1%	30	81.1%	33	89.2%	3	8.1%
Underwood - Memorial Hospital	88	0	0	0.0%	1	1.1%	85	96.6%	76	86.4%	3	3.4%
University Medical Center at Princeton	32	0	0	0.0%	0	0.0%	31	96.9%	24	75.0%	1	3.1%
Valley Hospital	102	7	0	0.0%	1	1.0%	94	92.2%	82	80.4%	6	5.9%
Virtua-Memorial Hospital Burlington Cty.	60	1	0	0.0%	0	0.0%	58	96.7%	31	51.7%	8	13.3%
Virtua-West Jersey Hospital Marlton	71	0	0	0.0%	0	0.0%	71	100.0%	59	83.1%	2	2.8%
Total	2990	166	274	9.2%	66	2.2%	2383	79.7%	2423	81.0%	207	6.9%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.