# STRUCTURAL EVALUATION CONSULTANT EVALUATION CRITERIA FOR SIGN STRUCTURE INSPECTION

### I. SCHEDULE

The work performed shall be in accordance with the various schedules as stated in the Scope of Work and the Agreement. The rating will not reflect factors totally outside the Consultant's control (such as an excessive delay by an authority to issue a right-of-way permit, MOT, etc.).

#### RATING

- 5 Field inspections completed in conformance with approved field schedule. 60% of the final reports were submitted at least four (4) months before the end of the project and the remaining at least two (2) months before the end of the project. Final sign structure database CD (and working files CD) was submitted to Department with the last batch of final reports. If corrections were required to any deliverable<sup>4</sup>, they were submitted within one (1) month from the receipt of the State's comments. Final invoice was submitted within 30 days after submission of final database CD, or working files CD, whichever was later.
- Field inspections completed in conformance with approved field schedule. 60% of the final reports were submitted at least three (3) months before the end of the project and the remaining at least one (1) month before the end of the project. Final sign structure database CD (and working files CD) was submitted to Department with the last batch of final reports. If corrections were required to any deliverable<sup>4</sup>, they were submitted within one and a half (1<sup>1</sup>/<sub>2</sub>) months from the receipt of the State's comments. Final invoice was submitted within 30 days after submission of final database CD, or working files CD, whichever was later.
- 3 Field inspections completed in conformance with approved field schedule. 60% of the final reports were submitted at least two (2) months before the end of the project and the remaining before the end of the project. Final sign structure database CD (and working files CD) was submitted to Department within one month (1) month of the last batch of final reports. If corrections were required to any deliverable<sup>♥</sup>, they were submitted within two months (2) months from the receipt of the State's comments. Final invoice was submitted within 30 days after submission of final database CD, or working files CD, whichever was later.

- 2 Format reports submitted at least four (4) months before the end of the project. 60% of the final reports were submitted before the scheduled end of the project and the remaining within three (3) months after the scheduled end of the project. Final sign structure database CD (and working files CD) was submitted to Department within two (2) months of the last batch of final reports. If corrections were required to any deliverable<sup>4</sup>, they were submitted within three (3) months from the receipt of the State's comments. Final invoice was submitted within 60 days after submission of final database CD, or working files CD, whichever was later.
- 1 Failure to meet the above criteria.
  - Deliverables typically include: All Reports & Priority Letters, Working files CD (containing Word, CADD, Visio, etc.), Database CD (if applicable) and MPT/Equipment usage spreadsheet. (NOTE: If the only failure is to submit the Working Files CD, the maximum rating reduction shall be 1 rating point.)

# WEIGHT OF CATEGORY 30%

### II. OVERALL QUALITY (CONSULTANT ERRORS & OMISSIONS/CORRECTED WORK)

Based on the performance checklists, reports submitted shall not require changes due to inaccuracies in technical areas of the report, or consultant errors or omissions in the data fields of the report/database. Corrective work shall not require repeated submissions to the Department.

#### RATING

- 5 Documented errors and omissions did not exceed 4% based on the items<sup>†</sup> reviewed. No resubmission of the format or final reports was required. Any database errors were considered minor. CD was complete. All Priority E (Emergency) repairs were properly identified; we were notified by telephone, and letters written (and sent) within two (2) days of the inspection date. All Priority 1 repairs were properly identified and notification letters written (and sent) within one (1) week of inspection date. At least 50% of Priority 2 Repairs were properly identified and notification letters written within two (2) weeks.
- Documented errors and omissions did not exceed **8%** based on the items<sup>†</sup> reviewed. Resubmission of individual sheets of less than 10% of the final reports was required. Resubmission of no more than two (2) format reports was required. Any database errors were considered medium, requiring a clean-up resubmission. All Priority E repairs were properly identified; we were notified by telephone, and letters written (and sent) within one (1) week of inspection date. All Priority 1 repairs were properly identified and notification letters written (and sent) within two (2) weeks of inspection date.
- 3 Documented errors and omissions did not exceed **16%** based on the items<sup>†</sup> reviewed. Resubmission of individual sheets of less than 20% of the final reports was required. Resubmission of no more than 5% of the final reports was required. Database was rejected and required a resubmission due to numerous defects. All Priority E repairs were properly identified; we were notified by telephone, and letters written (and sent) within two (2) weeks of inspection date.
- 2 Documented errors and omissions did not exceed 25% based on the items<sup>†</sup> reviewed. Resubmission of individual sheets of greater than 20% of the final reports was required. Resubmission of more than 5% of the final reports was required. Database was rejected and required multiple resubmissions due to numerous defects or Consultant not following. At least one Priority E repair was not properly identified, notified, or written as per scope of work.
- 1 Failure to achieve the above criteria, and/or a gross failure to perform the job correctly.

# WEIGHT OF CATEGORY 50%

<sup>&</sup>lt;sup>†</sup> Documented errors and omissions scored using spreadsheet, based on CD and reports that were reviewed by in-house personnel. Documented errors and omissions for Format Reports have 80% reduction in the Deduction Points.

# III. PROJECT MANAGEMENT

### Rates the overall project management; NOT the individual(s) serving in the position

#### The Consultant Project Management:

- was organized and proficient with administrative, procedural and technical skills.
- performed the work of the project as required in the Scope of Services and as directed by the State Project Manager.
- supervised the progress of the work of his staff and that of his Sub-consultants.
- was proficient with verbal and written communication skills.
- was cooperative with the Department and/or joint operating agencies involved with the project.
- kept the State Project Manager advised of general matters and also identifies and worked to resolve problems that arise.
- was available for Department phone calls and meetings.
- received Department approval prior to making any changes to the Consultant Contract Management or team structure established through the Agreement.
- effectively managed Traffic Control and Special Equipment usage.

### RATING

- 5 Has met all of the above requirements. No improvement needed.
- 4 Above average performance, did not meet one of the above requirements.
- 3 Average performance, did not meet two of the above requirements.
- 2 Below average performance, did not meet three of the above requirements.
- 1 Did not meet three of the above requirements and/or a change of the Consultant Contract Management was required by the Department.

# WEIGHT OF CATEGORY 20%

# STRUCTURAL EVALUATION SIGN STRUCTURE REPORT QUALITY CHECKLIST

CONSULTANT NAME	RATING PERIOD		
PROJECT ENGINEER	DATE		
SIGN STRUCTURE NO.	DATE RECEIVED/STAM	PED	
FORMAT REPORT [DEDUCTIONS X 0.20]     PAGE(S) SUBSTITUTION REQUIRED     Resubmission Required       This Checklist is used for each Sign Structure Report to be Reviewed.     Resubmission Required			
	Errors Report	WEIGHT	DEDUCT
	<b>R</b> EPORTS [50 POINTS]	I	
1. Is Structure Name incorrect as per NJDC		1	
2. Is the Structure Number not correct?		5	
3. Is the Date Inspected incorrect?		2	
4. Is the Status of inspection not correctly s	shown as Final for a Final DB submission?	2	
5. In the Overall Summary of Structure Condition:     1       a. Is the reasoning behind the Overall Rating not stated HERE (not just some general phrase that references the rest of the report)?     1			
b. Is the actual structure condition not	-	2	
	cludes (but is not limited to) any comments		
	portion of the structure (buried areas, areas	1	
behind noise walls, etc.)?			
7. Is New Jersey P.E. license number for certifying Engineer incorrect or incomplete?		1	
8. Are all Signage sizes not shown? 1			
9. For Sign Structures where Plans (if foun	•		
a. Is the Plan Route or Section numbe Designation field?	r not indicated in the Construction Contract	1	
e e	hown in the Design Based on Sign Design	1	
	SPECIFIED in the Truss & Tower Material	1	
d. Is the Installation Year field is not completed? 1			
10. Is any Component Ratings not completed?		2	
11. Is any Deficiency not described (if nothing is missing "None")?		2	
12. Is any Priority Repair Ratings not completed?		2	
13. Is any Priority Repair Recommendations not completed? 2			
14. Is the Image of structure Elevation View missing any required information (including Structure Number)?   1			
15. Is Image of Anchor Bolt UT missing a sketch that shows each anchor bolt location? 1			
16. Is any Photo not clear?			
17. Is any Photo not referenced in the correct order in the Database?			
17. Is any Photo not referenced in the correct order in the Database?218. Is any required Image or Photo not present?5			
19. Where a detailed description is appropriate, is the detail not provided?			
20. Is all data present, complete and corre per error]	ct (not including above defects)? [Deduct -2	10	
TOTAL REPORT DEDUCTIONS PER SIGN STRUCTURE =			

### **STRUCTURAL EVALUATION** SIGN STRUCTURE REPORT QUALITY SUMMARY FORM

CONSULTANT NAME \_\_\_\_\_ RATING PERIOD \_\_\_\_\_ PROJECT ENGINEER \_\_\_\_\_ DATE \_\_\_\_\_

REPORT ERRORS/OMISSIONS					
1	2	3	<b>4</b> A	<b>4</b> B	<b>4</b> C
ΛT?			<b>RESUBMISSION REQUIRED</b>		
Sign Structure Number	IS THIS FORMAT?	DEDUCTION POINTS FOR FINAL OR FORMAT REPORT REVIEWS	PAGE(S)	FORMAT REPORT	FINAL REPORT
		(Format Reports have 80% reduction in			
		THE DEDUCTION POINTS)			
TOTAL =					
DEDUCTION POINTS	5 =				

Formula	<u>"A"</u>			
	TOTAL REPORT REVIEW POINTS =	TOTAL NUMBER IN COLUMN 1 × 50)		
Percent Report Errors	PEDCENT REDODT FODODS -	TOTAL DEDUCTIONS POINTS IN COLUMNS 3	- x 100 = 9	%
	TERCENT REFORT ERRORS -	TOTAL REPORT REVIEW POINTS	- X 100 /	
Formula	<u>"B"</u> PERCENT PAGES RESUB. =	TOTAL NUMBER IN COLUMN 4A	- x 100 =9	%
1		<b>TOTAL NUMBER IN COLUMN 1</b>	A 100 /	
PERCENT FORMAT RESUB. = -		TOTAL NUMBER OF STRUCTURES IN COLUMN 4B	- x 100 = %	
		<b>TOTAL NUMBER IN COLUMN 1</b>	X 100 – /	_ 70
	PERCENT FINAL RESUB. =	TOTAL NUMBER OF STRUCTURES IN COLUMN 4C	- x 100 =9	0%
	I ERCENT FINAL RESUB. –	TOTAL NUMBER IN COLUMN 1	A 100 – /U	
NOTES.				

NOTES:

a. COLUMNS 1 THRU 4 ARE FROM THE INDIVIDUAL SIGN STRUCTURE REPORT QUALITY CHECKLIST.

b. FOR COLUMNS 2, 4A, 4B & 4C, CHECK IF APPLICABLE.

### STRUCTURAL EVALUATION SIGN STRUCTURE DATABASE CD QUALITY SUMMARY

CONSULTANT NAME		_RATING PERIOD		
SIGN STRUCTURE DATABASE CD				
<b>CD</b> NOT SUBMITTED	IMAGE(S) MISSING	SINGLE RESUBM	ISSION REQUI	RED
<b>CD REJECTED</b>	<b>RATING NOT REQUIRED</b>	MULTIPLE RESU	BMISSIONS RH	QUIRED
This Summary is based on the Sign	STRUCTURE DATABASE CD CONTAIL	NING ALL THE SIGN STRUCTURE	s.	
DAT	TABASE ERRORS REPORT		WEIGHT	DEDUCT
	IGN STRUCTURE DATABASE CL			1
1. Is CD or CD-Case not labeled as specified in the SDMS Contractors Specifications?			1	
2. Are only those structures required to be submitted as a part of this submission not included in the database?			1	
3. Is any photo or image file not	titled as indicated in the specifi	ications?	1 or 2*	
4. Is final determination of each s	structure number done accordin	g to NJDOT guidance?	1 or 2*	
5. Is Cycle Number not correct (	0 for Inventory or 1, 2, etc. for	Hands-On inspections)?	1 or 2*	
6. For SRI numbers:				
a. Are all SRI numbers not EXACTLY correct?			1 or 2*	
b. Does it not reflect the Route the structure is actually located on, per the NJDOT <b>1 or 2</b> *				
Straight Line Diagram?				
c. Are all SRI numbers for structures on ramps not display the correct 17 digit SRI <b>1 or 2*</b> number per the NJDOT Straight Line Diagram?				
7 Is the Mile Post shown not based on the State Poute associated with the structure and				
per the NJDOT Straight Line Diagram?			1 or 2*	
8. If the SS is on a local road, does the Location Description contains the name and mile				
post of the local road the structure is actually on, as well as the distance and			1 or 2*	
direction from the Associated State Route centerline? Does this match the NJDOT			1 OF 2*	
Straight Line Diagram data unless N/A?				
9. Is Latitude or Longitude not correct to within 50' (when verified by NJDOT)?			1 or 2*	
10. Is the Structure Configuration code not correct?			1 or 2*	
11. Are the Project Agreement and Group number not correct?			1 or 2*	
12. Are all the Images and Photos referenced in the Database not present on the CD(s)?			2 or 5*	
13. Type of Inspection is Inventory for Inventory or Initial for Hands-On inspections.			2 or 5*	
14. Is all data present, complete and correct (not including above defects)? [Deduct $-\frac{1}{2}$			max 6	
per error]				
15. Is there error in the Transmittal Sheet or incomplete?			1 or 2*	
16. Is the County Spreadsheet missing? 1 or 3*				
		TOTAL CD DEDU	CTIONS =	

<b>R</b> ATING	TOTAL CD DEDUCTIONS
5	0
4	NO MORE THAN 10
3	Between 10 and 20
2	More than 20

#### **ERROR DESCRIPTION**

NO ERROR WITH COMPLETE DATA, NO RESUB REQUIRED. MEDIUM, A CLEAN-UP RESUBMISSION REQUIRED. REJECTED, A RESUBMISSION REQUIRED DUE TO NUMEROUS DEFECTS. REJECTED, MULTIPLE RESUBMISSIONS REQUIRED DUE TO NUMEROUS DEFECTS OR CONSULTANT NOT FOLLOWING AS PER SOW.

\* THE LOWER VALUE APPLIES TO ONE ERROR WHILE THE HIGHER VALUES APPLIES TO MULTIPLE ERRORS.