
NEW JERSEY NJTR-1 CRASH REPORT MANUAL













Revised: January 1, 2023

Edition: 2.0

Introduction

This comprehensive manual was created by a dedicated group of professionals to help you understand what the requirements are in filing the NJTR- 1. Each data element is explained in detail and provides you with information supported by law and expert opinion.

The most recent modifications to the NJTR-I are effective as of January 1, 2023. The previous NJTR-1 report form collected data in 149 blocks; the new reports include an additional four blocks for a total of 153 blocks. Changes to the NJTR-1 report form and new form completion guidance are reflected throughout this manual and appear in green text.

This manual can be considered a living document. New versions of this manual will be created as additional criteria need to be addressed or updated. The New Jersey Statewide Traffic Records Coordinating Committee will be soliciting questions as well as general comments to be included in future editions. The edition number can be found on the cover page of this manual.

We gratefully acknowledge the following individuals for making this manual a reality

Eric Heitmann New Jersey Division of Highway Traffic Safety, Director

Patricia Ott, PE STRCC Chairperson – MBO Engineering

Steve Choborda NJDOT, Bureau of Transportation Data & Support
Peter Brzostowski NJDOT, Bureau of Transportation Data & Support

Michael Cox New Jersey Motor Vehicle Commission, CDL Coordinator

William Beans MBO Engineering

Capt. Robert Babitz New Jersey State Police, Traffic & Public Safety Office

SFC David Guinan New Jersey State Police, Safe Corridor Unit

Michael J. Rizol Jr. STRCC - Equity Reconstruction

Joseph Weiss

Mew Jersey Division of Highway Traffic Safety
Michelle Lehman

New Jersey Office of Information Technology
Elisabeth Smith

New Jersey Office of Information Technology

Nicholas Schock New Jersey Police Traffic Officers Association, President
Timothy Franco New Jersey Police Traffic Officers Association, Past President

Shari Leichter New Jersey Motor Vehicle Commission

Layla Fryc New Jersey Turnpike Authority, Operations Department

David Maruca Rutgers University, NJLTAP Police Training

Keith Skilton Federal Highway Administration

Anne Marie Stancati-Aloe NJDOT, Bureau of Transportation Data & Support NJDOT, Bureau of Transportation Data & Support

George W. Sona Jr. Essex County Sheriff's Office

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

NJTR-1 Crash Report Guidelines Table of Contents

Contents

Introduction	2
NJTR-1 – Front	4
NJTR-1 – Reverse	5
NJTR-1 – Overlay 1	6
NJTR-1 – Overlay 2	7
History of Crash Reporting	8
General NJTR-1 Protocols and Instructions	9
Motor Vehicle and Traffic Laws Regarding Completion of Crash Reports	10
When should a crash be reported on an NJTR-1	11
Completing Crash Report Forms	11
Section 1 – Crash Location – Boxes 1-22	16
Section 2 – Driver/Vehicle – Boxes 23 – 48, 53 - 78	31
Section 3 – Commercial Vehicle – Boxes 49 – 52, 79 - 82	45
Section 4 – Persons Involved – Boxes 83 - 95	50
Section 5 Roadway System – Boxes 96 - 103	63
Section 6 – Crash/Vehicle Characteristics – Boxes 104 - 117	70
	107
NJTR-1A	132
NJTR-1B	133
NJTR-1M	134
Bus Layout	135
School Bus Layout	136


Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

NJTR-1 – Front

96 Page of Fatal New Jersey Police Crash Inve	estigation Report Reportable Non-Reportable Change Report
97 1. Case Number 10. Crash	11. Speed Limit 118b
98 2. Police Dept. of Code	12. Route No. Suffix 13. Milipost
3. Station/Prochet	1190
99 14 15 15	19. To: 17. Cross Road Name/Route No. NS EB 119 b 10. Total SB WB
4. Date of Crash sum dd yy Sun M Tu W 6. Timo (1982 2400 hrs.) 7. Municipality 6. Total (1982 2400 hrs.) 7. Municipality 6. Municipality	9. Total Injured 21. Latitude 20. Route Name/Route No. 22, Longitude 120s
Th F Sa	
	55. Water 54. Policy No. 120b
101 Parked Ped Pedalcylist Resp. to Emergency Ht & Run 26. Driver's First Name Initial Last Name 29. Sex	Parkad Ped Pedalcylist Resp. to Emergency Hit & Run 121s 56. Driver's First Name Initial Last Name 59. Sex
102 27. Number & Street	57, Number & Street
103	
28. City State Zip	58. City State Zip
30. Eyes DL Class Restrictions Endorsements 31. State	60. Eyes Dt. Class Restrictions Endorsements 61, State 122
105 27, Ditver's License Number 33, DOB 34, Expires	62, Driver's License Number 63, DOB 64, Expires
106 27. Driver's License Number 33, DDB 34, Expires dd yy mm	mm dd yy mm yy
36. Owner's First Name Initial Casil	5 🙃 R 🖟 Initial Last Namo
106 Same as Driver	Salmous 124
107 36. Number & Street	66. Number & Street 125
108 37. City State Zip	67. City State Zip 126a
109 36. Mako 39. Model 40. Color 41. Year 42. Plate No. 43. State	68. Make 69. Model 70. Color 71. Year 72. Plate No. 73. State 126b
110 44. VIN 45. Expires	74. VIN 75. Expires 126c
111 46. Vahicle Removed to:	76. Vehicle Removed to: 126d
112	□ Drivon □ Towed Disabled □ Towed Disabled & Impounded 126e
112 Laft at Scena Towed Impounded	Left at Scene Towed Impounded
47. Authority Driver Driver Police	Owner Driver Police
48. Alcohol Drug Test 49. Hazardous Matonal Spill Giver: No Yes Refused None On Board Spill	78. Alcohol Drug Test 79. Hazaroous Mational 127b Given: No Yes Refused None On Board Spill
115 Type: Breath Blood Urine	Type: Breath Blood Urine 127c
116 Results: O. 96 Pending Hazard Class Placard No. 116 St. Carrier No. 116 St. Carrier No. 116 St. Carrier No. 116 St. Carrier No. 117 St. Carrie	Results: O.
117 USDOT None 10,000 bs.	USDOT None 410,000 lbs. 127e
MC/MX Of lbs.	MCAXX
52. Motor Carrier or Government Entity	(0) (1) (0)
Number & Street	129
City State Zip	130
Level of 150 - AVAILABLE 0 0 1 02 03 04 05 00known	Level of 152 - AVAILABLE 0 1 2 3 4 5 Urknown 131
Autonomy 151 - ENGAGED 0 1 2 3 4 5 Unknown	Autonomy 153 - ENGAGED 0 1 2 3 4 5 Uriknown 132
135. Damage to Other Property Yes, (If Yes, d) No	
Opec. 136. Charge 137. Charge	p. 0 .5 25 133. Summors No.
Cont. 140 Champ	Oper. 142, Chargo 143, Summons No.
Opec 140, Charge 141, Summons No.	System 143, Summore NO.
83 84 85 86 87 88 89 90 91 92 93	94 95 If Document, Date & Time of Death
A	
	rilara 4
С	
C D	

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms


NJTR-1 - Reverse



NJ TR-1 (Rev. 01/17)

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
T 11 6	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO,
Table of	Location		Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	DUACS 1-22	53-78	79-82	95		117	153	1.011118

NJTR-1 - Overlay 1



Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

NJTR-1 - Overlay 2

Apparent Contributing Circumstances DriverPedalcydist Actions (01 - 29) 01 Umarte Speed 02 Driver Institution" 03 Faled to Obey Traffic Signal 04 Faled to Obey Traffic Signal 05 Improper Lane Change 06 Improper Lane Raing 07 Improper UneFaled to Use Turn Signal 08 Improper Turning 09 Fdibwing Too Closely 10 Backing Umartiny 11 Improper UseRoll United Signal 12 Wrong Way 13 Improper Parking 14 Failure to Keep Right 15 Failure to Keep Right 16 Failad to Obey Stop Sign 17 Distracted - Hands Free Bectronic Dev' 18 Distracted by Passenger 19 Other Distraction Outside Veh' 21 Other Distraction Outside Veh' 22 Vehicle/Pedalcyctist Action (01-29) 25 None 26 Pother Distraction (1-29) 26 None 27 Other Distraction Institutions (1-29) 28 None 29 Other Distraction (1-29) Veh 1 118a 58 Improperfinadequate Lane Markings* 59 Sunglare* 59 Sunglare* 60 Traffic Congestion - Prior Indident* 61 Traffic Congestion - Regular* 69 Other Readway Factors* Pedestrian Factors (71-89) 71 Failed to Obey Traffic Control Device 72 Crossing Where Prohibited 73 Dark Cichhing/Low Varibility to Drive 74 Institution* 75 Failure to Yidd ROW 76 Walking on Whong Side of Road 77 Walking in Road when Sidewalks Pres 78 Running/Darting Across Traffic 85 None 89 Other Pedestrian Factors* State of New Jersey Vah 1 1180 Police Crash Investigation 210 Report NJTR-1 Veh 2 119 Use Code 00 for Unknown. n Factors' d9 Cuner Processian Factors* Apparent Physical Status 01 Apparently Normal 02 Acchol Use 03 Drug Use (Hist)* 04 Medication 05 Alcohol & Drug Medication Use 10 CannabinoidUse Use Code 99 for Other. except when Other Code already exists for field. 2 1215 Explain Other in Crash Vehicle/Pedalcyclist Action (01-29) 01 Going Straight Ahead 11 Changing Lanes 02 Making Right Tum (not tum on rad) 13 Backing 03 Making Laft Tum 04 Making U-Tum 14 DriverPes/Moving 15 Starting In Traffic 05 Starting in Traffic 07 Slowing or Stopping 08 Stopped in Traffic 19 Parking 10 Parked 29 Other Ven/Cyclet Action* Description Pedestrian Action (31-49) Pre-Cash Action 31 Padestrian Action 41 Coming From Behind Parked Veh 32 Walking To/From School 3 Walking/Logging Mith Traffic 43 Crossing at "Marked" Vel Crosswak at Intersection 44 Crosswak at Intersection 44 Crosswak at Intersection 45 Sandring/Lyng/Noeding in Road 75 Gesting On/Off Vehicle 38 Pushing/Working on Vehicle 39 Other Working in Roadway 46 Deliberate Action" Also, Explain Items Marked Veh 1 122 with asterisk (*) in Crash Description Ven 2 123 Items marked with ** 38 PushingWarking on Vehicle Crasswalk at Mid-Black 39 Other Working in Roadway 48 Deliberate Action* 40 Approaching/Leaving School Bus 49 Other Pedestrian Action* cannot be First Harmful or Most Harmful Event Ven 1 124 01 Police Officer 02 RR Watchmen, Gales, etc 03 Traffic Signal 04 Lane Markings 09 Yield Sign 10 Flagmen 11 No Control Present 12 Flashing Traffic Control Traffic Controls 13 School Zone (Signs/Controls) 14 Adult Crossing Guard 05 Channelization - Painted 06 Channelization - Physical If an Item Does Not Apply, Ven 2 125 Enter a Dash (-) 07 Warning Signal 08 Stop Sign Vehicle Color Codes Coject In It den of Coject In It den of Crad A3 Bridge Plar or Support 44 Bridge Parapet End 45 Bridge Parapet End Non-Collision (01-19) (box 40, 70) onto 01 Overtum/Rollover 02 Fire/Explosion 0 Beige Black BK Blue BL 04 Jackknife 23 Train/Indiey/Other Raicar Brown BN 05 Ran Off Road - Right* 45 Bridge Rail 24 Deer 06 Ran Off Road - Left* 07 Crossed Median** 08 Crossed Contentine** 25 Other Animal 25 MV in Transport 27 MV in Transport, Other Roadway Coral CL 45 Guide Rall Face 47 Guide Rall End CM Cream 48 Concrete Traffic Barrier 49 Other Traffic Barrier 50 Traffic Sign Support GD Most Harmful Event Gold 28 Parked MV 09 Cargo/Equipment Loss or Shift Grav GY 29 Work Zone or Maint Equipment Green GN 10 Separation of Units** 11 Fell/Jumped From 30 Struck by Object Set in Motion by MV 51 Traffic Signal Standard 52 Utility Pole Maroon MN Vahide 53 Light Standard 2nd 1270 Orange OG 39 Other Non-Fixed Object* 54 Other Post, Pde, Support 12 Thrown/Fallen/Falling Pink PK Otject PL Purple 13 Equipment Failure** 14 Downhill /Runaway** 15 Reentered Roadway** 56 Ourb RD Red 57 Ditch 58 Embarkment 59 Fence 60 Tree 61 Mailbox 62 Fre Hydrant Silver SL TN Tan Turquoise TO Most Harmful Event White WT Yellow YL "* Carnot Be Hamful Event 69 Other Fixed Object* First Harmful Event_ Ven 1 129 13 Roof 14 Undercarriage 15 Overturned Ven 1 130 Clockpoint Diagram 17 None Visible Overlay Page 2 of 2 Extent of Damage 01 None 03 Moderate 02 Minor 04 Disabling Ven 1 133 sate/Functional Veh 2 134

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

History of Crash Reporting

Historically, most traffic crash reports were intended, and used, primarily as simple "Who, What, Where, When and maybe Why" chronicles. In this age of ever decreasing resources, and ever-increasing needs, the ability to provide timely, accurate data to Highway Safety Officials becomes increasingly urgent because it allows traffic safety officials to "do more with less".

Each police Crash Report is a memorialization of a crash. The circumstances are rarely ideal as the officer must perform triage in attending to injured persons, minimize the impact and risk to surrounding traffic and then survey and analyze the crash scene.

Pursuant to the requirements of N.J.S.A. 39:4-131, an officer investigating a motor vehicle crash must submit to the Motor Vehicle Commission a completed crash report within five (5) days. The reports are submitted by all law enforcement agencies in the State for any "reportable" motor vehicle traffic crash resulting in injury to or death of any person, or damage to property of any one person in excess of \$500.00.

The Division of Highway Traffic Safety (DHTS) and the New Jersey Department of Transportation (NJDOT) are responsible for allocating funds from the National Highway Traffic Safety Administration (NHTSA) and the Federal Highway Administration (FHWA) for the purpose of creating programs aimed at improving the safety of New Jersey roadways. Traffic crash analysis affects these and other agencies, as the crash report is the only source of their information. As such, crash reporting information is critical in the decision-making process of numerous agencies.

Included are:

AAA – American Automobile Association	FHWA – Federal Highway Administration	Business	
FARS – Fatality Analysis Reporting System	MPO's – Metropolitan Planning Organizations	Medical Community	
NJDOH – Department of Health	NJDOT – NJ Department of Transportation	Government Agencies	
USDOT - US Department of Transportation	NHTSA – National Highway Traffic Safety Administration	Local / State Governments	
MVC – Motor Vehicle Commission	DHTS – NJ Division of Highway Traffic Safety	State / County Engineers	
FMCSA – Federal Motor Carrier Safety Administration	Media	Universities	
Police Departments	Professional Groups	Insurance Companies	

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

General NJTR-1 Protocols and Instructions

On July 16, 1997, The National Safety Council's Board of Directors passed a motion to eliminate the word **ACCIDENT** and replace it with the word **CRASH**. The reason for the motion was to change people's way of thinking about crashes. An accident is defined as "An unexpected or undesired event, chance or fortune" while a crash is "to cause a vehicle or aircraft to have a collision, to be involved in a crash." This reinforces the philosophy that crashes don't just happen; they have causes and can be prevented.

Although Title 39 has not yet changed to reflect this trend in terminology, the changes have been made in this manual wherever possible. References to statutory language continue to include the word accident.

N.J.S.A. 39:4-131 states:

"Every law enforcement officer who investigates a vehicle crash of which a report must be made as required in this Title, or who otherwise prepares a written report as a result of a crash or thereafter by interviewing the participants or witnesses, shall forward a written report of the crash to the division, on forms furnished by it, within five days after this investigation of the crash."

The investigation and reporting of motor vehicle crashes is a necessary duty of a police officer. Reports are intended to help reduce the number of crashes, deaths, and injuries through the collection of data elements and study how they occur. You play a vital role in the collection of this data, and it is imperative that you understand every piece of information that you enter.

- All 153 Boxes on the Crash Report must be completed, even if you only enter a dash.
- All reportable crash reports, including fatal crashes, must be submitted to the New Jersey Department of Transportation, who administers the report on behalf of the Motor Vehicle Commission (MVC).
- Use a dash () to indicate non-applicable information in all Boxes.
- Use double zeros (00) to indicate the required information is Unknown in Boxes 96 -134.
- Use Code 99 for Other, except when Other Code already exists for field.
- If a Box calls for a two-digit numeric answer, be sure to fill in both digits, i.e. 01,02,03.
- The Straight-line Diagram is an excellent source of information to police officers. You can find jurisdiction, speed limit, milepost, and ramp information. The link is http://www.nj.gov/transportation/refdata/sldiag/

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Motor Vehicle and Traffic Laws Regarding Completion of Crash Reports

1. Requirements for drivers

- A. N.J.S.A. 39: 4-130 requires that any driver of a vehicle or street car involved in a crash which results in injury or death of any person or damage to property of any one person in excess of \$500 shall, by the quickest means of communication, notify the local police department or nearest office of the county police or state police of the crash.
- B. The driver is further required to forward a written report of such crash within 10 days to Motor Vehicle Services on forms (SR-1) furnished by it.
- C. A written report of a crash shall not be required by this section if a law enforcement officer submits a written report to the NJDOT. The NJDOT will then forward those records to Motor Vehicle Services pursuant to N.J.S.A. 39: 4-131.

2. Requirement for police officers

- A. N.J.S.A. 39: 4-131 requires the following:
 - a. That Motor Vehicle Commission shall prepare and supply to police departments forms for crash reports. These forms will contain detailed information about the motor vehicle crash, including the cause, the conditions then existing, and the persons and vehicles involved.
 - b. Every law enforcement officer who investigates a vehicle crash of which a report must be made or who otherwise prepares a written report as a result of a crash shall forward a written report of the crash to the NJDOT within 5 days after his or her investigation of the crash. The NJDOT will then forward those records to Motor Vehicle Services.
 - c. The written report required to be forwarded by law enforcement officers and the information contained therein shall not be privileged or held confidential. Every citizen of this state shall have the right, during business hours and under supervision, to inspect and copy such reports and shall also have the right to purchase copies of the reports at the fee established by law.
 - d. Private property crashes are to be reported in the same manner as crashes occurring on public roadways. This includes crashes in parking lots, on private streets, and on any other location in the State.

Contents Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Crash Location Dr	river/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
	Boxes 23-48.		Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Extension
Contents Boxes 1-22 B	53-78	Boxes 49-52, 79-82	05 05	Doxes 90-103	117	153	Forms

When should a crash be reported on an NJTR-1

The NJTR-1 shall only be used to capture data for crash investigations involving vehicles in-transport as defined by Title 39:1-1. This includes passenger automobiles, trucks, truck tractors, road tractors, omnibuses, school buses, motorcycles, autocycles, recreational vehicles, low-speed vehicles, street cars, and trackless trolleys.

This definition excludes devices moved by human power or used exclusively upon stationary rails or tracks, low-speed electric bicycles, low-speed electric scooters, or motorized bicycles (mopeds). However, for crash reporting purposes, motorized bicycles (mopeds) shall be reported on the NJTR-1 as required by 39:4-14.3f even though they are not included in the definition of a vehicle.

For crash reporting purposes, a snowmobile, an all-terrain vehicle, or a dirt bike involved in a crash shall be reported on an NJTR-1 as required by 39:3C-21.

<u>All</u> crashes involving vehicles shall be reported on the NJTR-1 if they occur on a highway, on a private road or driveway, or on other public or private property.

<u>All</u> crashes involving vehicles shall be reported on the NJTR-1, regardless of the driver's suspected intent or the suspected intent of the involved pedestrian or pedalcyclist.

Crashes involving motor vehicles not designed to transport a person or property on a highway shall not be captured on an NJTR-1 unless they are in-transport (a definition of in-transport and examples are included on page 98). If they are in-transport, then they should be treated as vehicles and reported on the NJTR-1. Crashes involving motor vehicles not designed to transport a person or property on a highway and that are not in-transport should be described in block 145 (Crash description/Narrative) of the NJTR-1 if they are involved in a crash with a vehicle in-transport.

Crashes involving a pedestrian and/or pedalcyclist, as defined on page 51, shall not be captured on the NJTR-1 unless it is involved in a crash with a motor vehicle in-transport. In this circumstance, the NJTR-1 shall only capture the name, address, date of birth, and sex of the involved operator of the excluded device. The device's description shall be described in block 145 (Crash description/Narrative).

Completing Crash Report Forms

1. NJTR-1

- A. The State of New Jersey Police Crash Report Form NJTR-1 is to be completed by a police officer for all investigations of motor vehicle crashes.
- B. In all instances, the police officer conducting a crash investigation shall complete both pages of the NJTR-1 crash investigation report.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO,
Table of	Location	Direct/ venicle	Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	Doxes 1-22	53-78	79-82	95		117	153	FOIIIS

- C. The need for an additional NJTR-1 report page will occur when the crash involves three or more vehicles, pedestrians or pedalcyclists. Do not use an additional NJTR-1 forms to capture additional passengers or summonses. If space is needed for additional passengers, the investigating officer shall utilize the NJTR-1M form. If space is needed for additional issued summons, the investigating officer shall list the statute and summons number in the Block 145 (Crash Description/Narrative).
- D. Pedestrians and pedalcyclists are identified in the "**Driver**" section of the NJTR-1 by listing name and address, but not by including their driver's license number.

2. Additional Report Pages

- A. Form **NJTR-1A** Motor Vehicle Crash Description is to be completed if additional space is needed for the description.
- B. Form NJTR-1B Motor Vehicle Crash Diagram, or other diagrams, shall be used in all crash cases involving serious injury or a fatality in lieu of Box 144 on form NJTR-1. When using an NJTR-1B or other diagram document write: SEE ATTACHED DIAGRAM in Box 144 on NJTR-1 Form.
- C. Form **NJTR-1M** (Motor Vehicle Crash Multi-Occupant), is to be completed if additional spaces are needed to capture additional occupants on buses or in other high occupancy vehicles.

3. Change Reports

A. Whenever it is necessary to make a change in information on a report which has already been submitted to the Department of Transportation, a new report must be submitted showing the changes, with the Change Report box checked at the top of the report form.

Example: A hit-and-run crash in which a report is submitted before the offender is identified. An additional report would be required to show the offender's identity and other pertinent new information developed and not previously reported.

Example: An injured party from a motor vehicle crash dies from their injuries after the initial crash report is submitted.

B. When submitting a PDF or paper copy of a change report to the NJDOT, the bold black lines (Boxes 1-7) are always the minimum number of mandatory fields for an NJTR-1 Change Report. Names listed in Boxes 26 and 56 of the original report should also be included on the change report.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

- C. When submitting a change report using electronic data transfer to NJDOT, police shall include all data fields including the changed data. All changed blocks shall be described in Block 145 (Crash Description/Narrative).
- D. The case number in Block 1 must EXACTLY match the case number of the original report. Example: 2022-123 is not the same as 2022/123 or 2022-56 is not the same as 22-56

4. Fatal Crashes - Refer to NJSA 39:5-30.d

- A. Local Police shall notify the State Police Fatal Accident Investigation Unit using NCIC2000, NLETS message, by fax, or by telephone, within 24 hours on all fatal crashes.
- B. Send a copy of NJTR-1 only, to Motor Vehicle Commission, to NJDOT and the NJSP within 72 hours (whether complete or not). Copies of reports should be sent to:

Motor Vehicle Commission Fatal Unit Fax 609-341-3373
 225 East State Street PO Box 173 Trenton NJ 08666

 2. New Jersey DOT
 Phone
 609-963-1670

 1035 Parkway Avenue, CN 600
 Fax
 609-530-3496

 Trenton NJ 08625

Attn: Bureau of Transportation Data and Support Crash Records Unit

3. NJSP – Division Headquarters Phone 609-882-2000 Fatal Accident Investigation Unit Ext 2038
PO Box 7068 Fax 609-883-1948
West Trenton 08628 Email FAIU@njsp.org

- C. State Police will review all fatal crash reports and prepare reports and recommendations required by the MVC Fatal Accident Review Board. A copy of these reports will also be provided to the County Prosecutor's Office.
- D. Motor Vehicle Commission and Fatal Accident Review Board determines if administrative action is warranted.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

5. SR-1: Procedures for the Handling of Motor Vehicle Crashes Not Investigated at the Scene

- A. Because of fraud and impacts on the crash records database, police departments SHALL NOT use a NJTR-1 form for reporting an uninvestigated, alleged crash report.
- B. If the officer does not investigate an alleged crash, the individual reporting the alleged crash shall be directed to use the online SR-1 application (Self Reporting Motor Vehicle Crash Report) found at the following link:

https://www.state.nj.us/transportation/refdata/accident/selfreporting.shtm

This site can also be found by entering NJSR1 into any internet search engine. PDF forms can also be download from that link but should only be given to those who are unable to use the online SR-1 application.

If a driver is involved in a Hit and Run accident that is not investigated by the police and they wish to pursue the driver and have the license plate, they can obtain owner and insurance information from the New Jersey Motor Vehicle Commission. The request form can be found online at www.state.nj.us/mvc. They should be advised to scroll to the bottom of page and click Forms, under the heading Request Records select DO-11A. (Vehicle Registration Application Request), If they need assistance, they should contact Motor Vehicles at (609) 292-4102.

- C. Police personnel should make an entry in their watch log indicating the date and time the reporting individual reported the motor vehicle crash to the police department.
- D. It is suggested that the individual reporting the alleged crash provide a copy to the police department for its files. This is not required. Follow your departmental procedures in this matter.
- E. Police personnel should emphasize to the reporting individual that they should indicate in Box 20 on the report that the police did not investigate the crash.

6. Department of Banking and Insurance

To help you understand what an insurance company considers an "At-fault" crash, we have provided you with an excerpt from the New Jersey Department of Banking and Insurance, dated 6/09/03.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Title 11

11:3-34.3 Definition of "At Fault Crash" *

"At-fault accident" is any accident involving a driver insured under the policy:


- 1. Where a driver is proportionately responsible based on the number of vehicles involved. A driver is proportionately responsible if 50 percent responsible for an accident involving two drivers; if 33 1/3 percent responsible for an accident involving three drivers, etc.; and
- 2. Which results in a total payment by the insurer of at least \$500.00 for an accident occurring before June 9, 2003; or at least \$1,000 for an accident occurring on or after June 9, 2003. The \$1,000 dollar amount may be adjusted in \$100.00 or \$250.00 increments by Order of the Commissioner not more frequently than every 36 months. The Order shall reflect the cumulative increases or decreases in the components of the Consumer Price Index, All Urban Consumers (CPI-U) for the Northeast Region, and the adjusted amount shall apply to automobile accidents occurring at least 120 days after the effective date of the adjustment. The adjustment shall be reflected in this definition through a notice of administrative change published in the New Jersey Register.

An at-fault crash **SHALL NOT INCLUDE** the following circumstances:


- 1. Involvement in an accident in which the motor vehicle owned or operated by the insured or other driver insured under the policy was lawfully parked;
- 2. Involvement in an accident in which the motor vehicle was struck by a hit and run driver, if such accident was reported to the proper authorities within 24 hours;
- 3. Involvement in an accident in connection with which neither the named insured nor any other driver insured under the policy was convicted of a moving traffic violation and the owner or operator of another vehicle involved in such accident was so convicted;
- **4.** For physical damage losses other than collision;
- 5. For an accident in which the motor vehicle was struck in the rear by another vehicle and a driver insured under the policy has not been convicted of a moving violation in connection with the accident; or
- **6.** For an accident occurring as a result of operation of any motor vehicle in response to an emergency if the operator at the time of the accident was responding to the call to duty as a paid or volunteer member of any police or fire department, first aid squad or any law enforcement agency.

* Statutory Language

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms



At the top left corner of each page of the report, there is a space: (Page _____ of ____) Make sure this area is filled in. It tells the reader how many pages of information there is for each report on (Page ____) enter consecutive numbers of total pages of the report. In (of ____), enter the number of total pages for the crash report. **Example:** Page 1 of 5, Page 2 of 5 etc.



Change Report and Change Report), make sure that you place an "X" in at least ONE of these boxes. Box selection advises the processing agency to send specific data elements to NJDOT.

Reportable Crash: A crash that results in injury or death of any person or damage to property of any one person in excess of \$500.

Non-reportable: Crashes are not to be submitted to New Jersey Department of Transportation (NJDOT) for processing.

Change report: Shall be checked if information on the original report has changed or if there is additional information to be added to the original report that was not included in the initial submission. Only those fields affected by the additional or changed information need be filled out along with the location section of the report. When submitting a change report using electronic data transfer to NJDOT, police shall include all data fields including the changed data. All changed blocks shall be described in Block 145 (Crash Description/Narrative).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms


	96	Page of	Fatal	New Jersey Police Crash Investigation Report Reportable Non-Reportable Change Report	118a
<u>Box</u>	97	1. Case Number		10. Crash Occurred On:	118b
	98	Police Dept. of	Code	Road Name Dir 12. Route No. Suffix 13. Milepost At Intersection with Feet N E of:	it 119a
Fatal	99	Station/Precinct Date of Crash	5. Day of Week	Miles	
	100a	mm dd yy		W (use 2400 hrs.) Code Killed Injured 21. Latitude 20 Route Name/Route No. 22. Longitude	120a
	1006	22 Vah # 24 Dallay Na	In F Sa	0	120h

If the crash involves a fatality, an "X" shall be placed in Box (Fatal) located in the top left of the report. Refer to NJSA 39:5-30.d fatal protocol, and Protocols on Page 11.

In the event of a fatality, this Box needs to be checked even though it will be reported elsewhere in the report. If the fatality occurs after the initial investigation report (within 30 days of crash date), you must submit a **change report** indicating a person died due to a crash-related injury. The New Jersey State police shall be immediately notified, and the fatal crash procedures outlined on page 13 shall also be followed.

All fatal motor vehicle crashes shall be reported to the New Jersey State Police via NCIC 2000 within 24 hours of occurrence.

If a person is killed, verify that code "O1 – FATAL INJURY" is entered where column (Box) 86 (Victim's Physical Condition) intersects with its corresponding row. Also, verify that a number entered in Box 8 (Total Killed) corresponds with the number of persons killed as a result of the crash. Lastly, verify that the name/address/date and time of death is entered in the unnumbered Box to the right of Box 95 known as column box (Names & Addresses of Occupants – If Deceased, Date & Time of Death).



In Box 1 (Case Number), enter the "department" case number where the crash occurred.

Case number shall be entered on all additional pages and on any change reports that are sent to NJDOT.


Change reports must have the same case number as the original report - Case numbers shall be entered using the EXACT SAME format on all pages and on any change reports that are sent to NJDOT. The format your department uses is not important if it is identical on all pages of the report.

Example: 2022-123 is not the same as 2022/123 or 2022-56 is not the same as 22-56

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Mutual Aid: If you are investigating a crash in another jurisdiction as part of mutual aid, then use a case number from either jurisdiction. Indicate the investigating officer's agency in Box 145. Municipalities who contract police services to other municipalities will regulate who is to be the custodian of records as part of that agreement.

DO NOT ENTER ANY OTHER INFORMATION IN THIS BOX OTHER THAN THE CASE NUMBER.



In Box 2 (Police Department of), enter the name and one of the type of police agency codes for the police department that investigated the crash:

01 - Municipal Police 02 - State Police 03 - County Police 04 - Port Authority Police


05 – County Sheriff 99 – Other Police

Mutual Aid: If you are investigating a crash in another jurisdiction as part of mutual aid, then use a case number from either jurisdiction. Indicate the investigating officer's agency in Box 145. Municipalities who contract police



services to other municipalities will regulate who is to be the custodian of records as part of that agreement.

In Box 3 (Station/Precinct), enter the Station/Precinct if applicable for your department, otherwise, enter a dash



In Box 4 (Date of Crash), enter the date that the crash occurred in (MM/DD/YY) format. I.e. 07/06/16

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms


	96	Page of Fatal	New Jersey Police Crash Investigation Report Report Non-Reportable Change Report	
<u>Box 5</u>	97	1. Case Number	10. Crash Occurred On: 11. Speed Limit 118b	\dashv
	98	2. Police Dept. of Code	Road Name Dir 12. Route No. Suffix 13. Milepost At Intersection with 18. Speed Limit 119a	4
Day of Week	99	3. Station/Precinct		_
		Date of Crash 5. Day of Week	6. Time 7. Municipality 8. Total 9. Tot	
	100a	mm dd yy Su M Tu '		
	400h	100 Mah # 04 Dallau Na	DE NITIA Coda ES Vala # E4 Dallar Na	

In Box 5 (Day of Week), circle the appropriate day of the week that the crash occurred.

The day of week must correspond with the date of crash in Box 4 (Date of Crash).

	96	Page of Fatal	New Jersey Police Crash Investigation Report Report Non-Reportable Change Report	
Box 6	97	1. Case Number	10. Crash Occurred On: 11. Speed Limit	\dashv
<u> </u>	98	Police Dept. of Code Station/Precinct	At Intersection with	\exists
Time	99	4. Date of Crash 5. Day of Week	Milles	
	100a	mm , dd , yy Su M Tu N	(use 2400 hrs.) Killed Injured 21. Latitude 20 Route Name/Route No. 22. Longitude 120a	

In Box 6 (Time), enter the time of the crash. If the time is unknown, enter the time that the crash was reported to your agency. Use military time (e.g., 0001 hours to 2400 hours).



In Box 7 (Municipality Code), enter the 4-digit National Crime Information Center (NCIC) Municipality Code where the crash occurred. The municipality will be determined by the location where the first harmful event occurred. In circumstances where a vehicle travels beyond the trafficway and into another municipality before the first harmful event occurs, the municipality where the vehicle departed the roadway shall be used.

First Harmful Event - The first injury or damage-producing event that characterizes the crash type.

Most Harmful Event - Event that resulted in the most severe injury or, if no injury, the greatest property damage involving this motor vehicle.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAQ,
Table of	Location		Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	Boxes 1-22	53-78	79-82	95		117	153	1.011118

Fatal Accident Record System (FARS) must rely on location information in Box 2 (Police Department of) and Box 7 (Municipality Code) to locate point of impact.


	96	Page of Fatal	New Jersey Police Crash Investigation Report	Reportable Non-Reportable Change Report 118a
<u>Box 8</u>	97	Case Number Police Dept. of Code	10. Crash Occurred On: Road Name Dir	1. Speed Limit 12. Route No. Suffix 13. Milepost
Total Killed	98	3. Station/Precinct	☐ At Intersection with ☐ Feet ☐ N ☐ E of: ☐ Miles ☐ S ☐ W	18. Speed Limit 119a
	99	4. Date of Crash 5. Day of Week	14 15 16 Ramp Fr	Latterda 20 Pouto Namo/Pouto No. 00 Lastituda
	100a	mm dd yy Su M Tu V	(use 2400 hrs.) Code Killed Injured 2	Latitude 20 Route Name/Route No. 22. Longitude 120a

In Box 8 (Total Killed), enter the number of persons killed as a result of the crash. Use a two-digit code i.e. 01, 02, 03. Verify the "Fatal" box is checked at the top left of the report. Also verify that code "O1-FATAL INJURY" is entered in Box 86 (Victim's Physical Condition) for each corresponding fatality.

If no one was killed as a result of this crash, enter dashes (--) or enter zero (0) if you are using the NJ Crash platform or other crash reporting software that transmits data electronically to NJDOT. If a person is killed, they shall not be accounted for in Box 9 (Total Injured).

Lastly, verify that the name/address/date and time of death is recorded in the unnumbered Box to the right of Box 95 known as column Box (Names & Addresses of Occupants – If Deceased, Date & Time of Death).

Note: Notify the State Police within 24 hours via NCIC 2000. Refer to NJSA 39:5-30.d fatal protocol, and Protocols on Page 15.




In Box 9 (Total Injured), enter the number of persons injured as a result of the crash. Use a two-digit number, i.e. 01, 02, 03.

If no one was injured as a result of this crash, enter dashes (--) or enter zero (0) if you are using the NJ Crash platform or other crash reporting software.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO,
Table of	Location	Bitvei/ veinere	Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	Boxes 1-22	53-78	79-82	95		117	153	FOITIIS

If a person is injured, they cannot be accounted for in Box 8 (Total Killed). Never enter "01 – FATAL INJURY" in column (Box) 86 (Victim's Physical Condition) for an injury crash.

If you enter an entry other than dashes in Box 9 (Total Injured), then enter entries in Boxes 86 (Victim's Physical Condition), 89 (Location of Most Severe Physical Injury), 90 (Type of Most Severe Physical injury), 91 (Refused Medical Treatment).




Boxes 10 through 22 GENERAL NOTES:

It is important that Boxes 10 through 22 be filled out accurately and completely. Boxes 10 through 22 will explain the location in a uniform way which will allow for clearer comparability of motor vehicle traffic crash statistics and data.

This area of the report has been one of the most INCOMPLETE parts of the crash report and it becomes difficult, if not impossible, to provide accurate location data. You must remember that this data is not solely for insurance purposes. This data is available to many end users for the purposes of improving vehicular safety in New Jersey. This data is also available, free, to your agency, through the NJDOT

This form was redesigned to take advantage of new technologies in crash data collections as well as to support existing manual methods. Geographic Information System (GIS) is used by the Processing Agency and many end users of data to pinpoint the locations of crashes and provide other vital information to various agencies, in the interest of traffic safety and crash prevention.



On line (Box) 10 (Crash Occurred On: Road Name, Direction), be as specific as possible for geo-locating purposes. There are 2 methods of locating a crash:


Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAQ,
Table of	Table of Location	Dilvei/ venicle	Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	Boxes 1-22	53-78	79-82	95		117	153	Forms

There are 2 methods of locating a crash described below under Box 10

<u>Method 1</u> - All crash locations that occurred "along a street or highway" (Not at an intersection or ramp) will use the nearest intersecting roadway, milepost, or mile-posted feature method of plotting locations.

Using the **road name** (Box 10) along with the information on line (Box) 14 (Distance) to the center of the nearest intersection, Box 15 (comprised of a grouping of 3 Boxes; At Intersection with, Feet, Miles), Box 16 (comprised of a grouping of 4 Boxes; Direction N, S, E, W) and on line (Box) 17 (Cross Road Name) will result in an accurate location of the crash.

Locating Crash Outside of Intersection Diagram:



Enter the road name where the crash occurred. If the crash occurred on an Interstate, US, state or county route, the route number shall be entered in Box 12 (Route Number) and also enter the milepost in Box 13 (Milepost). Crashes on a Toll, Interstate and State roadways **MUST** have milepost numbers.

NOTE: The name of a business or such phrases as "in front of," or "near" are not eligible words/phrases. If such phrases are applicable to the investigation, they may be documented in Box 145 (Crash Description).


NOTE: Parking lot crashes may be located by using the street address on line (Box) 10 with the phrase "**Parking Lot**" in parentheses, e.g.: 101 Main Street (Parking Lot). When a street address is not available you can use the common name e.g., Lebanon State Forest Trail or Indian Mills Campground. Verify that 09 is entered in Box 99 for "Private Property".

<u>Method 2</u> - All Crash locations that occurred "at an intersection or on a ramp" will use the roadway hierarchy method to determine which roadway is entered in Box 10.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Definition of an Intersection as per Title-39:1-1:

"Intersection" means the area embraced within the prolongation of the lateral curb lines or, if none, the lateral boundary lines of two or more highways that join one another at an angle, whether or not one such highway crosses another. The square in the center of the drawing below is an example of the area deemed to be an intersection. Any crash that occurs outside of the square of the intersection will have Boxes 10 through 22 (if applicable) completed at the top of the NJTR-1.



Identify the highest road authority on line (Box) 10 (Crash Occurred On). If there are two roadways of the same hierarchy, list in numeric order first (lowest to highest) and second by roadway names in alphabetical order, e.g., 1st Street and Alpine Way.

Note: For additional information on Ramps and Jug Handles, please refer to Boxes 19 (Ramp) and line (Box) 20 (Route/Name) to identify these locations.


Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Roadway Hierarchy

New Jersey Roadway Systems In Order of Hierarchy


Interstate	
• I-80, I-195, I-295, I-287	
State / Interstate Authority	
• Toll Roads, Palisades Interstate Parkway, Interstate Bridge Commissions.	
State Highway	
• US 1, US 30, US-206, NJ 17, NJ 55, NJ 168	
County]
• Bergen Co 27, Monmouth Co 10, 500, 600 & 700 series roadways	
Municipal	
Numeric & Alphabetic local roadways	
State Park or Institution	
Island Beach State Park, Rutgers University	
County Authority, Park or Institution	
Mercer Co Park, Camden Co College	
Municipal Authority, Park or Institution	
• Freedom Park, Police Station	
Private Property	
• Dunkin Donuts, Wawa	
Federal Property	
• US Post Office	-

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms




DIRECTION (Dir) - The direction of the road is identified to the right of road name on line (Box) 10 (Crash Occurred On/Road Name/Direction). The direction (N, S, E, W) is identified as the nominal direction for divided roadways and one-way streets.

A North-South road may actually run East-West for a segment; however, the direction should not change from the nominal direction for reporting purposes. The nominal direction may be obtained from road signs, identified on maps or straight-line diagrams.



In **Box 11 (Speed Limit)**, enter the speed limit for the road identified on the line. Enter the statutory NJSA 39:4-98 OR posted speed limit and NOT the advisory speed limit. Advisory speeds are the maximum recommended operating speed displayed on signs with a yellow background and black letters. Unlike an enforceable Speed Limit Sign, advisory speeds are used as a recommended safe speed for a potential driving hazard ahead.



Milepost

For Box 12 (Route Number), if the crash occurred on an Interstate, US, State or County route, the route number shall be written in this Box. For a crash on a Toll Road, this Box shall be populated with all dashes. Interstate, State and Toll roadways MUST have milepost numbers. Although not

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	,	FAQ,
Contents		Boxes 23-48.	Boxes 49-52.	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Extension
	Boxes 1-22	53-78	79-82	95		117	153	Forms

required, county route mileposts are helpful and can be found in the NJ Straight-Line Diagrams at http://www.nj.gov/transportation/refdata/sldiag/


The Box (Suffix) is located between Box 12 (Route Number) and Box 13 (Milepost). Route Suffix Codes shall be written and not directional codes N, S, E and W.

Route Suffix Codes	Route Prefix Codes
A - Alternate	IS – Interstate Roadway
B – Business	SH – State Highway
C – Freeway	US – United State Route
M – Mercer Alignment (I-95 Only)	CR – County Route
P – Pennsylvania Extension (NJ Turnpike Only)	
S – Spur (County Routes Only)	
T – Truck (Rt. 1 & 9 Only)	
U – Upper (State Route 139 Only)	
L – Lower (State Route 139 Only)	
W – Western Alignment (NJ Turnpike, Rt. 9, Rt. 173)	

For **Box 13 (Milepost)**, State and Interstate roadways shall have milepost numbers written in this Box. Enter milepost location at the intersection designated in the straight line diagram. The entry requires three digits to the left and two digits to the right. Straight-Line diagrams may be utilized to obtain the milepost numbers. http://www.nj.gov/transportation/refdata/sldiag/

Example: A crash occurred on the Spur of County Route 518 at milepost 1.1. Boxes 12 and 13 should look like this:





On line (Box) 14 (Distance), Enter in the distance to the center of the nearest cross road name for crashes that do not occur at intersections. Distances shall be measured from the center of the intersection to the point of impact for the crash.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO,
Table of	Location	Dilvei/ vellicie	Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	DUACS 1-22	53-78	79-82	95		117	153	1 Offiles

In Box 15 (At Intersection with, Feet, Miles), place an "X" in the Box (At Intersection with) if the crash occurred at an intersection and enter the cross road name on line (Box) 17 (Cross Road Name).

NJSA 39: 1-1 - "Intersection" means the area embraced within the prolongation of the lateral curb lines or, if none, the lateral boundary lines of two or more highways which join one another at an angle, whether or not one such highway crosses another. (Refer to Intersection Diagram on page 25).


If the crash occurred along a roadway and **not** at an intersection, place an "X" in the box "Feet" or "Miles" that indicates the units of measurement to the center of the nearest intersection on line (Box) 14 (Distance).


In Box 16 (comprised of 4 Boxes; Direction N, S, E, W) place an "X" for direction which is in closest proximity from the crash location to the intersecting or non-intersecting cross road. The Direction is the nominal direction of the roadway.

On line (Box) 17 (Cross Road Name), Enter the nearest cross road name from the crash location. It may be determined by writing the cross road name.

Note: The NJTR- 1 does not contain a space for a second intersecting street. The accuracy of identifying the name of, distance to, and direction to the nearest cross road name is essential; Most engineering agencies use distance increments of 1/100 of a mile when determining locations for crashes.

Example - a crash between two vehicles occurred on Route 22, 500 feet West of Rock Road.





In Box 18 (Speed Limit), enter the speed limit for the road identified on line (Box) 17 (Cross Road Name).

Put the statutory (NJSA 39: 4-98) or posted speed limit and not the advisory speed in Box 18 (Speed Limit).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

	96	Page of Fatal	New Jersey Police Crash Investigation	on Report Reportable Non-Reportable	Change Report 118a
Box 19, 20	97	Case Number Police Dept. of Code	10. Crash Occurred On: Road Name	Dir 12. Route No. Suffix 13. h	Milepost 118b
Ramp	98	3. Station/Precinct	☐ At Intersection with ☐ Feet ☐ N ☐ E ☐ Miles ☐ S ☐ W	of. 19 □To 17. Cross Road Name/Route No.	18. Speed Limit 119a
Identification	99	4. Date of Crash 5. Day of Week	14 15 16 6. Time 7. Municipality Code Killed Injured	Ramp From:	NB EB 119b SB WB
	100a	mm dd yy Su M Tu V			1204
		00 1/1 # 0/ 0 !! 1!	05 1111 0 1 50 1/1 #		

Advisory speeds are the maximum recommended operating speed signs with a yellow background and black letters and are used as a recommended safe speed for a potential driving hazard ahead.

For Box 19 (Ramp), a ramp is defined as an auxiliary roadway used for entering or leaving through-traffic lanes. A jug-handle is also considered a ramp.


In Box 19 (Ramp), if the crash occurred on a ramp from one roadway (state, interstate, toll authority, county, or local) to another, the crash is considered occurring on the ramp and will be investigated in the following order:

- Box 10: All Crash locations that occurred "at an intersection or on a ramp" will use the roadway hierarchy (see Page 23) method to determine which roadway is entered in Box 10. The roadway with the highest hierarchy will be entered on Box 10, Numerical first then alphabetically. The secondary roadway, where the ramp is going to or from, shall be entered in Box 20.
- **Box 11:** Enter Speed Limit of the primary roadway listed on line (Box) 10 (Crash Occurred On: Road Name, Direction).
- Box 12: Enter the route number of the Roadway listed on line (Box) 10 (Crash Occurred On: Road Name, Direction) and the suffix if applicable.
- Box 14: Enter the distance of the collision relative "to" or "from" the roadway listed on line (Box) 20 (Route/Name).
- Box 15: Select "Feet" or "Miles" (never select "At Intersection with" for a ramp) identifying units of measurement for distance (Box 14) to crash location.
- Box 19: Select whether the ramp, on which the crash occurred, is heading "to" or "from" the secondary roadway.
 - o If the collision occurred on a ramp leading to the roadway listed on line (Box) 20 (Route/Name), place an "X" in the "To" Box in Box 19 (Ramp).
 - o If the collision occurred on a ramp leading from the roadway listed in on line (Box) 20 (Route/Name), place an "X" in the "From" Box in Box 19 (Ramp).


Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

• Box 20: Enter the secondary roadway and the direction to which the ramp connects. If the crash did not occur on a ramp, enter a dash (-) on line (Box) 20 (Route/Name).

Example: See the following for coding a crash that occurred on a ramp leading from I-295 North to SH 73 South approximately 200 feet from SH 73.



Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms



For Box 21 (Latitude) and Box 22 (Longitude), enter in the latitude and longitude coordinates of the crash location in the appropriate boxes if your department has deployed a Global Positioning System (GPS).


When reading the coordinates directly from a vehicle based or hand-held GPS receiver, take care that the receiver is as close to the initial point of impact of the crash as possible before recording the location coordinates.

If you are not equipped with a GPS receiver, obtain the GPS coordinates by entering the crash location into a computer search. If unable to obtain the GPS location, put dashes (--) in Boxes 21 and 22.

Note: This form is designed for the GPS readouts in decimal degrees, not hours, minutes and seconds.

Police Reference for determining Latitude and Longitude Coordinates can be found at the following free web link: http://itouchmap.com/latlong.html


Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms



In Box 23 and/or 53 (Vehicle Number), enter a sequential number for each crash participant starting with number 1. Motor Vehicles, 01, 02 etc... Pedestrians P1, P2 etc. and Pedalcyclist B1, B2 etc...

NOTE: Vehicle numbering in a crash is not predicated upon who is "At Fault" but by the sequence of events. The vehicle(s) used to determine the Crash type shall be listed first. For crashes involving pedestrians or pedalcyclist, the first motor vehicle shall be listed first. Each participant shall be listed in sequential order starting with the first harmful event. Each participant will be identified throughout the report in the corresponding position established by the sequence of events and will be further described or recognized in Boxes 83-128 on the NJTR-1 report overlay. Only one crash type shall be identified in Box 105.

VI	Box 23 and 53 VEHICLE NUMBER						
Code	Description						
01	Vehicle 1						
02	Vehicle 2						
B1	Pedalcyclist 1						
P1	Pedestrian 1						



In Box 24 and/or Box 54 (Policy Number), enter the motor vehicle's insurance policy number as it appears on the Vehicle's Insurance Identification Card.

If a vehicle has no insurance, enter "uninsured." If the vehicle is self-insured, enter "self-insured."

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

	100b	23. Veh. # 24. Policy No.	25. NJ Ins. Code	53. Veh. # 54. Policy No.	55. NJ Ins. Code 120b
Box 25 & 55	101		Emergency	Parked Ped Pedalcylist	Resp. to Emergency Hit & Run 121a
	100	26. Driver's First Name Initial Last Name	29. Sex	56. Driver's First Name Initial Last	Name 59. Sex
Policy Number	102	27. Number & Street		57. Number & Street	121b
,	103	00.0%	01-1- 7'-	50.0%	200
	104	28. City	State Zip	58. City	State Zip
	104	30. Eyes DL Class Restrictions Endo	orsements 31. State	60. Eyes DL Class Restrictions	Endorsements 61. State 122
					123
	105	32. Driver's License Number 33. DOB mm d	ld yy 34. Expires mm yy	62. Driver's License Number	63. DOB 64. Expires mm dd yy mm yy
			d yy mm yy		, , , , , , , , , , , , , , , , , , ,

In Box 25 and/or Box 55 (Insurance Code), enter the motor vehicle's insurance code, as it appears on the State of New Jersey Insurance Identification Card.

If the New Jersey insurance code cannot be determined or is suspected to be uninsured, place an asterisk (*) in Box 25 and/or Box 55 (Insurance Code) and explain in Box 145 (Crash Description/Narrative). When using the NJ Crash platform, select *unknown insurance company, when the insurance company cannot be determined or if the vehicle is suspected to be uninsured. Provide a detailed explanation in the space provided and that information will be automatically added to Block 145, (Crash Description/Narrative). If the New Jersey insurance code is missing from the insurance document the officer can look up the code from the link provided below.

For <u>out-of-state registered vehicles</u> or <u>self-insured vehicles</u>, place an asterisk (*) in Box 25 and/or Box 55 (Insurance Code) and enter the name of the insurer or insurance company in Box 145 (Crash Description/Narrative). When using the NJ Crash platform, select * 99 other insurance company from the dropdown menu and include the name of the insurer or insurance company in the space provided below.


DO NOT enter any out of state Codes in Boxes 25 and 55.

New Jersey Insurance card and code information is necessary to send an inquiry to the Insurance Company and verify coverage.

Look the New Jersey Insurance codes up on the following Motor Vehicle Commission links:

https://www.nj.gov/mvc/vehicles/inscocodes.htm

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms




In Box (Parked, Ped, Pedalcyclist, Resp to Emergency, Hit & Run) grouped beneath Box 24 (Policy Number) and Box 25 (Insurance Code) as well as Box 54 (Policy Number) and Box 55 (Insurance Code), respectively, place an "X" to ensure that first responders (Resp to

Emergency), owner of a parked vehicle, a pedalcyclist, a pedestrian, or the victim of a hit and run does not have this crash charged to their driver record and insurance surcharges assessed.

In Box (Responding to an Emergency), place an "X" for motor vehicles responding to an emergency which includes volunteer Fire/Ambulance personnel in their personal vehicles. See Page 14, Definition of "At Fault Crash".

If Responding to Emergency is selected in the Driver Identification section, you shall enter code "**04** - **Responding to Emergency**" in Boxes 110 and/or 111 (Vehicle Use).

In Box (Hit & Run), place an "X" in this Box for the individual who fled the scene.



In Box 26 and/or Box 56 (Driver's Name), enter the first name, middle initial and last name of the driver as it appears on their driver's license. If driver/operator has an apostrophe in their surname (O'Conner), the "O" is part of the last name "NOT" the middle initial. If there is no middle initial, enter a dash (-).


Enter the same information for a pedalcyclist or pedestrian.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Box 27 & 57	100b		20b 21a
<u> </u>	102	26. Driver's First Name Initial Last Name 29. Sex 56. Driver's First Name Initial Last Name 59. Sex	21b
Number and		27. Number & Street 57. Number & Street	מויצ
Street	103	28. City State Zip 58. City State Zip	
	104	30. Eyes DL Class Restrictions Endorsements 31. State 60. Eyes DL Class Restrictions Endorsements 61. State	22
	105	32. Driver's License Number 33. DOB 34. Expires 62. Driver's License Number 63. DOB 64. Expires	23
		mm dd yy mm yy mm dd yy mm yy mm dd yy mi m yy m m dd yy dd y	


In Box 27 and/or Box 57 (Number and Street), for the Driver, Pedalcyclist or Pedestrian, enter the street address as it appears on the driver's license. If there is an address change identified by NJ Motor Vehicle Commission documentation it will be entered in Box 27 and/or Box 57 in place of number and street shown on the driver license. If change of address is identified as the result of interview only without Motor Vehicle documentation, the number and street entered will be the number and street shown on the driver's license, and the number and street identified through the interview process will be explained in Box 145 (Crash Description).

For your information and use in Box 27 and/or Box 57 (Number and Street), if there is a Rural District (RD) or Rural Route (RR) number and/or a Post Office (PO) Box Number, interview for the street address, enter in brackets {} the actual name of the road adjacent to the RD, RR or PO Box Number or include this information in Box 145.




In Box 28 and/or Box 58 (City, State, Zip), enter the City, State, Zip as it appears on the driver's license. If there is an address change identified by NJ Motor Vehicle Commission documentation it will be entered in Box 27 and/or Box 57 in place of number shown on the driver license. If change of address is identified as the result of interview only without Motor Vehicle documentation, the City, State, Zip entered will be the City, State, Zip shown on the driver's license, and the City, State, Zip identified through the interview process will be explained in Box 145 (Crash Description).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms



In Box 29 and/or Box 59 (Sex), enter the sex as it appears on the driver's license: M = MALE F = FEMALE



In Box 30 and/or Box 60 (Eyes), enter the two-digit code for eye color for the driver EXACTLY as it appears on their New Jersey driver's license. For out of state drivers, Eye Color MUST be converted to New Jersey codes. DL Class, Restriction, and Endorsement codes must be

entered as they appear on the out of state driver's license.

Eyes

In Box 30 and/or Box 60 (DL Class), enter the code for driver's license class as it appears on the driver's license.


In Box 30 and/or Box 60 (Restrictions), enter the code for driver's license restrictions as it appears on the driver's license. If the license displays more than one (1) Restriction, enter the first code in Box 30/60 and list the remaining Box 145.

In Box 30 and/or Box 60 (Endorsements), enter the code for driver's license endorsements as it appears on the driver's license. If the license displays more than one (1) Endorsement, enter the first code in Box 30/60 and list the remaining Box 145.

Box 30, Box 60 NEW JERSEY EYE CODE CHART							
Code	Description						
01	Black						
02	Brown						
03	Gray						
04	Blue						
05	Hazel						
06	Green						
07, 08, 09	Other						

In the event where the licensed driver does not have Endorsements/Restrictions with the word 'None' appearing, the PD shall enter Dashes to fill corresponding boxes.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms



In Box 31 and/or Box 61 (State), enter the standard abbreviation for the state as it appears on the driver's license.

Box 32 & 62	100b	23. Veh. # 24. Policy No. 25. NJ Ins. Code 53. Veh. # 54. Policy No. 55. NJ Ins. Co	le 120b
DUX 32 & 02	101	Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Ped Pedalcylist Resp. to Emergency Hit & Run Parked Pedalcylist Resp. t	
Driver's	102	27. Number & Street 57. Number & Street	121b
License	103	28. City State Zip 58. City State Zip	
Number	104	30. Eyes DL Class Restrictions Endorsements 31. State 60. Eyes DL Class Restrictions Endorsements 61. State	122
	105	32. Driver's License Number 33. DOB 34. Expires 62. Driver's License Number 63. DOB 64. Expires	123
		mm dd yy mm yy	


In Box 32 and/or Box 62 (Driver's License Number), enter the number exactly as it appears on the driver's license.

If the driver is unlicensed, enter "NONE" in Box 32 and/or 62 (Driver's License Number). If needed, explain in Box 145 (Crash Description).

If the driver has a permit, enter the permit number in Box 32 and/or 62 (Driver's License Number). If needed explain in Box 145 (Crash Description).

For individuals issued a license by another country the officer is to use an Asterisk (*) in Boxes 31 & 32 or 61 & 62 and document the necessary information in Box 145. When using the NJ Crash platform, select *other from the dropdown list and provide an explanation in the block provided.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of Contents	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension Forms
	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	



In Box 33 and/or Box 63 (DOB), enter the date of birth of the person, listed in Boxes 26 & 56 (Driver's Name), using a two-digit code format for month, day and year (MM/DD/YY).

Use preceding zeros where applicable. For Example: the date of birth for September 14, 1970 is 09/14/70.



	100b	23. Veh. # 24. Policy No.	25. NJ Ins. Code	53. Veh. # 54. Policy No.		55. NJ Ins. Code	120b
Box 34 & 64	101	Parked Ped Pedalcylist 26. Driver's First Name Initial Last Name	Resp. to Emergency Hit & Run	Parked Ped 56. Driver's First Name	Pedalcylist Resp. to Emergency	y Hit & Run 59. Sex	121a
D : /	102	27. Number & Street		57. Number & Street			121b
Driver's License	103	28. City	State Zip	58. City	State	Zip	
Expires	104	30. Eyes DL Class Restrictions	Endorsements 31. State	60. Eyes DL Class	Restrictions Endorsements	61. State	122
· · · · · · · · · · · · · · · · · · ·	105	32. Driver's License Number	33. DOB 34. Expires	62. Driver's License Number	63. DOB	64. Expires	123
			mm dd yy mm yy		mm dd yy	mm yy	

In Box 34 and/or Box 64 (Expires), enter the driver's license expiration date as it appears on the operator's driver's license using a two-digit code format for the month and year (MM/YY).

Use preceding zeros where applicable. For Example: the expiration date for March 2024 is 03/24.



Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

		35. Owner's First Nar	ne Init	ial Last Na	me		65. Owner's First Na	me Initia	al Last Name			404
Box 35 & 65	106	Same as Driver					Same as					124
<u> </u>	107	36. Number & Street					66. Number & Street					125
Owner's	108	37. City			State	Zip	67. City			State Z	ip	126a
Name	109	38. Make	39. Model	40. Color 41. Ye	ear 42. Plate No	o. 43. State	68. Make	69. Model	70. Color 71. Year	72. Plate No.	73. State	126b
	110	44. VIN				45. Expires	74. VIN				75. Expires	126c
	111	46. Vehicle Removed	to:				76. Vehicle Remove	d to:				126d
	112	☐ Driven ☐ Left at Scene	Towed Disable	_	ed Disabled & I	mpounded	☐ Driven☐ Left at Scene	☐ Towed Disabled	_	Disabled & Imp	ounded	126e
	113	47. Authority Owner	Driver	☐ Poli	oe .		47. Authority Owner	☐ Driver	Police			127a
	114											127b

In Box 35 and/or Box 65 (Owner's Name), enter the vehicle owner's first name, middle initial and last name EXACTLY as it appears on the registration. If there is no middle initial, enter a dash (-).

If the driver is also the owner, and the license and registration documents contain identical information, place an "X" in the "Same As Driver" Box located in Box 35 and/or Box 65 (Owner's Name).

For a crash involving a combination vehicle (tractor-trailer/passenger car with trailer, etc.,) use Boxes 35 and/or 65 through 45 and/or 75 to record information for the motorized unit. Trailer information shall be entered in Box 145 (Crash Description/Narrative) and should include the make, model, color, year, plate number, state, VIN and expiration date.

	106	35. Owner's First Na	me Initia	al Last Name			65. Owner's First Na	me Initial	Last Name		124
D 2C 0 CC	100	Same as					Same as				12-1
Box 36 & 66	107	36. Number & Street					66. Number & Street				125
	108	37. City			State Z	ıp	67. City		State	e Zip	126a
Number and	109	38. Make	39. Model	40. Color 41. Year	40 Diete Ne	Ido Ctata	68. Make	69. Model 70	. Color 71. Year 72. Pla	te No. 73. State	126b
Street	109	36. Make	39. Model	40. Color 41. Year	42. Plate No.	43. State	oo. Make	69. Model 70	. Color 71. Year 72. Pla	te No. 73. State	
	110	44. VIN				45. Expires	74. VIN			75. Expires	126c
	111	46. Vehicle Removed	d to:				76. Vehicle Removed	d to:			126d
	112	Driven	Towed Disabled	_	Disabled & Imp	ounded	☐ Driven	Towed Disabled	☐ Towed Disable	d & Impounded	126e
	113	Left at Scene 47. Authority	☐ Towed Impounde	ed			Left at Scene 47. Authority	☐ Towed Impounded			127a
	114	Owner	☐ Driver	☐ Police			Owner	Driver	Police		127b

For your information and use in Box 36 and/or Box 66 (Number and Street), enter the number and street as it appears on the registration. If there is an address change identified by NJ Motor Vehicle Commission documentation it will be entered in Box 36 and/or Box 66 in place of number and street shown on the vehicle registration. For changes of address identified through interview only without Motor Vehicle documentation, the number and street entered will be the number and street shown in the registration, and the number and street identified through the interview process will be explained in Box 145 (Crash Description).

If there is a Rural District (RD) or Rural Route (RR) number and/or a Post Office (PO) Box Number, interview for the street address, enter in brackets { } the actual name of the road adjacent to the RD, RR or PO Box Number. Explain in Box 145 (Crash Description).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

If you have selected the "Same as Driver" located in Box 35 and/or Box 65 (Owner's Name), then enter "SAME" in Box 36 and/or Box 66 (Number and Street).

		35. Owner's First Nan	ne Initi	al Last Name)		65. Owner's First Na	me Initi	al Last Name)	1	L
Box 37 & 67	106	Same as Driver					Same as	279-33° (879-33°)	1001011/0001110000			124
<u> </u>	107	36. Number & Street					66. Number & Street					125
City	108	37. City			State	Zip	67. City			State	Zip	126a
	109	38. Make	39. Model	40. Color 41. Yea	42. Plate N	o. 43. State	68. Make	69. Model	70. Color 71. Yea	72. Plate No.	73. State	
State	110	44. VIN				45. Expires	74. VIN				75. Expires	126c
Zip Code	111	46. Vehicle Removed	to:				76. Vehicle Removed	d to:				126d
Zip code	112	☐ Driven ☐ Left at Scene	☐ Towed Disabled	_	d Disabled &	Impounded	☐ Driven☐ Left at Scene	☐ Towed Disabled	_	Disabled & Imp	pounded	126e
	113	47. Authority					47. Authority					127a
	114	Owner	Driver	Police			☐ Owner	Driver	Police			127b


In Box 37 and/or Box 67 (City, State, Zip), Enter the City, State, Zip as it appears on the vehicle's registration card. If there is an address change identified by NJ Motor Vehicle Commission documentation it will be entered in Box 27 and/or Box 57 in place of number shown on the vehicle's registration card. If change of address is identified as the result of interview only without Motor Vehicle documentation, the City, State, Zip entered will be the City, State, Zip shown in the vehicle's registration card, and the City, State, Zip identified through the interview process will be explained in Box 145 (Crash Description).

If you have selected the "Same as Driver" Box located in Box 35 and/or Box 65 (Owner's Name), then enter "SAME" in Box 37 and/or Box 67 (City, State, Zip).

	106	35. Owner's First Nan	ne Initi	al Last Name			6	65. Owner's First Nam	ne Init	ial L	ast Name			124
Box 38 & 68	02.50.50	Same as Driver						Same as Driver						
<u> </u>	107	36. Number & Street					6	66. Number & Street						125
Make	108	37. City			State	Zip	(67. City				State	Zip	126a
	109	38. Make	39. Model	40. Color 41. Year	42. Plate No.	43.	State	68. Make	69. Model	70. Color	71. Year	72. Plate No.	73. Sta	
	110	44. VIN				45. Expire	s	74. VIN					75. Expires	126c
	111	46. Vehicle Removed	to:			41	1	76. Vehicle Removed	to:					126d
	112	☐ Driven ☐ Left at Scene	☐ Towed Disabled	_	Disabled & In	npounded	-	☐ Driven ☐ Left at Scene	☐ Towed Disable		Towed	Disabled & Imp	pounded	126e
	113	47. Authority					-	47. Authority						127a
	114	Owner	Driver	Police				Owner	Driver	[Police			127b


In Box 38 and/or Box 68 (Make), enter the vehicle manufacturer's name EXACTLY as it appears on the vehicle registration e.g., Honda, Chevy, BMW, etc.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO.
Table of	Location	Dilvei/ venicle	Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	BOXES 1-22	53-78	79-82	95		117	153	FOITIS



In Box 39 and/or Box 69 (Model), enter the vehicle's model as it appears on the registration e.g., Civic, Corvette, 525i, etc.

Do not identify by the model's style e.g., 4-door, sedan, etc.




In Box 40 and/or Box 70 (Color), enter the vehicle's color using the 2-digit code for vehicle's primary color as indicated on the NJTR-1 overlay. For Example: Red = RD, Black = BK

A list of Vehicle Color Codes can be found on Overlay Page 2 (Page 7 of this document).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms


		35. Owner's First Nar	ne Initi	al Last Name	V		65. Owner's First N	lame Initial	Last Name	-		124
Box 41 & 71	106	Same as Driver					Same as Driver					
DUX 41 & /1	107	36. Number & Street					66. Number & Stre	et				125
Year	108	37. City			State	Zip	67. City			State Zip		126a
	109	38. Make	39. Model	40. Color 41. Year	42. Plate N		ite 68. Make	69. Model 70	D. Color 71. Year 72		73. State	
	110	44. VIN				45. Expires	74. VIN			75.	. Expires	126c
	111	46. Vehicle Removed	to:				76. Vehicle Remov	ed to:				126d
	112	☐ Driven ☐ Left at Scene	Towed Disabled	_	Disabled &	Impounded	☐ Driven☐ Left at Scene	☐ Towed Disabled ☐ Towed Impounded	_	sabled & Impoun	ded	126e
	113	47. Authority	_				47. Authority					127a
	114	Owner	Driver	Police			Owner	Driver	Police			127b

In Box 41 and/or Box 71 (Year), enter the vehicle's "year", as it appears on the registration in four-digit year (YYYY) format.



In Box 42 and/or Box 72 (Plate Number), enter the vehicle's license plate number in exactly as it appears on the registration, including a temporary registration.

Do not enter unconfirmed or partial registration information in this box. Explain unconfirmed, partial, or temporary registration in Box 145 (Crash Description).



Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

In Box 43 and/or Box 73 (State), enter the standard abbreviation for state as it appears on the registration.

	106	35. Owner's First Nan	ne Initia	al Last Name		-		65. Owner's First Nan	ne Initia	al Last Name			124
Box 44 & 74	107	☐ Driver 36. Number & Street						66. Number & Street					125
VIN Number	108	37. City			State	Zip		67. City			State Zip		126a
	109	38. Make	39. Model	40. Color 41. Year	42. Plate N	0.	43. State	68. Make	69. Model	70. Color 71. Year 7	2. Plate No.	73. State	
	110	44. VIN				45.	Expires	74. VIN				5. Expires	126c
	111	40. Vehicle Removed	to.					70. Vehicle Removed	to.				126d
	112	Driven Left at Scene	Towed Disabled	_	Disabled &	Impound	ded	☐ Driven☐ Left at Scene	Towed Disabled	_	isabled & Impo	unded	126e
	113	47. Authority Owner	Driver	Police				47. Authority Owner	Driver	Police			127a 127b

In Box 44 and/or Box 74 (VIN), enter the entire vehicle identification number (VIN) as it appears on the registration. Since 1968, a standard VIN is 17 characters and should fill all provided spaces.


Verify the number on the VIN Plate, Vehicle Registration, and Insurance Card all match.

	106	35. Owner's First Nar	me Init	al Las	t Name				65. Owner's First Nam	ne Initi	al I	Last Name			124
Box 45 & 75	100	Same as Driver							Same as						
<u> </u>	107	36. Number & Street							66. Number & Street						125
Expires	108	37. City				State	Zip		67. City				State	Zip	126a
	109	38. Make	39. Model	40. Color 4	1. Year 42	2. Plate No).	43. State	e 68. Make	69. Model	70. Color	r 71. Year	72. Plate N	o. 73. Sta	126b
	110	44. VIN			$\overline{}$		45. E	xpires	74. VIN					75. Expires	
	111	46. Vehicle Removed	i to:						76. Vehicle Removed	to:					126d
	112	☐ Driven ☐ Left at Scene	☐ Towed Disable	_	Towed Di	isabled & li	mpounde	ed	☐ Driven☐ Left at Scene	Towed Disabled		☐ Towed	Disabled & I	mpounded	126e
	113	47. Authority							47. Authority						127a
	114	Owner	Driver		Police				Owner	Driver		Police			127b

In Box 45 and/or Box 75 (Expires), enter the expiration in Month and abbreviated Year format (MM/YY) as it appears on the vehicle's registration.

Use a two-digit code for month and year. For Example: the code for March 2024 is 03/24.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms



In Box 46 and/or Box 76 (Vehicle Removed To), If vehicle was driven away, enter a dash (-). If the vehicle was towed enter the name of the tow company.

Place an "X" in the appropriate box to indicate if the vehicle was Driven, Left at Scene, Towed disabled, Towed Impounded or Towed Disabled and Impounded (Check ONLY one Box). Definitions are listed below.

The authority to remove a disabled vehicle from the roadway, whether involved in a crash or not, is NJSA 39:4-136.

Driven - is used when the vehicle was driven from the scene of the crash. This option applies to a vehicle which is winched out of a ditch or snow bank and subsequently driven away. In addition, this option is used if a vehicle was driven from the scene and subsequently became disabled or a vehicle that fled the scene during a hit and run.

Left at Scene - is used when the vehicle remained at the scene.


Towed - Disabled is used for any towing which is due to disabling damage caused by this crash which prohibits vehicle movement under its own power.

Towed – Impounded is used when the vehicle has been towed but the towing results from other than disabling damage (e.g., abandoned vehicles, driver arrested, unlicensed, unregistered, uninsured, etc.).

Towed Disabled and Impounded - If a vehicle was towed due to damage AND for other reasons such as driver arrest, unregistered vehicle, etc.

If the vehicle is a combination vehicle (power unit and at least one trailer), the power unit and/or trailer(s) are considered when determining tow status. If the power unit, or trailer of a combination unit, sustained enough damage to require towing, consider this vehicle as towed due to damage.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms



In Box 47 and/or Box 77 (Authority), check the box for the authority that approved the vehicle's removal. (Check ONLY one block) The authority to remove a disabled vehicle from the roadway, involved in a crash, is NJSA 39:4-136.

Box 48 & 78	1.14	48. Alcohol Drug Test	49. Hazardous Material	78. Alcohol Drug Test	79. Hazardous Material	112/0
<u> </u>		Given: ☐No ☐Yes ☐Refused	None ☐ On Board ☐ Spill	Given: ☐No ☐Yes ☐Refused	None ☐ On Board ☐ Spill	
	115	Type: Breath Blood Urine		Type: Breath Blood Urine		127c
Drug/Alcohol	116	- Results: 0.	Hazard Class Placard No.	Results: 0.	Hazard Class Placard No.	127d
Brag// (correr	1	LEO Carrier No.	F1 CVAMP / COMP /trucks & buses only)	80 Carrier No	1 81 CLAMP / COMP /frucks & buses only)	۱ ۱

Box 48 and Box 78 (Alcohol/Drug Test) is for indicating if alcohol or drug tests were conducted. Complete this section for all drivers, pedalcyclists and pedestrians, whether the police agency or medical examiner (if fatality occurred) administered the test.

Box (Given): Place an "X" in one of the grouping of Boxes (No, Yes, Refused).

Box (Type): If you placed an "X" in Box (Yes) in Box (Given), then you must place an "X" in one of Type grouping of Boxes (Breath, Blood, Urine).

Box (Results): Enter the results on line Results (0.___ %) or If the specimen was sent to a lab place an "X" in Box (Pending).

Do not hold this report to await lab results. Submit this report as "**Pending**", while waiting for results. Once the results are received from the lab, submit a change report that identifies the test results.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO,
Table of	Location	Dilvei/ venicie	Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	Boxes 1-22	53-78	79-82	95		117	153	FOILIS

Blocks 49-52 and Blocks 79-82 pertain to commercial motor vehicles only (see definition on page 48). For non-commercial vehicles, these blocks should be left blank.

	1117	48. Alcohol Drug Test	49. Hazardous Material	78. Alcohol Drug Test	79. Hazardous Material	12/10
D 40 0 70		Given: ☐No ☐Yes ☐Refused	☐None ☐ On Board ☐ Spill	Given: ☐No ☐Yes ☐Refused	□None □ On Board □ Spill	
Box 49 & 79	115	Type: Breath Blood Urine		Type: Breath Blood Urine		127c
		Results: 0. % Pending		Results: 0.		
	116	50. Carrier No.	Hazard Class Placard No. 51. GVWR / GCWR (trucks & buses only)	80. Carrier No.	Hazard Class Placard No. 81. GVWR / GCWR (trucks & buses only)	127d
Hazardaus			☐≤ 10.000 lbs.		☐≤ 10.000 lbs.	
Hazardous	117	USDOT		USDOT None		127e
Material	5000000	□MC/MX	10,001 - 26,000 lbs.	□MC/MX	10,001 - 26,000 lbs.	407103000
Materiai			≥ 26,001 lbs.	_INIC/INIX	≥ 26,001 lbs.	128
		52. Motor Carrier or Government Entity		82. Motor Carrier or Government Entity		128
		Number & Street		Number & Street		129
						130
		City	State Zip	City	State Zip	
			—			131

In Box 49 and Box 79 (Hazardous Material), place an "X" in Box "None" if no hazardous materials are on board. Place an "X" in Box "On Board" if there is Hazmat on board and it did not spill. Place an "X" in Box "Spill" if Hazmat is on board and it spilled. This refers to hazardous cargo only.

<u>Do not</u> place an "X" in "On Board" or "Spill" if only engine fluids are spilled.

Placards are required on any vehicle that carries more than 1,000 pounds of Hazardous Material.

There are 9 Classes of Hazardous Material. For listing refer to Federal Motor Carrier Safety Administration website at: http://www.fmcsa.dot.gov/safety-security/hazmat/complyhmregs.htm#hm

Line (Box) (Hazard Class.): Identify the hazard class by the number in the bottom corner of the placard displayed on the vehicle and enter it on the "Hazard Class" line. The class number can be 1- or 2-digit number. If multiple hazmat materials are on board, list the lowest hazard in Box 49/79 and additional hazmat in Box 145 (Crash Description).

Line (Box) (Placard No.): The four-digit number on the Placard identifies the hazardous material. Enter the 4-digit code in Box 49/79 in the "Placard No." Box. If more than one placard is displayed, enter and asterisk in the Box and explain additional placard information in Box 145 (Crash Description).











Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

	1.1.7	48. Alcohol Drug Test	49. Hazardous Material	78. Alcohol Drug Test	79. Hazardous Material	7 '2'
	445	Given: No Yes Refused	None ☐ On Board ☐ Spill	Given: No Yes Refused	None ☐ On Board ☐ Spill	407
Box 50 & 80	115	Type: Breath Blood Urine		Type: Breath Blood Urine		127c
		Results: 0. % Pending	Hazard Class Placard No.	Results: 0.	Hazard Class Placard No.	1071
	116	50. Carrier No.		80. Carrier No.	81. GVWR / GCWR (trucks & buses only)	127d
Carrier	447	□USDOT □None	≤ 10,000 lbs.	□USDOT □None	≤ 10,000 lbs.	107
Carrier	117		☐10,001 - 26,000 lbs.		10,001 - 26,000 lbs.	127e
Number		MC/MX	≥ 26,001 lbs.	□MC/MX	≥ 26,001 lbs.	
Namber		52. Motor Carrier or Government Entity		82. Motor Carrier or Government Entity		128
		Number & Street		Number & Street		129
		City	State Zip	City	State Zip	130
			—			131

In Box 50 and Box 80 (Carrier Number), you shall enter the number of the MOTOR CARRIER THAT IS RESPONSIBLE FOR THE CARGO. Enter the Carrier's USDOT number and the MC / MX number if applicable. If no DOT/MX numbers are present or applicable - check "None".

US DOT and MC/MX information can be obtained by conducting an online search at https://safer.fmcsa.dot.gov/CompanySnapshot.aspx. This site will provide a company snapshot which contains a record of a company's identification, size, commodity information, and safety record, including the safety rating (if any), a roadside out-of-service inspection summary, and crash information. If you use this site please copy the information exactly how its shown on the FMCSA site.

Accurate information on this report will identify and remove unsafe commercial vehicles on New Jersey roadways and may be used in determining State and Local Federal transportation safety funding levels.

Companies that operate commercial vehicles transporting passengers or hauling cargo in interstate (Across state lines) commerce must be registered with the FMCSA and must have a USDOT Number. Also, commercial intrastate (within the state) hazardous materials carriers who haul quantities requiring a safety permit must have a USDOT Number.

No number documentation is needed if this is a rental vehicle over 10,000 lbs. GVWR/GCWR that is operated for personal use.

NOTE: The carrier and owner can be different entities. Be sure to check the accuracy of these entities for this entry. If additional owners and carriers are involved indicate the information in Box 145.


WARNING: It is important to correctly identify the right motor carrier USDOT number. The driver of the vehicle and the USDOT number on the driver or passenger side of the vehicle may not be that of the carrier responsible for the vehicle/load.


Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO,
Table of	Location	Dilvei/ vellicle	Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	Boxes 1-22	53-78	79-82	95		117	153	FOILIS

For your information and for use in Box 50 and/or Box 80 (Carrier Number), the Motor Carrier is the person(s) who has care, custody, and control of the load/vehicle, and/or is directing the movement of the vehicle whether loaded or empty. Identifying the Motor Carrier will entail a driver interview and/or possibly the examination of multiple sources of information, which may include markings on the vehicle (Name and USDOT #), vehicle registration, shipping papers, trip or term lease documents, and the driver's log book (record of duty status). The driver interview is often the most important source of information. (See the sequence of questions to ask on the following page.)

The flow chart below will aide in your interviewing of the driver to determine the following:

- 1. Is the vehicle leased or rented?
- 2. Who is the motor carrier responsible for this load?
- 3. Who is directing & controlling the movement of the vehicle?
- 4. Where is the motor carrier's principal place of business?





Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

In Box 51 and/or Box 81 (Commercial Vehicle Weight), place an "X" in one the appropriate boxes (≤ 10,000 lbs., 10,001 to 26,000 lbs., or ≥ 26,001 lbs.) If the commercial vehicle's GVWR (Gross Vehicle Weight Rating) /GCWR (Gross Combined Weight Rating) is:

- Box (\leq 10,000 lbs.) Weight is less than or equal to 10,000 lbs.
- Box (10,001 to 26,000 lbs.) Weight is equal to or greater than 10,001 lbs. but less than or equal to 26,000 lbs.
- Box (\geq 26,001 lbs.) Weight is equal to or greater than 26,001 lbs.

For your information and for use, in Box 51 and/or Box 81 (Commercial Vehicle Weight), although a vehicle displays commercial plates, it does not necessarily mean that the vehicle will be considered a commercial vehicle for crash report purposes. A Commercial Motor Vehicle (CMV) is defined as any one of the following:

- 1. A vehicle that has a GVWR of 10,001 pounds or more.
- 2. A vehicle that carries hazardous material (HAZMAT) and is required to display or displays a placard.
- 3. A vehicle that carries 16 or more people, including the driver.
- 4. Any other vehicle that requires a Commercial Driver's License (CDL) For Example: livery/limo.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

	117	48. Alcohol Drug Test	49. Hazardous Material	78. Alcohol Drug Test	79. Hazardous Material	1 '-' 1
Box 52 & 82	115	Given: No Yes Refused Type: Breath Blood Urine Results: 0. % Pending	None On Board Spill	Given: No Yes Refused Type: Breath Blood Urine Results: 0. % Pending	None ☐ On Board ☐ Spill	127c
N.4+ C	116	50. Carrier No.	Hazard Class Placard No. 51. GVWR / GCWR (trucks & buses only) □≤ 10,000 lbs.	80. Carrier No.	Hazard Class Placard No. 81. GVWR / GCWR (trucks & buses only) □≤ 10,000 lbs.	127d
Motor Carrier	117	USDOT None	□10,001 - 26,000 lbs. □≥ 26,001 lbs.	USDOT None	□10,001 - 26,000 lbs. □≥ 26,001 lbs.	127e
or Government		52. Motor Carrier or Government Entity		82. Motor Carrier or Government Entity		128
Entity		Number & Street		Number & Street		129
		City	State Zip	City	State Zip	130
						131

In Box 52 and/or Box 82 (Motor Carrier or Government Entity), enter the Commercial Vehicle Motor Carrier Name OR Government entity, Street Address, City, State, and Zip Code for each commercial motor vehicle for each vehicle that corresponds with the USDOT Carrier number in Boxes 50 and 80. (See page 46)

NOTE: Commercial Vehicles owned by government entity may not have a DOT number, but the information should be entered.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

The "Persons Involved Data Table" (shown below) is a matrix in the crash report that records important data about all persons involved in the crash.

Pov 92 05		83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
Box 83 - 95	Α														
Persons Involved	В														
	С														
	D														

NITR-1 (Rev. 01/17)

You will note that this section is labeled by rows and columns; Rows A thru D down the left side (Page 1) and E through J (Page 2), and columns across the top beginning in Box 83 through 95.

A thru J are sometimes mistaken as the entry for Box 83, **THEY ARE NOT.** These letters are associated with Vehicle # (Boxes 23 & 53) for each individual involved in the crash whether Vehicle Occupant, Pedalcyclist OR Pedestrian.

Entries must begin in Box 83 and continue through 95 for each individual entered in Boxes A thru J (and subsequent entries after J).

If there is an entry other than dashes in Box 8 & 9, make sure that there are entries in Boxes 86 (Victim's Physical Condition); Box 89 (Location of Most Severe Physical Injury); Box 90 (Type of Most Severe Physical Injury) and Box 91 (Refused Medical Treatment).

You will note that there is room to enter only four (4) involved persons (one per line) on page 1 and six (6) on page 2. If more persons are involved then accommodated on the NJTR-1, use supplementary report form NJTR-1M (see Appendix) for additional involved persons. When using the NJ Crash platform, more lines will be automatically added to accommodate as many passengers as necessary. Form NJTR-1M is not required.

Reference Material: Sample Entries for Boxes 83-95 – Shown on page 63.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 83		83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
	Α														
Which	В														
Vehicle Occupied	٦														
0000,0100	С														
	D														

Under column (Box) 83 (Which Vehicle Occupied), all passengers shall be accounted for including the non-injured.

If a person was in vehicle #1, enter "01" in row A under column (Box) 83. (Note: The Code O1 – Other – field is not applicable and will be removed in the future).

NJ TR-1 (Rev. 01/17)

For additional persons in vehicle #1, enter "01" in rows B through E under column (Box) 83.

If vehicle #1 has no persons, start listing data about vehicle #2. For vehicles #3, #4, #5, enter "03," "04" and "05" in the appropriate row.

Box 83

Which Vehicle Occupied

Code Description

01 Vehicle 1

02 Vehicle 2

B1 Pedalcycle

P1 Pedestrian

O1 Other

B1 – Pedalcyclist – Any rider of a nonmotorized vehicle powered solely by pedals (e.g., A bicycle, unicycle, recumbent bicycle, tandem bicycle, etc.)

P1 – **Pedestrian** – A person who <u>is not</u> an occupant of a motor vehicle OR a pedalcyclist. A pedestrian also includes a person in a wheelchair (motorized or not), a person in a stroller, a skater, a jogger, a person on a non-powered scooter, or a person on a personal conveyance (see definition on page 75).

For your information and for use in column (Box) 83 (Which Vehicle Occupied), A person in a wheelchair, including electric or battery operated mobility devices are defined in NJSA 39: 1-1 as a pedestrian.

Enter the code for a pedalcyclist starting with "B1" and for a pedestrian, "P1".

Enter code for multiple pedalcyclists and pedestrians as B2, B3, P2, P3, etc., in column (Box) 83 in the appropriate row.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 84		83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
<u> </u>	Α														
Position															
In/On Vehicle	В														
vernicie	С														
	D														

NJ TR-1 (Rev. 01/17)

In column (Box) 84 (Position In/On-Vehicle), use the diagram for each person inside or hanging onto the vehicle.

POSITION IN/ON VEHICLE DEFINITIONS

00 - Unknown
01- Driver
02 - through 09 — Passengers
10 — Pass. In Cargo Area
11 - Riding/Hanging on outside
12 — Bus Passenger

Common Scenarios:

- A person sitting on someone's lap has the same numbered position as that person.
- If there is a 4th person sitting in the front, middle or rear row, they are in the #2, #5 or #8 position along with the person in that position, if not sitting on someone's lap.
- A passenger on a motorcycle or pedalcycle is in the #4 position. If the motorcycle has a sidecar and then the motorcycle passenger would be in the #3 position.
- A person "Riding/Hanging on the Outside" of a vehicle would be in the #11 position.
- Passengers riding in the cargo area are #10 position.
- Bus Passengers: Passengers in a bus are #12 position and should be listed in a "Bus Seating Arrangement" diagram (see Appendix) and attached to the report as well as filling in Boxes 83 through 95. The "Persons Involved" data table and "Bus Seating Arrangement" are required to complete the investigation of this type of crash.
 - o When using the NJ Crash platform, a "Bus Seating Arrangement will be generated.
- For Pedestrians, ALWAYS enter a dash (-).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

All passengers must be accounted for in the "Persons Involved" data table [columns (Boxes) 83 through 95].

Reference Material: Bus Seating Arrangement in Appendix.

Reference Material: School Bus Seating Diagram in Appendix.

Box 85

Ejected
From the
Vehicle

	83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
Α														
В														
С														
D														

NJ TR-1 (Rev. 01/17)

Column (Box) 85 (Ejection from Vehicle), enter the code to identify if a driver or passenger was ejected from a vehicle e.g., car, motorcycle, etc. This does not apply to pedestrians.

- **01 Not Ejected:** The person was not ejected from the vehicle. Note: A passenger with only his or her arms protruding out of a window is not a partial ejection.
- **02 Partial Ejection:** When a portion of the person's torso or head protrudes from the vehicle. Note: A passenger with his or her arms protruding out of a window is not a partial ejection.
- 03 Ejected: Person was fully ejected from the vehicle.
- **04 Trapped:** When mechanical force is used to free a person from the vehicle, such as a pry-bar or the Jaws of Life.

<u>Box 86</u>	
Victim's	
Physical	
Condition	

	83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
Α														
В														
С														
D														

NJ TR-1 (Rev. 01/17)

In column (Box) 86 (Victim's Physical Condition), enter the code to identify the level of severity of an injury 01 through 05 Do not leave this block blank and do not enter a dash. (See the next page for definitions of physical condition). If 01 through 04 is entered here, then the crash is reportable.

If there is no apparent injury, enter 05 in Box 86 (Victim's Physical Condition). A dash (-) is also required in Box 8 (Total Killed) and Box 9 (Total Injured). Entries must correspond with numbers in Box 8, "Total Killed" & Box 9, "Total Injured".

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

If 05 – No Apparent Injury is entered in column (Box) 86 (Victim's Physical Condition), enter a dash (-) in column (Box) 89 (Location of Most Severe Physical Injury), column (Box) 90 (Type of Most Severe Physical Injury) and column (Box) 91 (Refused Medical Treatment).

Definitions of Physical Condition:

• 01- FATAL INJURY (K) - If a person is killed, enter code "01-Fatal Injury (K)" where column (Box) 86 (Victim's Physical Condition) intersects with its corresponding row. A fatal injury is any injury that results in death within 30 days after the motor vehicle crash in which the injury occurred. If the person did not die at the scene but died within 30 days of the motor vehicle crash in which the injury occurred, the injury classification should be changed from the attribute previously assigned to the attribute "Fatal Injury."

Verify that an "X" is placed in the Box (Fatal) located at the top center-left of the report. Also, verify that a number entered in Box 8 (Total Killed) corresponds with the total number of persons killed as a result of the crash. Lastly, verify that the name/address/date and time of death is entered in the unnumbered Box to the right of Box 95 known as column Box (Names & Addresses of Occupants – If Deceased, Date & Time of Death).

NOTE: The "**30 days**" is typically calculated by a measure of 720 hours (i.e. 30, 24hr. periods) from the crash time.

- 02 SUSPECTED SERIOUS INJURY (A) If victim has a serious non-fatal injury which includes:
 - Severe laceration resulting in exposure of underlying tissues/muscle/organs or resulting in significant loss of blood
 - o Broken or distorted extremity (arm or leg)
 - o Crush injuries
 - o Suspected skull, chest or abdominal injury other than bruises or minor lacerations
 - o Significant burns (second and third degree burns over 10% or more of the body)
 - o Unconsciousness when taken from the crash scene
 - o Paralysis
- 03 SUSPECTED MINOR INJURY (B) If there is an evident injury, other than fatal and serious injuries. Examples include lump on the head, abrasions, bruises, minor lacerations (cuts on the skin surface with minimal bleeding and no exposure of deeper tissue/muscle).
- **04 –POSSIBLE INJURY (C) –** For a reported or claims of injury that is not fatal, serious, or minor. Examples include momentary loss of consciousness, claim of injury, limping, or complaint of pain or nausea. Possible injuries are those which are reported by the person or are indicated by his/her behavior, but no wounds or injuries are readily evident.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

• 05 – NO APPARENT INJURY (O) - No apparent injury is a situation where there is no reason to believe that the person received any bodily harm from the motor vehicle crash. There is no physical evidence of injury, and the person does not report any change in normal function.

Box 87
Age


	83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
Α														
В														
С														
D														

NJ TR-1 (Rev. 01/17)

Where column (Box) 87 (Age) intersects with its corresponding row, enter the age of each person. Use a two-digit code/number, e.g., 01, 02, 03, etc.

If victims are under 1 year old, enter the two-digit number of the month followed by an "**M**" for month, e.g., 01M through 11M. Enter 01M for all infants below the age of 2 months. 11M includes all days and weeks up to one year.





NJTR-1 (Rev. 07/16)

Police Copy

Where column (Box) 88 (Sex) intersects with its corresponding row, enter the sex of each person.

M = Male F = Female

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

															Names C Addresses of Ossumants
Day 90		83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
<u>Box 89</u>	Α														
	^														
Location of										-	-				
Location of Most Severe	В														
Most Severe															
Physical Injury	_ [
lniun	C														
iiijuiy															
	D														
	_														

NJ TR-1 (Rev. 01/17)

In column (Box) 89 (Location of Most Severe Physical Injury), enter the code to identify the location on the body of the most severe physical injury resulting from the crash.

The investigator **must** ascertain the injuries at the scene of the crash, not from a doctor's diagnosis or hospital records.

Example: If the driver had a severe head injury, a broken arm and body contusions, the head injury is identified as the **most severe**, which is code "**01** - **Head Injury"**.

Note: If 05 – No Apparent Injury is entered in column (Box) 86 (Victim's Physical Condition), enter a dash (-) in column (Box) 89 (Location of Most Severe Physical Injury), column (Box) 90 (Type of Most Severe Physical Injury) and column (Box) 91 (Refused Medical Treatment).

LOCA	Box 89 TION OF MOST SEVERE INJURY
Code	Description
01	Head
02	Face
03	Eye
04	Neck
05	Chest
06	Back
07	Shoulder/Upper Arm
08	Elbow/Lower Arm/Hand
09	Abdomen/Pelvis
10	Hip/Upper Leg
11	Knee/Lower Leg/Foot
12	Entire Body

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 90		83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
<u> </u>	Α														
Type of Most									Н	Н					
Type of Most Severe	В														
Physical Injury	_														
Injury	C														
	D														
	U														

NJ TR-1 (Rev. 01/17)

Where column (Box) 90 (Type of Most Severe Physical Injury) intersects with its corresponding row, enter the code to describe the type of the most severe physical injury that the person sustained as a result of the crash.

The investigator **must** ascertain the injuries at the scene of the crash, not from a doctor's diagnosis or hospital records.

Note: If 05 – No Apparent Injury is entered in column (Box) 86 (Victim's Physical Condition), enter a dash (-) in column (Box) 89 (Location of Most Severe Physical Injury), column (Box) 90 (Type of Most Severe Physical Injury) and column (Box) 91 (Refused Medical Treatment).

	Box 90 TYPE OF MOST SEVERE PHYSICAL INJURY										
Code	Description	Definition									
01	Amputation	Severed parts									
02	Concussion	Dazed condition as a result to a blow to the head									
03	Internal	No visible injury but signs of anxiety, internal pain and thirst									
04	Bleeding	Obvious discharge of blood									
05	Contusion/Bruise/Abrasion	Discoloration of skin over a portion of the body									
06	Burn	Reddening, blistering or charring of skin over a portion of the body									
07	Fracture/Dislocation	Swelling or evidence of displaced bones									
08	Complaint of Pain	No visible injury noted, but victim complains of pain									

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Box 91		83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
<u>DOX 91</u>	Α														
Refused Medical	В														
Treatment	С														
	D														

NJ TR-1 (Rev. 01/17)

Where column (Box) 91 (Refused Medical Treatment) intersects with its corresponding row, enter the two-digit code to identify if immediate medical treatment was refused.

- 01 Yes if the person sustained or claimed an injury but refused immediate medical treatment.
- 02 No if the person was treated and/or transported to a medical facility.
- Enter a dash (-) if the person claimed **no injuries**.

Note: If 05 – No Apparent Injury is entered in column (Box) 86 (Victim's Physical Condition), enter a dash (-) in column (Box) 89 (Location of Most Severe Physical Injury), column (Box) 90 (Type of Most Severe Physical Injury) and column (Box) 91 (Refused Medical Treatment).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Names & Addresses of Occupants 83 84 85 86 87 88 89 90 91 92 95 If Deceased, Date & Time of Death Box 92 & 93 Α Safety В Equipment Available and C Used D

NJ TR-1 (Rev. 01/17)

Where column (Box) 92 (Safety Equipment Available) and where column (Box) 93 (Safety Equipment Used) intersect with their corresponding rows, enter the code(s) to identify the safety equipment Available and/or Used in both columns (Boxes) for each person in the crash, whether injured or not.

10 - Airbag and 11 - Airbag & Seatbelts has been removed as choices for Safety Equipment available and/or used. All airbag information will now be captured in Box 94.

For pedestrians **WEARING** a Safety Vest, enter "12 - Safety Vests" in column (Box) 92 (Safety Equipment Available) and column (Box) 93 (Safety Equipment Used).

For Pedestrian **NOT WEARING** Safety Vest, Enter a dash (-) in column (Box) 92 (Safety Equipment Available) and column (Box) 93 (Safety Equipment Used).

"01-None Used" is an invalid entry for a pedestrian.

SAFETY EQUIPMENT

01 – None Used

02 – Lap Belt Only

03 – Harness Only

04 - Lap Belt & Harness

05 – Child Restraint – Forward

Facing

06 – Child Restraint – Rear Facing

07 - Child Restraint - Booster

08 – Helmet

09 – Unapproved Helmet

10 – Reserved

11 – Reserved

12 – Safety Vests (Ped Only)

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

		83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants
<u>Box 94</u>	Α				- 55				3.0	-			<i>y.</i>		If Deceased, Date & Time of Death
Air Bag Deployed	В														
	С														
	D														

NJ TR-1 (Rev. 01/17)

Where **column** (Box) 94 (Airbag Deployment) intersects with its corresponding row, enter the code for the airbag type deployed for each person within the vehicle.

Airbag Deployment Codes are as follows:

- **01 Front** Driver seat air bag or passenger seat air bag (exactly one airbag) is out of its cover and protruding into driver compartment. Bag is fully or partially inflated.
- **02 Side** Air bag on side of motor vehicle is out of its cover and pro truding into occupant compartment. Bag is fully or partially inflated.
- 03 Other (Knee, Airbelt, etc.)* A knee air bag, air belt, or other new air bag technology is deployed.
- **04 Combination** More than one air bag deploys, including front driver and front passenger, front and side, or front, side and other, etc.
- 05 Not Available if no airbag is available for this seating position
- 06 Not Deployed If the seating position has airbags available but they did not deploy.
- Enter a dash (-) for <u>Pedestrians and Pedalcyclists</u>.

Box 95		83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
	Α														
Hospital Code	В														
	С														
	D														

NJ TR-1 (Rev. 01/17)

In column (Box) 95 (Hospital Code) intersects with its corresponding row, enter the <u>Hospital Code Number</u> where the person is transported for treatment.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

The hospital codes are listed on the Police Resources webpage hosted by NJDOT: http://www.nj.gov/transportation/refdata/accident/policeres.shtm

Box		83	84	85	86	87	88	89	90	91	92	93	94	95	Names & Addresses of Occupants If Deceased, Date & Time of Death
<u> BOX</u>	Α														
Name and Addresses of	В														
	Ь														
Occupants	C														
	D														

NJ TR-1 (Rev. 01/17)

In the unnumbered column (Box) (Names & Addresses of Occupants – If Deceased, Date & Time of Death) to the right of column (Box) 95 (Hospital Code Number) where it intersects with its corresponding row, enter the names and addresses for all drivers, passengers, pedalcyclists and pedestrians.

It is permissible to abbreviate names and addresses of occupants, that have been documented in Boxes 23 & 53, by writing "V1-Vehicle," "B1-Pedalcyclist" and "P1-Pedestrian".

Verify that an "X" is placed in the Box (Fatal) located at the top center-left of the report. Also, verify that a number entered in Box 8 (Total Killed) corresponds with the number of persons killed as a result of the crash. Lastly, verify that code "**01-Fatal Injury**" is entered in column (Box) 86 (Victim's Physical Condition).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

SAMPLE ENTRY FOR COLUMNS 83 THROUGH 95

Crash involving 2 vehicles and 4 people:

Line A - shows the Driver of Vehicle #1(01), his position as the driver (01), trapped in the vehicle (04), that he is Dead (01), 29 years old (29), male (M), Chest Injury (05), Internal Injuries (03), did not refuse medical treatment (02), safety equipment available was airbag & seat belts (11), safety equipment used was airbag only (10), the driver airbag deployed (01), (Hospital Code-Overlook Hospital 7055).

Line B - shows the Passenger of Vehicle #1 (01), his position in the front of the vehicle passenger side (03), not ejected (01), suspected minor injury (03), 9 years old (09), male (M), head injury (01), bleeding (04), did not refuse medical treatment (02), safety equipment available was airbag & seat belts (11), safety equipment used was none (01), the passenger airbag did not deploy (-), Ambulance Run Number (Hospital Code-Overlook Hospital 7055).

Line C - shows the Driver of Vehicle #2 (02), her position as the driver (01), not ejected (01), that she has no injuries (05), 62 years old (62) and female (F), no injuries (--), no injuries (-), no medical treatment refusal (-), safety equipment available was airbag & seat belts (11), safety equipment used was seat belt only because the driver's airbag did not deploy (04), the driver airbag did not deploy (-), ambulance run number is not applicable (-).

Line D - shows the Passenger of Vehicle #2 (02), her position in the front of the vehicle passenger side (03), not ejected (01), possible injury (04), 42 years old (42), female (F), complain of neck pain (04), complaint of pain (08), did not refuse medical treatment (02), safety equipment available was airbag & seat belts (11), safety equipment used was airbag & seat belts (11), a side curtain airbag deployed in the front passenger compartment (02), (Hospital Code-Overlook Hospital 7055).

Line E - shows the 2nd passenger of vehicle #2 (02), his position behind the driver in the back seat (04), not ejected (01), no injuries (05), 7 years old (07), male (M), no injuries (--), no injuries (-), no medical treatment refusal (-), safety equipment available was airbag & seat belts (11), safety equipment used was seat belt only because this passenger's airbag did not deploy (04), the back seat passenger side airbag did not deploy (-), ambulance run number is not applicable (-).

	83	84	85	86	87	88	89	90	91	92	93	94	95	
А	01	01	04	01	29	M	05	03	02	11	01	01	7055	Bill Beans 156 Truck Turn Lane, Cherry Hill, NJ 01/24/16 0723
В	01	03	01	03	09	М	01	04	02	11	01	-	7055	Tom Beans
С	02	01	01	05	62	F	-	-	01	11	04	-	-	Elaine Wrigley
D	02	03	01	04	42	F	04	08	02	11	11	02	7055	Susan Wrigley
Е	02	04	01	05	07	М	-	-	01	11	04	-	-	Michael Wrigley

NOTE: For a fatality, you must list the name, address, date and time of the death in the box next to Box 95.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Box 96

Roadway Divided By In Box 96 (Road Divided By), enter the code for the physical separation dividing the roadway.

01 - Barrier Median - Any physical separation that precludes the vehicle from traversing the median (i.e., guide rail, jersey barrier, wooded areas).

02 - Curbed Median - Any median that divides traffic lanes and has a sloped or vertically curbed edging along or around the median.

03 - Grass Median - Any traversable grass median.

04 - Painted Median - Any separation between active lanes that are painted with double yellow lines and cross-hatching. Painted center lines on the roadway alone are not considered medians.

05 – None - If no physical separation is present, or if the crash occurs in an intersection.

ROA	Box 96 AD DIVIDED BY
Code	Description
01	Barrier Median
02	Curbed Median
03	Grass Median
04	Painted Median
05	None

96	
97	
98	
99	
100a	
100b	
101	1
102	1
103	

Box 97

Temporary Traffic Control Zone In Box 97 (Temporary Traffic Control Zone), includes the entire section of the trafficway between the first advance warning sign or traffic control device through the last traffic control device, where traffic returns to its normal path and conditions. If the first harmful event occurs within the boundaries

of the temporary traffic control zone, indicate the type of zone. If it occurred outside of the boundaries, indicate none, regardless of where the most harmful event occurred.

TEMPORARY TRAFFIC CONTROL ZONE

01 - No

02 – Yes - Construction Zone

03 – Yes - Maintenance Zone

04 – Yes - Utility Zone

05 - Yes - Incident Zone

- **02 Construction Zone -** An area where highway construction is being done such as repaving, repairing a bridge, or adding travel lanes to the roadway.
- **03 Maintenance Zone** Any short-term work zone set up for one day or less. This may include roadside grass mowing/landscaping, and pothole repair or striping the roadway.
- **04 Utility Zone -** A work zone established by any private or public utility within the traffic way for the purpose of repairing electric, gas, or water lines.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO,
Table of	Location	Direct/ venicle	Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
	DUXES 1-22	53-78	79-82	95		117	153	1 OIIIIS

30
97
98
99
100a
100b
101
102
103

96

05 - Incident Zone - An area of the trafficway where temporary controls are imposed by officials in response to an incident such as a motor vehicle crash, natural disaster, or special event.

Box 98

Light Condition

In Box 98 (Light Condition), enter the light condition at the immediate location of the crash and at the time of the crash, which may be different from the time you conduct your investigation.

- 01 Daylight is used when "natural" light exists.
- **02 Dawn -** describes the transition period going from "dark of night" to a daylight condition. This is typically the 30-minute period before the sun rises.
- ${\bf 03}$ ${\bf Dusk}$ describes the transition period going from a daylight condition to the "dark of night". This is typically the 30-minute period after the sun sets.
- **04 Dark Street Lights Off -** is used when no "**natural**" light exists, and overhead "**man-made**" lighting is present but not illuminated.
- **05 Dark No Street Lights -** is used when no "**natural**" light exists, and no overhead "**man-made**" lighting is present on the roadway where the crash occurs.
- **06 Dark Street Lights On, Continuous lighting -** is used when no "**natural**" light exists but there is overhead "**man-made**" lighting on the roadway where the crash occurs. This does not include lighting from store fronts, houses, parking lots, etc. Continuous lighting entails a roadway being fully lit along its length.
- **07 Dark Street Lights On, Spot lighting** is used when no "natural" light exists but there is overhead "manmade" lighting on the roadway where the crash occurs. This does not include lighting from store fronts, houses, parking lots, etc. Spot lighting may indicate a roadway where there is alternating dark spots and lit areas along the roadway.

Inoperable street lights are listed as **04 -** Dark – Street Lights Off

JI.	ıH	ı	CC	ИV	וט	Ш	ON	

- 01 Daylight
- 02 Dawn
- 03 Dusk
- 04 Dark, Street lights off
- 05 Dark, No Street lights
- 06 Dark, Street lights on, continuous lighting
- 07 Dark, Street lights on, spot lighting

96
97
98
99
100a
100b
101
102
103

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Box 99

Road System

In Box 99 (Road System), enter the code to identify the road system. The road system code must correlate with the entry on line (Box) 10 (Crash Occurred On/Road Name).

US Routes and NJ Routes are identified as "**02 - State Highway**." Hierarchy order dictates that US Routes are of a higher hierarchy than NJ Routes.

If codes "01 - Interstate," "02 – State Highway," or "03 – State/Interstate Authority" are used, enter the milepost number in Box 13 (Milepost).

School parking lots and driveways as well as any land owned and maintained by a governing body are to be coded. Example: an elementary school will be coded "08 – Municipal Authority Park or Institution," a county college will be coded "06 – County Authority, Park or Institution" and a state college will be coded "04 – State Park or Institution."

Box 99 ROAD SYSTEM							
Code	Description						
01	Interstate						
02	State Highway						
03	State/Interstate Authority						
04	State Park or Institution						
05	County						
06	County Authority Park or Institution						
07	Municipal						
08	Municipal Authority, Park or Institution						
09	Private Property						
10	US Government Property						

Note: Toll roads, Palisades Interstate Parkway, and Interstate Bridges Commissions are coded as "03 – State/Interstate Authority".

Box 100a

Road Character – Horizontal Alignment In Box 100a (Road Character – Horizontal Alignment), enter the roadway character (Horizontal Alignment) that best describes the roadway at the location of the crash from the perspective of the striking (at fault) vehicle.

Example: If the striking vehicle was traveling along a rightward curve in the roadway at the location of the

crash, the code should be "03 - Curved Right".

BOX 100a ROAD CHARACTER HORIZONTAL

01 - Straight

02 - Curved Left

03 – Curved Right

97
98
99
100a
100b
101
102
103

96

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Road character data is used to determine sight distance from an engineering point of view and should describe the alignment of the road.

Box 100b

Road Character – Grade In Box 100b (Road Character - Grade), enter the roadway character (Grade) that best describes the roadway at the location of the crash, from the perspective of the striking (at-fault) vehicle.

Example: If the striking vehicle was traveling along uphill at the location of the crash, the code should be "06 - Up Hill".

BOX 100b ROAD CHARACTER GRADE

04 **–** Level

05 – Down Hill


06 - Up Hill

07 – Hill Crest

08 – Sag (Bottom)

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- **04 Level** is used when there is no roadway grade.
- 05 Downhill (see image on following page).
- **06 Uphill** (see image to the right).
- **07 Hillcrest** refers to the area of transition between an uphill and a downhill grade as in the above illustration.
- **08 Sag (Bottom)** is a designed transition feature between a change of grade at the bottom of a hill. A dip on the road is not the same as a sag. A sag is a design feature whereas a dip is a flaw. The minimum length of a sag is 100 feet.



Box 101

Road Surface Type **Box 101 (Road Surface Type)** refers to the physical makeup of the road at the location of the crash. Examples include:

- 01 Concrete Portland cement concrete
- **02 Blacktop** Bituminous concrete (asphalt), including chip road sealing (oil and stone) and macadam
- **03 Gravel** a loose aggregation of small stones
- **04 Steel Grid** temporary or permanent surface cover in the form of a grille

Box 101 ROAD SURFACE TYPE					
Code	Description				
01	Concrete				
02	Blacktop				
03	Gravel				
04	Steel Grid				
05	Dirt				

ř	96
	97
	98
	99
	100a
	100b
	101
	102
	103

- 05 Dirt unpaved roadway made from native material of land surface in which it passes
- **99 Other** Must be explained in Box 145 (Crash Description); i.e.: cobblestones, wood (bridge decks), steel construction plates, etc.

Box 102

In **Box 102 (Road Surface Condition)**, enter the code to identify the road surface condition at the time and location of the crash.

Road Surface Condition

Include foreign substances such as vehicle fluids that were present prior to the crash and explain as "other foreign substances" in Box 145 (Crash Description).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Only choose one code. Definitions are as follows:

- **01 Dry -** describes a roadway surface that is dry. Also select this option if the road is made out of sand or dirt and is under normal conditions.
- **02 Wet -** describes a roadway surface that is covered with water from rain or melted snow.
- **03 Snowy -** describes a roadway surface that is covered with snow.
- **04 Ice -** includes a roadway covered with ice from freezing rain or water runoff that has pooled on the roadway and turned to ice.
- **05 Slush -** describes a roadway surface that is covered with melting snow.
- **06 Water (Standing, Moving) -** describes a roadway surface that is covered with water and typically localized.
- **07 Sand -** includes sand on the roadway as a result of sand blown by wind or sand discharged on the roadway by highway trucks.
- 08 Oil/Fuel includes petroleum products and fuel spilled on the roadway.
- **09 Mud, Dirt, Gravel -** indicates these substances present on the surface of the roadway at the crash location, NOT the surface type of the roadway by design.

Box 103

Environmental Conditions

In **Box 103 (Environmental Condition)**, enter the code for the weather condition at the time of the crash, which may be different from when you arrived at the scene.

Only choose one code.

- **01 Clear** includes partial cloudiness if sunlight is not diminished. If no adverse conditions, use **01 Clear**.
- **02 Rain** refers to precipitation other than snow, hail, or sleet, includes mist.
- **03 Snow** is used when precipitation is falling as frozen flakes at the time of the crash.

ROAD SURFACE CONDITION

01 - Dry

02 - Wet

03 - Snowy

04 - Icy

05 - Slush

06 - Water (Standing/moving)

07 - Sand

08 – Oil/Fuel

09 - Mud, Dirt, Gravel

96
97
98
99
100a
100b
101
102
103

ENVIRONMENTAL CONDITION

01 - Clear

02 - Rain

03 - Snow

04 - Fog/Smog/Smoke

05 - Overcast

06 - Sleet/Hail

07 - Freezing Rain

08 - Blowing Snow

09 - Blowing Sand/Dirt

10 - Severe Crosswinds

96	
97	
98	
99	
100a	
100b	
101	
102	
103	
	Ī

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- 04 Fog, Smog, Smoke refers to a natural or man-made condition that causes reduced visibility.
- **05 Overcast** partial cloudiness if light is diminished.
- **06 Sleet or Hail** would apply to conditions where precipitation is falling as ice.
- **07 Freezing Rain** precipitation that falls as rain and freezes on contact with the surface.
- **08 Blowing Snow** Wind-driven snow that reduces visibility. Blowing snow can be falling snow or snow that has already accumulated but is moved by strong winds.
- **09 Blowing Sand/Dirt** refers to particulate matter set aloft by winds creating a condition of reduced visibility which constitutes a hazard for vehicles operating in the area.
- **10 Severe Crosswinds** refers to winds traveling at an angle with respect to the travel lanes at velocities significant enough to create a risk that vehicles could be diverted from their path or high-profile vehicles could be blown over. These are winds that are strong enough to affect vehicle stability.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Section 6 - Crash/Vehicle Characteristics - Boxes 104 - 117

Box 104

Total Number of Vehicles Involved in Crash

In Box 104 (Total Number of Motor Vehicles Involved in Crash), enter the two-digit code/number for the total number of motor vehicles involved in the crash.

104

The total vehicles involved in the crash shall correspond with the number of entries in Box 35 and/or Box 65 (Owner's Name) that are identified on any pages in the NJTR-1 for the same crash.

105

106

107

108

104

105

106

107

108

<u>Pedalcyclists or Pedestrians are not accounted for in Box 104 (Total Vehicles Involved in Crash).</u>

Box 105

Crash Type

In Box 105 (Crash Type), enter the code that describes the first event of the crash. Attributes 01 - 09 involve two or more vehicles. Boxes 10 - 16 are used when action is the first event in the crash.

- **01 Same Direction (Rear-End)** Two vehicles moving one behind the other and collide, regardless of what forward movements either vehicle was in the process of making. This would include a collision in which the leading vehicle spun out and became turned 180 degrees around such that the resulting same direction collision had it strike front end to front end with the following vehicle.
- **O2 Same Direction (Side Swipe)** Two vehicles moving alongside each other and collide, with at least one of the vehicles being struck on the side. This would include a collision resulting from one of the vehicles making an improper turn such as a left turn from the right lane or vice-versa, or turning right from the appropriate outside lane and striking a vehicle passing on the shoulder.

CRASH TYPE

With other MV as first event

01 - Same Direction (Read-End)

02 - Same Direction (Side Swipe)

03 - Right Angle

04 - Opposite Direction (Head on, Angular)

05 - Opposite Direction (Side Swipe)

06 - Struck Parked Vehicle

07 - Left Turn/U-turn

08 - Backing

09 - Encroachment

With below as first event

10 - Overturn

11 - Fixed Object

12 - Animal

13 - Pedestrian

14 - Pedalcyclist

15 - Non-fixed Object

16 - Railcar Vehicle

03 – Right Angle – Two vehicles approaching from non-opposing angular directions collide, typically resulting as one vehicle failed to either stop or yield right of way from a Stop or Yield sign, ran a red light, or was not cleared from the intersection upon the onset of the conflicting movement's green signal.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104-	Boxes 118- 153	Forms


Section 6 - Crash/Vehicle Characteristics - Boxes 104 - 117

- **04 Opposite Direction (Head on, Angular)** Two vehicles approaching opposite directions and intending to continue in opposite directions collide in a frontal or angular manner as a result of one or both vehicles crossing the painted or un-painted centerline or divided median of the trafficway. This includes a collision resulting from one vehicle traveling the wrong way down a divided highway.
- **05 Opposite Direction (Side Swipe)** Two vehicles approaching opposite directions and intending to continue in opposite directions collide in a sideswiping manner as a result of one or both vehicles crossing the painted or unpainted centerline or divided median of the roadway. This also includes a collision resulting from one vehicle traveling the wrong way down a divided highway.
- **06 Struck Parked Vehicle** A parked motor vehicle is a motor vehicle not in-transport, other than a working motor vehicle, that is not in motion and not located on the roadway. In roadway lanes used for travel during some periods and for parking during other periods, a parked motor vehicle should be considered to be intransport during periods when parking is forbidden. Any stopped motor vehicle where the entirety of the vehicle's primary outline as defined by the four sides of the vehicle (e.g., tires, bumpers, fenders) and load, if any, is not within the roadway is parked. (see page 112 for examples)
- **07 Left Turn/U-Turn** A crash where two motor vehicles impact while one vehicle is performing a Left OR U-Turn. Not to be used in cases where Right Angle crash applies. Crash definition is aligned with vehicle movement.
- **08 Backing –** is defined as any multi-vehicle collision when at least one vehicle was in the act of backing. This includes backing into a parked vehicle.
- **09 Encroachment** is a situation where a vehicles' lane of travel is entered by another vehicle while making a turn at an intersection
- **10 Overturn** A motor vehicle that has overturned at least 90 degrees to its side. Includes when a motorcyclist loses control and "drops" motorcycle.
- 11 Fixed Object A motor vehicle in transport strikes an impact attenuator/crash cushion, bridge overhead structure, bridge pier or support, bridge rail, culvert, curb, ditch, embankment, guardrail face or end, concrete traffic barrier, standing tree, utility pole/light support, traffic sign or signal support, fence, mailbox, pothole, or other fixed object.
- **12 Animal** a non-human living creature that was alive at the time of the crash.
- **13 Pedestrian** A person who <u>is not</u> an occupant of a motor vehicle OR a pedalcyclist. A pedestrian also includes a person in a wheelchair (motorized or not), a person in a stroller, a skater, a jogger, a person on a non-powered scooter, or a person on a personal conveyance (see definition on page 75).


Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Section 6 - Crash/Vehicle Characteristics - Boxes 104 - 117

- **14 Pedalcyclist –** Any rider of a nonmotorized vehicle powered solely by pedals (e.g., A bicycle, unicycle, recumbent bicycle, tandem bicycle, etc.)
- **15 Non-Fixed Object** A collision with an object other than a motor vehicle in-transport, a pedestrian, another road vehicle in transit, a parked motor vehicle, a railway vehicle, a pedalcycle, a deceased animal, or a fixed object. **Example:** Fallen Tree, Rocks
- **16 Railcar Vehicle** Any land vehicle (train, engine) that is (1) designed primarily for moving persons or property from one place to another on rails and (2) not in use on a land way other than a railway.



Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms



Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Box 106 & 107

Oversized/
Overweight
Permit
(Overweight
Trucks Only)

Box 106 and Box 107 (Oversize/Overweight Permit) is for commercial vehicles and only to be used in commercial vehicle crashes.

All crashes that **do not** involve a commercial motor vehicle the Box will be dashed (-)

If a Commercial Vehicle is involved and **is not** oversized/overweight also use dash (-).

Box 106 and 107 OVERSIZE/ OVERWEIGHT PERMIT					
Code	Description				
01	Yes				
02	No				

104

100

107

108

109

110

111

112

113

114

115

116

117

If Commercial Vehicle is involved and **IS** oversized/overweight, indicate if a NJDOT permit has been issued.

Box 108 & 109

Vehicle Type

In Box 108 and/or Box 109 (Vehicle Type) identify each vehicle involved by type.

The category indicating the general configuration or shape of a motor vehicle distinguished by characteristics such as number of doors, rows of seats, windows, or roof line. Personal conveyances

are not considered motor vehicles but shall be captured in this section (see definition on page 75).

01 – Passenger Car/Station Wagon/Minivan - Less than 10,001 lbs. GCWR, or seats less than 9 passengers (GCWR=Gross Combination Weight Rating) and are commonly used for transporting people from a family

02 — **Passenger Van** — Larger vans with passenger seats are commonly used for institutional purposes, such as transporting students.

03 – Cargo Van - Any van where the area behind the driver or cab is designed for transporting cargo or operated for general commercial use. Example: Step Van, Full-size van, FedEx.







Minivan

Passenger Van

Cargo Van

VEHICLE TYPE

Passenger Vehicles 01 – 18

01 - Pass Car/Station Wagon/Minivan

02 - Passenger Van (< 9 seats)

03 - Cargo Van (10,000 lbs. or less)

04 - Sport Utility Vehicle

05 - Pickup

06 - Recreational Vehicle

07 - All Terrain Vehicle

08 - Motorcycle

09 - (Reserved)

10 - Any Previous w/Trailer

11 – Motorized Bicycle (Moped)

12 - Street Car/ Trolley

. 12. Dadalanda

13 - Pedalcycle

14 - Golf Cart

15 - Low Speed Vehicle

16 - Snow Mobile

17 – Personal Conveyance

19 - Other Passenger Vehicle*

04 - Sport Utility – A motor vehicle other than a motorcycle or bus designed for carrying ten (10) or fewer persons. Examples: Ford Explorer, Chevy Tahoe, BMW X5, Dodge Durango

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

- **05 Pickup** Any utility vehicle identifiable by a body style consisting of an open cargo area bed. Includes open, rack body and pickup trucks
- **06 Recreation Vehicle** Vehicles used for recreational purposes only. Example: travel trailers (Winnebago, Fleetwood, etc.)
- **07 All-Terrain Vehicles (ATV's)** with either 3, 4, 6 or more tires
- **08 Motorcycle** All motorcycles, autocycles, motor bikes, bicycles with motor attached and all motor-operated vehicles of the bicycle or tricycle type, except motorized bicycles, low-speed electric bicycles, and low-speed electric scooters as defined in this section, whether the motive power be a part thereof or attached thereto and having a saddle or seat with driver sitting astride or upon it or a platform on which the driver stands.
- **10 Previous w/Trailer** Any vehicle types 01-09 that have a trailer attached to back.
- 11 Motorized bicycle (Moped) A pedal bicycle having a helper motor characterized in that either the maximum piston displacement is less than 50 cc. or said motor is rated at no more than 1.5 brake horsepower or is powered by an electric drive motor and said bicycle is capable of a maximum speed of no more than 25 miles per hour on a flat surface or a pedal bicycle having an electric motor that is capable of propelling the bicycle in excess of 20 miles per hour with a maximum motor-powered speed of no more than 28 miles per hour on a flat surface. This term shall not include a low-speed electric bicycle or low-speed electric scooter as defined in this section.
- **12 Street Car/Trolley –** a passenger vehicle powered by electricity obtained from an overhead cable by means of a trolley wheel.
- **13 Pedalcycle** –A nonmotorized vehicle powered solely by pedals (e.g., A bicycle, unicycle, recumbent bicycle, tandem bicycle, etc.)
- **14 Golf cart** A vehicle used to carry one or more people and may carry golf equipment to play golf.
- **15 Low-speed vehicle** Any 4-wheeled motor vehicle whose top speed is greater than 20 miles per hour, but not greater than 25 miles per hour. This group includes neighborhood electric vehicles. See Page 115 for explanations and examples of LSVs.
- **16 Snow Mobile** A motor vehicle, especially one with runners in the front and caterpillar tracks in the rear, for traveling over snow.
- **17 Personal Conveyance** This includes Low-speed electric scooters, Low-speed electric bicycle, Motorized scooters, Motorized wheelchairs, and **electric personal assistive mobility devices** (hoverboards). See definitions on page 129-131.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- 19 Other Passenger Vehicle*
- 40 Equipment/Machinery
- **20 Single Unit (2 axle) -** A power unit that includes a permanently mounted cargo body (also called a straight truck) that has only two axles and a GVWR of over 10,000 lbs.
- 21 Single Unit (3+ axle) A power unit that includes a permanently mounted cargo body (also called a straight truck) that has three or more axles.
- 22 Truck (2 axle) with Trailer
- 23 Truck (3+ axle) with Trailer
- **24 Truck Tractor (Bobtail) –** A motor vehicle consisting of a single motorized transport device designed primarily for pulling semi-trailers.
- **25 Truck Semi-Trailer –** A truck tractor that is pulling a semi-trailer
- **26 Tractor Double –** A truck tractor that is pulling a single semitrailer and one full-trailer.
- **27 Tractor Triple –** A truck tractor that is pulling a single semitrailer and two full-trailers.

VEHICLE TYPE (Cont.)

Other Non-Passenger Vehicles – 40

40 – Equipment/Machinery

Trucks 20 - 29

- 20 Single Unit (2 axle)
- 21 Single Unit (3+ axle)
- 22 Truck (2 axle) with Trailer
- 23 Truck (3+ axle) with Trailer
- 24 Truck Tractor (Bobtail)
- 25 Tractor Semi-Trailer
- 26 Tractor Double
- 27 Tractor Triple
- 29 Other Truck*

Busses 30-31


- 30 Bus/Large Van/Limo (9-15 seats)
- 31 Bus (more than 15 seats)

108
109
110
111
112
113
114
115
116
117

- 29 Other Truck*
- **30 Bus/Large Van/Limo (9-15 Seats) –** A motor vehicle with seating for transporting nine (9) to fifteen (15) persons, including the driver.
- **31 Bus (More than 15 Seats) –** A motor vehicle with seating for transporting fifteen (15) or more persons, including the driver.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Reference Material: Vehicle Type



Box 110 &

Vehicle Use

In Box 110 and/or Box 111 (Vehicle Use), enter the code for each vehicle involved.

If "O4 - Responding to an Emergency" is selected, refer to New Jersey Administrative Code 11:3-34.3 Definitions. See General Protocols: 6. Department of Insurance Section F on Page 13 for full explanation

	Box 110 and 111							
	Vehicle Use							
Code	Description	Definition						
01	Personal	Any vehicle being operated for personal use						
02	Business/Commerce	Any vehicle being operated for private						
02	Business/Commerce	business, commerce or hire						
03	Government	Any vehicle being operated for						
03	Government	governmental use						
04	Responding to Emergency	Operation of any motor vehicle in response						
04	Responding to Emergency	to an emergency						
		E.G. Snow plow with the plow face down						
		and actively engaged in the removal of						
05	Machinery in Use	snow; forklift with a load, or any motor						
		vehicle not being utilized as a "vehicle in						
		transport"						

<u>,</u>	109
)	110
	111
	112
	113
	114
	115
	116
	117

108

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Box 112 & 113

Special Function Vehicles

In Box 112 and/or Box 113 (Special Function Vehicles), enter the code to describe the special function or how the vehicle was being used at the time of the crash, otherwise enter a dash (-).

01 - Work Equipment - Any equipment not in transport, actively being used in its designed or

intended purpose. E.g. Generators, Pile Driver, Digital Display Boards

- 02 Police Any vehicle marked or unmarked police vehicle.
- **03 Military** Any vehicle which is owned by any of the Armed Forces regardless of body type.
- **04 Fire/Rescue I**ncludes Mobile Intensive Care Units (non-transport) vehicles.
- **05 Ambulance –** Any vehicle used for victim transport.
- **06 Taxicab/Limo -** Any passenger vehicle used for transportation of passengers for hire (usually with "**livery**" or "**taxicab**" plates).

SPECIAL FUNCTION VEHICLES

- 01 Work Equipment
- 02 Police
- 03 Military
- 04 Fire/Rescue
- 05 Ambulance
- 06 Taxi/Limo
- 07 Vehicle used as school bus
- 08 Vehicle used as other bus
- 09 School bus
- 10 Transit Bus
- 11 Tour Bus
- 12 Shuttle Bus
- 13 Intercity Bus
- 14 Other Bus
- 15 Vehicle used as Snowplow
- 16 Tow Truck
- 17 Farm Equipment
- 18 Farm Vehicle
- 19 Construction / Off Road Equipment
- 20 Rental Truck (Over 10,000 Lbs.)
- 21 Electronic Ride Share

108
109
110
111
112
113
114
115
116
117

- **07 Vehicle Used as school bus -** A vehicle that is not a bus used to transport students or faculty to or from a school or school activity in an official capacity.
- 08 Vehicle used as "other" bus any other vehicle with non-bus configuration used to transport passengers.
- **09 School Bus -** Any bus used to transport students or faculty to or from a school or school activity in an official capacity.
- **10 Transit Bus –** is a bus used for passenger transportation over fixed, scheduled routes within primarily urban geographical areas (EX: NJ Transit).
- 11 Tour Bus bus providing contract service for group or tour outing, usually on a round-trip basis.
- **12 Shuttle Bus —** buses/nine-passenger vans for transporting people from airports, hotels, rental car companies, and business facility to facility.
- 13 Intercity Bus- used for long-distance passenger transportation between cities over fixed routes with regular schedules. (Example: Greyhound, Martz, Lakeland)

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

- **14 Other Bus -** is any bus used for transportation purposes other than School Bus, Transit bus, Tour Bus, Shuttle Bus or Intercity bus.
- **15 Vehicle used as Snow Plow -** The Plow blade must be down and the vehicle is actively being used to clear the roadway of snow or slush.
- **16 Tow Truck -** a motor vehicle, including Flatbed Tow Trucks, equipped for towing away wrecked or disabled vehicles.
- 17 Farm Equipment is any kind of machinery used on a farm to help with farming. Example, Tractor
- **18 Farm Vehicle —** Is operated by an owner or operator of a farm or ranch, or by a family member or employee of the owner or operator. A vehicle that transports agricultural commodities, livestock, machinery or supplies to or from a farm or ranch. A vehicle that has a license plate or some other means specified by the State that identifies it as a farm vehicle.
- **19 Construction / Off Road Equipment -** Heavy power machines which perform specific construction or demolition functions e.g. cranes, graders, bull dozers, steam rollers, etc.
- **20 Rental Truck (Over 10,000 Lbs) -** is a rental vehicle operated by a private individual for personal use. (e.g., U-Haul, Ryder, Penske over 10,000 lbs. GVWR/ GCWR).
- **21 Electronic Ride Share** A passenger vehicle used for transportation of passengers, hailed by a transportation network company via websites and mobile apps connecting paying passengers with drivers who provide such passengers with transportation in the driver's non-commercial vehicle. This special function shall only be used while in the process of transporting passengers for this service.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 114 & 115

Cargo Body Type (Trucks and Buses Only) In Box 114 and/or Box 115 (Cargo Body Type - Commercial Vehicle Only), enter the code for cargo body type for commercial vehicles, otherwise enter a dash (-).

01 – Bus (9-15 Seats) – A motor vehicle with seating for transporting nine (9) to fifteen (15) persons, including the driver.

02 – **Bus (More than 15 Seats)** – A motor vehicle with seating for transporting fifteen (15) or more persons, including the driver.

03 - Van/enclosed box - includes any type of CMV, trailer or semi-trailer with an enclosed box.

CARGO BODY TYPE

- 01 Bus (9-15 seats)
- 02 Bus greater than 15 seats
- 03 Van/Enclosed Box
- 04 Cargo Tank
- 05 Flatbed
- 06 Dump
- 07 Concrete Mixer
- 08 Auto Transporter
- 09 Garbage/Refuse
- 10 Hopper
- (grain/gravel/chips)
- 11 Pole / Log Trailer 12 - Intermodal Chassis
- 13 No Cargo Body
- 14 Veh Towing Another Veh

108


- **04 Cargo Tank** A single-unit truck, truck/trailer, or tractor semi-trailer having a cargo body designed to transport dry bulk (fly, ask, etc.), liquid bulk (gasoline, milk, water, etc.) or gas bulk (propane, etc.).
- **05 Flatbed (Truck/trailer)** An open truck bed or trailer with no sides, used to carry large objects. Not to include Flatbed Tow trucks.
- **06 Dump** A cargo body type that can be tilted or otherwise manipulated to discharge its load by gravity.
- **07 Concrete Mixer** A single-unit truck having a body specifically designed to mix or agitate concrete.
- **08 Auto Transporter** Describes a cargo body type that is specifically designed to transport multiple, fully assembled automobiles. Single-unit flatbed tow trucks hauling cars **DO NOT** qualify. Auto Transporters are typically configured as truck-trailers.
- **09 Garbage/Refuse** A single-unit truck having a body specifically designed to collect and transport garbage or refuse. This includes both conventional rear loading and over-the-top bucket loading garbage trucks.
- **10 Hopper (grain/gravel/chips)** Describes a cargo body type used for hauling these or other similar bulk commodities. They may be referred to as "open hoppers" or "belly dumps"
- 11 Pole/Log Trailer a trailer designed to be attached to the towing road vehicle by means of reach or pole, or by being boomed or otherwise secured to the towing road vehicle, and ordinarily used for

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

carrying long or irregular shape such as poles, pipes, logs or structural members that are generally capable of sustaining themselves as beams between the supporting connections.

- 12 Intermodal Chassis Marine, rail terminal equipment as well as over the road equipment where different size intermodal containers are securely placed upon the transport vehicle (i.e., chassis) for transportation to/from destinations. A chassis is the frame on wheels that an intermodal container is secured to for transport by a truck.
- **14 Vehicle Towing Another Vehicle** a vehicle in the act of towing another vehicle. This includes conventional and flatbed tow trucks that are in the act of towing another vehicle. If vehicle is conventional or flatbed tow truck <u>without</u> vehicle in tow, **No Cargo Body** should be entered.


Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms



_									
	Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
		Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO,
	Table of	Location	Direct/ venicie	Vehicle	Involved	System	Characteristics	Precrash	Extension
	Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
		DOXES 1-22	53-78	79-82	95		117	153	POHIIS

Box 116 & 117

Cargo Body Type (Trucks and Buses Only) Box 116 and Box 117 (Direction of Travel of Vehicle) identifies the direction of travel entered as the nominal direction posted on road signs or identified on maps or straight-line diagram for the road where the crash occurred. Even though a north-south road may actually run east-west for a segment, the NOMINAL direction (North-South) shall not change for reporting purposes.



108

109

110

111

112

113

114

115

116

117

For intersection crashes, list the nominal direction of vehicle prior to entering the

intersection.

Use a two-digit code i.e., "01"-N, "02"-E, "03"-S, "04"-W.

DO NOT USE THE ABBREVIATIONS (N., S., E., and W.)

NOTE: The nominal direction for roadways in New Jersey are always either N, S, E or W.

If a vehicle is traveling in the wrong direction (e.g., northbound in a southbound lane), enter the actual direction of travel of the errant vehicle(s).

When a vehicle is backing on a roadway, its direction of travel is <u>opposite</u> the nominal direction. The direction it was actually moving, not necessarily the direction it was facing, is the nominal direction.

When a vehicle is turning, the nominal direction of travel prior to making the turn is the direction of travel.

When a vehicle is parked, identify the direction that the front of the vehicle was facing prior to the crash.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 118 & 119 (A&B)

Apparent Contributing Circumstances In Box 118 A&B and Box 119 A&B (Apparent Contributing Circumstances), A determination of the apparent contributing circumstances shall be made as a result of the crash investigation. The investigator will determine the most prominent factor(s)

contributing to the crash, even if a summons is not issued.

Every effort should be made to select up to two codes for contributing circumstances (Human/Driver Actions, Vehicle Factors, Road/Environmental Factors and Pedestrian Factors) for each driver, but only one code is required as a minimum.

Although it may seem that alcohol involvement would be included and contributed to the crash, other factors such as speed, failure to yield, road deficiencies, or other improper driving actions will be the proximate (actual) cause of the crash in Box 118 A&B and Box 119 A&B (Apparent Contributing Circumstances).

Apparent Contributing Circumstances

Human/ Driver Actions 01-29

- 01 Unsafe Speed
- 02 Driver Inattention*
- 03 Failed to Obey Traffic Signal
- 04 Failed to Yield ROW to Vehicle/Pedestrian
- 05 Improper Lane Change
- 06 Improper Passing
- 07 Improper Use/Failed to Use turn signal
- 08 Improper Turning
- 09 Following Too Closely
- 10 Backing Unsafely
- 11 Improper use/no lights
- 12 Wrong Way
- 13 Improper Parking
- 14 Failure to Keep Right
- 15 Failure to remove Snow/Ice
- 16 Failure to Obey Stop Sign
- 17 Distracted Hand Held Electronic Device*
- 18 Distracted Hands Free Electronic Device*
- 19 Distracted by passenger*
- 20 Other Distraction Inside Vehicle*
- 21 Other Distraction Outside Vehicle*
- 25 None
- 29 Other Driver/Pedalcyclist Action*

118a

118b

119a

119b

120a

120b

121a

121b

Statistical data gathered from this part of the report is used to study the cause and effect of crashes. For example, if a vehicle was involved in a crash and the road or environmental conditions listed in Box 102 (Road Surface Condition) and Box 103 (Environmental Condition) were icy and/or snow covered, enter code "01 - Unsafe Speed," even if a summons is not issued. This is different than a circumstance where water from a broken water main or snow melting from a hillside has run onto the roadway and froze. A crash caused by this should be attributed to 51- Road Surface Condition* and explained in the narrative.

Do not use code "25 - None" for all vehicles. There is "always" an apparent contributing circumstance for at least one and often both of the vehicles in a multi-vehicle crash.

Any code marked with an asterisk (*) under <u>Apparent Contributing Circumstances</u> and any selection using "other" must be further explained in Box 145.

01 – Unsafe Speed - When a motor vehicle is traveling above the posted/statutory speed limit on certain designated roadways and/or by certain types of vehicles; e.g., for trucks, buses, motorcycles, on bridge, at night, in school zone, etc.). Traveling at a speed that was unsafe for the road, weather, traffic, or other environmental

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

conditions at the time, or when two or more motor vehicles are engaged in a speed-related competition on the trafficway.

- **02 Driver Inattention* -** A driver is inattentive when he/she loses focus on the task of driving. This includes things such as daydreaming, fatigued, drowsiness, other physical or emotional conditions of the driver.
- **03 Failing to Obey Traffic Signal** Driver fails to stop at a red traffic signal or stops and continues through the traffic signal.
- **04 Failed to Yield ROW to Vehicle/Pedestrian** Driver failed to yield right-of-way to another motor vehicle or non-occupant as required.
- **05 Improper Lane Change –** Unsafe actions by driver while moving from one lane to another or changing lanes where prohibited.
- **06 Improper Passing** Unsafe actions by motorist while trying to pass a vehicle. Includes passing where prohibited and passing on the right.
- **07 Improper Use/Failed to Use turn signal** Unsafe action by motorist where failure to use turn signal resulted in collision.
- **08 Improper Turning** Unsafe action by motorist where turning motion caused collision. Does not include where driver failed to yield to traffic control device or stop sign.
- **09 Following Too Closely** Driver was positioned at a distance behind another motor vehicle or non-occupant that was too close to permit safe response to any change in movement or behavior by the other motor vehicle or non-occupant.
- 10 Backing Unsafely Unsafe action by motorist where backing of vehicle resulted in collision.
- 11 Improper use/No lights Collision caused by improper use of lighting system or non-use.
- **12 Wrong Way** Where motorist was operating motor vehicle in the wrong direction intended for travel resulting in a crash.
- 13 Improper Parking Motorist parks vehicle in a manner as to impede the flow of traffic or parking where prohibited, resulting in a collision.
- **14 Failure to Keep Right** Motorist failed to maintain the vehicle's position along the right side of the roadway and traveled into a portion of the roadway normally reserved for opposing traffic.
- **15 Failure to remove Snow/Ice** Motorist failed to remove snow and/or ice from vehicle which resulted in a vehicular crash.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO.
Table of	Location		Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- 16 Failure to Obey Stop Sign Driver continues through Stop Sign without coming to complete and full stop, OR proceeds into the intersection and fails to yield to another vehicle's right of way.
- 17 Distracted Hand Held Electronic Device*
- 18 Distracted Hands Free Electronic Device*
- 19 Distracted by passenger*
- 20 Other Distraction Inside Vehicle*
- 21 Other Distraction Outside Vehicle*

29 - Other Driver/Pedalcyclist Action* - should only be used for actions not listed. It does not mean that the crash was caused by the action of another driver or pedalcyclist. An example would be a crash caused by failing to obey a traffic control device that cannot be classified as 03 - Failed to Obey Traffic Signal or 16 - Failure to Obey

Stop Sign, e.g., Barrier, Temporary Construction Signs. Contributing Circumstances - Vehicles - Pre-existing

motor vehicle defects or maintenance conditions that may have contributed to the crash, such as:

- 31 Defective Lights* Defective/faulty/under-maintained as opposed to failure to use or misuse.
- 32 Brakes* Includes loss of brake fluid (or system error), faded brakes, or ineffective brakes due to a grossly overloaded vehicle. Excludes locked wheels.

For Contributing Circumstances 17-21

DRIVER DISTRACTED - A driver is distracted when he/she chooses to divert their attention from the driving task to focus on some other activity instead. This usually involves using their hands, eyes or ears and includes talking on a cell phone, texting, using a GPS, watching videos or movies, eating, drinking, smoking, personal grooming, reading, adjusting the system (e.g. radio/CD), talking passengers, reaching for an object, focusing on an insect in the vehicle, focusing on something outside of the vehicle or any other similar activity.

Vehicle Factors

31 - 49

- 31 Defective Lights
- 32 Brakes*
- 33 Steering*
- 34 Tire *
- 35 Wheels*
- 36 Windows/Windshield*
- 37 Mirrors
- 38 Wipers
- 39 Vehicle Coupling/Hitch/Safety Chains*
- 49 Other Vehicle Factor*
- 33 Steering* Includes failure of manual or power steering mechanism, tie rod, kingpin, ball joint, etc.
- 34 Tire * Defective tires, tread separation, sidewall failure, excessively worn, bubbled, or bald tires. Tires improperly sized for vehicle.
- 35 Wheels* Includes wheels that have collapsed or split, or bolts that have sheared, allowing the wheel to detach from the vehicle. Also includes hub caps and multiple-piece rings.
- **36 Windows/Windshield*** Includes window tinting that would obscure driver's vision.
- 37 Mirrors* Includes missing mirrors.
- 38 Wipers* Defective/faulty/under-maintained as opposed to failure to use.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

39 - Vehicle Coupling/Hitch/Safety Chains* - Defective trailer hitch denotes improperly adjusted trailer hitch, lack of safety chain, 5th wheel hitch, etc. Improper towing denotes towing without a hitch, towing by cable, rope, chain, etc.

49 - Other Vehicle Factor*

Contributing Circumstances – Roadway/Environmental – Roadway and environmental conditions that had a contributing circumstance in the crash, such as:

- **51 Road Surface Condition*** Wet, icy, snow, slush was a contributing circumstance in the collision.
- **52 Obstruction/Debris on Road*** Object(s) in the roadway that may have contributed to the crash, such as cardboard boxes, trash, or vehicle parts or other materials that have fallen from another vehicle.
- **53 Ruts, Holes, Bumps*** Irregular roadway surface, either concave in the case of ruts and holes, or convex in the case of bumps.

Road/Environmental Factors 51 – 69

- 51 Road Surface Condition*
- 52 Obstruction/Debris on Road*
- 53 Ruts, Holes, Bumps*
- 54 Traffic Control Device

Defective/Missing*

- 55 Improper Work Zone*
- 56 Physical Obstruction(s) (viewing, etc)*
- 57 Animal(s) in Roadway*
- 58 Improper/Inadequate Lane Markings*
- 59 Sun Glare*
- 60 Traffic Congestion Prior Incident*
- 61 Traffic Congestion Regular*
- 69 Other Roadway Factors*
- **54 Traffic Control Device Defective/Missing*** The traffic control device was inoperative, missing, or obscured from view.
- **55 Improper Work Zone*** A proper work zone is an area of a trafficway where construction, maintenance, or utility work activities are identified by warning signs/signals/indicators, including those on transport devices (e.g., signs, flashing lights, channelizing devices, barriers, pavement markings, flagmen, warning signs and arrow boards mounted on the vehicles in a mobile maintenance activity) that mark the beginning and end of a construction, maintenance or utility work activity. Improper work zones lack these characteristics.
- **56 Physical Obstruction(s) (viewing, etc.) *** An object that blocked the driver's sight, contributing to the crash (such as a bush, tree, etc.).
- **59 Sun Glare*** A very harsh, bright, dazzling light that impairs vision.
- **60 Traffic Congestion Prior Incident* -** An accumulation of traffic caused by vehicles slowing or stopping the traffic flow due to a Prior Incident.
- **61 Traffic Congestion Regular* -** An accumulation of traffic caused by vehicles slowing or stopping the traffic flow due to typical traffic patterns.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

The following actions/circumstances of the non-motorist that may have contributed to the crash.

- **71 Failed to Obey Traffic Control Device** Non-motorist failed to observe and obey traffic control device.
- **72 Crossing Where Prohibited** Non-motorist was crossing trafficway at location not designed/intended for crossing.
- **73 Dark Clothing/Low visibility to driver** Non-motorist was not wearing high-visibility clothing or reflective materials during low-light environs.

Pedestrian Factors

71 - 89

- 71 Failed to obey Traffic control Device
- 72 Crossing where prohibited
- 73 Dark clothing/Low visibility to driver
- 74 Inattentive*
- 75 Failure to yield Right of Way
- 76 Walking on wrong side of road
- 77 Walking in road when sidewalk is present
- 78 Running/Darting Across Traffic
- 85 None
- 89 Other Pedestrian Factors*
- 74 Inattentive* Non-motorist was not paying attention to trafficway environs.
- 75 Failure to Yield Right of Way Non-motorist failed to yield right-of-way to another non-occupant as required.
- **76 Walking on Wrong Side of Road** Non-motorist walking or riding in a direction other than Walking required by statute.
- **77 Walking in Road when Sidewalk is present** Non-motorist walking in trafficway when sidewalk was available to use.
- **78 Running/Darting Across Traffic** Non-motorist entering from off the roadway, including running, jogging, or stumbling, etc.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Box 120 & 121 (A&B)

Apparent Physical Status Box 120 and Box 121 (Apparent Physical Status), enter the code to identify the apparent physical status of each driver/operator, pedalcyclist, pedestrian immediately before the crash.

The determination of apparent physical status shall be determined by the investigating officer based on their suspicions and observations

made of the driver, odor, statements made, evidence available at the scene. Apparent physical status <u>DOES NOT</u> require chemical testing of the drivers, breath, blood, or urine.

Select **up to two** choices for each driver; **one** is required as a minimum.

Code **06 - Physical Handicaps** - may include:

- Severe Vision or Hearing Impairments
- Deafness or Blindness
- Leg/Foot/Arm or Hand Amputation

Во	x 120 and 121
Appar	ent Physical Status
Code	Description
01	Apparently Normal
02	Alcohol Use
03	Drug Use (Illicit)*
04	Medication*
05	Alcohol and Drug Use*
06	Physical Handicaps
07	Illiness
08	Fatigued
09	Fell Asleep
10	Cannabinoid Use

118a
118b
119a
119b
120a
120b
121a
121b

When illicit "03 – Drug Use" or prescription drugs "04 - Medication" or combinations of alcohol and drugs "05 - Alcohol and Drug Use" are identified, describe by name or type of drug/medication use in Box 145 (Crash Description).

Any code marked with an asterisk (*) under <u>Apparent Physical Status</u> and any selection using "other" must be further explained in Box 145.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 122 & 123

Pre-Crash Action For your information and use in Box 122 and Box (Pre-Crash Action), these Boxes are used to describe pre-crash actions for vehicles that had contact with another vehicle, pedestrian, or pedalcyclist. Pedalcyclists are considered vehicles.

If a vehicle, pedalcycle and/or pedestrian contributed to the and did not have contact with a motor vehicle, explain the Pre-Action in Box 145 (Crash Description), including Driver Identification Section and Owner/Vehicle Identification Section enter a dash (-) in Box 26 and/or Box 56 (Driver's Name).

If a pedestrian had contact and was an apparent contributing circumstance in the pre-crash action, enter the pedestrian name information starting in the space provided for a drivers name is located in Box 26 and/or Box 56 (Driver's Name). For a pedestrian, you **shall not** enter their driver's license number in 32 and/or Box 62 (Driver's License Number).

A motorized wheelchair is not as regulated as a motor vehicle, and shall be reported as a PEDESTRIAN.

- **01 Going Straight Ahead** Vehicle's path of travel was straight on the roadway without any attempted or intended changes.
- **02 Making Right Turn (not turn on red)** Vehicle moving forward and turned right, maneuvering from one roadway to a different roadway or landway e.g., from or to a driveway, parking lot or intersection.
- **03 Making Left Turn** Vehicle was moving forward and turned maneuvering from one roadway to a different roadway or landway e.g., from or to a driveway, parking lot or intersection.
- **04 Making U Turn** Vehicle that is turning around to reverse direction on the same trafficway. It includes legal and illegal U-Turns.
- **05 Starting From Parking** Applies to vehicles stopped alongside roadway or leaving on-street parking spot and entering the lane of travel.

Vehicle/Pedalcyclist Action		122	
01 - Going Straight Ahead	122	1	
02 - Making Right Turn (no		d)	123
03 - Making Left Turn	100		
04 - Making U Turn	123		
05 - Starting From Parking			
06 - Starting In Traffic		'	1
07 - Slowing or Stopping			124
08 - Stopped In Traffic	10.1	,	
09 - Parking	124		105
10 - Parked			125
11 - Changing Lanes	125	1	
12 - Merging/Entering Tra			anu
13 - Backing]	
14 - Driverless/Moving			

and

Box

which

ahead

left.

16 - Negotiating Curve
17 - Driving on Shoulder
18 - Right Turn on Red Signal
19 - Deliberate Action*
29 - Other Veh/Cyclist Action*

Pedestrian Action (31-49)

15 - Passing

- 31 Pedestrian Off Road
- 32 Walking To/From School
- 33 Walking/Jogging On Road W/Traffic
- 34 Walking/Jogging On Road Against Traffic
- 35 Playing In Road
- 36 Standing/Lying/Kneeling In Road
- 37 Getting On or Off Vehicle
- 38 Pushing or Working On Vehicle
- 39 Other Working In Roadway
- 40 Approaching or Leaving School Bus
- 41 Coming From Behind Parked Vehicle
- 42 Crossing / Jaywalking
- 43 Crossing at "Marked" Crosswalk at intersection
- 44 Crossing at "Unmarked" Crosswalk at intersection
- 45 Crossing at "Marked" Crosswalk at Mid-Block
- 46 Deliberate Action*
- 49 Other Pedestrian Action*

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- **06 Starting in Traffic** Applies to a vehicle that is starting in the trafficway in an area normally used for travel (i.e. light turns green and vehicle proceeds into the intersection).
- **07 Slowing or Stopping** Vehicle was traveling straight ahead within the road portion of the trafficway and was decelerating.
- **08 Stopped In Traffic** Applies to a vehicle that is stopped in the trafficway in an area normally used for vehicle travel (i.e. outside a parking lane). It includes, but is not limited to, motor vehicles legally stopped for a stop sign or signal, motor vehicles stopped to turn PRIOR to initiating a turn, motor vehicles stopped in traffic due to a slowdown in traffic ahead, and motor vehicles illegally stopped in a traffic lane. A vehicle stopped in traffic may or may NOT have a driver and the vehicle engine may or may NOT be running. Most "double parked" vehicles are actually stopped in traffic rather than parked. (See examples on page
- **09 Parking** Applies to a vehicle that is in the process of parking, e.g., backing to parallel-park the vehicle.
- **10 Parked** A parked motor vehicle is a motor vehicle that is not in-operation, other than a working motor vehicle, that is not in motion and not located on the roadway.
- 11 Changing Lanes Shift from one traffic lane to another traffic lane while moving in the same direction.
- **12 Merging/Entering Traffic Lane** Crashes associated when two lanes merge into one, (i.e., acceleration or deceleration merges). This does not include "05-Starting From Parking".
- 13 Backing A start from a parked or stopped position in the direction of the rear of the motor vehicle.
- 14 Driverless/Moving is a motor vehicle that went into motion while driver was not sitting in driver seat operating the vehicle. Examples include: (1) if a vehicle rolls out of a parking space due to the driver not engaging the vehicle in Park. (2) if a vehicle continues to move after the driver exits or was ejected from vehicle. (3) driver is pushing vehicle from front/rear due to the motor vehicle being disabled, causing a collision.
- **15 Passing** Motor vehicle that moves from behind another motor vehicle to in front of the same motor vehicle.
- **16 Negotiating Curve** Motor vehicle in the process of moving along a curved travel lane. Includes the action or intended action of the driver. Example: A vehicle that unsuccessfully negotiates a curve and goes "straight" off the roadway would be "Negotiating a Curve" as the "straight" departure was an uncontrolled movement (Run Off Roadway) that would begin that vehicle's Sequence of Events.
- 17 Driving on Shoulder Motor vehicle traveling in the paved or un-paved shoulder of the roadway.
- **18 Right Turn on Red Signal** Motor vehicle performs a right turn upon completing a full and complete stop as a traffic signal.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

- 19 Deliberate Action* is the classification given to the cause of an event which occurs when a driver or pedalcyclist acts deliberately to cause the event. Title 39 states All MV crashes must be reported, deliberate or not. Refer to Appendix for more information.
- **31 Pedestrian Off Road** Describes a non-motorist that was traveling alongside of roadway, either on or off sidewalk (if present).
- **32 Walking To/From School** Describes a non-motorist traveling to or from school.
- 33 Walking/Jogging On Road With Traffic Non-motorist that was walking/jogging along roadway with traffic.
- **34 Walking/Jogging On Road Against Traffic** Non-motorist that was walking/jogging along roadway against traffic.
- **35 Playing In Road** Non-motorist in roadway, typically a child playing.
- **36 Standing/Lying/Kneeling In Road** Non-motorist in roadway talking, working, etc.
- 37 Getting On Or Off Vehicle Non-motorist that was exiting or attempting to enter a parked motor vehicle.
- **38 Pushing Or Working On Vehicle** Non-motorist pushing or working on vehicle in roadway.
- 39 Other Working In Roadway
- **40 Approaching or Leaving School Bus** Non-motorist that was exiting or attempting to enter a parked motor vehicle.
- **41 Coming From Behind Parked Vehicle** Non-motorist that was entering roadway where parked vehicle was blocking view.
- **42 Crossing/Jaywalking** Applies to a non-motorist crossing or walking in or across street unlawfully, or without regard to approaching traffic.
- **46 Deliberate Action*** is the classification given to the cause of an event which occurs when a pedestrian acts deliberately to cause the event. **Title 39 states All MV crashes must be reported, deliberate or not. Refer to Appendix for more information.**

Definitions for crosswalks may be found in NJSA 39:1-1.

Marked Crosswalk – is any portion of the road outlined by painted markings on the roadway surface, which might be supplemented by contrasting texture, concrete or pavers. Designated for crossing by people on foot. Unmarked Crosswalk – an extension of the road, sidewalk, curb or shoulder at an intersection for people on foot. All intersections of streets are legally considered to be unmarked crosswalks.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO.
Table of	Location		Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 124 & 125

Traffic Control

In Box 124 and/or Box 125 (Traffic Controls), enter one code for each vehicle in the crash.

A particular traffic control device may be regulating the flow of traffic and be in proximity to the point of impact and not exactly at the point of impact.

A vehicle identified as first in line is controlled by the traffic control device. others are controlled by the lane markings, etc.

	Box 124	and 125
		Controls
Code	Description	Definition
		Includes special police, Fire/Police (anyone
01	Police Officer	under Title 40 that is allowed to stop
		traffic)
02	Railroad, Watchman, Gates, Etc.	Includes all traffic control devices at
02	namoda, waterman, dates, Etc.	railway grade
		Includes any Red/Amber/Green type
03	Traffic Signal	beacons or other signal device used for
03	Traine Signar	stop-and-go to include metering and
		pedestrian signals.
		Refers to lines separating the traveled
04	Lane Markings	portion from the shoulder, turning lanes
		and passing zones.
		A series of painted cross-hatching and lane
05	Channelization, Painted	lines, which indicate movement
		restrictions. Includes exit ramp markings.
		Includes "Jersey" barrier, traffic cones or
06	Channelization, Physical	similar devices such as construction barrels,
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	physical curbing and concrete islands
,		
07	Warning Signal	An Amber/Red flashing signal and any other
		electrically powered warning device
08	Stop Sign	An 8-sided Red sign to notify drivers that
	1117	they must fully stop before proceeding
		Red and White Triangular sign to slow
09	Yield Sign	down, defer to oncoming or intersecting
	l see e.g.	traffic, stop when necessary, proceed when
		safe
10	Flagman	Includes all traffic direction in work zones
11	No Controls Present	
12	Flashing Traffic Control	A traffic signal that is placed in work zones
		An area on a street near a school or near a
		crosswalk leading to a school that has a
13	School Zone Signs/Flashing	likely presence of younger
		pedestrians. School zones generally have a
		reduced speed limit during certain hours.
14	Adult School Crossing Guard	Does not include school safety guards

122	
123	
124	
125	

Αll

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 126, 127 & 128

Sequence of Events

In Boxes 126A-D and 127A-D (Sequence of Events), in boxes "a" through "d' enter the code(s) to identify the beginning of a crash and all subsequent actions. (Select up to 4 for each vehicle "a" through "d").

Non-harmful events should be eliminated first for crashes where more than four events occur in a vehicle's sequence.

In Boxes 126E and 127E (Sequence of Events), identify the event that was the Most Harmful event within the Sequence identified for each vehicle involved (Boxes 126A-D/ 127A-D).

Most Harmful Event - Event that resulted in the most severe injury or, if no injury, the greatest property damage involving this motor vehicle.

In **Box 128 (Sequence of Events)**, identify the event that was the **First Harmful** injury or damage-producing within the Sequence identified for the crash event.

First Harmful Event - The first injury or damage-producing event that characterizes the crash type.

Note: Events marked with ** CANNOT be used as MOST Harmful Event (Boxes 126 & 127) or FIRST Harmful event (Box 128).

AND

Events marked with * MUST be explained in Box 145.

If code "19 - Other Non-Collision" is used, or "39 - Other Non-Fixed Object" or "69-Other Fixed Object", explain in Box 135.

Non-Collision Events – Boxes 01 – 19

01 - Overturn/Rollover - A motor vehicle that has overturned at 90 degrees to its side. Includes when a motorcyclist loses control "drops" motorcycle.

SEQUENCE OF EVENTS

01 - 19

Non-Collision

- 01 Overturn/Rollover
- 02 Fire/Explosion
- 03 Immersion
- 04 Jackknife
- 05 Ran Off Road- Right**
- 06 Ran Off Road- Left**
- 07 Cross Median**
- 08 Crossed Centerline**
- 09 Cargo/Equip Loss or Shift
- 10 Separation of Units**
- 11 Fell/Jumped From Vehicle
- 12 Thrown/Falling Object
- 13 Equipment Failure (blown tire, brake failure etc.)**
- 14 Downhill Runaway**
- 15 Reentered Roadway**
- 19 Other Non-Collision*

Collision w/Person, MV or Non-Fixed Object 21–39

- 21 Pedalcyclist
- 22 Pedestrian
- 23 Train/Trolley/Other Railcar
- 24 Deer
- 25 Other Animal
- 26 MV in Transport
- 27 MV in Transport, Other Roadway
- 28 Parked MV
- 29 Work Zone/Maintenance Equipment
- 30 Struck By Object Set in Motion By MV
- 39 Other Non-Fixed Object*

least and

126a

126b

126c

126d

126e

127a

127b

127c

127d


127e

128

- **02 Fire/Explosion** A fire or explosion that was the cause or result of the crash. A fire/explosion is a non-collision harmful event.
- **03 Immersion** Entry of a vehicle into liquid so that it is completely covered or there is damage to the vehicle or harm to an occupant.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- **04 Jackknife** An uncontrolled articulation between a tractor and trailer(s) that occurs at any time during the crash sequence.
- **05 Ran Off Road- Right**** Failure of the driver to keep the motor vehicle on the roadway. The road is defined as the portion of highway, including the shoulders, that is intended for vehicle travel.
- **06 Ran Off Road- Left**** Failure of the driver to keep the motor vehicle on the roadway. The road is defined as the portion of highway, including the shoulders, that is intended for vehicle travel.



07 - Cross Median** - Is used when a vehicle completely crosses the median and enters the

shoulder or travel lanes on the opposite side of a divided highway. It also includes crossing over the center line of a two-way, undivided highway. This also includes unstabilized situations involving vehicles completely crossing over a continuous left-turn lane.

- 08 Crossed Centerline** Is used when crossing over the center line of a two-way, undivided highway.
- **09 Cargo/Equip Loss or Shift** As a non-collision event in First Harmful Event or Most Harmful Event, the loss or shift would have to cause damage to the motor vehicle or occupants that is transporting the cargo/equipment or the cargo or equipment itself. If cargo/equipment is lost and strikes another vehicle that is a collision event. As a non-collision event in the Sequence of Events, a cargo/equipment loss or shift is not necessarily harmful. For example, the loss or release of the goods being transported from the cargo compartment of the truck, or the shifting off position of the load affecting its balance.
- 10 Separation of Units e.g., a trailer separating from the tractor, a vehicle disconnecting from a tow truck, a container separating from the intermodal chassis
- **11 Fell/Jumped From Vehicle** Motor vehicle occupant either involuntarily fell or intentionally leapt from the vehicle.
- **12 Thrown/Falling Object** An object striking a motor vehicle in transport. e.g., ice falling from a bridge, rocks falling from a ledge (Not "09-Cargo/Equipment Loss or Shift")
- 13 Equipment Failure (blown tire, brake failure etc.) ** Mechanical failures of a vehicle's parts, such as a tire blowout, broken fan belt, or broken axle are not considered harmful events but can start the crash event and begin or occur as part of a vehicle's Sequence of Events.
- **14 Downhill Runaway**** Refers to any vehicle that cannot decelerate on a downhill grade.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- **15 Reentered Roadway**** Vehicle that departed the roadway portion of the trafficway returns to the same roadway. Example: a motor vehicle in operation runs off the roadway right, strikes guardrail face, then reenters the roadway and collides with another motor vehicle in operation.
- **19 Other Non-Collision*** Example: Driving off a cliff where damage is not the result of an overturn or a collision with a fixed object.

Collision w/Person, MV or Non-Fixed Object - Boxes 21-39

- **21 Pedalcyclist** Includes any rider of a nonmotorized vehicle powered solely by pedals (e.g., A bicycle, unicycle, recumbent bicycle, tandem bicycle, etc.) Note: this is used only for occupied pedalcycles. A pedalcycle in the roadway without a rider would be **39 Other Non-Fixed Object**.
- **22 Pedestrian –** A person who <u>is not</u> an occupant of a motor vehicle OR a pedalcyclist. A pedestrian also includes a person in a wheelchair (motorized or not), a person in a stroller, a skater, a jogger, a person on a non-powered scooter, or a person on a personal conveyance (see definition on page 75).
- 23 Train/Trolley/Other Railcar (includes light rail, trains, and trolleys) Where the train/trolley/railcar was involved in a crash with a motor vehicle, pedestrian or pedalcyclist while the Train/Trolley/Other Railcar is on rails within the right of way of the roadway and not situated on rails within its own right of way. This includes atgrade crossings and rail lines running in a roadway. It does not include crashes where a train strikes a motor vehicle, pedestrian or pedalcyclist entirely within the right of way of the rail line and not at an at-grade crossing.
- 25 Other Animal Other than a DEER, this attribute is used for collisions with live animals, wild or domestic.
- **26 MV in Transport -** A motor vehicle on a roadway (travel lanes) open to the public, whether in motion or stopped, or in motion within or outside the trafficway (travel lanes, shoulder, berm, median etc.) In roadway lanes used for travel during some periods and for parking during other periods, a parked motor vehicle should be considered in-transport during periods when parking is forbidden. (Examples are included on page 114-116).
- **27 MV in Transport, Other Roadway -** Use in cases where a motor vehicle leaves the road and strikes a vehicle on a second road e.g., a vehicle running off a bridge and striking another vehicle on the road below.
- **28 Parked MV** A parked motor vehicle is a motor vehicle not in-transport, other than a working motor vehicle, which is not in motion and not located on the roadway. In roadway lanes used for travel during some periods and for parking during other periods, a parked motor vehicle should be considered to be in-transport during periods when parking is forbidden. Any stopped motor vehicle where the entirety of the vehicle's primary outline as defined by the four sides of the vehicle (e.g., tires, bumpers, fenders) and load, if any, is not within the roadway is parked (see page 112 for examples).
- **29 Work Zone/Maintenance Equipment** A vehicle not intended for highway transport being used for construction, maintenance or utility work related to the trafficway. The "work" may be located within open or

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

closed portions of the trafficway, and the vehicle performing these activities can be within or outside the trafficway. Examples of working vehicles include asphalt/steam roller paving or flattening a roadway, a highway maintenance crew painting lane lines on the road or mowing grass, a street sweeping vehicle, and a utility truck performing maintenance on power lines along the roadway.

- **30 Struck By Object Set in Motion By MV** Motor vehicle or non-motorist is struck by cargo or other object that was set in motion by a motor vehicle. Examples include logs falling off or coming loose from a truck and striking a vehicle behind the truck, or a motor vehicle striking a parked car and pushes it into a passing pedestrian.
- **39 Other Non-Fixed Object*** A collision with an object other than a motor vehicle in-transport, a pedestrian, another road vehicle in transit, a parked motor vehicle, a railway vehicle, a pedalcycle, an animal, or a fixed object. Fallen trees are one example.

Collision w/ Fixed Object - Boxes 41-69

- **41 Impact Attenuator/Crash Cushion** A barrier at a spot location, less than 25 ft. (7.6 m) away, designed to prevent an errant motor vehicle from impacting a fixed object hazard by gradually decelerating the motor vehicle to a safe stop or by redirecting the motor vehicle away from the hazard.
- **42 Bridge Overhead Structure** Any part of a bridge that is over the reference or subject roadway. In crash reporting, this typically refers to the beams or other structural elements supporting a bridge deck.
- **43 Bridge Pier or Support** Support for a bridge
- 44 Bridge Parapet End Bridge rail end
- **45 Bridge Rail** A barrier attached to a bridge deck or a bridge parapet to restrain motor vehicles, pedestrians, or other users.
- **46 Guide Rail Face** Surface area of the guide rail, other than the end.
- **47 Guide Rail End** The beginning or end of the guide rail.

SEQUENCE OF EVENTS (Cont)

Collision w/Fixed Object 41 - 69

- 41 Impact Attenuator/Crash Cushion
- 42 Bridge Overhead Structure
- 43 Bridge Pier or Support
- 44 Bridge Parapet End
- 45 Bridge Rail
- 46 Guide Rail Face
- 47 Guide Rail End
- 48 Concrete Traffic Barrier
- 49 Other Traffic Barrier
- 50 Traffic Sign Support
- 51 Traffic Signal Standard
- 52 Utility Pole
- 53 Light Standard
- 54 Other Post, Pole, Support
- 55 Culvert
- 56 Curb
- 57 Ditch
- 58 Embankment
- 59 Fence
- 60 Tree
- 61 Mailbox
- 62 Fire Hydrant
- 69 Other Fixed Object*
- **48 Concrete Traffic Barrier** Refers to the longitudinal traffic barriers constructed of concrete and located on the outside of the road surface, in a median, or in gore areas. This includes all temporary concrete barriers regardless of location (i.e., temporary barrier on a bridge being used to control traffic during bridge repair/construction).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

- **49 Other Traffic Barrier** Longitudinal barriers other than guardrails, concrete traffic barriers, or cable barriers. They may be composed of material such as wood or rock.
- **50 Traffic Sign Support** A pole, post or other type of support for a traffic sign.
- **51 Traffic Signal Standard** A pole, post or other type of support for a traffic signal.
- **52 Utility Pole** Constructed for the primary function of supporting an electric line, telephone line or other electrical-electronic transmission line or cable.
- **53 Light Standard** A pole, post or other type of support for a lighting system.
- **54 Other Post, Pole, Support** Post, pole or support that does not include a highway safety sign
- **55 Culvert** An enclosed structure providing free passage of water under a roadway with a clear opening of less than twenty feet measured along the center of the roadway.
- **56 Curb** A raised edge or border to a roadway. Curbs may be constructed of concrete, asphalt or wood typically have a face height of less than 9 inches.
- **57 Ditch** a narrow channel dug in the ground, typically used for drainage alongside a road or the edge of a field.
- 58 Embankment Earthen structure used to support a channel or roadway
- **60 Tree** Tree is upright and in the ground. A standing tree is a fixed object as opposed to a fallen tree that is a moveable object
- **69 Other Fixed Object*** Other fixed objects include walls, buildings, tunnels, etc.

Sequence of Events Samples:

Example 1: If Vehicle 1 runs off the road, strikes a parked car (vehicle 2) and then a utility pole, the report should be filled out as follows:

Vehicle 1	Vehicle 2				
126A — 05 (Ran Off Road – Right)	127A – 26 (MV in Transport)				
126B — 28 (Parked MV)	127B – (-) (Blank)				
126C – 52 (Utility Pole)	127C – (-) (Blank)				
126D — (-) (Blank)	127D — (-) (Blank)				
126E – 52 (Utility Pole)	127E – 26 (MV in Transport)				
Box 128 – First Harmful Event – 28 (Parked MV)					

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Example 2: If Vehicle 1 crosses the centerline and strikes Vehicle 2 coming in the opposite direction, then strikes a curb, then strikes a tree. After being struck by Vehicle 1, Vehicle 2 strikes a pedalcyclist, and then strikes a traffic sign support, the report should be filled out as follows:

Vehicle 1	Vehicle 2					
126A – 08 (Crossed Centerline)	127A – 26 (MV in Transport)					
126B — 26 (MV In Transport)	127B — 21 (Pedalcyclist)					
126C – 56 (Curb)	127C — 50 (Traffic Sign Support)					
126D – 60 (Tree)	127D – (-) (Blank)					
126E – 60 (Tree)	127E – 21 (Pedalcyclist)					
Box 128 – First Harmful Event – 26 (MV In Transport)						

Box 129 132

Vehicle Impact
Area


In Boxes 129 through 132 (Vehicle Impact Area), Use the clock point diagram to identify the INITIAL POINT OF IMPACT, and the PRICIPAL DAMAGE.

The **INITIAL POINT OF IMPACT** is the point where the contact first began between two vehicles, a vehicle and trees, a vehicle and a pedestrian, etc.


The area of **PRICIPAL DAMAGE** is the area that was most damaged.


EXAMPLE: Vehicle #1 struck the rear of Vehicle #2. Vehicle #1 sustained no damage. Vehicle #2 sustained damage to the rear of the vehicle.

- 13 Roof
- 14 Undercarriage
- 15 Overturned
- 17 None Visible



	Initial Impact	Principal Damage				
Vehicle 1	Box 129 – 12	Box 130 – 17				
Vehicle 2	Box 131 – 06	Box 132 - 06				





Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

129

130

131

132

133

134

Box 133 & 134

Extent of

Damage

In Boxes 133 and 134 (Extent of Damage), enter code to indicate the extent of damage. This field is to record an estimation of total damage to the motor vehicle as a result of the crash. If the vehicle is a combination vehicle (power unit and at least one trailer), the power unit and/or trailer(s) are considered when determining the extent of damage.

01 - None

02 – Minor - Damage that does not affect the operation of or disable the motor vehicle in transport.

03 – Moderate / Functional - Damage that is not disabling but affects operation of the motor vehicle or its parts.

04 – Disabling - Damage that precludes departure of the motor vehicle from the scene of the crash in its usual daylight-operating manner after simple repairs. As a result, the motor vehicle had to be towed, or carried from crash scene, or assisted by an emergency motor vehicle.

<u>Box 135</u>	135. Damage to Other Property	☐Yes (if Yes, describe)	∐No			
Damage to Other	Oper. 136. Charge		137. Summons No.	Oper.	138. Charge	139. Summons No.
Property	Oper. 140. Charge		141. Summons No.	Oper.	142. Charge	143. Summons No.

In Box 135 (Damage to Other Property), if other property is damaged, Check Box "yes" and list all other property damage that occurred as a result of the crash besides the vehicles involved (i.e., fences, lawns, fire hydrants, etc.). List the property owner's name and address, along with the description of the property that was damaged.

If none check "no" – nothing else should be written in the box

<u>Box 136 -</u> <u>143</u>	135. Dam	age to Other Property	Yes (If Yes, describe)	□No				
	Oper.	136. Charge			137. Summons No.	Oper.	138. Charge	139. Summons No.
Charges	Oper.	140. Charge			141. Summons No.	Oper.	142. Charge	143. Summons No.

In the Box (Operator) located to the left of Box 136, 138, 140, 142 (Charge), enter the number from Boxes 23/53 of the operator/person who received a summons and list the most serious charge by statute number.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

129

130

131

132

133

134

List the most serious charge first for each person. You can list up to 4 charges, for any one individual if no charges were levied against any of the other drivers. When there are multiple charges against a person, enter up to four charges in Boxes 136-143. If there are more than 4 charges against a person, list all additional charges in Box 145.

Pedalcyclists and pedestrians are also associated with Box 23 and/or Box 53 (Driver's Name).

Box 144	Show NORTH by Arrow (Not to Scale)					
sh Diagram		 		 	-	
					-	
		_				

In Box 144 (Crash Diagram), identify North by placing an arrow in the circle at the upper left corner of Box diagram.

Draw each vehicle and number accordingly to correspond with Box 23 and/or Box 53 (Vehicle Number). Identify the roadway boundaries, crossings, pavement markings, traffic controls, view obstructions and intersections related to the crash.

ALL REPORTS
REQUIRE A
DIAGRAM.

Electronic versions are acceptable.

If any vehicles were moved prior to your arrival, draw a "representative" diagram based on your investigation and explain in Box 145 that the vehicles were moved prior to your arrival.

Identify the pre-crash, crash, and post-crash positions of the vehicles in the diagram, if possible. This can be accomplished on one diagram by depicting the vehicles along their path or on separate diagrams, depending on the investigator's preference.

Use form **NJTR-1B** (supplemental page – See Appendix) in lieu of Box 144 (Crash Diagram) on form NJTR-1 or in case of serious injury or fatalities, or if applicable. Enter "See NJTR-1B" in Box 144 (Crash Diagram) of the NJTR-1, if applicable.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

<u>Box 145</u>	145. Crash Description/Narrative
Crash	
Crash Description/ Narrative	
Narrative	

In Box 145 (Crash Description/Narrative), at a minimum, describe the following 3 basic elements:

- First: An outline of the physical facts involved in the crash
- Second: A summary of the accounts from all operators, pedestrians and witnesses
- Third: An objective evaluation statement by the investigator concerning his/her conclusions

Also explain any entries that had asterisk information identified throughout the form.

Include a description of the clothing worn by any pedestrian or pedalcyclist involved in the crash.

Note any photographs taken or any evidence collected at the scene.

Document the name, address, and phone number of any witness(es) to the crash.

Use form NJTR-1A (supplemental page) in lieu of Box 145 (Crash Description) on form NJTR-1 or in case of serious injury or fatalities, or if applicable. Enter "See NJTR-1A" in Box 145 (Crash Description) of the NJTR-1, if applicable.

<u>Box 146</u>	146. Officer's Signature	147. Badge #	148. Reviewer	Badge #	149. Case Status
Officer Signature					

In **Box 146 (Officer's Signature)**, the investigator is <u>required</u> to electronically or manually enter <u>(sign)</u> his/her name or the report is not valid.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

<u>Box 147</u>	146. Officer's Signature	147. Badge#	148. Reviewer	Badge #	149. Case Status Pending Complete
Badge Number					

In Box 147 (Badge Number), the investigator is required to enter his/her badge number.

Box 148

146. Officer's Signature

147. Badge # 148. Reviewer

148. Reviewer

149. Case Status Pending Complete

In Box 148 (Reviewed By), the supervisor who reviews the report must check it for completeness, accuracy and proper content; then electronically or manually enter (sign) their initials along with their badge number to the right of their initials.

After the report has been reviewed it should be forwarded to the police department's Custodian of Records.

All reportable crashes are to be submitted to NJDOT as required by statute or regulation.

Refer to the NJDOT webpage for the current mailing address, protocols and other relevant information.

http://www.nj.gov/transportation/refdata/accident/policeres.shtm

Box 149

146. Officer's Signature

147. Badge # 148. Reviewer

Badge # 149. Case Status

Pending Complete

In Box 149 (Case Status), place an "X" in either of the Boxes (Pending, Complete) located in Box 149 (Case Status) based on the department's standard/standing operating procedures.

<u>All reports must be completed</u>. A report that is <u>pending</u> shall be updated to complete status by submitting a change report. Several updates may be required before complete status. In the event the investigative procedure has been exhausted and the hit-and-run vehicle is unable to be identified, the report can be marked as "complete". An explanation of the reason it was impossible to identify the vehicle should be provided in the narrative

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 150-153

Autonomous Vehicles In Boxes 150 and 151 (Level of Autonomy Available), enter the code to indicate the level of autonomy each involved vehicle is equipped with.

In Boxes 152 and 153 (Level of Autonomy Engaged), enter the code to indicate the level of autonomy engaged in each vehicle at the time of the crash.

Categories, or levels, of autonomy are identified by the Society of Automotive Engineers. In levels 0, 1, and 2, the human driver monitors the driving environment. In levels 3, 4, and 5, the automated driving system monitors the driving environment.

For the purpose of completing the NJTR-1, the investigating officer will use the following definitions as guidelines. The definitions were taken from technical definitions written by the Society of Automotive Engineers (SAE):

- Level 0 No Automation. All aspects of the dynamic driving task, even when enhanced by warning or intervention systems.
- Level 1 Driver Assistance. The execution by a driver assistance system of either steering or acceleration / deceleration using information about the driving environment and with the expectation that the human driver performs all remaining aspects of the dynamic driving tasks.
- Level 2 Partial Automation. The execution by one or more driver assistance systems of both steering and acceleration/deceleration using information about the driving environment and with the expectation that the human driver performs all remaining aspects of the dynamic driving task.
- Level 3 Conditional Automation. The performance by an automated driving system of all aspects of the dynamic driving task with the expectation that the human driver will respond appropriately to a request to intervene.
- Level 4 High Automation. The performance by an automated driving system of all aspects of the dynamic driving task, even if a human driver does not respond appropriately to a request to intervene.
- Level 5 Full Automation. The full-time performance by an automated driving system of all aspects of the dynamic driving task under all roadway and environmental conditions that can be managed by a human driver.

See charts on following page.


Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

For crash reporting purposes, motorized vehicles

SAE level	Name	Narrative Definition	Execution of Steering and Acceleration/ Deceleration	Monitoring of Driving Environment	Fallback Performance of <i>Dynamic</i> <i>Driving Task</i>	System Capability (Driving Modes)
Huma	n driver monit	ors the driving environment				
0	No Automation	the full-time performance by the <i>human driver</i> of all aspects of the <i>dynamic driving task</i> , even when enhanced by warning or intervention systems	Human driver	Human driver	Human driver	n/a
1	Driver Assistance	the driving mode-specific execution by a driver assistance system of either steering or acceleration/deceleration using information about the driving environment and with the expectation that the human driver perform all remaining aspects of the dynamic driving task	Human driver and system	Human driver	Human driver	Some driving modes
2	Partial Automation	the driving mode-specific execution by one or more driver assistance systems of both steering and acceleration/ deceleration using information about the driving environment and with the expectation that the human driver perform all remaining aspects of the dynamic driving task	System	Human driver	Human driver	Some driving modes
Autor	mated driving s	ystem ("system") monitors the driving environment				
3	Conditional Automation	the driving mode-specific performance by an automated driving system of all aspects of the dynamic driving task with the expectation that the human driver will respond appropriately to a request to intervene	System	System	Human driver	Some driving modes
4	High Automation	the driving mode-specific performance by an automated driving system of all aspects of the dynamic driving task, even if a human driver does not respond appropriately to a request to intervene	System	System	System	Some driving modes
5	Full Automation	the full-time performance by an automated driving system of all aspects of the dynamic driving task under all roadway and environmental conditions that can be managed by a human driver	System	System	System	All driving modes

Copyright © 2014 SAE International. The summary table may be freely copied and distributed provided SAE International and J3016 are acknowledged as the source and must be reproduced AS-IS.

LEVELS OF DRIVING AUTOMATION



Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

APPENDIX

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
	Crash	Driver/Vehicle	Commercial	Persons	Roadway	Crash/Vehicle	ACC, SOE,	FAO.
Table of	Location		Vehicle	Involved	System	Characteristics	Precrash	Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Appendix – General Questions

GENERAL QUESTIONS

What are the criteria for classifying a reportable crash?

N.J.S. 39:4-129 & 39:4-130 require a police report for all crashes with damage in excess of \$500.00 to any vehicle, or injury or death to any person are classified as "Reportable Accidents*". Crashes with less than \$500.00 in damages and no injuries or death are considered "Non-Reportable Accidents" and may not necessitate a Motor Vehicle Crash Report (NJTR-1). Although these incidents need to be documented, please refer to your departmental policy as to how these incidents are to be recorded, such as NJTR-1, or incident report.

Fatal Crashes - Do we complete a crash report, NJTR-1, and a criminal investigation report for all fatal crashes?

Some police agencies complete all of the blocks on a NJTR-1 but include only the minimum information required. They then enter their investigative report on a separate investigation report form and submit a change report that includes the investigation report. This is done so the information can be forwarded to the appropriate state agencies in the required time period without the need for rushing an investigation. NJTR-1s need to be sent to the NJDOT within 72 hours. Investigation reports are not usually released until the lead agency (prosecutor's office) releases the report at the completion of the investigation

Non-Reportable - Are crashes non-reportable for a police officer?

An NJTR-1 is submitted to the NJDOT if the criteria are met for a reportable crash. If the criteria are not met, then the PD would complete an NJTR-1 checking off the non-reportable box and retaining at the PD for record purposes.

Change Report - How do you handle if a crash report is made, then the next day one or more parties come to the PD and challenge what has been documented?

Providing the PD concurs that a change to the initial crash report is warranted, this situation would require the completion and submission of an NJTR-1 change report to the NJDOT. (i.e., change in vehicle information) If no change is warranted the PD may document the challenge on an internal level but the information would not be forwarded to the NJDOT (Ref. Police Guide for Preparing Reports of Motor Vehicle Crashes, page 6, Section A, Change Reports, 1 thru 3.)

Where is the initial jurisdiction in a crash where a vehicle leaves the roadway in one jurisdiction and strikes an object or another vehicle in another jurisdiction?

The location where the crash occurred is generally deemed to be the location of the first harmful event. If a vehicle leaves the roadway in one jurisdiction and strikes another vehicle or object in another jurisdiction, it is generally assumed that the investigating jurisdiction will be the one where the vehicle first left the roadway.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48,	Boxes 49-52,	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118-	Forms
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	

Appendix – General Questions

SR-1 - What if someone comes into the PD and states they were hit in a parking lot 4 days ago and now they are making a report because their neck hurts?

This situation should be handled as an SR-1 report. (Ref. Police Guide for Preparing Reports of Motor Vehicle Crashes, page 7, Section 2, recommended procedures for handling motor vehicle crashes not investigated at the scene, part 1, a thru f.)

Person Entering/Exiting Vehicle - At what point does a vehicle occupant become a pedestrian when they are exiting a parked or stopped motor vehicle?

If the occupant is seated in the vehicle, they are considered to be an occupant of that vehicle even though their feet are in contact with the ground. If they are not seated and are in the process of standing or sitting and they are half in or out of the vehicle then they are considered pedestrians. If they are standing on any part of the vehicle at the time of a crash, and their feet are not in contact with the ground then they are considered passengers of that vehicle.

One Vehicle, Two Crashes - Vehicle #1 leaves scene of crash, travels 2 city blocks, and is involved in a second crash. At what point do you make a second crash report?

- 1. Once there is a stabilized situation the crash is over. If the driver operates the vehicle for another block and strikes a second vehicle, it would be a second crash. If it continues out of control for another block and hits a second vehicle it would be one crash.
- 2. Unstabilized situation: An unstabilized situation is a set of events not under human control. It originates when control is lost and terminates when control is regained or, in the absence of persons who are able to regain control, when all persons and property are at rest.

Intentional - Do we complete a crash report, NJTR-1, for crashes where the acts are intentional?

Yes, an NJTR-1 shall be completed for any motor vehicle crash resulting in injury or death of any person or property damage exceeding \$500, whether the event was deliberate or not. If the crash resulted from a deliberate act, "Deliberate Action" should be noted in Box 122/123 Pre-Crash Action, using 19 - Deliberate Act or 46 - Deliberate Act, as well as explained in the narrative. Deliberate/Intentional acts include purposeful attempts at self-inflicted injury, suicide, homicide, or attempts to cause injury to another or to cause property damage involving a motor vehicle. An NJTR-1 in conjunction with an investigation report or incident report remains the best method of documenting these events and ensuring appropriate NJMVC action is taken.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Non-Reportable Crashes

Are crashes non-reportable for a police officer?

No, an NJTR-1 is required if the criteria are met for a reportable crash. If the criteria are not met, then the PD would complete an NJTR-1 checking off the non-reportable box and retaining at the PD for record purposes.

Hit and Run

Are hit & run crashes always listed as pending?

Yes, until the hit & run vehicle is identified. At this point you would complete and submit an NJTR-1 change report with the original case number to NJDOT. You will mark the case status at this time as complete.

In the event the investigative procedure has been exhausted and the hit-and-run vehicle is unable to be identified, the report can be marked as "complete," with an explanation in the narrative that should additional information becomes available, the case will be reopened. An explanation of why the investigation failed to identify the vehicle should also be included.

Box 10

Road Name

Direction - For the Box labeled "Dir" on line 10, do you only fill this in on interstate and divided highways?

The direction on line 10 is for divided roadways and one-way streets only. (Ref. Police Guide for Preparing Reports of Motor Vehicle Crashes, page 12, Box 10, "Crash Occurred On".)

Road Name - What if the municipal or private parking lot is bound by several streets?

The parking lot should have a specific street address associated with it as defined within the tax map for the city / municipality or 9-1-1 data base. If no street address is known or available, then you can use a common name associated to the crash location, (i.e., Whiting Lake (parking lot)).

Box 17

Cross Road Name

Cross Road - Can you use an overpass as a nearest cross street to locate a crash?

Yes... underpass, overpass and railroad crossings can be utilized.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Box 21/22

Latitude/Longitude

Latitude/Longitude - Is NJDOT doing anything with "lat / long"?

Currently the NJDOT verification program is formulating lat / long data providing that accurate distance at / or to nearest intersecting cross road name is documented. It is important to note that the NJTR-1 is designed for the GPS readouts in decimal degrees. These blocks should be completed if the PD has GPS capabilities: Hours, minutes, seconds & directions are not recorded.

(Ref. Police Guide for Preparing Reports of Motor Vehicle Crashes, Page 15, boxes 21 & 22, "Latitude and Longitude").

Box 23/53

Vehicle #

Vehicle - Involved in crash while operating patrol vehicle. Is there insurance coverage?

You should be covered by the insurance carrier for your city / municipality.

Box 24/54

Policy Number

Involved in crash while operating patrol vehicle. Is there insurance coverage?

You should be covered by the insurance carrier for your city / municipality.

Box 32/62

Drivers Licenses

Driver's License - Does the driver's license information of an emergency vehicle operator go into the NJTR-1? What about a volunteer responding to the scene in a personal vehicle?

Yes

Driver's License - Do we enter driver license numbers for pedestrian / pedalcyclist involved in crashes in box 32 / 62?

No.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118- 153	Forms

Drivers License - How do you record a crash with a 16-year-old driver under permit with a parent as the licensed driver?

The 16-year-old driver & permit / DL # goes onto the NJTR-1 in the appropriate blocks, either 26 thru 34 or 56 thru 64. All information pertaining to the parent as the licensed driver goes into block 145, crash description.

Box 84

Position In/On Vehicle

How is a passenger riding in the bed of a pick-up truck, or someone who falls off the back of a trash truck listed in a crash report?

If there are riding in the cargo area, they are listed in box 84 as a "10". If they are riding or hanging on to the outside of the vehicle, they are listed in box 84 as an "11".

How do you list a crash where a person jumps onto the exterior of a vehicle and the vehicle drives away?

They are listed as a motor vehicle crash with a passenger riding on the outside of the vehicle and receives an "11" in box 84.

Box 97

Temporary Traffic Control Zone

Work Zone Crash - Does a work zone crash go on an NJTR-1?

A work zone is an area of a trafficway where construction, maintenance, or utility work activities are identified by warning signs/signals/indicators, including those on transport devices (e.g., signs, flashing lights, channelizing devices, barriers, pavement markings, flagmen, warning signs and arrow boards mounted on the vehicle in a mobile maintenance activity) that mark the beginning and end of a construction, maintenance, or utility work activity. It extends from the first warning sign, signal or flashing lights to the END ROAD WORK sign or the last control device pertinent for that work activity.

An NJTR-1 is completed for any crash in which the first harmful event occurs within the boundaries of a work zone or on approach to or exit from a work zone, resulting from an activity, behavior, or control related to the movement of the traveling public, be they in motorized vehicles, bicycles, or as pedestrians through the work zone. The reason to complete the NJTR-1 in these cases is to assess the impact on traffic safety of various types of on-highway work activity, to evaluate Traffic Control Plans used at work zones, and to make adjustments to the Traffic Control Plans for the safety of workers and the traveling public.

A crash involving only work motor vehicles, personnel, work zone equipment, etc. actively engaged / associated with the construction, maintenance, or utility work within the work zone are not documented

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

onto an NJTR-1 (i.e., every individual involved in the incident was part of the work zone activity). These crashed are considered work zone / OSHA incidents.

Should the work motor vehicles, personnel, work zone equipment, etc. exit the work zone and collide with a motorist or non-motorist in transport, the event would be captured in an NJTR-1.

Box 99

Road System

Private Property - For a private property crash, do you want a cross street listed?

No. Crashes occurring "off roadway" will be located by using the street address in block 10. If it is within a parking lot, the address is followed by the phrase "parking lot". (e.g., 101 Main Street (parking lot). (Ref. Police Guide for Preparing Reports of Motor Vehicle Crashes, page 12, Box 10, "Crash occurred On.")

Box 105

Box 118/119

Crash Type & Contributing Circumstances

Animal – Animal in Roadway - What report is used when a vehicle hits a dog?

A crash involving an animal is a collision crash in which the first harmful event is the collision of an animal, other than an animal powering another road vehicle. (i.e., horse & buggy) An NJTR-1 is always completed when a crash involves an animal and is submitted to the NJDOT if the criteria are met for a reportable crash only. If the criteria are not met, then the PD would complete an NJTR-1 checking off the non-reportable box and retaining at the PD for record purposes. (Ref. Police Guide for Preparing Reports of Motor Vehicle Crashes, page 5, Section 1A, 1-3., & Apparent Contributing Circumstances, Road / Environ. 57-Animal in Roadway*, & Sequence of Events 24-Deer & 25-other animal.)

Box 105

Box 126/127

Crash Type & Sequence of Events

Parked Vehicle When is a vehicle considered parked?

A parked motor vehicle is a motor vehicle not in-transport, other than a working motor vehicle, that is not in motion and not located on the roadway (travel lane).

In roadway lanes used for travel during some periods and for parking during other periods, a parked motor vehicle should be considered in-transport during periods when parking is forbidden.

Inclusions:

• Any stopped motor vehicle where the entirety of the vehicle's primary outline as defined by the four sides of the vehicle (e.g., tires, bumpers, fenders) and load, if any, is not within the roadway

Examples:

1.) A driver of vehicle stopped curbside on a city street opens his door into the travel lane

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- 2.) A truck stopped on the shoulder where only the extended side-view mirror overhangs the roadway edge line
- 3.) A motionless vehicle on the shoulder, median, or roadside
- 4.) A truck stopped at a gas station pump
- 5.) A car stopped in a private driveway
- 6.) A van parked in a metered parking lane, even when the meter time has expired

Exclusions:

- A motor vehicle in motion anywhere within the trafficway boundaries or any vehicle that has any portion of its primary outline or load, if any, overlapping or falling completely within the roadway
- A motor vehicle left unattended on a roadway, where parking is always prohibited

Examples:

- 1.) A vehicle driving down the road shoulder, median, or roadside
- 2.) A driverless motor vehicle without engine power starts in motion from a stopped position on the shoulder
- 3.) A stopped vehicle partially on the shoulder with two tires on the roadway
- 4.) A tractor trailer with part of its load extending over the roadway edge line
- 5.) A van left unattended in a lane during rush hour when parking is prohibited because it is in an open travel lane at that time
- 6.) A delivery service leaves a truck stopped at the curb of a street marked with "no parking at any time" signs while making a delivery

Pedestrians - Do we capture sequence of events for Pedestrians?

No. Sequence of Events are related to the motor vehicle involved in both collision and non-collision events. Pedestrian actions are captured in Box 122/123 - Pre-Crash Action.

Pedalcyclist - If an MV in transport runs a pedalcyclist off the roadway, but there is no contact, is this an NJTR-1?

No. This is not a crash; no contact was made with the MV in transport

Pedalcyclist - How do you list a bicyclist who reaches out and grabs a vehicle in transport for a tow but falls and is injured?

They are listed as a pedalcyclist. Be sure to include in the narrative the information about their hanging onto the vehicle and whether the vehicle operator knew of their improper actions.

Non- Fixed Object – Thrown/Fallen/Falling Object - What if a vehicle kicks up a rock in the roadway and it strikes another vehicle?

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

This requires an NJTR-1, either being reportable or non-reportable, centered on investigation and crash criteria.

Box 108/109

Vehicle Type

Snowmobile - A snowmobile collides into a parked car. NJTR-1?

Yes. "The operator of any snowmobile, all-terrain vehicle or dirt bike involved in a crash resulting in injuries, death of any person or property damage shall comply with the procedures in RS 39:4-129 and RS 39:4-130. (Ref. 39:3C-21. Report of accidents)

Machinery/Equipment - A riding mower collides with an MV in transport. A riding mower collides with a fixed object. NJTR-1's?

Riding mower / MV in transport, yes. Riding mower / fixed object, no.

Box 110/111

Vehicle Use

Responding to Emergency - If a patrol vehicle is parked at a crash scene and struck by another vehicle do you check off Responding to Emergency box?

No. Once the patrol vehicle is positioned at the crash scene your response to the emergency is considered terminated.

Responding to Emergency - What if you are responding to an emergency call and the nature of the call necessitates "no lights / no siren" response and you are involved in a crash?

You are still in response to a legitimate emergency call. The investigating officer of the crash would check off the Responding to Emergency box and document in the narrative the specific circumstances for the response. (i.e.) Officer engaged in tactical response / approach to call for emergency service.

Responding to Emergency - Does the driver's license information of an emergency vehicle operator go onto the NJTR-1? What about a volunteer responding to the scene in a personal vehicle?

Yes

Uber/Lfyt - Are drivers actively engaged in transporting a passenger for Uber or Lyft – considered personal or business commerce?

Only if the driver is actively engaged in transporting a passenger or is in route to picking up a passenger due to hire, the vehicle use should be indicated as 02 – Business/Commerce.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Box 112/113

Special Function Vehicles

Construction/Off Road Equipment – Example: A backhoe is involved in a crash while driving on the roadway. NJTR-1?

A backhoe is not classified as a vehicle designed to transport passengers; as a result, if a backhoe runs off the roadway and strikes a tree it is not a reportable crash, and no NJTR-1 would be completed. However, if a backhoe collides with motorist or non-motorist in transport (who is not part of a work zone project), it is considered a motor vehicle crash due to the involvement of a motorist or non-motorist from the traveling public. In this second case, an NJTR-1 report should be completed.

If any work motor vehicles, personnel, work zone equipment, etc. exit a work zone and collide with a motorist or non-motorist in transport on the roadway, the event would be captured in an NJTR-1.

Forklift - When is an incident involving a forklift that strikes a pedestrian a crash?

If a forklift, or any type of work motor vehicles, personnel, work zone equipment, etc. is involved in an incident with another worker, work vehicle, piece of work equipment, etc. while operating in the work zone, it is considered a work incident, not a motor vehicle crash. However, if a forklift or any type of work motor vehicle, work zone equipment, etc. exits a work zone and collides with a motorist or non-motorist in transport, or if a motorist or non-motorist in transport (who is not part of the work zone) enters the work zone and collides with a worker, work vehicle or work equipment, the event would be captured in an NJTR-1.

Are incidents involving construction vehicles ONLY inside of an approved work zone considered motor vehicle crashes?

No, these incidents are considered work zone incidents or possibly OSHA incidents but not motor vehicle crashes. If a motor vehicle leaves a travelway and unintentionally enters a work zone and impacts anything within the work zone, then that is classified as a motor vehicle crash.

Snowplow - How is a report completed when a snowplow strikes a parked motor vehicle or a fixed object while in the act of actively plowing a roadway?

If a snowplow strikes *another* vehicle while actively plowing on a roadway then a crash report is acceptable. N.J.S. 39:4-1 states that a vehicle actively working on a road surface is exempt from the provisions of Chapter 4. The incident becomes a crash because there is damage to another vehicle and not the snowplow. The other vehicle is the justification for the crash report. Place all of the information in the blocks of the NJTR-1 for the snowplow as you would for any other vehicle and NJDOT will disseminate the information of the crash as required.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Snowplow - A snowplow hurls ice and snow that strikes another MV in transport. NJTR-1?

Yes.

Snowplow - When is a snowplow considered work equipment?

A snowplow is not considered work equipment. Commonly, pick-up trucks, dump trucks, garbage trucks etc. with plow attachments are motor vehicles in transport and only defined as snowplows when the plow is down, and the vehicle is actively being used to clear the roadway of snow or slush. Work equipment is any equipment not in transport, actively being used in its design or intended purpose. (i.e., utility vehicle on roadway shoulder and worker is in bucket performing overhead work.)

Box 118/119

Apparent Contributing Circumstances

Ruts, Holes, Bumps - Why would we use an NJTR-1 for MV in transport striking potholes and manhole covers if it is just a temporary condition?

These situations are classified as non-collision crashes. The rationale to document these crashes is important to determine roadway maintenance and possible traffic engineering needs.

Box 126/127

Sequence of Events

What is a Motor Vehicle in-transport: When applied to motor vehicles, "in-transport" means on a roadway (travel lanes), whether in motion or stopped, or in motion within or outside the trafficway (travel lanes, shoulder, berm, median etc.) In roadway lanes used for travel during some periods and for parking during other periods, a parked motor vehicle should be considered in-transport during periods when parking is forbidden.

Inclusions:

- Motor vehicle in traffic on a roadway
- Driverless motor vehicle in motion on the shoulder, roadside, or median
- Motionless or disabled motor vehicle abandoned on a roadway
- Motor vehicle in motion outside the trafficway
- A stopped motor vehicle with any portion of its primary outline as defined by the four sides of the vehicle (e.g., tires, bumpers, fenders) and load, if any, within the roadway

Examples:

- 1.) A driverless vehicle previously parked on the shoulder begins to roll forward because the parking brake was not set
- 2.) A stopped vehicle partially on the shoulder with two tires on the roadway
- 3.) A tractor trailer with its load hanging over the roadway edge line
- 4.) A person deliberately driving an all-terrain vehicle (ATV) down a median or the roadside

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

- 5.) A police vehicle patrolling or responding to an emergency
- 6.) A police or emergency vehicle stopped on the roadway at the scene of a crash or traffic stop or other action, whether or not the emergency lights have been activated
- 7.) Construction, maintenance, or utility work vehicle traveling on a trafficway from one work site to another location
- 8.) Taxi, limousine, or other passenger vehicle, with or without passengers while on the roadway or in motion on a trafficway
- 9.) A school bus stopped in a travel lane with signs and/or lights activated
- 10.) A private citizen using his pickup truck or lawn tractor with a blade removing snow from the roadways in his neighborhood (Not a highway maintenance activity)
- 11.) A farm tractor or combine moving from a storage facility to a field under its own power on the trafficway
- 12.) A moving motor vehicle on a private driveway
- 13.) A car pulling away from a gas pump in a gas station
- 14.) An ATV driving on a recreational off-road trail inside or outside the trafficway
- 15.) A vehicle operating in the closed portion of the trafficway
- 16.) A van left unattended in a lane during rush hour when parking is prohibited because it is in an open travel lane at the time

Exclusions:

- A vehicle stopped off the roadway within the trafficway
- A vehicle stopped in parking lanes during periods when parking is allowed
- A vehicle performing construction, maintenance, or utility work related to the work zone of a trafficway
- A stopped motor vehicle with any portion of its primary outline as defined by the four sides of the vehicle (e.g., tires, bumpers, fenders) and load, if any, not within the roadway

Examples:

- 1.) A disabled utility vehicle stopped on the shoulder, median, or roadside
- 2.) An automobile parked in an area designated for parking against the curb of a residential street or in a parking space/lane
- 3.) A truck stopped on the shoulder where only the extended side-view mirror overhangs the roadway edge line
- 4.) A power company truck working on the power lines in an elevated basket in a maintenance work zone
- 5.) A paint striping highway truck in the act of painting the lines in a mobile maintenance zone
- 6.) A concrete mixer discharging its load of concrete in a construction work zone
- 7.) An asphalt spreader or roller repaving the roadway
- 8.) A highway road grader grading a soft, sloped roadside
- 9.) Highway snow removal truck removing or plowing snow as part of a highway maintenance activity

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118- 153	Forms

Vehicle Fire - To use an NJTR-1 in the case of a vehicle fire, must the MV be moving?

Yes. A fire starting within an MV in transport is classified as a non-collision crash. (Ref. Police Guide for Preparing Reports of Motor Vehicle Crashes, page 59, sec. 2.6.2 non-collision accident.)

Ran Off Road - An MV in transport leaves the roadway onto a center island and needs towing. NJTR-1?

Yes. Reportable to NJDOT if criteria are met. Non-reportable and not sent to NJDOT if criteria are not met.

Curb - An MV in transport strikes a curb. Is this private property?

No. Curbing is considered part of the roadway system unless the crash location is strictly within the confines of private or other "off roadway" property.

Falling Object - How do I report an incident where an object or part of a load comes off a vehicle and strikes another vehicle?

An incident where an object or part of a load falls off of one vehicle and strikes a second or subsequent vehicle is to be considered a two-vehicle or multi-vehicle non-collision crash.

Fixed and Non-Fixed Objects - What if an object strikes a motor vehicle while in transport, is it classified as a crash for reporting purposes?

Yes NJTR-1 - Tree branches, golf balls, baseballs, etc. striking a motor vehicle in transport can be classified as one vehicle, non-collision crashes.

Pothole damage, strikes against raised manhole covers, etc., are considered fixed object crashes.

Other Non-fixed Object - What if a motor vehicle in motion strikes a parked, unhitched, registered trailer.

This would be considered a one vehicle crash. The trailer would be a non-fixed object and the trailer information will be provided in the narrative of the crash report.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118- 153	Forms

Autocycle (Three-wheeled motorcycle)

Senate Bill 1155 P.L. 2016, c. 35

A new law regarding three wheeled motorcycles, which affects several sections of Title 39, went into effect August 31, 2016

A brief synopsis:

- New definition Autocycle (three wheeled motorcycle)
- It must be registered (but not in effect yet)
- It must be insured
- Operators do not need a motorcycle license or endorsement if they have a driver license
- Operators / Riders must be seated and seat belted
- Operators / Riders need a helmet unless it is fully enclosed
- Operators / Riders do not need goggles or face shield if it has a wind screen (windshield)
- No children are permitted if they are required to be in a child restraint

New parts to existing statutes are underlined; bracketed parts are deletions. Please note that there is also an entire new section (Section 2, a through f).

R.S.39:1-1 is amended to read as follows:

Autocycle - a three-wheeled motorcycle designed to be controlled with a steering wheel and pedals in which the operator and passenger may ride in a completely or partially enclosed seating area that is equipped with a roll cage or roll hoops, safety seat belts for each occupant, and anti-lock brakes.

Motorcycle - includes motorcycles, autocycles, motor bikes, bicycles with motor attached and all motor-operated vehicles of the bicycle or tricycle type, except motorized bicycles as defined in this section, whether the motive power be a part thereof or attached thereto and having a saddle or seat with driver sitting astride or upon it or a platform on which the driver stands.

- a. An autocycle shall be registered as a motorcycle pursuant to R.S.39:3-4.
- b. A person shall not be required to hold a motorcycle license or a motorcycle endorsement to operate an autocycle if the person holds a basic driver's license to operate a motor vehicle pursuant to R.S.39:3-10.
- c. A person shall not drive, operate, or ride as a passenger in an autocycle without: (1) sitting on a seat; (2) properly using a safety seat belt; and (3) wearing a securely fitted protective helmet pursuant to section 6 of P.L.1967, c.237 (C.39:3-76.7) if required.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- d. A person operating an autocycle shall not permit a child to be a passenger in the autocycle if the child would be required to be secured in a child passenger restraint system, pursuant to section 1 of P.L.1983, c.128 (C.39:3-76.2a).
- e. An owner or registered owner of an autocycle registered or principally garaged in this State shall maintain motor vehicle liability insurance coverage pursuant to section 1 of P.L.1972, c.197 (C.39:6B-1), personal injury protection coverage pursuant to section 4 of P.L.1972, c.70 (C.39:6A-4), and uninsured motorist coverage pursuant to section 14 of P.L.1972, c.70 (C.39:6A-14).
- f. The chief administrator shall adopt rules and regulations pursuant to the "Administrative Procedure Act," P.L.1968, c.410 (C.52:14B-1 et seq.), as are necessary to implement this act. The chief administrator may include information on autocycles in the commission's driver's manual and on its Internet website.

39:3-76.3 is amended to read as follows:

No person shall operate on a public highway a motorcycle on which the handle bar grips are higher than the shoulder height of the operator when seated. For the purposes of this section, a motorcycle shall not include an autocycle.

39:3-76.7 is amended to read as follows:

[No] A person shall not operate or ride upon a motorcycle unless [he wears] the person is wearing a securely fitted protective helmet of a size proper for that person and of a type approved by the [director] chief administrator. [Such a] A helmet [must] shall be equipped with either a neck or chin strap and be reflectorized on both sides thereof. The [director] chief administrator is authorized and empowered to adopt rules and regulations covering the types of helmets and the specifications therefor and to establish and maintain a list of approved helmets which meet the specifications as established hereunder. For the purposes of this section, a motorcycle shall not include an autocycle that is completely enclosed, or any three-wheeled motor vehicle equipped with a single cab with glazing enclosing the occupant, seats similar to those of a passenger vehicle or truck, seat belts and automotive steering.

39:3-76.9 is amended to read as follows:

The provisions of section 7 with respect to goggles and face shields shall not apply to the operator of a motorcycle equipped with a wind screen [meeting] or an autocycle that meets the specifications established by the [director] chief administrator.

39:6A-14 is amended to read as follows:

Every owner or registrant of an automobile or autocycle registered or principally garaged in this State shall maintain uninsured motorist coverage as provided in P.L.1968, c.385 (C.17:28-1.1). (cf: P.L. 1972, C.70, s.14)

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

This act shall take effect immediately, except that subsection a. of section 2 shall remain inoperative until six months following the date of enactment, provided, however, that the Chief Administrator of the New Jersey Motor Vehicle Commission may take such anticipatory actions as may be necessary for the timely implementation of the provisions of that subsection

Low Speed Vehicles

What is a low-speed vehicle?

39:1-1 Words and Phrases Defined:

Low-speed vehicle - means a four-wheeled low-speed vehicle whose attainable speed is more than 20 miles per hour but not more than 25 miles per hour on a paved level surface and which is not powered by gasoline or diesel fuel and complies with federal safety standards as set forth in 49 CFR s. 571.500. If a vehicle can attain a speed greater than 25 miles per hour, then it is to be classified as a motor vehicle.

Should an NJTR-1 be completed for a crash involving a low-speed vehicle?

Yes

Do you need a valid driver's license to operate a low-speed vehicle?

Yes - 39:4-31.3. Driver's License Required

Any person operating a low-speed vehicle in this State pursuant to 39:4-31.1 shall be in possession of a valid driver's license pursuant to the applicable provisions of R.S.39:3-10.

Does a low-speed vehicle need to be registered and insured?

Yes - 39:4-31.3b. Registration, Insurance; requirements

Low-speed vehicles operated on the roads and highways of this State shall be properly registered and insured in accordance with the provisions of R.S.39:3-4. The operator of the vehicle shall be in possession of the registration and insurance card at all times while in charge of the low-speed vehicles on the highways of this State.

Does a low-speed vehicle need to display a license plate?

Yes - 39:4-31.3b. Display of license

All low-speed vehicles operated on the roads and highways of this State shall properly display a license plate issued by the New Jersey Motor Vehicle Commission or issued pursuant to the laws of another state.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118- 153	Forms

Do you need to have your low-speed vehicle inspected?

No – 39:4-31.5 Low-speed vehicle exempt from inspection

No low-speed vehicle shall be subject to a motor vehicle inspection by the New Jersey Motor Vehicle Commission. The registered owner of a low-speed vehicle shall be required to maintain the vehicle in proper condition as required by section 3 of this act.

39:4-31.2. Requirements for low-speed vehicles operated on public road, highway

Low-speed vehicles operated upon any public road or highway in this State shall be equipped with the following additional equipment:

- (1) Brakes adequate to control the movement of and to stop such vehicle;
- (2) An odometer
- (3) A speedometer;
- (4) The original manufacturer's vehicle identification number die stamped upon the body, or frame, or either or both of them, of the vehicle or the original manufacturer's vehicle identification number die stamped upon the engine or motor of the vehicle.

What roadways can a low-speed vehicle be operated on?

39:4-31.1a. Operation of low-speed vehicles on public roads; conditions A low-speed vehicle may be operated upon any public road or highway under the jurisdiction of the Department of Transportation with a posted speed limit of 25 miles per hour or less.

39:4-31.1b. A municipality or county may, through ordinance or resolution, as deemed appropriate, permit a low-speed vehicle to operate on any street within the municipality or county where the posted speed limit is greater than 25 miles per hour, but not greater than 35 miles per hour.

A municipality or county may, through ordinance or resolution, as deemed appropriate, prohibit a low-speed vehicle to operate on any street within the municipality or county where the municipality or county determines that the operation of low-speed vehicles would constitute a hazard.

Can a low-speed vehicle be issued a motor vehicle summons?

Yes – 39:4-31.3c Regulations relative to low-speed vehicles

Every person operating a low-speed vehicle upon a public road, street or highway shall be subject to the provisions of Chapter 4 of Title 39 of the Revised Statutes, and Chapter 11 and Chapter 12 of Title 2C of the New Jersey Statutes applicable to the drivers of motor vehicles.

Is a golf cart a low-speed vehicle?

No - 39:1-1 Words and Phrases Defined

Since conventional golf carts, as presently manufactured, have a top speed of less than 20 miles per hour, they are not included in the low-speed vehicle classification.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

39:1-1b. All low-speed vehicles shall have a safety information decal as provided by the manufacturer affixed in a conspicuous place on the rear of the vehicle which shall display in prominent lettering "25 MPH Vehicle".

Motorized Bicycles (Mopeds)

What is a motorized bicycle?

Motorized Bicycle – Means a pedal bicycle having a helper motor characterized in that either the maximum piston displacement is less than 50 cc. or said motor is rated at no more than 1.5 brake horsepower or is powered by an electric drive motor and said bicycle is capable of a maximum speed of no more than 25 miles per hour on a flat surface. A Motorized Bicycle is not the same as a Low Speed Electric Bicycle.

Do you need a license to operate a motorized bicycle?

Yes and No – See Below (d)

How old to you need to be to operate a motorized bicycle?

15 years old - See Below

Can a motorized bicycle be issued a motor vehicle summons?

Yes - See Below

39:4-14.3 Regulations relative to motorized bicycles.

2a. - Motorized bicycles shall not be operated upon interstate highways or upon public highways divided by a grass or concrete median or highways with posted speed limits in excess of 50 miles per hour or upon the railroad or right-of-way of an operating railroad within the State of New Jersey or upon any public land where expressly prohibited by the governing body, department or agency having jurisdiction thereof.

The commissioner is authorized to adopt regulations either prohibiting the operation of motorized bicycles on any public road or highway with a speed limit in excess of 40 miles per hour, which in his discretion are hazardous for the operation of motorized bicycles or permitting the operation of motorized bicycles on any public road or highway, upon which the operation of motorized bicycles is otherwise prohibited by the provisions of this section, which in his discretion are safe for the operation of motorized bicycles. In no case, however, shall the commissioner adopt a regulation permitting motorized bicycles to be operated on any highway with a posted speed in excess of 50 miles per hour.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

- **2b**. No municipality shall limit or otherwise restrict the operation of motorized bicycles on any public roads or highways under its jurisdiction in contravention of the provisions of this act or any regulations adopted by the director pursuant thereto.
- 2c. Motorized bicycles shall not be operated by a person under 15 years of age.
- 2d. No person shall operate a motorized bicycle unless he is in possession of a valid driver's license of any class or a motorized bicycle license, which shall be issued by the commission to any person 15 years of age or older, upon proof of identity and date of birth, and after he has passed a satisfactory examination as to his ability as an operator. Such examination shall include a test of the applicant's knowledge of such portions of the mechanism of motorized bicycles as is necessary to insure their safe operation and of the laws and ordinary usages of the road and a demonstration of his ability to operate a motorized bicycle.

The demonstration of an applicant's ability to operate a motorized bicycle shall be administered at such municipalities that the commission shall designate, under the supervision of the commission, or an officer, employee, or authorized agent of the commission, in accordance with rules and regulations promulgated by the commission.

The administrator may, in his discretion, issue a learner's permit to a person 15 years of age or older, upon proof of identity and date of birth, allowing such person, for the purpose of fitting himself to become a motorized bicycle driver, to operate a motorized bicycle during daylight hours without supervision for a period not to exceed 45 days. The permit shall be sufficient license for the person to operate a motorized bicycle. No permit shall be issued unless the person applying therefore shall pay the sum of \$5.00 to the commission, or an officer, employee or agent of the commission.

2e. - The valid driver's license, the insurance identification card, and the registration certificate shall be in the possession of the operator at all times when he is operating a motorized bicycle with motor engaged on the highways of this State. The operator shall exhibit his driver's license when requested to do so by any police officer or magistrate, while in the performance of the duties of his office and shall write his name in the presence of the officer, so that the officer may thereby determine the identity of the licensee and at the same time determine the correctness of the registration certificate, as it relates to the registration number and number plates of the motorized bicycle for which it was issued and the correctness of the evidence of a policy of insurance, as it relates to the coverage of the motorized bicycle for which it was issued. Any person violating this subsection shall be subject to a fine not exceeding \$50.00.

If a person charged with a violation of this subsection can exhibit his valid driver's license, insurance identification card, and registration certificate, which were valid on the day he was charged, to the judge of the municipal court before whom he is summoned to answer to the charge, the judge may dismiss the charge; however, the judge may impose court costs.

2f. - Unless otherwise determined by the commissioner, statutes, rules and regulations applicable to bicycles shall apply whenever a motorized bicycle is operated upon any highway or upon any public land.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118- 153	Forms

Every person operating a motorized bicycle upon a public road or highway shall be subject to all of the duties applicable to the driver of a vehicle by chapter 4 of Title 39 and N.J.S.2C:11-5 and all amendments and supplements thereto.

Do you have to wear a helmet is you are operating a motorized bicycle?

Yes - 39:4-14.3q. Helmet Requirement No person shall operate a motorized bicycle unless he wears a protective helmet of a type approved by the director.

Should an NJTR-1 be completed for a crash involving a motorized bicycle?

Yes - 39:4-14.3f. Accident reports

Article 15 of chapter 4 of Title 39 of the Revised Statutes pertaining to accidents and reports shall be applicable to all accidents involving motorized bicycles. Any law enforcement officer investigating an accident in which a motorized bicycle is involved shall report the accident to the Division of Motor Vehicles. Said report shall include information relating to the cause of the accident and extent of injury, if any, to the operator and such other information as may be required.

Does a motorized bicycle need to be registered?

Yes - 39:4-14.3i. Registration; requirements; form and content of certificate; expiration; renewal In addition to the requirements of section 2 of P.L.1975, c. 250 (C. 39:4-14.3) and P.L.1977, c. 267 (C. 39:4-14.3a et seq.), no motorized bicycle as defined by R.S. 39:1-1 shall be operated on the public highways or on public lands of this State unless registered by the owner thereof as provided by this act. The Director of the Division of Motor Vehicles in the Department of Law and Public Safety is authorized to grant a registration to the owner of a motorized bicycle who is at least 15 years of age, provided that the application for registration has been properly made, the registration fee has been paid, and the motorized bicycle is of a type approved by the director.

Do you need insurance on a motorized bicycle?

Yes - 39:4-14.3e. Compulsory liability insurance coverage

Every owner of a motorized bicycle principally garaged or operated in this State and every person in the business of renting motorized bicycles shall maintain liability insurance coverage, under provisions approved by the Commissioner of Insurance, insuring against loss resulting from liability imposed by law for bodily injury, death and property damage sustained by any person arising out of the ownership, operation or use of a motorized bicycle. The Commissioner of Insurance, in consultation with the Director of the Division of Motor Vehicles, shall by regulation fix the amounts and limits of coverage of, and requirements for, such insurance.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83-	Boxes 96-103	Boxes 104-	Boxes 118- 153	Forms

Can you be convicted of DWI while operating a motorized bicycle?

Yes - 39:4-14.3g. Operation by person under influence of liquor or drugs; penalty It is unlawful for any person to operate a motorized bicycle while under the influence of intoxicating liquor, or a narcotic, hallucinogenic or habit-producing drug. Any person who violates the provisions of this act shall be subject to the same penalties as provided in R.S. 39:4-50 for conviction of operating a motor vehicle while under the influence of any such substance. In any prosecution for a violation of this act, the presumptions, consent and procedures set forth in P.L.1951, c. 23, s. 30 (C. 39:4-50.1) and P.L.1966, c. 142, ss. 2-5 (C. 39:4-50.2 to 39:4-50.5) shall be applicable

ATVs Snow mobiles and Dirt Bikes

Should an NJTR-1 be completed for crashes involving ATVs, Snowmobiles or Dirt Bikes?

Yes - All regulations pertaining to these vehicles can be found in Title 39, Chapter 3C

39:3C-21 Post-accident procedures. The operator of any snowmobile, all-terrain vehicle, or dirt bike involved in an accident resulting in injuries or death of any person or property damage shall comply with the procedures in R.S.39:4-129 and R.S.39:4-130.

39:3C-1 Definitions.

"All-terrain vehicle" means a motor vehicle, designed and manufactured for off-road use only, of a type possessing between three and six rubber tires and powered by a gasoline engine not exceeding 600 cubic centimeters, but shall not include golf carts or any all-terrain vehicle operated by an employee or agent of the State of New Jersey and used while in the performance of the employee's or agent's official duties.

"Dirt bike" means any two-wheeled motorcycle that is designed and manufactured for off-road use only and that does not comply with Federal Motor Vehicle Safety Standards or United States Environmental Protection Agency on-road emissions standards.

"Snowmobile" means any motor vehicle, designed primarily to travel over ice or snow, of a type which uses sled type runners, skis, an endless belt tread, cleats or any combination of these or other similar means of contact with the surface upon which it is operated, but does not include any farm tractor, highway or other construction equipment, or any military vehicle.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Motorized devices NOT classified as vehicles when completing NJTR-1

What about other motorized devices such as low-speed electric bicycles, low-speed electric scooters, motorized scooters, and hoverboards? Are they captured on the NJTR-1 when they are involved in a crash?

Most other motorized devices are considered personal conveyances (see definition on page 75). Crashes involving a personal conveyance shall not be captured on the NJTR-1 unless it is involved in a crash with a motor vehicle intransport. In this circumstance, the operator shall be included as a pedestrian. The NJTR-1 shall only capture the name, address, date of birth, and sex of the involved operator of the excluded device. 17 – Personal Conveyance, shall be selected in block 108/109. The device's description shall be included in block 145 (Crash description/Narrative).

Low Speed Electric Bicycle - A two or three-wheeled vehicle with fully operable pedals and an electric motor of less than 750 watts, that meets the requirements of one of the following classifications: "class 1 low-speed electric bicycle" which means a low-speed electric bicycle equipped with a motor that provides assistance only when the rider is pedaling, and that ceases to provide assistance when the bicycle reaches the speed of 20 miles per hour; or "class 2 low-speed electric bicycle" which means a low-speed electric bicycle equipped with a motor that may be used exclusively to propel the bicycle, and that is not capable of providing assistance when the bicycle reaches the speed of 20 miles per hour.

Low Speed Electric Scooter - A scooter with a floorboard that can be stood upon by the operator, with handlebars, and an electric motor that is capable of propelling the device with or without human propulsion at a maximum speed of less than 19 miles per hour.

Motorized Scooter – Means a miniature motor vehicle and includes, but is not limited to pocket bikes, super pocket bikes, scooters, mini-scooters, sport scooters, mini choppers, mini motorcycles, motorized skateboards and other vehicles with motors not manufactured in compliance with Federal Motor Vehicle Safety Standards and which have no permanent Federal Safety Certification stickers affixed to the vehicle by the original manufacturer. This term does not include: electric personal assistive mobility devices, motorized bicycles or low-speed vehicle.

39:4-14.12 Motorized scooter, prohibited from operation on public street, highway, sidewalk; exceptions.

- a. No person, except for an operator with a mobility-related disability, as authorized by section 2 of P.L.2007, c.21 (C.39:4-14.15), shall operate a motorized scooter upon any public street, highway or sidewalk.
- b. Except as otherwise provided in section 4 of P.L.2005, c.159 (C.39:4-14.14), no person, except for an operator with a mobility-related disability, as authorized by section 2 of P.L.2007, c.21 (C.39:4-14.15), shall operate a motorized scooter upon any public property or lands.
- c. No person shall operate a motorized scooter on the property of another without the consent of the owner of that property or the person who has a contractual right to the use of that property. L.2005, c.159, s.2; amended 2007, c.21, s.1.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

Motorized Skateboard – Means a skateboard that is propelled otherwise than by muscular power.

Motorized Wheelchair – Means any motor-driven wheelchair utilized to increase the independent mobility, in the activities of daily living, of an individual who has limited or no ambulation abilities, and includes mobility scooters manufactured specifically for such purposes designed primarily for indoor use.

Electric personal assistive mobility devices (Hoverboards)

39:4-14.10. Electric personal assistive mobility device defined; regulations concerning

- a. As used in this act, "electric personal assistive mobility device" means a self- balancing non-tandem two wheeled device designed to transport one person which uses an electric propulsion system with average power of 750 watts (one horsepower), whose maximum speed on a paved level surface, when powered solely by such a propulsion system while operated by a person weighing 170 pounds is less than 20 miles per hour. The device shall not be considered a motorized wheelchair, motorized bicycle, motorcycle, motorized scooter, motorized skateboard, vehicle or motor vehicle.
- b. An electric personal assistive mobility device may be operated on the public highways, sidewalks and bicycle paths of the State. Every person operating such a device shall be granted all of the rights and be subject to all of the duties applicable to the driver of a bicycle by chapter four of Title 39 of the Revised Statutes except as to those provisions thereof which by their nature can have no application. An electric personal assistive mobility device shall be subject to the safety and equipment requirements applicable to the bicycle provisions of chapter 4 of Title 39 of the Revised Statutes, except as to those provisions thereof which by their nature can have no application.
- c. The operator of an electric personal assistive mobility device shall not be required to obtain a driver's license therefore to register the device. The operator shall not be required to furnish proof of having liability insurance for the device or other proof of financial responsibility.
- d. The governing body of any municipality may, by ordinance, regulate the operation of electric personal assistive mobility devices upon the roadways and public properties under municipal jurisdiction. The State or the governing body of any county or municipality may prohibit or regulate their operation on any public highway under its jurisdiction.
- e. Notwithstanding the other provisions of this section, an operator of an electric personal assistive mobility device shall:
 - 1. Wear a helmet while operating that device; and
 - 2. Be 16 years of age or older, except for an operator with a mobility-related disability.

L.2001, c.430,s.1; amended 2003, c.88.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

39:4-14.11 Non-compliance with regulations on electric personal assistive mobility device operation, warning, fine.

An operator who fails to comply with the requirements of this act shall receive a warning for the first offense. For a second offense, the operator shall be fined \$10. For a subsequent offense, the device shall be impounded for not more than 30 days. A person who fails to comply with the requirements governing warning notices shall be fined not more than \$100 for each violation.

L.2001, c.430,s.3.

Definitions – General

"Highway" means the entire width between the boundary lines of every way publicly maintained when any part thereof is open to the use of the public for purposes of vehicular travel.

"Street" means the same as highway.

"Roadway" means that portion of a highway improved, designed, or ordinarily used for vehicular travel, exclusive of the berm or shoulder. In the event a highway includes two or more separate roadways, the term "roadway" as used herein shall refer to any such roadway separately, but not to all such roadways, collectively.

"Shoulder" means that portion of the highway, exclusive of and bordering the roadway, designed for emergency use but not ordinarily to be used for vehicular travel.

"Berm" means that portion of the highway exclusive of roadway and shoulder, bordering the shoulder but not to be used for vehicular travel.

"Vehicle" means every device in, upon or by which a person or property is or may be transported upon a highway, excepting devices moved by human power or used exclusively upon stationary rails or tracks or low-speed electric bicycles, low-speed electric scooters, or motorized bicycles.

"Motor vehicle" includes all vehicles propelled otherwise than by muscular power, excepting such vehicles as run only upon rails or tracks, low-speed electric bicycles, low-speed electric scooters, and motorized bicycles.

"Automobile" includes all motor vehicles except motorcycles.

"Passenger automobile" means all automobiles used and designed for the transportation of passengers, other than omnibuses and school buses.

Truck" means every motor vehicle designed, used, or maintained primarily for the transportation of property.

"Truck tractor" means every motor vehicle designed and used primarily for drawing other vehicles and not so constructed as to carry a load other than a part of the weight of the vehicle and load so drawn.

"Road tractor" means every motor vehicle designed and used for drawing other vehicles and not so constructed as to carry any load thereon either independently or any part of the weight of a vehicle or load so drawn.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

"Omnibus" includes all motor vehicles used for the transportation of passengers for hire, except commuter vans and vehicles used in ridesharing arrangements and school buses, if the same are not otherwise used in the transportation of passengers for hire.

"School bus" means every motor vehicle operated by, or under contract with, a public or governmental agency, or religious or other charitable organization or corporation, or privately operated for the transportation of children to or from school for secular or religious education, which complies with the regulations of the New Jersey Motor Vehicle Commission affecting school buses.

"Motorcycle" includes motorcycles, autocycles, motor bikes, bicycles with motor attached and all motor-operated vehicles of the bicycle or tricycle type, except motorized bicycles, low-speed electric bicycles, and low-speed electric scooters as defined in this section, whether the motive power be a part thereof or attached thereto and having a saddle or seat with driver sitting astride or upon it or a platform on which the driver stands.

"Autocycle" means a three-wheeled motorcycle designed to be controlled with a steering wheel and pedals in which the operator and passenger may ride in a completely or partially enclosed seating area that is equipped with a roll cage or roll hoops, safety seat belts for each occupant, and anti-lock brakes.

"Recreation vehicle" means a self-propelled or towed vehicle equipped to serve as temporary living quarters for recreational, camping or travel purposes and used solely as a family or personal conveyance.

"Low-speed vehicle" means a four-wheeled low-speed vehicle, as defined in 49 C.F.R. s.571.3(b), whose attainable speed is more than 20 miles per hour but not more than 25 miles per hour on a paved level surface and which is not powered by gasoline or diesel fuel and complies with federal safety standards as set forth in 49 C.F.R. s.571.500.

"Street car" means a car other than a railroad train, for transporting persons or property and operated upon rails principally within a municipality.

"Trackless trolley" means every motor vehicle which is propelled by electric power obtained from overhead trolley wires but not operated upon rails.

"Farm tractor" means every motor vehicle designed and used primarily as a farm implement for drawing plows, mowing machines, and other implements of husbandry.

"Electric personal assistive mobility device" (Hoverboard) means a self-balancing non-tandem two wheeled device designed to transport one person which uses an electric propulsion system with average power of 750 watts (one horsepower), whose maximum speed on a paved level surface, when powered solely by such a propulsion system while operated by a person weighing 170 pounds is less than 20 miles per hour. The device shall not be considered a motorized wheelchair, motorized bicycle, motorcycle, motorized scooter, motorized skateboard, vehicle or motor vehicle.

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

"Low-speed electric bicycle" means a two or three-wheeled vehicle with fully operable pedals and an electric motor of less than 750 watts, that meets the requirements of one of the following classifications: "class 1 low-speed electric bicycle" which means a low-speed electric bicycle equipped with a motor that provides assistance only when the rider is pedaling, and that ceases to provide assistance when the bicycle reaches the speed of 20 miles per hour; or "class 2 low-speed electric bicycle" which means a low-speed electric bicycle equipped with a motor that may be used exclusively to propel the bicycle, and that is not capable of providing assistance when the bicycle reaches the speed of 20 miles per hour.

"Motorized bicycle" means a pedal bicycle having a helper motor characterized in that either the maximum piston displacement is less than 50 cc. or said motor is rated at no more than 1.5 brake horsepower or is powered by an electric drive motor and said bicycle is capable of a maximum speed of no more than 25 miles per hour on a flat surface or a pedal bicycle having an electric motor that is capable of propelling the bicycle in excess of 20 miles per hour with a maximum motor-powered speed of no more than 28 miles per hour on a flat surface. This term shall not include a low-speed electric bicycle or low-speed electric scooter as defined in this section.

"Low-speed electric scooter" means a scooter with a floorboard that can be stood upon by the operator, with handlebars, and an electric motor that is capable of propelling the device with or without human propulsion at a maximum speed of less than 19 miles per hour.

"Motorized scooter" means a miniature motor vehicle and includes, but is not limited to, pocket bikes, super pocket bikes, scooters, mini-scooters, sport scooters, mini choppers, mini motorcycles, motorized skateboards and other vehicles with motors not manufactured in compliance with Federal Motor Vehicle Safety Standards and which have no permanent Federal Safety Certification stickers affixed to the vehicle by the original manufacturer. This term shall not include electric personal assistive mobility devices, motorized bicycles, low-speed vehicles, low-speed electric bicycles, or low-speed electric scooters; or motorized wheelchairs, mobility scooters or similar mobility assisting devices used by persons with physical disabilities, or persons whose ambulatory mobility has been impaired by age or illness.

"Motorized skateboard" means a skateboard that is propelled otherwise than by muscular power.

"Motorized wheelchair" means any motor-driven wheelchair utilized to increase the independent mobility, in the activities of daily living, of an individual who has limited or no ambulation abilities and includes mobility scooters manufactured specifically for such purposes and designed primarily for indoor use.

"Personal Conveyance" means Low-speed electric scooters, Low-speed electric bicycle, Motorized scooters, Motorized wheelchairs, and electric personal assistive mobility devices (hoverboards).

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

NJTR-1A

New Jersey Police	e Crash Investigation Report	Police Dept:	Code:
	icle Crash Description	Station:	Case No:
445 Octob December		*	
145 Crash Description			
-			
E-			
8-			-
£			
2			
N .			
8-			
ŷ.			
6-			
8			
e 			
-			<u></u>
0			
V2			
£			
N			
8			
55			
2			
·			76
15			
β <u>.</u>			
ε			
xi-			<u> </u>
e 			
-			
:			
NJTR-1A (Rev. 01/17)	Officer's Signature		Badge Number

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

NJTR-1B

New Jersey Police Crash Investigation Report	Police Dept:	Code:
Motor Vehicle Crash Diagram	Station:	Case No:
4 Crash Diagram (NOT TO SCALE) Indicate North		

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

NJTR-1M

Page_	of													
		New	Jers	sey F	Police	e Cra	ash Ir	nves	tigati	on R	epor	t	Police Dept:	Code:
			M	otor '	Vehi	cle (Crash	Des	cript	ion			Station:	Case No.:
/Defec	in control													
Veh Occ	to vehi Pos In/On	Eject	Phys Cond	Age	Sex	Loc	Type Inj	Ref Med	Equip Avail	Equip Used	Bag Dept	Hosp Code		
83		85			88	89	90	91		93	94	95	Names & Addresses of Occupants - If Dec	eased, Date & Time of Death
-														
-														
											eg			
	-													
						H			_					
	-													
NJTR-1N	/ (Bev.	01/17)			-						Offic	er's Signa	ure	Badge Number

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ,
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Extension Forms

Bus Layout

BUS SEA ARRANG		_	MCI-9	, EA & XIBL				FL		ETR & OVA (ANSIT	_	VOLVO ARTIC		
1 2 3 4 5		1	DRIVE	R	8000	5		1	DRIVE	R	DOOR		1 DR	IVER	8000 0000
7 8		2	3		24	25		2	-		22	2	2		38
10			_			\vdash		3	-		23	3	-		39
12		4	5		26	27		4			24	4	-		40
.14 .15 .16		6	7		28	29		5			25	6	-		41
17		8	9		30	31		6	_		26	7	-		42
.19 .20 .21		10	11		32	33		7			27 28	8	-		44
22 23		12	12		3.4	35		8	9		29 30 31 32	٤	•		45
24 25 26		-	H		34	35		10	11		33 34	1	0 1	1	8000
27 28 29		14	15		36	37		12	13			-	2 13	-	
30 31		16	17		38	39		14			800	-	4 1: 6 1:	-	46 47
33 34		18	19		40	41		16			35	-	8		48
35 36		20	21		42	43		H			36	1	⊸.		50 51
37 38 39		22	23		44	45		18	19		37	2	0 2	1	52
40 41 42			20			-		20	-		38	2	2		53
43		L			_	Н		21	7		39	-	3	_	54 55
46 47		46	47	48	49	50		40	41	42	43 44	-	4 2: 6 2	_	56 57
48				1	_	ᆛ		2				-	8 29	-	DOOR
50 .51				3	Drive	4	Т	5				-	0 3	_	8
.53 .54				6	+	7	\dagger	8				3	2 3	3	58 59
56 57				9	+	10	t	11				3	4		60
58 59 50				12	1	3 1	-	15			R E	3	_		61
.61 .62 .63				15	Pas	seng	er \	/an			A R	3	6 3		62 63 66 67
64 65	P	olice A	Agenc	у	_		_			_		_ L	04	00	00 0/
67	с	ase N	umbe	r								_			

Contents	Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Appendix
Table of	Crash Location	Driver/Vehicle	Commercial Vehicle	Persons Involved	Roadway System	Crash/Vehicle Characteristics	ACC, SOE, Precrash	FAQ, Extension
Contents	Boxes 1-22	Boxes 23-48, 53-78	Boxes 49-52, 79-82	Boxes 83- 95	Boxes 96-103	Boxes 104- 117	Boxes 118- 153	Forms

School Bus Layout

STATE OF NEW JERSEY MOTOR VEHICLE CRASH DESCRIPTION	Polic Static		Case No					
1 2 3			sc	HOC (full :		US		
5.		1 [DRIVE	ER		OOR	! →	
6 7 8.		2	3	4		5	6	
9.		7	8	9		10	11	
11 12		12	13	14		15	16	
13 14	8	17	18	19		20	21	
15 16 17		22	23	24		25	26	
18.		27	28	29		30	31	
20 21		32	33	34		35	36	1
22								
24		37	38	39		40	41	
26		42	43	44		45	46	
29.		47	48	49		50	51	
31.		52	53			54	55	
33				MINI	BUS	6		

38.

39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51.

53.

MINIBUS

| 1 D | RIVER | DOO | R→ |
|-----|-------|-----|----|
| 2 | 3 | 4 | 5 |
| 6 | 7 | 8 | 9 |
| 10 | 11 | 12 | 13 |
| 14 | 15 | 16 | 17 |

| Contents | Section 1 | Section 2 | Section 3 | Section 4 | Section 5 | Section 6 | Section 7 | Appendix |
|----------|-------------------|-----------------------|-----------------------|---------------------|-------------------|----------------------------------|-----------------------|--------------------|
| Table of | Crash
Location | Driver/Vehicle | Commercial
Vehicle | Persons
Involved | Roadway
System | Crash/Vehicle
Characteristics | ACC, SOE,
Precrash | FAQ, |
| Contents | Boxes 1-22 | Boxes 23-48,
53-78 | Boxes 49-52,
79-82 | Boxes 83-
95 | Boxes 96-103 | Boxes 104-
117 | Boxes 118-
153 | Extension
Forms |