

2006 Ford Taurus

P53 4dr Sdn SE

Photo may not represent exact vehicle or selected equipment.

2006 Ford Taurus 4dr Sdn SE P53

TABLE OF CONTENTS

TABLE OF CONTENTS - 2006 P53 4dr Sdn SE

- Selected Model & Options
- Standard Equipment
- Weight Rating
- Color Availability
- Warranty Information
- Technical Specifications

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 4:18:50 PM

Page 2

2006 Ford Taurus 4dr Sdn SE P53

VEHICLE DETAILS

SELECTED MODEL - 2006 P53 4dr Sdn SE

<u>Code</u>	<u>Description</u>
P53	2006 Ford Taurus 4dr Sdn SE

SELECTED VEHICLE COLORS - 2006 P53 4dr Sdn SE

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2006 P53 4dr Sdn SE

<u>Code</u>	<u>Description</u>	<u>Front Wt</u>	<u>Rear Wt</u>
100A	SE ORDER CODE	0.00	0.00
184	6-PASSENGER SEATING -inc: split-fold front seat, column shifter (STD)	0.00	0.00
44N	4-SPEED AUTOMATIC TRANSMISSION W/OD (STD)	0.00	0.00
552	ANTI-LOCK BRAKE SYSTEM	0.00	0.00
99U	3.0L SOHC SMPI 12-VALVE V6 VULCAN ENGINE (STD)	0.00	0.00
___	STANDARD EMISSIONS	0.00	0.00
K_	CLOTH SEATING SURFACES (STD)	0.00	0.00
___	SOLID PAINT (STD)	0.00	0.00
___	P215/60R16 ALL-SEASON TIRES (STD)	0.00	0.00

OPTIONS TOTAL **0** **0**

Total Weight

As spec'd curb weight

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Ford Taurus 4dr Sdn SE P53

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 P53 4dr Sdn SE

EPA FUEL ECONOMY RATINGS

- City 20/hwy 27 (3.0L engine/4-speed auto trans)
- City 19/hwy 27 (3.0L FFV engine/4-speed auto trans)

EXTERIOR

- Front/rear color-keyed bumpers
- Color-keyed body-side protection moldings
- Black rocker panel moldings
- Multi-reflector halogen headlamps
- Solar-tinted glass
- Black pwr mirrors
- Variable intermittent windshield wipers w/washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 4:18:50 PM

Page 4

2006 Ford Taurus 4dr Sdn SE P53

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 P53 4dr Sdn SE

INTERIOR

- Front cloth bench seat-inc: dual recliners, center console, armrest, map pockets, 2-way head restraints
- Fixed rear seatback
- Color-keyed carpeting w/integral driver footrest
- Front/rear floor mats
- Tilt steering column
- Color-keyed 4-spoke soft grip steering wheel
- SecuriLock/immobilizer anti-theft system
- Gauges-inc: temp, fuel, trip odometer, million mile odometer, tachometer, 120-mph electronic speedometer, message center, low brake fluid
- Warning lights-inc: airbags, door ajar, battery, oil pressure, service engine soon, seat belt reminder, low fuel, low brake fluid
- Pwr windows
- Pwr door locks
- Remote keyless entry
- Speed control
- Air conditioning
- Rear floor heat ducts
- Rear window defroster
- ETR AM/FM stereo w/cassette-inc: (4) speakers, digital clock
- Fixed whip antenna
- Center console w/cupholders, storage
- Dual auxiliary pwr points
- Cigarette lighter
- Front ashtray
- Day/night rearview mirror
- Cloth-covered sun visors w/covered vanity mirrors

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM
©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Ford Taurus 4dr Sdn SE P53

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 P53 4dr Sdn SE

- Driver/passenger side rear grab handles
- Light group-inc: dual-beam map, dome
- Delay-off dome lamp
- Front door/ashtray/luggage compartment courtesy lights
- Trunk grocery bag hooks

MECHANICAL

- 3.0L SOHC SMPI 12-valve V6 Vulcan engine
- Engine block heater *STD on retail vehicles only in AK, MN, ND, SD, MT, WI & WY. Optional on fleet vehicles*
- 4-speed automatic transmission w/OD
- Front wheel drive
- 58-amp/hr low-maintenance battery w/battery saver
- 130-amp alternator
- Independent MacPherson strut front suspension-inc: strut-mounted coil spring, lower control arm, cast knuckle w/integral ball joints
- Independent MacPherson strut rear suspension-inc: strut-mounted coil spring, tension strut, parallel control arms, cast spindle w/forged stem
- Front/rear stabilizer bars
- P215/60R16 all-season tires
- 16" steel wheels w/deluxe wheel covers
- Mini spare tire
- Pwr rack & pinion steering w/variable assist
- Pwr front disc/rear drum brakes
- 18.0 gallon fuel tank

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Ford Taurus 4dr Sdn SE P53

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 P53 4dr Sdn SE

SAFETY

- Personal safety system-inc: electronic crash severity sensor, driver seat position sensor, restraint control module, passenger weight sensor
- Driver & front passenger Second Generation dual stage air bags w/passenger air bag disable indicator
- Driver/front passenger safety belts-inc: belt pretensioners, height adjustable D-rings, outboard safety belt usage sensor
- LATCH (Lower Anchors and Tethers for CHildren) System on rear outboard seat locations
- Child safety rear door locks
- Fuel shutoff switch deactivates fuel pump upon rear impact
- Emergency inside trunk release
- Side door high strength intrusion beams
- Front/rear crumple zones

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 4:18:50 PM

Page 7

2006 Ford Taurus 4dr Sdn SE P53

VEHICLE DETAILS

WEIGHT RATINGS - 2006 P53 4dr Sdn SE

Front Gross Axle Weight Rating:
Rear Gross Axle Weight Rating:
Gross Vehicle Weight Rating: 0

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 4:18:50 PM

Page 8

2006 Ford Taurus 4dr Sdn SE P53

COLOR AVAILABILITY

COLOR CHART - 2006 P53 4dr Sdn SE

EXTERIOR	INTERIOR		
	MdDk Flint (2)	MdDk Pble (H)	Ebny Blck (W)
Arizona Beige Metallic (AQ)		X	
Gold Ash Metallic (C2)		X	
Tungsten Metallic (T8)	X		
Light Tundra Metallic (DV)	X	X	X
Merlot Metallic (FX)	X	X	
Windveil Blue Metallic (P3)	X	X	X
Silver Frost Metallic (TS)	X		X
Black (UA)	X	X	X
Vibrant White (WT)	X	X	X

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM
 ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Ford Taurus 4dr Sdn SE P53

WARRANTY INFORMATION

WARRANTY INFORMATION - 2006 P53 4dr Sdn SE

WARRANTY

Basic: 3 Years/36,000 Miles

Drivetrain: 3 Years/36,000 Miles

Corrosion: 5 Years/Unlimited Miles

Roadside Assistance: 3 Years/36,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Ford Taurus 4dr Sdn SE P53

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2006 P53 4dr Sdn SE

ENGINE

Engine Order Code	99U
Engine Type	Gas V6
Displacement	3.0L/182 CID
SAE Net Horsepower @ RPM	153 @ 5000
SAE Net Torque (lb ft) @ RPM	185 @ 3950

TRANSMISSION

Transmission order code	44N
Transmission Type Description	* 4-Speed Automatic w/OD
Drive Train	Front Wheel Drive

MILEAGE

City EPA fuel economy estimate	20.00
Hwy EPA fuel economy estimate	27.00
City cruising range	360.00
Hwy cruising range	486.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Ford Taurus 4dr Sdn SE P53

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2006 P53 4dr Sdn SE

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	2.77
Second Gear Ratio (:1)	1.54
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	2.26
Clutch size (in)	
Final Drive Axle Ratio (:1)	3.96

ELECTRICAL

Battery	1
Battery cold cranking Amps @ 0 F	- TBD -
Alternator	
Alternator Amps	130.00

COOLING SYSTEM

Cooling system capacity	11.60
-------------------------	-------

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Ford Taurus 4dr Sdn SE P53

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2006 P53 4dr Sdn SE

WEIGHT INFORMATION

Base curb weight 3,306.00

TRAILERING

	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lb)	1,250.00	125.00
Weight Distributing Hitch (lb)		

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Ford Taurus 4dr Sdn SE P53

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2006 P53 4dr Sdn SE

SUSPENSION	Front	Rear	
Suspension Type	Independent	Independent	
Suspension Type (cont.)	MacPherson strut	MacPherson strut	
Shock Absorber Diameter (mm)	- TBD -	- TBD -	
Stabilizer Bar Diameter (in)	0.81	0.73	
BRAKES			
Brake type	Pwr		
ABS System	* 4-Wheel		
	Front	Rear	
Disc	Yes		
Rotor Diam x Thickness (in)	10.9 x 1.0		
Drum		Yes	
Drum Diam x Width (in)		8.9 x 1.5	
TIRES			
	Front	Rear	Spare
Tire Order Code			
Tire Size	P215/60R16	P215/60R16	Compact
WHEELS			
	Front	Rear	Spare
Wheel Size	16 x - TBD -	16 x - TBD -	- TBD -
Wheel Type	Steel	Steel	Steel
STEERING			
Steering type	Pwr Rack & Pinion		
Ratio (:1)			
Overall	17.00		
Lock-to-Lock Turns	2.68		
Turning Diameter			
Curb-to-Curb	39.70		
Wall-to-Wall	- TBD -		
FUEL TANK			
	Main		
Capacity	18.00		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Ford Taurus 4dr Sdn SE P53

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2006 P53 4dr Sdn SE

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 4:18:50 PM

Page 15

2006 Ford Taurus 4dr Sdn SE P53

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2006 P53 4dr Sdn SE

EXTERIOR DIMENSIONS

Wheelbase (in)	108.50
Length, Overall (in)	197.70
Width, Max w/o mirrors (in)	73.00
Height, Overall (in)	58.60
Tread Width	
Tread Width, Front	61.6
Tread Width, Rear	62.1
Min Ground Clearance (in)	5.40

CARGO AREA DIMENSIONS

Liftover Height (in)	29.70
Trunk Volume	16.9

INTERIOR DIMENSIONS

Passenger Capacity	6	
Passenger Volume (ft ³)	103.90	
EPA Classification	Mid-Size	
Seating Position	Front	Second
Head Room (in)	40.00	38.10
Leg Room (in)	42.20	38.30
Shoulder Room (in)	57.30	56.60
Hip Room (in)	54.40	55.70

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File: