

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial



Photo may not represent exact vehicle or selected equipment.

• TABLE OF CONTENTS

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

TABLE OF CONTENTS

- Pricing Summary*
- Selected Model & Options*
- Standard Equipment*
- Weight Rating*
- Vehicle Image*
- Optional Equipment*
- Color Availability*
- Warranty Information*
- Window Sticker*
- Technical Specifications*

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

PRICING SUMMARY

Price Component	MSRP
<i>Base Price</i>	\$42,335.00
<i>Total Options</i>	-\$2,055.00
<i>Vehicle Subtotal</i>	\$40,280.00
<i>Advert/Adjustments</i>	\$0.00
<i>Destination Charge</i>	\$900.00
TOTAL VEHICLE PRICE	\$41,180.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 3

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

SELECTED MODEL

Code	Description	Front Wt	Rear Wt	MSRP
CK20906	2008 Chevrolet Suburban 4WD 4dr 2500 Commercial	3,239.00	3,006.00	\$42,335.00

SELECTED VEHICLE COLORS

Code	Description
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS

Code	Description	Front Wt	Rear Wt	MSRP
__D	CUSTOM CLOTH SEAT TRIM (STD)	0.00	0.00	\$0.00
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP Includes Standard Equipment *CREDIT*	0.00	0.00	-\$1,675.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH, 3-passenger with center armrest (STD)	0.00	0.00	INC
ANJ	GLASS, NON-DEEP TINTED *CREDIT*	0.00	0.00	-\$295.00
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH with Custom Cloth, 3-passenger, includes (AG1) 6-way power driver seat adjuster, (AM1) driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (STD)	-10.00	0.00	\$0.00
GT4	REAR AXLE, 3.73 RATIO (STD)	0.00	0.00	\$0.00
LY6	ENGINE, VORTEC 6.0L V8 SFI (352 hp [262.5 kW] @ 5400 rpm, 383 lb-ft of torque [517.1 N-m] @ 4300 rpm) (STD) (Requires 3/4 ton models.)	0.00	0.00	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode (Requires 3/4 ton models.)	0.00	0.00	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

SELECTED OPTIONS

Code	Description	Front Wt	Rear Wt	MSRP
NC7	EMISSIONS OVERRIDE, FEDERAL (for vehicles ordered by dealers in Federal emission states with California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont emissions; may also be used by dealers in states of California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont to order different state-specific emissions) (Requires (YF5) California state emissions requirements or (NE1) Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont state emission requirements.)	0.00	0.00	\$0.00
___	NO THIRD ROW SEAT (STD)	0.00	0.00	\$0.00
___	NO LOCKING REAR DIFFERENTIAL (STD)	0.00	0.00	\$0.00
QB5	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) STEEL DISC (STD) (3/4 ton models only.)	0.00	0.00	\$0.00
QIW	TIRES, LT245/75R16E ON-/OFF-ROAD, BLACKWALL (STD) (Standard on 4x4 3/4 ton models. Available on 2WD 3/4 ton models.)	4.00	4.00	\$0.00
UE0	ONSTAR, DELETE (Requires (U2J) XM Satellite Radio, delete.) *CREDIT*	-1.00	0.00	-\$85.00
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack (STD)	0.00	0.00	\$0.00
YF5	EMISSIONS, CALIFORNIA STATE REQUIREMENTS	0.00	0.00	\$0.00
___	PAINT, SOLID (STD)	0.00	0.00	\$0.00
OPTIONS TOTAL		-7	4	-\$2,055.00
Total Weight		* 3,232.00	* 3,010.00	
As spec'd curb weight		* 6,242.00		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

STANDARD EQUIPMENT

Mechanical

- *Engine, Vortec 6.0L V8 SFI (352 hp [262.5 kW] @ 5400 rpm, 383 lb-ft of torque [517.1 N-m] @ 4300 rpm) (Requires 3/4 ton models.)*
- *Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires 3/4 ton models.)*
- *Transfer case, electronic Autotrac with rotary controls (Not available on 2WD models.)*
- *Rear axle, 3.73 ratio*
- *4-wheel drive*
- *Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power*
- *Alternator, 145 amps (Not available on 1/2 ton models.)*
- *Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil (Requires (GT5) 4.10 rear axle ratio on 1/2 ton models. Not available with (GT4) 3.73 rear axle ratio on 1/2 ton models. Standard on 3/4 ton models.)*
- *Trailer equipment, heavy-duty, includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver*
- *Recovery hooks, front, frame-mounted (Available on 1/2 ton models, standard on 3/4 ton models.)*
- *GVWR, 8600 lbs. (3901 kg) (Requires 3/4 ton models.)*
- *StabiliTrak, stability control system with Proactive Roll Avoidance*
- *Suspension Package, Handling/Trailer equipment, heavy-duty (3/4 ton models only.)*
- *Suspension, front independent with torsion bar (3/4 ton models only.)*
- *Suspension, rear multi-stage leaf springs (3/4 ton models only)*
- *Tires, LT245/75R16E on-/off-road, blackwall (Standard on 4x4 3/4 ton models. Available on 2WD 3/4 ton models.)*
- *Tire, spare LT245/75R16 all-season, blackwall (3/4 ton models only. Upgradeable to (4GK) LT245/75R16E on-/off-road, blackwall spare tire.)*
- *Wheels, 4 - 16" X 6.5" (40.6 cm x 16.5 cm) steel disc (3/4 ton models only.)*
- *Wheel, 16" (40.6 cm) full-size spare (3/4 ton models only.)*
- *Tire carrier, lockable outside spare, winch-type mounted under frame at rear*
- *Steering, power*
- *Brakes, 4-wheel antilock, 4-wheel disc with hydroboost (3/4 ton models only.)*

Exterior

- *Luggage rack side rails, roof-mounted, Black*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 6

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

STANDARD EQUIPMENT

- *Fascia, front color-keyed*
- *Fascia, rear color-keyed*
- *Assist steps, Black*
- *Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature*
- *Daytime Running Lamps, with automatic exterior lamp control*
- *Mirrors, outside heated power-adjustable, manual-folding (Mirror caps are Black.)*
- *Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)*
- *Wiper, rear intermittent with washer*
- *Door handles, Black*
- *Body, liftgate with liftglass, rear door system with rear-window wiper/washer*

Interior

- *Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes (AG1) 6-way power driver seat adjuster, (AM1) driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets)*
- *Seats, second row 60/40 split-folding bench, 3-passenger with center armrest*
- *Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)*
- *Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock*
- *Steering wheel, vinyl*
- *Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer*
- *Warning tones, headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on*
- *Tire Pressure Monitoring System (does not apply to spare tire)*
- *Windows, power with driver Express-Down and lockout features*
- *Door locks, power programmable with lockout protection*
- *Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)*
- *Cruise control, electronic with set and resume speed*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 7

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

STANDARD EQUIPMENT

- *OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)*
- *Theft-deterrent system, vehicle, PASS-Key III*
- *Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack*
- *Audio system feature, 8-speaker system*
- *XM Satellite Radio, delete*
- *Heater, rear auxiliary with rear passenger heating ducts*
- *Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger*
- *Air conditioning, rear auxiliary*
- *Defogger, rear-window electric*
- *Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area*
- *Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display*
- *Headliner, cloth*
- *Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod*
- *Assist handles, front passenger and second row outboard*
- *Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions*
- *Fleet Package*

Safety

- *Brakes, 4-wheel antilock, 4-wheel disc with hydroboost (3/4 ton models only.)*
- *Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (right-front passenger air bag status on overhead console) (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)*

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

STANDARD EQUIPMENT

- *Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)*
- *Safety belts, 3-point, driver and right-front passenger*
- *LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats*
- *StabiliTrak, stability control system with Proactive Roll Avoidance*
- *Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock*
- *Daytime Running Lamps, with automatic exterior lamp control*

• WEIGHT RATINGS

WEIGHT RATINGS

<i>Front Gross Axle Weight Rating:</i>	<i>4,180.00</i>
<i>Rear Gross Axle Weight Rating:</i>	<i>5,500.00</i>
<i>Gross Vehicle Weight Rating:</i>	<i>8,600.00</i>



2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
EMISSIONS				
FE9	EMISSIONS, FEDERAL REQUIREMENTS	0.00	0.00	\$0.00
NE1	EMISSIONS, CONNECTICUT, MAINE, MASSACHUSETTS, NEW YORK, PENNSYLVANIA, RHODE ISLAND AND VERMONT STATE REQUIREMENTS	0.00	0.00	\$0.00
YF5	EMISSIONS, CALIFORNIA STATE REQUIREMENTS	0.00	0.00	\$0.00
NB8	EMISSIONS OVERRIDE, CALIFORNIA, CONNECTICUT, MASSACHUSETTS, NEW YORK, PENNSYLVANIA OR RHODE ISLAND (for vehicles ordered by dealers in the states of California, Connecticut, Massachusetts, New York, Pennsylvania or Rhode Island with Federal emissions) (Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.)	0.00	0.00	\$0.00
NC7	EMISSIONS OVERRIDE, FEDERAL (for vehicles ordered by dealers in Federal emission states with California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont emissions; may also be used by dealers in states of California, Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont to order different state-specific emissions) (Requires (YF5) California state emissions requirements or (NE1) Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island or Vermont state emission requirements.)	0.00	0.00	\$0.00
ENGINE				
LY6	ENGINE, VORTEC 6.0L V8 SFI (352 hp [262.5 kW] @ 5400 rpm, 383 lb-ft of torque [517.1 N-m] @ 4300 rpm) (STD) (Requires 3/4 ton models.)	0.00	0.00	\$0.00
TRANSMISSION				
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode (Requires 3/4 ton models.)	0.00	0.00	\$0.00
DIFFERENTIAL				

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 11

• VEHICLE REPORT 2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
—	NO LOCKING REAR DIFFERENTIAL (STD)	0.00	0.00	\$0.00
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR (Required with (GT5) 4.10 rear axle ratio.)	0.00	8.00	\$295.00
AXLE				
GT4	REAR AXLE, 3.73 RATIO (STD)	0.00	0.00	\$0.00
PREFERRED EQUIPMENT GROUP				
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP Includes Standard Equipment *CREDIT*	0.00	0.00	-\$1,675.00
TIRES				
QIW	TIRES, LT245/75R16E ON-/OFF-ROAD, BLACKWALL (STD) (Standard on 4x4 3/4 ton models. Available on 2WD 3/4 ton models.)	4.00	4.00	\$0.00
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL (Standard on 2WD 3/4 ton models. Available on 4x4 3/4 ton models.)	0.00	0.00	\$0.00
SEATING ARRANGEMENT				
—	NO THIRD ROW SEAT (STD)	0.00	0.00	\$0.00
AS3	SEATS, THIRD ROW 50/50 SPLIT-BENCH, 3-passenger, removable, all-belts-to-seat	0.00	0.00	\$460.00
SEAT TYPE				
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH with Custom Cloth, 3-passenger, includes (AG1) 6-way power driver seat adjuster, (AM1) driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (STD)	-10.00	0.00	\$0.00
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH with vinyl, 3- passenger, (AM1) driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (Requires (19V) Ebony vinyl and (BG9) Black rubberized-vinyl floor covering.)	-10.00	0.00	\$0.00
A95	SEATS, FRONT BUCKET with (AG1) 6-way power driver and (AG2) front passenger seat adjusters, adjustable head restraints, (AM1) driver manual lumbar control, floor console and rear storage pockets	-9.00	-8.00	\$935.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH, 3-passenger with center armrest (STD)	0.00	0.00	INC
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH with vinyl, 3-passenger with center armrest	0.00	0.00	\$0.00
SEAT TRIM				

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
__D	CUSTOM CLOTH SEAT TRIM (STD)	0.00	0.00	\$0.00
__V	VINYL SEAT TRIM	0.00	0.00	\$0.00
PAINT				
___	PAINT, SOLID (STD)	0.00	0.00	\$0.00
RADIO				
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack (STD)	0.00	0.00	\$0.00
WHEEL TYPE				
QB5	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) STEEL DISC (STD) (3/4 ton models only.)	0.00	0.00	\$0.00
PY0	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG POLISHED FORGED ALUMINUM, includes chrome center caps and steel spare (3/4 ton models only.)	-29.00	-29.00	\$425.00
ADDITIONAL OPTIONS				
D07	CONSOLE, FLOOR with storage area, cup holders and integrated second row audio controls (Included and only available with (A95) front bucket seats with Custom Cloth. 2nd row audio controls are not included)	15.00	11.00	\$0.00
NZZ	SKID PLATE PACKAGE, includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case, frame-mounted shields (Requires 4x4 models.)	4.00	1.00	\$150.00
VYU	SNOW PLOW PREP PACKAGE, includes instrument panel switch, roof beacon wiring, forward lamp wiring and torsion bar (Requires (TRW) roof-mounted lamp provisions. Requires 4x4 3/4 ton models. Not available with (CF5) power sunroof or (UG1) Universal Home Remote.)	0.00	0.00	\$255.00
TRW	PROVISION FOR CAB ROOF-MOUNTED LAMP/BEACON, provides a switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp. 30-amp nominal rating (Included with (VYU) Snow Plow Prep Package.)	0.00	0.00	\$30.00
KW1	ALTERNATOR, 160 AMPS (Standard on 1/2 ton models. Included and only available with (VYU) Snow Plow Prep Package on 4x4 3/4 ton models. Not available on 2WD 3/4 ton models.)	0.00	0.00	\$0.00
T96	FOG LAMPS, FRONT HALOGEN	2.00	0.00	\$140.00
ANJ	GLASS, NON-DEEP TINTED *CREDIT*	0.00	0.00	-\$295.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 13

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
JF4	PEDALS, POWER-ADJUSTABLE FOR ACCELERATOR AND BRAKE (Requires (UD7) Rear Parking Assist. Not available with (9L4) 12 volt power supply.)	6.00	2.00	\$150.00
AP3	REMOTE VEHICLE STARTER SYSTEM, includes Remote Keyless Entry	1.00	0.00	\$195.00
B30	FLOOR COVERING, COLOR-KEYED CARPETING (Includes (B58) color-keyed floor mats.)	0.00	12.00	\$190.00
B58	FLOOR MATS, COLOR-KEYED CARPETED first and second row, removable (Included and only available with (B30) color-keyed floor covering.)	0.00	0.00	\$0.00
V1K	LUGGAGE RACK CENTER RAILS	2.00	7.00	\$90.00
G63	LUGGAGE RACK, DELETE *CREDIT*	0.00	0.00	-\$25.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER, MANUAL-FOLDING AND EXTENSION with integrated turn signal indicators	6.00	2.00	\$175.00
UD7	REAR PARKING ASSIST, ULTRASONIC with rearview LED display and audible warning (Requires (JF4) power adjustable pedals.)	0.00	1.00	\$265.00
K47	AIR CLEANER, HIGH-CAPACITY	1.00	0.00	\$25.00
K05	ENGINE BLOCK HEATER	1.00	0.00	\$75.00
UE0	ONSTAR, DELETE (Requires (U2J) XM Satellite Radio, delete.) *CREDIT*	-1.00	0.00	-\$85.00
R8G	ONSTAR 1 ADDITIONAL YEAR OF SAFE AND SOUND SERVICE. Provides 1 year of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8P, R8W, R8Y, R8Z, RFG or RFH.)	0.00	0.00	\$0.00
R8P	ONSTAR 2 ADDITIONAL YEARS OF SAFE AND SOUND SERVICE. Provides 2 additional years of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8W, R8Y, R8Z, RFG or RFH.)	0.00	0.00	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 14

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
R8W	ONSTAR 1-YEAR DIRECTIONS AND CONNECTIONS SERVICE. Provides an upgrade from Safe and Sound service included in the price of the vehicle in the first year. OnStar Business Vehicle Manager Service (RFA) is not available (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8Y, R8Z, RFG or RFH.)	0.00	0.00	\$0.00
R8Y	ONSTAR 2-YEARS DIRECTIONS AND CONNECTIONS SERVICE. Provides cumulative 2 Years of Directions and Connections service. In the first year, this is an upgrade from Safe and Sound service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Z, RFG or RFH.)	0.00	0.00	\$0.00
R8Z	ONSTAR 3-YEARS DIRECTIONS AND CONNECTIONS SERVICE. Provides cumulative 3 Years of Directions and Connections service. In the first year, this is an upgrade from Safe and Sound service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Y, RFG or RFH.)	0.00	0.00	\$0.00
RFG	ONSTAR 3 ADDITIONAL YEARS SAFE AND SOUND SERVICE. Provides 3 additional Years of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Y, R8Z or RFH.)	0.00	0.00	\$0.00
RFH	ONSTAR 4 ADDITIONAL YEARS SAFE AND SOUND SERVICE. Provides 4 additional Years of Safe and Sound service following the first year of OnStar service included in the price of the vehicle. Fleet may also order (RFA) OnStar Business Vehicle Manager Service (Requires (UE1) OnStar 1-year Safe and Sound plan. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8W, R8Y, R8Z or RFG.)	0.00	0.00	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 15

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
RFA	ONSTAR BUSINESS VEHICLE MANAGER SERVICE. Provides OnStar Business Vehicle Manager Service equal to the length of OnStar multi year order. RFA MUST be ordered to receive service (Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Requires one of the following options: R8G, R8P, R8Y, R8Z, RFG or RFH. Requires Fleet Master Agreement (FMA). Not available with R8W. Available for Fleets with 20 or more active OnStar Multi-Year Subscriptions.)	0.00	0.00	\$0.00
R8Q	ILLINOIS COST SURCHARGE	0.00	0.00	\$0.00
R6M	NEW JERSEY COST SURCHARGE *Required on all vehicles to be registered in New Jersey*	17.00	17.00	\$0.00
FVX	NATIONAL FLEET INCENTIVE **The dealer, on behalf of the fleet customer, will have the option of selecting the greater of the available fleet incentive (FVX/FPP) or a regional retail consumer cash incentive (CNC, CNE, CSE, CSR, CWE) IN EFFECT AT THE TIME OF DELIVERY, but not both. See the retail consumer cash administrative message for full guidelines. Regardless of the incentive taken, all deliveries are to be reported as fleet**	0.00	0.00	\$0.00
VQ1	FLEET PROCESSING OPTION	0.00	0.00	\$0.00
VQ2	FLEET PROCESSING OPTION	0.00	0.00	\$0.00
VQ3	FLEET PROCESSING OPTION	0.00	0.00	\$0.00
—	BID ASSISTANCE	0.00	0.00	\$0.00
SPECIAL EQUIPMENT OPTIONS				
9N5	FLOOR CONSOLE DELETE Deletes the floor console and associated audio equipment that is included with custom cloth high back bucket seats. All exposed floor areas will remain untrimmed. (Requires RPO (A95) front bucket seats with custom cloth.) *CREDIT*	0.00	0.00	-\$740.00
5T5	SEATS, 2ND ROW VINYL WITH FRONT CLOTH SEATS Provides vinyl middle rear seats and cloth front seats. If RPO (AS3) third row 50/50 split-bench seat is ordered, it will be vinyl. (Requires interior trim code (19D) Ebony, and RPO (AZ3) front 40/20/40 split-bench with custom cloth seats or RPO (A95) front bucket with custom cloth seats.) *CREDIT*	0.00	0.00	-\$30.00
9S1	SEATS, DRIVER AND PASSENGER FRONT BUCKET SEATS IN BASE VINYL TRIM Derived from RPO (AZ3) 40/20/40 Split Bench with center 20% section removed. Seats are manual, not power. Does not include floor console. Exposed floor areas will remain untrimmed. Rear seat will also be vinyl trimmed (Requires interior trim code (19V) Ebony and RPO (BG9) Black rubberized-vinyl floor covering.)	0.00	0.00	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 16

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
5T4	EXTERIOR BODY COLORED PARTS, VICTORY RED special painted exterior body parts in lieu of glossy black color normally installed with special painted bodies (MSRP = \$50.00) Victory Red painted parts will consist of front fascia, rear bumper fascia, rear liftgate license plate applique and rear liftgate handle. Door handles, mirrors, rear D-pillar applique and liftgate spoiler will remain Black. Body side moldings are deleted. Priced in addition to SEO option (TGK) Special Paint (Requires special paint (WA-9260) Victory Red body paint. Not available with RPO (T96) front fog lamps, RPO (UD7) rear parking assist or RPO (UVC) rearview camera system.)	0.00	0.00	\$50.00
8X1	LABEL, FASTEN SAFETY BELTS "Fasten Safety Belts" reminder label on side door window glass.	0.00	0.00	\$2.00
6C5	BATTERY, SINGLE 730 CCA Provides a 730 CCA HD cranking battery, replacing the standard 600 CCA battery.	0.00	0.00	\$57.00
9L4	POWER SUPPLY, 12-VOLT DIRECT POWER SUPPLY FROM THE BATTERY With two (2) separate 30 amp fused circuits. Each circuit has a 30 amp mini-fuse for both positive and ground to protect electrical accessories. Main supply lead has a 60 amp maxi-fuse. All fuses are serviceable. Provides either direct battery power or operation through the ignition system. Hook-up wire is located at the front of the floor console. Operational amperage is 21 amps each circuit, 42 amps total. Hook-up and operational instructions are provided (Requires RPO (UE0) OnStar, delete. Not available with RPO (JF4) power-adjustable pedals.)	0.00	0.00	\$172.00
9V9	PAINTS, SOLID, DOESKIN TAN All extraneous body components formerly color-keyed to body color, will be gloss Black with SEO paint (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$0.00
9W4	PAINTS, SOLID, TANGIER ORANGE All extraneous body components formerly color-keyed to body color, will be gloss Black with SEO paint (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$0.00
9W3	PAINTS, SOLID, WHEATLAND YELLOW All extraneous body components formerly color-keyed to body color, will be gloss Black with SEO paint (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$0.00
9V5	PAINTS, SOLID, WOODLAND GREEN All extraneous body components formerly color-keyed to body color, will be gloss Black with SEO paint (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$0.00
TGK	SPECIAL PAINT, SOLID, ONE COLOR All normally body colored non-sheet metal parts will be gloss Black. (Required with any SEO paint selection. May require extended lead time.)	0.00	0.00	\$275.00
	w/9V9 or 9V5 or 9W4 or 9W3	0.00	0.00	\$0.00
	w/o 9V9 or 9V5 or 9W4 or 9W3	0.00	0.00	\$275.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 17

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

OPTIONAL EQUIPMENT

Code	Description	Front Wt	Rear Wt	MSRP
4GK	TIRE, SPARE LT245/75R16E ON-/OFF-ROAD, BLACKWALL (Requires 4WD 3/4 ton models. Requires (QIW) LT245/75R16E on-/off-road, blackwall tires.)	0.00	0.00	\$11.00

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

COLOR AVAILABILITY

Exterior	Interior		
	<i>Ebny (19)</i>	<i>Csmr Ebny (31)</i>	<i>Tita nium (83)</i>
<i>Graystone Metallic (16)</i>	X	X	X
<i>Dark Blue Metallic (25)</i>	X	X	X
<i>Black (41)</i>	X	X	X
<i>Blue Granite Metallic (46)</i>	X	X	X
<i>Summit White (50)</i>	X	X	X
<i>Gold Mist Metallic (51)</i>	X	X	
<i>Silver Birch Metallic (59)</i>	X	X	X
<i>Deep Ruby Metallic (66)</i>	X	X	X

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 19

• **WARRANTY INFORMATION**

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

WARRANTY INFORMATION

WARRANTY
<<< PRELIMINARY 2008 WARRANTY >>>

Basic:
3 Years/36,000 Miles

Drivetrain:
5 Years/100,000 Miles

Corrosion:
6 Years/100,000 Miles

Roadside Assistance:
5 Years/100,000 Miles

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

WINDOW STICKER

Code	Model	MSRP
CK20906	2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial	\$42,335.00
Code	Options	MSRP
__D	CUSTOM CLOTH SEAT TRIM	\$0.00
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$1,675.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH,	INC
ANJ	GLASS, NON-DEEP TINTED	-\$295.00
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
GT4	REAR AXLE, 3.73 RATIO	\$0.00
LY6	ENGINE, VORTEC 6.0L V8 SFI	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
NC7	EMISSIONS OVERRIDE, FEDERAL	\$0.00
___	NO THIRD ROW SEAT	\$0.00
___	NO LOCKING REAR DIFFERENTIAL	\$0.00
QB5	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) STEEL DISC	\$0.00
QIW	TIRES, LT245/75R16E ON-/OFF-ROAD, BLACKWALL	\$0.00
UE0	ONSTAR, DELETE	-\$85.00
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
YF5	EMISSIONS, CALIFORNIA STATE REQUIREMENTS	\$0.00
___	PAINT, SOLID	\$0.00
SUBTOTAL		\$40,280.00
Advert/Adjustments		\$0.00
Destination Charge		\$900.00
TOTAL PRICE		\$41,180.00

Est City: mpg

Est Highway: mpg

Est Highway Cruising Range: mi

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• VEHICLE REPORT

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

WINDOW STICKER

• TECHNICAL SPECIFICATIONS

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

POWERTRAIN - BASIC SPECIFICATIONS

Engine

<i>Engine Order Code</i>	<i>LY6</i>
<i>Engine Type</i>	<i>Gas V8</i>
<i>Displacement</i>	<i>6.0L/366 CID</i>
<i>SAE Net Horsepower @ RPM</i>	<i>352 @ 5400</i>
<i>SAE Net Torque (lb ft) @ RPM</i>	<i>383 @ 4300</i>

Transmission

<i>Transmission order code</i>	<i>MT1</i>
<i>Transmission Type Description</i>	<i>6-Speed Automatic w/OD</i>
<i>Drive Train</i>	<i>4-Wheel Drive</i>

Mileage

- City EPA fuel economy estimate (MPG)*
- Hwy EPA fuel economy estimate (MPG)*
- City cruising range (mi)*
- Hwy cruising range (mi)*

** Indicates equipment which is in addition to or replaces base model's standard equipment.*

• TECHNICAL SPECIFICATIONS

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

POWERTRAIN - ADVANCED SPECIFICATIONS

Transmission

<i>Gear Ratio (:1)</i>	
<i>First Gear Ratio (:1)</i>	4.03
<i>Second Gear Ratio (:1)</i>	2.36
<i>Third Gear Ratio (:1)</i>	1.53
<i>Fourth Gear Ratio (:1)</i>	1.15
<i>Fifth Gear Ratio (:1)</i>	0.85
<i>Sixth Gear Ratio (:1)</i>	0.67
<i>Reverse Ratio (:1)</i>	3.06
<i>Clutch size (in)</i>	
<i>Power Take-Off</i>	

Transfer Case

<i>Transfer case model</i>	NVG 246
<i>Gear Ratio (:1)</i>	
<i>Transfer case high gear ratio</i>	1.00
<i>Transfer case low gear ratio</i>	2.72
<i>Transfer case power take off</i>	

Differential

	Front	Rear
<i>Axle Ratio (:1)</i>	3.73	3.73

Electrical

	1	2	3	Total
<i>Battery</i>				
<i>Battery cold cranking Amps @ 0 F</i>	600.00			600.00
<i>Alternator</i>				
<i>Alternator Amps</i>	145.00			

Cooling System

<i>Cooling system capacity</i>	17.80
<i>Engine oil cooler</i>	- TBD -

* Indicates equipment which is in addition to or replaces base model's standard equipment.

• TECHNICAL SPECIFICATIONS

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

PAYLOAD/TRAILERING SPECIFICATIONS

Weight Information	Front	Rear	Total
Gross Axle Wt Rating (lbs)	4,180.00	5,500.00	
Curb Weight (lbs)	3,239.00	3,006.00	6,245.00
Total Option Weight (lbs)	* -7.00	* 4.00	* -3.00
As Spec'd Curb Weight (lbs)	* 3,232.00	* 3,010.00	* 6,242.00
As spec'd payload (lbs)			* 2,358.00
Total Weight (lbs)	* 3,232.00	* 3,010.00	* 6,592.00
Reserve Axle Capacity (lbs)	* 948.00	* 2,490.00	* 3,438.00
Gross Vehicle Wt Rating (lbs)			8,600.00
Gross Combined Wt Rating (lbs)			16,000.00
Trailer	Max Trailer Wt.	Max Tongue Load	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 9,300.00	* 1,110.00	
Fifth Wheel Hitch (lbs)		*	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

• TECHNICAL SPECIFICATIONS

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

CHASSIS SPECIFICATIONS

Suspension	Front	Rear	
<i>Spring</i>			
<i>Spring Type</i>	<i>Torsion Bar</i>	<i>Leaf springs</i>	
<i>Spring Capacity</i>	4,500.00	5,500.00	
<i>Axle</i>			
<i>Axle Type</i>	<i>Independent</i>	<i>Semi-floating</i>	
<i>Axle Capacity</i>	4,500.00	6,000.00	
<i>Shock Absorber Diameter (mm)</i>	1.38	1.38	
<i>Stabilizer Bar Diameter (in)</i>	1.40		
<i>Brakes</i>			
<i>Brake type</i>	<i>Pwr</i>		
<i>ABS System</i>	<i>4-Wheel</i>		
	Front	Rear	
<i>Disc</i>	Yes	Yes	
<i>Rotor Diam x Thickness (in)</i>	13.0 x 1.18	13.5 x 0.79	
<i>Drum</i>			
<i>Drum Diam x Width (in)</i>			
<i>Tires</i>			
	Front	Rear	Spare
<i>Tire Order Code</i>	<i>QIW</i>	<i>QIW</i>	<i>ZIZ</i>
<i>Tire Size</i>	<i>LT245/75R16E</i>	<i>LT245/75R16E</i>	<i>LT245/75R16</i>
<i>Capacity</i>	2,104.00	2,104.00	- TBD -
<i>Revolutions/Mile @ 45mph</i>	- TBD -	- TBD -	- TBD -
<i>Wheels</i>			
	Front	Rear	Spare
<i>Wheel Size</i>	16 x 6.5	16 x 6.5	16 x - TBD -
<i>Wheel Type</i>	<i>Steel</i>	<i>Steel</i>	<i>Steel</i>
<i>Steering</i>			
<i>Steering type</i>	<i>Pwr</i>		
<i>Ratio (:1)</i>			
<i>On Center</i>	- TBD -		
<i>At Lock</i>	- TBD -		
<i>Turning Diameter</i>			
<i>Curb-to-Curb</i>	45.30		
<i>Wall-to-Wall</i>	- TBD -		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

• TECHNICAL SPECIFICATIONS

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

CHASSIS SPECIFICATIONS

Fuel Tank	Main	Auxiliary
<i>Capacity</i>	39.00	
<i>Location</i>	- TBD -	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

• TECHNICAL SPECIFICATIONS

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

DIMENSIONS

Exterior Dimensions

Wheelbase (in)	130.00
Length, Overall w/rear bumper (in)	222.40
Width, Max w/o mirrors (in)	79.10
Height, Overall (in)	76.80
Overhang	
Overhang, Front	- TBD -
Overhang, Rear w/o bumper	
Ground to Top of Load Floor (in)	32.60
Ground Clearance	
Ground Clearance, Front	10.50
Ground Clearance, Rear	9.10
Rear Door	
Rear Door Type	Liftgate
Rear Door Opening Height	- TBD -
Rear Door Opening Width	- TBD -
Side Door	
Side Door Type	
Side Door Opening Height (in)	
Side Door Opening Width (in)	
Step Up Height - Front (in)	
Step Up Height - Side (in)	
Cargo Area Dimensions	
Length @ Floor	
Cargo Area Length @ Floor to Console (in)	
Cargo Area Length @ Floor to Seat 1	101.80
Cargo Area Length @ Floor to Seat 2	69.60
Cargo Area Length @ Floor to Seat 3	35.60

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 134.0, Data updated 1/1/2008 9:42:00 AM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.

January 03, 2008

Page 28

• TECHNICAL SPECIFICATIONS

2008 Chevrolet Suburban CK20906 4WD 4dr 2500 Commercial

DIMENSIONS

Cargo Area Dimensions

Cargo Area Length @ Floor to Console (in)

Width

Cargo Area Width @ Beltline - TBD -

Cargo Box Width @ Wheelhousings 49.10

Cargo Box (Area) Height (in) 41.40

Cargo Volume

Cargo Volume to Seat 1 137.40

Cargo Volume to Seat 2 90.00

Cargo Volume to Seat 3 45.80

Cargo Volume to Seat 4

Interior Dimensions

Passenger Capacity 6

<i>Seating Position</i>	<i>Front</i>	<i>Second</i>	<i>Third</i>
<i>Head Room (in)</i>	41.10	38.50	38.10
<i>Leg Room (in)</i>	41.30	39.50	34.90
<i>Shoulder Room (in)</i>	65.30	65.20	64.70
<i>Hip Room (in)</i>	64.40	61.80	49.40

* Indicates equipment which is in addition to or replaces base model's standard equipment.