

inwood

OFFICE
ENVIRONMENTS

price list

effective 01 january 2011



account # _____
discount _____
zone _____
c.s.r. _____
sales rep. _____

education

[click here for warranty
and terms information](#)

f.o.b. jasper, in 47546
freight not included

zone one
freight included



ordering information	page 2
science tables specifications	page 4
combination science tables	page 6
science tables	page 6
2000 series tables	page 14
1500 series library tables	page 16
300/200 series bookcases	page 20
statesman 700 series	page 24
fabric information	page 32
educational seating	page 35
accessories	page 40
podiums	page 43

product warranty

Inwood Office Environments warrants its products to be free from defects in materials and workmanship given normal use and proper care, for a period of **twenty (20) years** of single shift service.

Specific components are warranted to be free from defects in materials and workmanship for the following periods of time from the date of initial shipment:

electrical components	two (2) years
pneumatic cylinders	three (3) years
control mechanisms	three (3) years
casters	three (3) years
suspensions	lifetime

Fabrics will be covered only by the warranty of the original textile manufacturer.

Inwood tenders this warranty only to original purchasers acquiring our products through those parties specifically authorized by Inwood to sell our products. Repair and/or replacement, at our option, will be made on any part or parts found to be defective within the terms of the warranty. The warranty shall not include any labor or shipping costs for replacement of any such parts or materials.

This warranty does not cover

- Damage(s) caused by a transportation company
- Damage(s) resulting from user modification, alterations, misuse, abuse or negligent use of our product
- Damage(s), defect(s), or product failure(s) due to customers request for modifications to product design, product dimensions, product arrangement or normal product specifications
- Natural variations in color, grain, or texture of wood and other covering materials over which Inwood has no control
- Wearing or cuts to covering materials
- Customer's Own Materials (COM)

Inwood does not make any other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose. Inwood shall not be liable for consequential or incidental damages under this warranty.

Further, Inwood makes no warranties, expressed or implied, for improper assembly and/or installation of its products.

order procedure

Inwood does not accept orders verbally.

Orders may be faxed, e-mailed or mailed directly to:

Inwood Office Environments
PO Box 646
Jasper, IN 47546
Fax: 812.482.9732
E-mail: inwood@inwood.net

All orders from authorized & credit-approved Inwood Office Environments dealers must be in writing and must include the following information:

Date
Purchase Order Number
Bill to Address
Ship to Address
Special Shipping Instructions (delivery notification, special ship dates, ship complete or split shipments, and tags if applicable)
Complete Model Numbers (include finish & fabric numbers)
Net Price
Requested Delivery Date (if applicable)

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between Inwood and the customer, superseding all previous communications regarding the order. *NOTE It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.*

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between Inwood and the customer, superseding all previous communications regarding the order. *NOTE It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.*

changes and cancellations

Because many of our casegood products and all of our seating products are made to order, we must limit customer changes and cancellations. We regret that changes and cancellations are not possible once production has begun. Production normally begins 48 hours after receipt of order. Any fabric order cannot be cancelled once the order is placed and fabric has been cut. Orders for standard casegood products with in-stock finishes may be cancelled for a 30% restocking fee. Any non-stock finish is considered made to order and cannot be changed or cancelled.

delivery information

Shipments that are FOB are FOB Jasper, IN 47546. Inwood reserves the right to select the most appropriate carrier and routing on all shipments when not specified on the purchase order. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Shipments that are Zone 1- FOB destination for the 48 contiguous state are priced by destination zone. Orders of less than 500 lbs will be assessed a handling charge of \$100.00 net per order. Inwood reserves the right to select the most appropriate carrier and routing on all shipments. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Any order requiring special delivery services will incur additional charges at the time of invoicing. All such requirements must be noted on the purchase order. These are services that are billed to Inwood by the freight company or require the usage of specialized carriers, and not included in the standard price of the product. Examples of such services include:

- delivery notification or call ahead requests
\$10 Net Charge
- **delivery notification or call ahead requests**
\$10 Net Charge
- **inside delivery**
minimum \$100 Net Charge
- **non dock delivery**
minimum \$100 Net Charge
- **weekend delivery (friday after 4:00pm-sunday night)**
minimum \$500 Net Charge
- **residential delivery**

Customer Service may assist you in determining your special delivery requirements and any additional charges that may apply

fuel surcharges

We will continue to do our best to absorb the increased cost from our transportation vendors; however, if the price of fuel increases above the normal rates, it may require us to pass on the increased costs.

Contact Customer Service if you are unsure if your order requires one or more of the above services. We will make every attempt to avoid additional charges by giving options on what we can do within our standard delivery prices. When ordering from this price list, product is F.O.B. Factory or Zone 1 (delivered). If you are ordering FOB, please specify the carrier you require. Product will ship Freight Collect and Inwood's responsibility will cease upon delivery to the carrier. Zone 1 is delivered to destination.

order postponements and delivery changes

Changes may be made to delivery address no later than 5 days before the acknowledged ship date of an order. Contact Customer Service for charges which may be incurred for delivery changes within 5 days of the acknowledged ship date. If it becomes necessary to postpone an order after production has begun, the order will be completed, stored and invoiced to the customer with normal terms. Storage fees of \$2.00 per 100 lbs or \$5.00 minimum per day will occur on all orders that are not picked up or released for shipment after 10 working days from the acknowledged ship date.

claim process for merchandise damage/shortage/carrier delay

All products produced by Inwood are carefully inspected and properly packed prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the carrier, the following steps must be taken:

- Before signing for any merchandise, make notation of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
- Contact Inwood Customer Service within 15 calendar days of goods receipt to report issue. Legal title to merchandise passes to the buyer upon acceptance by the carrier. We will work with you to file any necessary claims when reported to us within the 15 day time frame.
- Retain all packing materials/cartons for inspection by the carrier agent.

Failure to make any claims against Inwood Office Invironments within 15 days shall constitute acceptance of the merchandise and a waiver of any errors or shortages discovered upon inspection.

repairs and returns

No repairs or returns will be considered without first obtaining our written permission. Such requests must be made in writing within 15 days of the invoice. Authorization must be obtained from Customer Service prior to repairs being made if Inwood is expected to pay these charges. Charges will be approved only after an estimate has been provided. Credit will be issued only after receipt of repair bills.

Made to order items are not returnable. This includes upholstered seating, special items, special finishes, and any non-stock finish. Authorized returns of stock items will be charged a minimum 30% restocking fee. All returns are subject to an attempted pick-up charge of \$200. Please insure that all goods are packed and tagged correctly before calling Inwood for pick up.

All RMA's (Return Materials Authorization) will expire within 30 days of notification. Once expired, a new authorization is required for any return. Upon receipt of returned goods, Inwood will inspect and assess responsibility for any defects. If damage of the merchandise was caused by abuse, alteration, or unauthorized repair, we may offer to repair the merchandise for a fee. The final responsibility for determining damage remains with Inwood.

All merchandise must be shipped freight prepaid or we will not accept. All merchandise being returned must be properly packed and protected to insure that no further damage is incurred during transportation back to Inwood.

special construction agreement

When requested that Inwood Office Invironments Inc. modify, change or alter its standard product in order to meet the specific needs of Customer, Inwood shall exercise its best efforts to modify its standard product to incorporate the modifications and changes requested by Customer. Inwood Office Invironments disclaims any warranty with respect to the modifications or changes requested by Customer and its standard warranty shall not apply to said modifications or changes.

Customer shall have no right to rescind its order of this product after production of the product has begun. Customer assumes the risk of the use of Inwood Office environments product containing the modifications or changes requested by Customer. In no event shall the product containing the modifications or changes requested by Customer be returnable to Inwood Office Invironments.

replacement parts

Contact Inwood Customer Service for item numbers and pricing on replacement parts.

dimensions

All dimensions referenced in this book are nominal.

terms

1% 15 days, 30 days net. Pending Credit.

Payments are accepted in US Dollars. Payment is also accepted by Visa & Mastercard credit cards, and is posted prior to shipment. When payment is made with a credit card, no additional discounts may be taken.



Prices are effective with the date printed on this price list and supersede all other prices. Orders are accepted at the price in effect on the date the order is received. Possession of this price list does not constitute an offer to sell. Inwood sells to authorized and approved dealers only. Any or all prices, product, and line art are subject to change without notification. Internet or software packages, which support the sale of Inwood products, furnished to the customer either by Inwood or any other source are superseded by revised price lists.

minimum order

\$10 US Dollars list price.

standard special upcharges

Inwood Office environments provides the following standard special modifications to its product. Simply specify the request and add the associated price to list.

to make standard top size shorter or narrower.....	\$292
to change file drawer pedestal in desks, credenzas and modular cabinets to box drawers	\$257
to change 2 box drawers in desk to file drawer	\$165
to change position of file drawer in desks.....	\$122
to add locks where not standard	
- box, file drawer or center drawer.....	\$66
- hinged door, single	\$66
- hinged door, double	\$68
to key items alike from factory per unit	\$36
to add extra lock per set (including set of keys)	\$25
extra set of keys (two)	\$25
to add grommets in any special location.....	\$151
to move standard placement of grommet on unit.....	\$66
grommets (cover only).....	\$25
to add extra shelf for bookcase	\$90
to make shelves solid wood(per shelf).....	\$27

laboratory/science tables

gw gemweld specifications

These science tables are equipped with 1" thick black finished welded fiber tops, with medium density fiberboard cores. After the top is shaped, edge sanded, and polished, it is finished with two coats of black acid-resistant finish. Test results of this special finish are available. Contact Inwood customer service.

epr epoxy resin specifications

Molded epoxy resin delivers excellent resistance to chemicals, heat, abrasion and moisture. Very durable and long lasting. Heat, char and fire resistant to the point of being considered self extinguishing. The non absorbant surface is resistant to discoloration, blistering and cracking. The smooth matte finish eliminates distracting glare and is easy to maintain. The color and chemical resistance permeates the entire piece.

pwc powder coat highlights

Powder coatings produce a high quality finish and offers several distinct benefits that will allow Inwood Office Environments greater flexibility in its commitment to produce a higher quality lab top and have a much more environmentally friendly coating. The Lamineer Powder Coatings contain no heavy metals, solvents or hazardous air pollutants. Powder coats are very environmentally safe. Lamineer Powder Coatings typically meet or exceed the performance characteristics of vinyl, melamine or paper laminates along with many other organic finishes. Powder coatings are solid thermosetting powders that are sprayed directly on wood composites (no primers, sealers, fillers or electrostatic preps) to achieve a very durable surface finish. Based off of tests that were run, the Powder Coat top has a much better mar, abrasion and scratch resistant finish than other paint-related finishes. Chemical test run with the powder also shows very good test data results. Powder coat can be touched up in the field with a small repair kit. Powder Coat top is water, acid and chemical resistant. Specific data on these tests are available, contact Inwood customer service.

hardwood apron and leg specifications

The tops are fastened to the table aprons, which are made of solid hardwood with oak finish, by means of screws into countersunk holes in the aprons that go into the top. The rails on the tables with the two compartments are 3/4" thick and 5" wide. Compartment inside dimension is 14"W x 20 3/8"L x 3 1/4"H. The rails on the tables without compartments are 3/4" thick and 4" wide. The legs are laminated of solid hardwood with oak finish and are 2 1/4" x 2 1/4" thick. They are equipped with adjustable glides that allow an adjustment of height of 3/4". The legs fastened to the aprons by a single 5/16" x 3 1/2" steel hanger bolt that is screwed into each leg and passes through a heavy steel 15 gauge corner iron that is screwed to the rail and secured by a steel locking hex-nut. The divider between the two compartments is made of hardwood 3/4" x 3 1/2" x 20 3/4". The material of the compartments' sides is 3/4" thick hardwood and is tenoned into the front rails and into the back rails. The compartment bottoms are of 1/4" thick plywood which are fastened to the bottom of the compartments sides. The light Oak finish on the wood parts of the table consist of a coat of low-HAPS (Hazard Air Pollutants) light oak no-wipe stain, and after drying, the wood receives a coat of clear low-HAPS sealer and two finish coats of low-HAPS catalyzed clear top coat.

Black plastic boots are available upon request for all Inwood Office Environments science tables with the 2 1/4" x 2 1/4" legs.

adjustable metal leg specifications

Sturdy tubular steel welded to steel plate. #10 x7/8" screws are used to attach leg to bracket. Leg adjusts from 22" to 30"H. Science tabletops include 1/8" thick x 3/4" x 3/4" x 42" long metal angle iron attached to the underside of the top to prevent sagging.

black metal leg specifications

2" diameter metal tubular screwed to a heavy-duty metal plate. Black is standard color. Casters available as an option. Science tabletops include 1/8" thick x 3/4" x 3/4" x 42" long metal angle iron attached to the underside of the top to prevent sagging.

inwood educational furniture procedures to maintain your laboratory (gw) top's appearance

The Science Lab Top you have purchased provides a two-coat application of catalyzed black urethane enamel paint. Each coat is baked on at 140° in special hot air ovens. The special acid and chemical resistancy that this painted finish offers you (see separate film evaluation worksheet) also makes it prone to minor scuffing and marring through normal usage. The degree of this scuffing, marring and even scratching should be expected and is directly related to the amount and harshness of use. We recommend a silicone free furniture Protective Wax be used to help maintain and protect the tops. This wax should be applied even prior to the tops' initial use. Simply wipe the wax on with a clean cloth and wipe it off with a separate clean soft cloth.

Light scuffs and scratches can be removed by buffing the tops with a good automobile compounding paste wax. We recommend an application of the above wax after buffing. Normal cleaning should be done with a non-abrasive liquid cleaner. More severe, deep scratches, where the paint has been completely abraded or removed can be patched or repainted with a new coat of catalyzed black enamel paint that can be supplied to you. This paint can only be supplied to you through your dealer or company through which you originally purchased the tables. Please contact them to procure any such paint.






educational science table product warranty

All science tables proposed, awarded or ordered from Inwood Office Environments carries with a 10 year warranty for the aprons, frame and legs against defects or failures in materials and craftsmanship, when such products are subjected to normal and proper operating conditions. Any acid and chemical resistancy of the tops is not included within this ten-year warranty. The chemical resistancy is limited to the testing and results as shown separately.

This warranty shall include the cost of replacement of aprons or legs for any such defect. The warranty shall not include any labor or shipping costs for the replacement of any such parts or materials. Inwood Office Environments and its agents reserve the right to determine what constitutes normal and operating conditions.

CST7242HD-LO-P

unit identification (type), top dimension - **chassis option - top finish & material**

	model number	description	d	w	h	freight
	CST7242HD-LO - __	combination science table four student capacity right hinged door cabinet one adjustable shelf	42	72	30	class 125 cu ft 26 CABINET 36 x 17.5 x 27
	CST7224HD-LO - __	combination science table two student capacity right hinged door cabinet one adjustable shelf	24	72	30	class 125 cu ft 16 CABINET 21 x 17.5 x 27
	CST7242DD-LO - __	combination science table four student table four drawer cabinet	42	72	30	class 125 cu ft 26 CABINET 36 x 18.5 x 27
	ST7230BN-LO - __	science table without compartments	30	72	30	class 85 cu ft 9
	ST72BN-LO - __	science table without compartments	24	72	30	class 85 cu ft 8
	ST60B-LO - __	science table with two compartments	24	60	30	class 85 cu ft 7 COMPARTMENTS 20.3 x 14 x 3
	ST60BN-LO - __	science table without compartments	24	60	30	class 85 cu ft 7

top

P laminate
GW gemweld
PWC powder coat
PCS chemsurf
laminate
EPR epoxy resin

chassis
leg
finishes

LO light oak (standard, consult customer service for custom colors)
LB2 black metal (matte black finish, available with and without casters)
AC chrome, standard height adjusts from 22" to 30" and also available 17" to 25"; please specify

standard heights

CST standard height; 30"
ST standard height; 30"; available heights up to 30"- add \$58, heights up to 36"- add \$98
ST_AC chrome, standard height adjusts from 22" to 30" and also available 17" to 25"; please specify
ST_LB standard height; 28 1/2"

options
specify"__"

B for two black plastic under top book boxes for LB2 and AC series tables - add \$83 (boxes: 15" w x 14" d x 4 1/2" h)
STBoot black plastic boots for LO series tables - add \$28

additional options

to add two drawers add \$151 to tables with compartments; for drawer locks add an additional \$127
note compartments are not available on tables over 72"
contact customer service for drawer availability on tables over 72"

| laminate, gemweld, powder coat, or epoxy resin top, wooden legs
 | laminate, gemweld, powder coat, or epoxy resin top, black metal legs
 | laminate, gemweld, powder coat, or epoxy resin top, adjustable chrome legs



1 1/4" black laminate top minor scratch resistance		1" acid and water resistant gemweld; black		1" mar, abrasion, acid and chemical resistant powder coat; black		1 1/4" acid, chemical and water resistant chemsurf laminate; black		3/4" mar, abrasion, acid and chemical resistant epoxy resin; black		1" mar, abrasion, acid and chemical resistant epoxy resin; black	
P		GW		PWC		PCS		3/4EPR		EPR	
list \$		list \$		list \$		list \$		list \$		list \$	
F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1
1,812	2,246	1,892	2,346	2,154	2,671	2,051	2,543	-	-	-	-
cwt 450lb	cwt 450lb	cwt 450 lb	cwt 450 lb	cwt 450 lb	cwt 450 lb	cwt 450 lb	cwt 450 lb				
1,132	1,403	1,192	1,478	1,133	1,404	1,248	1,548	-	-	-	-
cwt 405lb	cwt 405lb	cwt 405 lb	cwt 405 lb	cwt 405 lb	cwt 405 lb	cwt 405 lb	cwt 405 lb				
1,968	2,440	2,069	2,565	2,373	2,943	2,258	2,800	-	-	-	-
cwt 410lb	cwt 410lb	cwt 410 lb	cwt 410 lb	cwt 410 lb	cwt 410 lb	cwt 410 lb	cwt 410 lb				
670	831	626	776	860	1,066	814	1,010	1,277	1,584	1,380	1,711
cwt 180lb	cwt 180lb	cwt 186 lb	cwt 186 lb	cwt 186 lb	cwt 186 lb	cwt 180 lb	cwt 180 lb	cwt 191 lb	cwt 191 lb	cwt 236 lb	cwt 236 lb
569	705	545	676	713	885	685	850	1,056	1,309	1,142	1,416
cwt 93lb	cwt 93lb	cwt 94 lb	cwt 94 lb	cwt 94 lb	cwt 94 lb	cwt 93 lb	cwt 93 lb	cwt 155 lb	cwt 155 lb	cwt 191 lb	cwt 191 lb
572	709	558	693	656	813	671	832	-	-	-	-
cwt 84lb	cwt 84lb	cwt 86 lb	cwt 86 lb	cwt 86 lb	cwt 86 lb	cwt 86 lb	cwt 86 lb				
508	629	487	603	590	731	606	752	921	11,439	994	1,232
cwt 82lb	cwt 82lb	cwt 80 lb	cwt 80 lb	cwt 80 lb	cwt 80 lb	cwt 83 lb	cwt 83 lb	cwt 128 lb	cwt 128 lb	cwt 158 lb	cwt 158 lb

laminate
tops only

P 1 3/16" thick black laminate top
(minor scratch resistance)

GW 1" thick acid resistant, water
resistant black gemweld top
(no scratch resistance)

PCS 1 3/16" thick acid, chemical and
water resistant black
chemsurf laminate top
(minor scratch resistance)

**powder
coat**
tops only


PWC 1" thick environmentally
friendly black mar, abrasion,
acid and chemical resistant
thermoset powder coat top

**epoxy
resin**
tops only

EPR 1" or 3/4" thick mar, abrasion,
acid and chemical resistant
non-flammable and non-
absorbent epoxy resin top






**NOTE: A MINIMUM ORDER OF TEN
(10) EPR EPOXY RESIN TABLES
IS REQUIRED**

An optional flush-mounted double-mounted double electrical outlet is available (SL1030). Add \$224 to table price and specify location. Outlets are 110 volt, 3 prong type with a 10, 3 prong grounded power cord, U.L. certified.



CST7242HD-LO-P

unit identification (type), top dimension - **chassis option - top finish & material**

	model number	description	d	w	h	freight
	ST54B-LO - __	science table with two compartments	24	54	30	class 85 cu ft 7
			COMPARTMENTS 28.3x14x3			
	ST54BN-LO - __	science table without compartments	24	54	30	class 85 cu ft 6
	ST48B-LO - __	science table with two compartments	24	48	30	class 85 cu ft 6
			COMPARTMENTS 28.3x14x3			
	ST48BN-LO - __	science table without compartments	24	48	30	class 85 cu ft 6
	MPST3630-LO - __	panel end science table fixed shelf locking casters	30	36	36	class 125 cu ft 36
	MLST4830-LO - __	open leg science table fixed shelf locking casters	30	48	36	class 125 cu ft 7
	MLST3630-LO - __	open leg science table fixed shelf locking casters	30	36	36	class 125 cu ft 6

top

P laminate
GW gemweld
PWC powder coat
PCS chemsurf
laminate
EPR epoxy resin

chassis
leg
finishes

LO light oak (standard, consult customer service for custom colors)
LB2 black metal (matte black finish, available with and without casters)
AC chrome, standard height adjusts from 22" to 30" and also available 17" to 25"; please specify

standard heights

CST standard height; 30"
ST standard height; 30"; available heights up to 30"- add \$58, heights up to 36"- add \$98
ST_AC chrome, standard height adjusts from 22" to 30" and also available 17" to 25"; please specify
ST_LB standard height; 28 1/2"

options
specify"__"

B for two black plastic under top book boxes for LB2 and AC series tables - add \$83 (boxes: 15" w x 14" d x 4 1/2" h)
STBoot black plastic boots for LO series tables - add \$28

additional options

to add two drawers add \$151 to tables with compartments; for drawer locks add an additional \$127
note compartments are not available on tables over 72"
contact customer service for drawer availability on tables over 72"

| laminate, gemweld, powder coat, or epoxy resin top, wooden legs
 | laminate, gemweld, powder coat, or epoxy resin top, black metal legs
 | laminate, gemweld, powder coat, or epoxy resin top, adjustable chrome legs



1 1/4" black laminate top minor scratch resistance		1" acid and water resistant gemweld; black		1" mar, abrasion, acid and chemical resistant powder coat; black		1 1/4" acid, chemical and water resistant chemsurf laminate; black		3/4" mar, abrasion, acid and chemical resistant epoxy resin; black		1" mar, abrasion, acid and chemical resistant epoxy resin; black	
P		GW		PWC		PCS		3/4EPR		EPR	
list \$		list \$		list \$		list \$		list \$		list \$	
F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1
523	649	588	729	629	731	683	848	-	-	-	-
cwt 73lb	cwt 73lb	cwt 76 lb	cwt 76 lb	cwt 76 lb	cwt 76 lb	cwt 74 lb	cwt 74 lb				
478	593	518	643	595	737	610	757	857	1,063	916	1,136
cwt 71lb	cwt 71lb	cwt 73 lb	cwt 73 lb	cwt 73 lb	cwt 73 lb	cwt 72 lb	cwt 72 lb	cwt 117 lb	cwt 117 lb	cwt 144 lb	cwt 144 lb
534	661	541	671	620	769	616	763	-	-	-	-
cwt 78lb	cwt 78lb	cwt 75 lb	cwt 75 lb	cwt 75 lb	cwt 75 lb	cwt 79 lb	cwt 79 lb				
452	561	493	612	544	675	583	724	889	962	1,151	1,244
cwt 67lb	cwt 67lb	cwt 71 lb	cwt 71 lb	cwt 71 lb	cwt 71 lb	cwt 68 lb	cwt 68 lb	cwt 111 lb	cwt 111 lb	cwt 135 lb	cwt 135 lb
1,438	1,784	1,572	1,950	-	-	1,519	1,884	-	-	-	-
cwt 55lb	cwt 55lb	cwt 55 lb	cwt 55 lb			cwt 55 lb	cwt 55 lb				
1,062	1,317	1,173	1,455	-	-	1,162	1,440	-	-	-	-
cwt 75lb	cwt 75lb	cwt 75 lb	cwt 75 lb			cwt 75 lb	cwt 75 lb				
716	887	743	889	-	-	796	987	-	-	-	-
cwt 55lb	cwt 55lb	cwt 55 lb	cwt 55 lb			cwt 55 lb	cwt 55 lb				

laminate
tops only

P 1 3/16" thick black laminate top (minor scratch resistance)
GW 1" thick acid resistant, water resistant black gemweld top (no scratch resistance)
PCS 1 3/16" thick acid, chemical and water resistant black chemsurf laminate top (minor scratch resistance)

powder coat
tops only


PWC 1" thick environmentally friendly black mar, abrasion, acid and chemical resistant thermoset powder coat top

epoxy resin
tops only

EPR 1" or 3/4" thick mar, abrasion, acid and chemical resistant non-flammable and non-absorbent epoxy resin top



NOTE: A MINIMUM ORDER OF TEN (10) EPR EPOXY RESIN TABLES IS REQUIRED

An optional flush-mounted double-mounted double electrical outlet is available (SL1030). Add \$224 to table price and specify location. Outlets are 110 volt, 3 prong type with a 10, 3 prong grounded power cord, U.L. certified.



CST7242HD-LO-P

unit identification (type), top dimension - **chassis option - top finish & material**

	model number	description	d	w	h	freight
	ST60HX-BN-LO-GW	science table six sided without compartments GW top only	60	60	30	class 85 cu ft 8
	ST7230LB2 - __	science table without compartments	30	72	28.5	class 85 cu ft 9
	ST72LB2 - __	science table without compartments	24	72	28.5	class 85 cu ft 8
	ST60LB2 - __	science table without compartments	24	60	28.5	class 85 cu ft 7
	ST54LB2 - __	science table without compartments	24	54	28.5	class 85 cu ft 7
	ST48LB2 - __	science table without compartments	48	28.5		class 85 cu ft 6
	ST72AC - __	science table without compartments	24	72	22-30	class 85 cu ft 9

top

P laminate
GW gemweld
PWC powder coat
PCS chemsurf
laminate
EPR epoxy resin

chassis
leg
finishes

LO light oak (standard, consult customer service for custom colors)
LB2 black metal (matte black finish, available with and without casters)
AC chrome, standard height adjusts from 22" to 30" and also available 17" to 25"; please specify

standard heights

CST standard height; 30"
ST standard height; 30"; available heights up to 30"- add \$58, heights up to 36"- add \$98
ST_AC chrome, standard height adjusts from 22" to 30" and also available 17" to 25"; please specify
ST_LB standard height; 28 1/2"

options
specify"__"

B for two black plastic under top book boxes for LB2 and AC series tables - add \$83 (boxes: 15" w x 14" d x 4 1/2" h)
STBoot black plastic boots for LO series tables - add \$28

additional options

to add two drawers add \$151 to tables with compartments; for drawer locks add an additional \$127
note compartments are not available on tables over 72"
contact customer service for drawer availability on tables over 72"

| laminate, gemweld, powder coat, or epoxy resin top, wooden legs
 | laminate, gemweld, powder coat, or epoxy resin top, black metal legs
 | laminate, gemweld, powder coat, or epoxy resin top, adjustable chrome legs



1 1/4" black laminate top minor scratch resistance		1" acid and water resistant gemweld; black		1" mar, abrasion, acid and chemical resistant powder coat; black		1 1/4" acid, chemical and water resistant chemsurf laminate; black		3/4" mar, abrasion, acid and chemical resistant epoxy resin; black		1" mar, abrasion, acid and chemical resistant epoxy resin; black	
P		GW		PWC		PCS		3/4EPR		EPR	
list \$		list \$		list \$		list \$		list \$		list \$	
F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1
-	-	802	994	-	-	-	-	-	-	-	-
		cwt 101 lb	cwt 101 lb								
859	1,065	838	1,039	756	937	999	1,240	-	-	-	-
cwt 170lb	cwt 170lb	cwt 175 lb	cwt 175 lb	cwt 175 lb	cwt 175 lb	cwt 170 lb	cwt 170 lb				
544	675	516	640	658	816	659	817	-	-	-	-
cwt 78lb	cwt 78lb	cwt 72 lb	cwt 72 lb	cwt 72 lb	cwt 72 lb	cwt 78 lb	cwt 78 lb				
498	618	475	590	579	719	597	740	-	-	-	-
cwt 62lb	cwt 62lb	cwt 57 lb	cwt 57 lb	cwt 57 lb	cwt 57 lb	cwt 62 lb	cwt 62 lb				
484	600	468	580	557	692	574	711	-	-	-	-
cwt 55lb	cwt 55lb	cwt 52 lb	cwt 52 lb	cwt 52 lb	cwt 52 lb	cwt 55 lb	cwt 55 lb				
468	580	459	569	552	684	551	683	-	-	-	-
cwt 51lb	cwt 51lb	cwt 47 lb	cwt 47 lb	cwt 47 lb	cwt 47 lb	cwt 51 lb	cwt 51 lb				
553	686	529	656	696	863	671	832	-	-	-	-
cwt 78lb	cwt 78lb	cwt 72 lb	cwt 72 lb	cwt 72 lb	cwt 72 lb	cwt 78 lb	cwt 78 lb				

laminate
tops only

P 1 3/16" thick black laminate top
(minor scratch resistance)

GW 1" thick acid resistant, water
resistant black gemweld top
(no scratch resistance)

PCS 1 3/16" thick acid, chemical and
water resistant black
chemsurf laminate top
(minor scratch resistance)

**powder
coat**
tops only


PWC 1" thick environmentally
friendly black mar, abrasion,
acid and chemical resistant
thermoset powder coat top



**epoxy
resin**
tops only

EPR 1" or 3/4" thick mar, abrasion,
acid and chemical resistant
non-flammable and non-
absorbent epoxy resin top

**NOTE: A MINIMUM ORDER OF TEN
(10) EPR EPOXY RESIN TABLES
IS REQUIRED**

An optional flush-mounted double-mounted double electrical outlet is available (SL1030). Add \$224 to table price and specify location. Outlets are 110 volt, 3 prong type with a 10, 3 prong grounded power cord, U.L. certified.



	model number	description	d	w	h	freight
	ST60AC - __	science table without compartments	24	60	22-30	class 85 cu ft 8
	ST54AC - __	science table without compartments	24	54	22-30	class 85 cu ft 7
	ST48AC - __	science table without compartments	24	48	22-30	class 85 cu ft 6

top

P laminate
GW gemweld
PWC powder coat
PCS chemsurf
laminate
EPR epoxy resin

chassis
leg
finishes

LO light oak (standard, consult customer service for custom colors)
LB2 black metal (matte black finish, available with and without casters)
AC chrome, standard height adjusts from 22" to 30" and also available 17" to 25"; please specify

standard heights

CST standard height; 30"
ST standard height; 30"; available heights up to 30"- add \$58, heights up to 36"- add \$98
ST_AC chrome, standard height adjusts from 22" to 30" and also available 17" to 25"; please specify
ST_LB standard height; 28 1/2"

options
specify"__"

B for two black plastic under top book boxes for LB2 and AC series tables - add \$83 (boxes: 15" w x 14" d x 4 1/2" h)
STBoot black plastic boots for LO series tables - add \$28

additional options

to add two drawers add \$151 to tables with compartments; for drawer locks add an additional \$127
note compartments are not available on tables over 72"
contact customer service for drawer availability on tables over 72"

science tables

- | laminate, gemweld, powder coat, or epoxy resin top, wooden legs
- | laminate, gemweld, powder coat, or epoxy resin top, black metal legs
- | laminate, gemweld, powder coat, or epoxy resin top, adjustable chrome legs



1 1/4" black laminate top minor scratch resistance		1" acid and water resistant gemweld; black		1" mar, abrasion, acid and chemical resistant powder coat; black		1 1/4" acid, chemical and water resistant chemsurf laminate; black		3/4" mar, abrasion, acid and chemical resistant epoxy resin; black		1" mar, abrasion, acid and chemical resistant epoxy resin; black	
P		GW		PWC		PCS		3/4EPR		EPR	
list \$		list \$		list \$		list \$		list \$		list \$	
F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1	F.O.B.	Zone 1
509	630	489	606	592	734	608	754	-	-	-	-
cwt 62lb	cwt 62lb	cwt 57 lb	cwt 57 lb	cwt 57 lb	cwt 57 lb	cwt 62 lb	cwt 62 lb				
494	613	482	597	570	707	584	725	-	-	-	-
cwt 55lb	cwt 55lb	cwt 52 lb	cwt 52 lb	cwt 52 lb	cwt 52 lb	cwt 55 lb	cwt 55 lb				
479	595	473	587	564	699	563	698	-	-	-	-
cwt 51lb	cwt 51lb	cwt 47 lb	cwt 47 lb	cwt 47 lb	cwt 47 lb	cwt 51 lb	cwt 51 lb				

laminate
tops only

P 1 3/16" thick black laminate top
(minor scratch resistance)

GW 1" thick acid resistant, water
resistant black gemweld top
(no scratch resistance)

PCS 1 3/16" thick acid, chemical and
water resistant black
chemsurf laminate top
(minor scratch resistance)

**powder
coat**
tops only


PWC 1" thick environmentally
friendly black mar, abrasion,
acid and chemical resistant
thermoset powder coat top

**epoxy
resin**
tops only

EPR 1" or 3/4" thick mar, abrasion,
acid and chemical resistant
non-flammable and non-
absorbent epoxy resin top

**NOTE: A MINIMUM ORDER OF TEN
(10) EPR EPOXY RESIN TABLES
IS REQUIRED**

An optional flush-mounted double-mounted double electrical outlet is available (SL1030). Add \$224 to table price and specify location. Outlets are 110 volt, 3 prong type with a 10, 3 prong grounded power cord, U.L. certified.



2000 series classroom tables specifications

materials:

All wood shall be thoroughly air and kiln dried to a moisture content not exceeding 7% at time of assembly. All exposed wood to be well sanded and free from brashness, discoloration, wormholes, pits, and shakes.

top work surfaces:

Plastic laminate tops are 3/4" thick, 3-ply construction; consisting of a high-pressure laminate work surface and a 45 lb density flake board core. The face of top is laminated with a .048 plastic. The under side of the top has a smooth surface Gator-Ply backing sheet. Top has self-edged rims with the same laminate as used on the face of the top.

construction:

Rails are 3/4" thick and 4" deep solid oak hardwood. Legs on rectangular tables are solid plain oak hardwood 1 3/4" square with slightly rounded corners. Oak legs on round tables are 2 1/4" square with slightly rounded corners. The legs are fastened to the aprons by 3" x 5/16" steel hanger bolts which are screwed into the legs. These bolts pass through 15 gauge heavy steel corner irons that are screwed to the rails and secured by steel locking hex-nuts. Standard height of table is 30".

finish:

All Inwood finishes are catalyzed varnish finished to a #45 sheen. Our multi-step satin finishes leave an open grain natural look to the furniture, and are available in the following: (3L) saddle on walnut and (LO) light oak.





NOTE: OTHER INWOOD FINISHES ARE AVAILABLE WITH AN UPCHARGE

top

P laminate top

options standard height; 30"
optional heights up to 30"- add \$58
a 30" table is supplied if no specification is made



	model number	description	d	w	h	freight	F.O.B.	list \$ Zone 1
	ST2072 - _ - _	table without drawers	30	72	30	class 85 cwt 80 lb cu ft 9	782	844
	ST2060 - _ - _	table without drawers	30	60	30	class 85 cwt 65 lb cu ft 8	605	750
	ST2260 - _ - _	table without drawers CAN SHIP UPS	20	60	30	class 85 cwt 55 lb cu ft 5	531	659
	ST2048 - _ - _	table without drawers CAN SHIP UPS	20	48	30	class 85 cwt 45 lb cu ft 4	504	625
	ST48R - _ - _	table without drawers	48		30	class 85 cwt 75 lb cu ft 8	713	885
	ST42R - _ - _	table without drawers	42		30	class 85 cwt 55 lb cu ft 6	692	858

finishes | 3L-P saddle on walnut
LO-P light oak

1500 series classroom tables specifications

materials:

All wood shall be thoroughly air and kiln dried to a moisture content not exceeding 7% at time of assembly. All exposed wood to be well sanded and free from brashness, discoloration, worm holes, pits, and shakes.

top work surfaces:

Plastic laminate tops are 1 3/16" thick, 3-ply construction; consisting of a high-pressure laminate work surface and a 45 lb density particleboard core. Face of top is laminated with a .048 plastic. The under side of the top has a smooth surface Gator-Ply backing sheet. Top is banded with 5/16" Oak wood rims to match base stock.

construction:

All tables have solid oak hardwood base rails and legs. The 2 3/8" x 2 3/8" tapered legs are fastened to the base with 15 gauge steel corner braces and 3 5/16" leg bolts secured by steel locking hex-nuts. Top is fastened to the table base with wood screws. Standard height of the table is 29". Legs are slightly tapered.

finish:

All Inwood finishes are catalyzed lacquer to a #45 sheen. Our multi-step finishes leave an open grain natural look to the furniture, and are available in following finishes: (3L) saddle on walnut, (LO) light oak, (MO) medium oak, (DO) dark oak.



NOTE: OTHER INWOOD FINISHES ARE AVAILABLE WITH AN UPCHARGE

top



P laminate top

options standard height 29"
custom heights up to 29"- add \$58
a 29" table is supplied if no specification is made



								list \$	
	model number	description	d	w	h	freight	F.O.B.	Zone 1	
	T1590 - _ - _	table without drawers	36	90	29	class 85 cwt 133 lb cu ft 10	1,148	1,424	
	T1572 - _ - _	table without drawers	36	72	29	class 85 cwt 125 lb cu ft 9	887	1,100	
	T1560 - _ - _	table without drawers	36	60	29	cwt 105 lb cu ft 8	867	1,075	
	T1536 - _ - _	table without drawers CAN SHIP UPS	24	36	29	class 85 cwt 55 lb cu ft 4	608	754	
	T1548 - _ - _	table without drawers	48		30	class 85 cwt 95 lb cu ft 8	792	983	
	TA1548 - _ - _	table adjustable chrome legs <i>ADJUSTS FROM 22" TO 30" IN ONE INCH INCREMENTS</i>	48		29	class 85 cwt 65 lb cu ft 6	527	654	
	TA1542 - _ - _	table adjustable chrome legs <i>ADJUSTS FROM 22" TO 30" IN ONE INCH INCREMENTS</i>	42		30	class 85 cwt 60 lb cu ft 5	468	580	
	TA1536 - _ - _	table adjustable chrome legs <i>ADJUSTS FROM 22" TO 30" IN ONE INCH INCREMENTS</i>	36		30	class 85 cwt 55 lb cu ft 4	378	468	
	MFBC - _	bookcase flat shelves locking casters	15	30	42	class 125 cwt 125 lb cu ft 14	833	1,033	

finishes
3L-P saddle on walnut
LO-P light oak
MO-P medium oak

						list \$		
	model number	description	d	w	h	freight	F.O.B.	Zone 1
	MDBC - __	bookcase display shelves locking casters	15	30	42	class 125 cwt 175 lb cu ft 14	731	907
	CLS - __ - __	contemporary lectern stand used on table top or with CPU unit ONLY AVAILABLE IN WALNUT SELECT EDGE DETAIL TO MATCH SERIES AVAILABLE IN HPL TOPS ONLY	22	30	20	class 125 cwt 50 lb cu ft 4	554	687
	DS2448 - __	dictionary stand	14	24	8	class 125 cwt 15 lb cu ft 3	237	294

top

P laminate top

options standard height 29"
custom heights up to 29"- add \$58
a 29" table is supplied if no specification is made

library tables

| laminate top, wooden & adjustable legs



model number

d w h

list \$
F.O.B. Zone 1

finishes

3L-P saddle on walnut
LO-P light oak
MO-P medium oak

300 series bookcase specifications

materials:

All wood shall be thoroughly air and kiln dried to a moisture content not exceeding 7% at time of assembly. All exposed wood and veneers to be well sanded and free from discoloration, worm holes, pits and shakes. All exterior surface veneers to be knife cut 1/36" thick, Black Walnut or Oak stock. Veneers to be edge-glued with moisture resistant resin glue applied in hot plate presses. Veneers to be carefully matched for grain and color.

parts:

Tops, end panels and shelves are 3-ply construction with a genuine Walnut or Oak veneer face on 45 lb density flake board core with a veneer backer. The back panel is to be 1/4" gator ply thick, 3-ply construction with Walnut veneer or Oak face, rotary core and sound flake core hardwood back. Shelves are 3/4" solid hardwood with a veneer front edge.

construction:

To be full mortise and tenon between base piece, lower shelf, ends and top. Mortise and tenon joints to be reinforced by 1" #8 Phillips flat head screws. The base piece is glued and screwed to the ends and bottom shelf with 1 1/4" #8 Phillips flat head screws. The 1/4" 3-ply back panel is to be fastened from the back side with 5/8" narrow crown staples located 4" apart and the back panel is to be recessed flush with the ends and top.

finish:

Exposed wood surface to be finished a catalyzed varnish.

200 series bookcase specifications

materials:

All wood shall be thoroughly air and kiln dried to a moisture content not exceeding 7% at time of assembly. All exposed wood and veneers to be well sanded and free from discoloration, worm holes, pits and shakes. All exterior surface veneers to be knife cut 1/36" thick, Black Walnut or Oak stock. Veneers to be edge-glued with moisture resistant resin glue applied in hot plate presses. Veneers to be carefully matched for grain and color.

parts:

Tops and end panels are 3-ply construction with a genuine Walnut or Oak veneer face on 45 lb. density flake board core with a veneer backer. The back panel is to be 1/4" thick, 3-ply construction with Walnut veneer or Oak face, rotary core and sound hardwood back. Shelves are 3/4" solid hardwood with a veneer front edge.

construction:

To be full mortise and tenon between base piece, lower shelf, ends and top. Mortise and tenon joints to be reinforced by 1" #8 Phillips flat head screws. The base piece is glued and screwed to the ends and bottom shelf with 1 1/4" #8 Phillips flat head screws. The 1/4" 3-ply back panel is to be fastened from the back side with 5/8" narrow crown staples located 4" apart and the back panel is to be recessed flush with the ends and top.

finish:








Exposed wood surface to be finished a catalyzed varnish.

bookcases

300 series
200 series

laminated chassis, coreboard shelves
laminated chassis, solid wood shelves



	model number	description	d	w	h	freight		
	BC384 - _ - _	bookcase four adjustable shelves one fixed shelf in center fixed bottom shelf additional shelves \$90	12	36	84	class 125 cwt 150 lb cu ft 28	1,258	1,560
	BC372 - _ - _	bookcase three adjustable shelves one fixed shelf in center fixed bottom shelf additional shelves \$90	12	36	72	class 125 cwt 130 lb cu ft 24	1,093	1,355
	BC360 - _ - _	bookcase two adjustable shelves one fixed shelf in center fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	60	class 125 cwt 110 lb cu ft 20	932	1,155
	BC348 - _ - _	bookcase one adjustable shelves one fixed shelf in center fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	48	class 125 cwt 90 lb cu ft 16	733	909
	BC336 - _ - _	bookcase two adjustable shelves fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	36	class 125 cwt 70 lb cu ft 12	655	812
	BC330 - _ - _	bookcase one adjustable shelf fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	30	class 125 cwt 60 lb cu ft 11	529	656
	BC284 - _ - _	bookcase four adjustable shelves one fixed shelf in center fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	84	class 125 cwt 135 lb cu ft 28	1,476	1,830
	BC272 - _ - _	bookcase three adjustable shelves one fixed shelf in center fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	72	class 125 cwt 120 lb cu ft 24	1,265	1,568
	BC260 - _ - _	bookcase two adjustable shelves one fixed shelf in center fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	60	class 125 cwt 100 lb cu ft 20	1,073	1,331

veneer


3L-W saddle on walnut
2KL-W sepia on walnut
25C-W cherry on walnut
25M-W mahogany on walnut
4L-W dark mahogany on walnut
LO-W light oak
MO-W medium oak

BC384-3L-W

unit identification (type) & dimension - **chassis option & finish**

300 veneer chassis, chipcore with veneer face shelves

200 veneer chassis, chipcore with solid wood shelves

							list \$	
	model number		d	w	h	freight	F.O.B.	Zone 1
	BC248 - _ - _	bookcase one adjustable shelf one fixed shelf fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	48	class 125 cwt 85 lb cu ft 16	817	1,014
	BC236 - _ - _	bookcase two adjustable shelves fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	36	class 125 cwt 65 lb cu ft 12	727	902
	BC230 - _ - _	bookcase one adjustable shelf fixed bottom shelf ADDITIONAL SHELVES \$90	12	36	30	class 125 cwt 50 lb cu ft 10	652	808

bookcases	300 series	laminate chassis, coreboard shelves
	200 series	laminate chassis, solid wood shelves



description	d	w	h	list \$	
				F.O.B.	Zone 1

veneer	3L-W	saddle on walnut
	2KL-W	sepia on walnut
	25C-W	cherry on walnut
	25M-W	mahogany on walnut
	4L-W	dark mahogany on walnut
	LO-W	light oak
	MO-W	medium oak

statesmen 700 series specifications

materials:

All wood is thoroughly air and kiln dried to a moisture content not to exceed 7% at the time of assembly.

veneers:

All exposed surfaces are plain sliced American Black Walnut. Veneers are carefully book-matched and balanced. All drawer fronts, doors, end panels, and modesty panels are vertical genuine Walnut.

top work surfaces:

Plastic laminate tops are 1 1/8" thick, 3-ply construction; consisting of a high-pressure laminate work surface and a 45 lb density flake board core. The under side of the top has a smooth surface Gator-Ply backing sheet. Self edge tops (same laminate as face).

pedestal construction:

3/4" thick 3-ply panel with 1 1/16" veneer wrapped MDF posts. American Black Walnut veneer on all exposed surfaces and a 45 lb. density flake board core. Each pedestal in desk units have a 3-ply dictation arm slide mounted above the drawers. The desk has one file drawer over one box drawer in each pedestal. The pedestals are constructed and shaped in solid hardwood; adjustable leveling glides are mounted in each of the pedestal legs. All joints are reinforced with concealed metal L-shaped brackets.

drawers:

Drawer fronts are 3/4" thick, 3-ply construction with vertical book matched Walnut veneer. Drawer edges are veneered on top with matching Walnut. All drawer sides and backs are plywood, dovetailed front and back with 3-ply drawer bottoms. Drawer bottoms are framed on four sides and stapled from the bottom side. Drawer interiors and exteriors are finished with a clear drawer coat to prevent swelling or shrinkage. Box drawers have a high grade Sterling metal ball-bearing drawer suspension. File drawers have a high grade Sterling metal ball bearing full progressive suspension and are equipped with metal rods for hanging file folders. All drawers have smooth quiet operation. Drawer hardware is an Antique Brass pull. Each desk is standard with a center drawer and a solid wood pen and pencil tray.

locking:

Each pedestal has its own locking mechanism that also locks the center drawer. Each unit is equipped with two keys. Units may be keyed alike in groups (per office, if requested) for an additional charge of \$32 list.

finish:


All Inwood finishes are catalyzed varnish and have excellent durability. Our multi-step satin finishes leave open grain natural look to the furniture, and available in the following finishes: (3L-P) saddle on walnut.




statesman

desks


letter
front to back



letter/letter
combination




letter/legal
combination




**returns
and
credenzas**


letter
front to back



letter
side to side




legal
side to side




lateral files


letter
side to side



letter
front to back






legal
side to side



F776-3L-P

unit identification (type), top dimension - **chassis & top finish - top material**



								list \$	
	model number	description	d	w	h	freight	F.O.B.	Zone 1	
	F772-3L-P	conference desk double pedestal desk with center drawer box/file drawer in both pedestals pull out slide over pedestals <i>KNEESPACE 26.5"</i>	36	72	29	class 125 cwt 305 lb cu ft 44	2,152	2,356	
	F760-3L-P	desk double pedestal desk with center drawer box/file drawer in both pedestals pull out slide over pedestals <i>KNEESPACE 26.5"</i>	30	60	29	class 125 cwt 250 lb cu ft 31	2,017	2,500	
	CR766D-3L-P	credenza box/file pedestal on each side sliding doors in center one adjustable shelf <i>ADDITIONAL SHELVES \$90</i>	20	66	29	class 125 cwt 210 lb cu ft 22	1,796	2,227	
	CW7602F-3L-P	credenza box/file pedestal on each side	20	60	29	class 125 cwt 165 lb cu ft 19	1,477	1,831	
	D760R-3L-P	single pedestal desk right box/file pedestal includes center drawer pull out slide over pedestal <i>KNEESPACE 40.25"</i>	30	60	29	class 125 cwt 220 lb cu ft 37	1,423	1,764	
	D760L-3L-P	single pedestal desk left box/file pedestal includes center drawer pull out side over pedestal <i>KNEESPACE 40.25"</i>	30	60	29	class 125 cwt 220 lb cu ft 37	1,423	1,764	
	F742R-FD-3L-P	single pedestal desk right box/file pedestal includes center drawer pull out slide over pedestal <i>KNEESPACE 23.5"</i> <i>NOT FOR USE WITH RETURN UNITS</i>	30	42	29	class 125 cwt 165 lb cu ft 26	1,405	1,723	
	F742L-FD-3L-P	single pedestal desk left box/file pedestal includes center drawer pull out slide over pedestal <i>KNEESPACE 23.5"</i> <i>NOT FOR USE WITH RETURN UNITS</i>	30	42	29	class 125 cwt 165 lb cu ft 26	1,405	1,723	

top

P laminate top



list \$




	model number	description	d	w	h	freight	F.O.B.	Zone 1
	R74820R-EH-3L-P	single pedestal return right box/file pedestal pull out slide over pedestal	20	48	29	class 125 cwt 110 lb cu ft 25	883	1,095
	F74820L-EH-3L-P	single pedestal return left box/file pedestal pull out slide over pedestal	20	48	29	class 125 cwt 110 lb cu ft 25	883	1,095
	4FD760-3L-P	lateral file/four drawers two drawer side by side under common top letter and legal capacity	20	59	29	class 125 cwt 215 lb cu ft 26	2,153	2,670
	2FD730-3L-P	lateral file/two drawer letter and legal capacity	20	30	29	class 125 cwt 110 lb cu ft 14	1,100	1,364
	PW730-3L-P	bookcase hinged wood doors one adjustable shelf	20	30	29	class 125 cwt 70 lb cu ft 10	727	902
	PW730N-3L	bookcase hinged wood doors one adjustable shelf no top	19.5	29.5	27.75	class 125 cwt 60 lb cu ft 9	650	806
	SW730-3L-P	bookcase sliding wood doors one adjustable shelf	20	30	29	class 125 cwt 75 lb cu ft 10	748	928
	SW730N-3L	bookcase sliding wood doors one adjustable shelf no top	19.5	29.5	27.75	class 125 cwt 55 lb cu ft 9	613	759

laminate

3L-P saddle on walnut

F776-3L-P

unit identification (type), top dimension - **chassis & top finish - top material**

	model number	description	d	w	h	freight	list \$	
							F.O.B.	Zone 1
	OB730-3L-P	open bookcase one adjustable shelf	20	30	29	class 125 cwt 70 lb cu ft 10	590	731
	OB730N-3L	open bookcase one adjustable shelf no top	19.5	29.5	27.75	class 125 cwt 50 lb cu ft 9	498	618
	PT772-3L-P	panel end table	36	72	29	class 85 cwt 135 lb cu ft 9	1,353	1,678
	PT760-3L-P	panel end table	30	60	29	class 85 cwt 105 lb cu ft 6	894	1,109
	T760-3L-P	table one drawer	30	60	29	class 85 cwt 100 lb cu ft 8	921	1,143
	P700-3L	panel end <i>CAN SHIP UPS</i>	17.5		27.75	class 85 cwt 10 lb cu ft 20	166	206
	P700T-3L	panel end typing height <i>CAN SHIP UPS</i>	17.5		25.75	class 85 cwt 10 lb cu ft 20	166	206

top

P laminate top



								list \$	
	model number	description	d	w	h	freight	F.O.B.	Zone 1	
	CO766-3L	costumer <i>CAN SHIP UPS</i>			66	class 85 cwt 10 lb cu ft .5	166	206	
	T66SE-3L-P	top only	20	66	1.125	class 70 cwt 49 lb cu ft 2	368	457	
	T60SE-3L-P	top only <i>IF SIZE OF TOP IS NOT LISTED, TAKE PRICE OF NEXT LARGEST SIZE AND ADD \$97 FOR CUTTING DOWN, PLEASE SPECIFY SIZE REQUIRED CAN SHIP UPS</i>	20	60	1.125	class 70 cwt 45 lb cu ft 20	323	401	
	T30SE-3L-P	top only <i>IF SIZE OF TOP IS NOT LISTED, TAKE PRICE OF NEXT LARGEST SIZE AND ADD \$97 FOR CUTTING DOWN, PLEASE SPECIFY SIZE REQUIRED CAN SHIP UPS</i>	20	30	1.125	class 70 cwt 20 lb cu ft 10	190	236	
	H702	hardware to fasten two tops together at the same level					33	42	
	H701	hardware to fasten a top to the side of a unit					33	42	

laminate | 3L-P saddle on walnut

F776-3L-P


unit identification (type), top dimension - chassis & top finish - top material

model number	description	d	w	h	freight	list \$	
						F.O.B.	Zone 1
M700R-FD-EH-3L-P	executive "I" unit	78	60	29	class 125 cwt 330 lb cu ft 52	2,306	2,859



consists of:	d	w	h	quantity
D760L-3L-P single pedestal desk left box/file pedestal includes center drawer pull out side over pedestal	30	60	29	1
R74820R-EH-3L-P single pedestal return right box/file pedestal pull out slide over pedestal	20	48	29	1

model number	description	d	w	h	freight	list \$	
						F.O.B.	Zone 1
M700L-FD-EH-3L-P	executive "I" unit	78	60	29	class 125 cwt 330 lb cu ft 52	2,306	2,859



consists of:	d	w	h	quantity
D760R-3L-P single pedestal desk right box/file pedestal includes center drawer pull out slide over pedestal	30	60	29	1
F74820L-EH-3L-P single pedestal return left box/file pedestal pull out slide over pedestal	20	48	29	1

top	P laminate top	for 60" x 20" return on above units add \$173 upcharge and note: "special 60" x 20" return" 27" high typing height return available - add \$232 list and specify "TH" in place of "EH"
------------	-----------------------	---

statesman | 700 series | laminate top, veneer chassis



laminate | 3L-P saddle on walnut

**instructions for seating product are available
online and within product cartons**


online instructions

Inwood Office Environments makes available the complete library of product instructions for seating and office furniture. Please visit inwood.net and click the "after purchase" link to review the down-loadable PDF documents. You'll also find information for the care and maintenance of your new inwood furniture. Any issues? Assistance is only a phone call away. Call 1-800-786-6121 for Inwood customer service. Our customer service representatives can talk you through most issues. Need professional service? We would be happy to suggest an authorized dealer or service technician within your area.


c.o.m. (customer's own material)

All seating can be upholstered with appropriate material furnished by the customer. All prices are listed under Grade 2.

Yardage requirements shown are based on the use of non-directional fabric 54" wide and the fabric being cut "up the roll." If the c.o.m. fabric is to be railroaded, please contact Customer Service for revised yardage requirements. Inwood reserves the right to inspect, approve or reject any c.o.m. fabric. Once approved, Inwood cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities of customer furnished coverings.



pattern cut "up the roll"



pattern cut "railroaded"

all com orders must

- Include a 3 inch x 3 inch swatch of the fabric stapled to the purchase order, indicating which side is to be exposed
- Indicate whether application is vertical or horizontal if fabric has a pattern or stripe
- Include fabric supplier's name, fabric number, and color
- Be approved by Inwood. DO NOT ship c.o.m fabric until customer service has notified you of the acceptability of your fabric
- Be shipped prepaid and marked with your company name, purchase order number, and any special instructions

Orders for items using c.o.m. cannot be put into a production schedule until the fabric is received. The date that c.o.m. is received will be considered the actual date of the order.

COL (customers on leather) use grade 4.

fabric cut yardage/list price per yard

grade 1	\$30
grade 2	\$34
grade 3	\$46
grade 4	\$51
grade 5	\$59
grade 6	\$64
grade 7	\$71

inwood fabric graded-in program

Dye lots may vary slightly from samples shown. All fabrics are 54" wide. Prices are subject to change without notice. All figures are in U.S. dollars.

mayer fabrics:

samples

Mayer contract seating fabrics have been graded in to the Inwood standard program. To view the full line of available fabric patterns and colorways, please visit www.mayerfabrics.com or call 800.428.4415 direct for samples. **The fabrics and faux leathers listed in bold are those on the inwood cards.**

pattern	grade	pattern	grade
<i>fabric offering</i>			
acanthus	7	sunset strip	5
amulet	3	taj	5
amulet plus DuraBlock™	6	tendril	3
astro	6	tendril plus DuraBlock™	6
bijou	5	valor	3
broadway	6	valor plus DuraBlock™	6
cape 10	5	vineta	4
carat	5	wave length	4
catalyst	5	<i>faux leather offering</i>	
celebration	5	antique	6
clarity	5	caressa fr	5
classic velvet	7	caressa suede	6
clematis	5	durango	3
companion 10	5	emu	5
component	7	florentino	3
cornerstone	4	jekyll & hyde**	6
crepe (fr)	3	kobe	5
cross check	3	komodo	5
crossdown	5	maverick	3
decade crepe 10	7	outback	4
decade orion 10	7	phoenix	7
Destiny	3	radiance	7
Destiny plus DuraBlock™	6	radiance perf.	7
dialogue 10	5	santa ana	6
duraweave® 10	2	<i>vinyl offering</i>	
element	3	all seasons (fr)	5
equation	6	all use (fr)	3
essential	4	athens (fr)	7
factor [RPI]	7	blocks	5
figure eight [RPI]	5	chaps (fr)	6
filigree [RPI]	7	curlicue	6
flourish	4	currents	6
flying high [R60+]	7	dokata	7
forte	1	dublin tweed (fr)	7
foundation 10 [RPC]	3	guardian (n)	7
genesis	3	heather (fr)	6
genesis plus DuraBlock™	6	jamestown	3
glee	7	key largo	4
heritage	5	linen	5
high society	7	madrid sp black	1
impulse [RPI]	6	microdot	6
in the groove	7	oxen sp black	1
jubilee	5	peerless	7
lunar [RPI]	5	pinehurst	7
marquise [R60+]	5	prado	7
moonscape [RPI]	6	punch (n)	6
mum	3	sierra sp black	1
mosaic	3	silk screen	7
mosaic plus DuraBlock™	6	silverweave	7
mum	3	tiles	7
mum plus DuraBlock™	6	toss up	7
mystic [RPI]	7	tributary	7
over the top [R60+]	7	tussah	7
paramount	4	uptown	6
quattro	3	ventura	6
rapport	7	wallaby sp black	1
regency	7	willow	5
revival	5	<i>woven crypton</i>	
riddle 10	5	metro	7
ritz	7	boardwalk	3
sequel	3		
sojourn	3		
sojourn plus DuraBlock™	6		
spacer mesh	4		
square one	4		
straight & narrow [R60+]	7		
structure	5		

fr fire resistant
 [r] 100% recycled Terratex®
 {r} recycled ECOSYSTEM collection®
 10 a 10 year warranty

momentum fabrics:

samples

momentum fabrics have been graded into the Inwood standard program. To view the full line of available fabric patterns and colorways, please visit www.themomgroup.com or call 800-366-6836 direct for samples.

pattern	grade	pattern	grade
agora	4	stance	5
array	5	streamline	7
auge	2	sublime	5
axis	2	swoon	4
basis	1	tact	7
boom	5	tangent	2
bravo	7	tatami	5
cachet	3	tate	2
canter	5	tease	7
cashmere	3	transit	4
ce	2	trek	2
core	1	valet	7
cre (crete)	5	vario	7
entourage	6	venue	7
era	3	verge	5
estow	1	vox	2
etch	5		
expo	1		
factor	4		
fleck	5		
form	5		
gig	7		
glam	5		
gusto	5		
hue	4		
Insight	1		
impact	5		
inch	2		
intermix	7		
interval	2		
jargon	2		
jinx	5		
kayo	1		
knack	4		
lumiere	7		
marquee	7		
max	7		
melodeon	1		
mer (mercury)	5		
mime	3		
mimic	5		
moda	2		
multiplicity	4		
nexus	6		
nook	2		
ontext	2		
origin	1		
parker	7		
perk	1		
pinpoint	2		
pivio	1		
prl (prelude)	5		
prodigy	4		
prompt	5		
racer	5		
ratio	2		
realm	7		
rein	5		
relic	7		
reverie	1		
ringo	5		
russo	2		
sassy	2		
saucy	5		
savant	7		
schema	7		
sector	4		
sequence	7		
simplex	7		
snippet	3		
solo	7		
solo	7		

classroom, education and laboratory

model number + finish + upholstery

call 1 800 786 6121 for any questions about ordering your Inwood seating

	IC10US-18	stool upholstered seat <i>CAN SHIP UPS</i>	OVERALL 13 13 18 SEAT 18	cwt 12 lb cu ft 6.9	com 3/4 yds	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	443 449 450 454 460 461 464	498 505 506 512 517 518 522
	IC10-18	stool wood seat <i>CAN SHIP UPS</i>	OVERALL 13 13 18 SEAT 18	cwt 12 lb cu ft 6.9		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	341	384
	IC10US-24	stool upholstered seat Do not use with 29"h table <i>CAN SHIP UPS</i>	OVERALL 14.5 14.5 24 SEAT 24	cwt 14 lb cu ft 6.9	com 3/4 yds	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	457 463 464 468 473 474 477	514 520 521 526 532 534 537
	IC10-24	stool wood seat Do not use with 29"h table <i>CAN SHIP UPS</i>	OVERALL 14.5 14.5 24 SEAT 24	cwt 14 lb cu ft 6.9		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	370	417
	IC10US-30	stool upholstered seat <i>CAN SHIP UPS</i>	OVERALL 16.25 16.25 30 SEAT 30	cwt 16 lb cu ft 10.6	com 3/4 yds	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	509 514 515 520 525 526 529	572 578 579 584 591 592 595
	IC10-30	stool wood seat <i>CAN SHIP UPS</i>	OVERALL 16.25 16.25 30 SEAT 30	cwt 16 lb cu ft 10.6		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	414	466
	IC101	chair four legs wood back and wood seat <i>CAN SHIP UPS</i>	OVERALL 21.75 18 35 SEAT 14.75 17.5	cwt 22 lb cu ft 11.1		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	601	676
	IC101-A	chair four legs wood back and seat with arms <i>CAN SHIP UPS</i>	OVERALL 23 23.5 35 SEAT 15.75 17.5	cwt 28 lb cu ft 13.9		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	750	843

								list \$		
	model number	description	d	w	h	freight	com/col	upholstery	F.O.B.	Zone 1
	IC102	chair swivel base wood seat and back <i>CAN SHIP UPS</i>	<i>OVERALL</i> 22 18 33-36 <i>SEAT</i> 14.75 16-19			cwt 50 lb cu ft 20.3		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	875	984
	IC125TA	chair four legs wood seat and back tablet arm <i>CAN SHIP UPS</i>	<i>OVERALL</i> 30 22 35 <i>SEAT</i> 14.75 17.5			cwt 32 lb cu ft 13.9		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	742	834
	IC1118SBUS	chair sled base wood back and upholstered seat <i>CAN SHIP UPS</i>	<i>OVERALL</i> 20.25 18.75 32.25 <i>SEAT</i> 17.25 17.5			cwt 24 lb cu ft 9.6	com 5/8 yds col 15 sqft	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	676 681 682 685 691 691 694	760 766 768 772 777 777 780
	IC1116SBUS	chair sled base wood back and upholstered seat <i>CAN SHIP UPS</i>	<i>OVERALL</i> 17 16 27 <i>SEAT</i> 14 16			cwt 19 lb cu ft 6.9	com 5/8 yds col 15 sqft	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	676 681 682 685 691 691 694	760 766 768 772 777 777 780
	IC1114SBUS	chairsled base wood backupholstered seat <i>CAN SHIP UPS</i>	<i>OVERALL</i> 17 16 25 <i>SEAT</i> 14 14			cwt 14 lb cu ft 6.9	com 5/8 yds col 15 sqft	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	676 681 682 685 691 691 694	760 766 768 772 777 777 780
	IC1118SB	chair sled base wood back wood seat <i>CAN SHIP UPS</i>	<i>OVERALL</i> 20.25 18.75 32.25 <i>SEAT</i> 17.25 17.5			cwt 24 lb cu ft 9.6		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	574	646
	IC1116SB	chair sled base wood back wood seat <i>CAN SHIP UPS</i>	<i>OVERALL</i> 17 16 27 <i>SEAT</i> 14 16			cwt 19 lb cu ft 6.9		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	574	646
	IC1114SB	chair sled base wood back wood seat <i>CAN SHIP UPS</i>	<i>OVERALL</i> 17 16 27 <i>SEAT</i> 14 14			cwt 19 lb cu ft 6.9		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	574	646

seating

										list \$	
	model number	description	d	w	h	freight	com/col	upholstery	F.O.B.	Zone 1	
	IC1118	chair four legs wood back wood seat <i>CAN SHIP UPS</i>	OVERALL 20.25	18.75	32.25	cwt 24 lb cu ft 9.6		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	574	646	
	IC1116	chair four legs wood back wood seat <i>CAN SHIP UPS</i>	OVERALL 17	16	27	cwt 19 lb cu ft 6.9		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	574	646	
	IC1114	chair four legs wood back wood seat <i>CAN SHIP UPS</i>	OVERALL 17	16	25	cwt 19 lb cu ft 6.9		grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	574	646	
	IC7318SBUS	chair sled base wood back upholstered seat <i>CAN SHIP UPS</i>	OVERALL 21	18.75	32.75	cwt 25 lb cu ft 10.6	com 5/8 yds	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	806 811 812 815 821 821 824	907 912 913 917 922 924 927	
	IC7316SBUS	chair sled base wood back upholstered seat <i>CAN SHIP UPS</i>	OVERALL 17	16	28.75	cwt 20 lb cu ft 6.9	com 5/8 yds	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	806 811 812 815 821 821 824	907 912 913 917 922 924 927	
	IC7314SBUS	chair sled base wood back upholstered seat <i>CAN SHIP UPS</i>	OVERALL 17	16	28.75	cwt 14 lb cu ft 6.9	com 5/8 yds	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	806 811 812 815 821 821 824	907 912 913 917 922 924 927	
	IC7318US	chair four legs wood back upholstered seat <i>CAN SHIP UPS</i>	OVERALL 21	18.75	32.75	cwt 25 lb cu ft 10.6	com 5/8 yds	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	806 811 812 815 821 821 824	907 912 913 917 922 924 927	
	IC7316US	chair four legs wood back upholstered seat <i>CAN SHIP UPS</i>	OVERALL 17	16	28.75	cwt 20 lb cu ft 6.9	com 5/8 yds	grade 1 grade 2\com grade 3 grade 4\col grade 5 grade 6 grade 7	806 811 812 815 821 821 824	907 912 913 917 922 924 927	

wood



LO light oak on oak
MO medium oak on oak
DO dark oak on oak

2 KL sepia on maple
3 L saddle on maple

25 M mahogany on maple
4 L dark mahogany on maple

									list \$		
	model number	description	d	w	h	freight	com/col	upholstery	F.O.B.	Zone 1	
	IC7314US	chair four legs wood back upholstered seat <i>CAN SHIP UPS</i>	OVERALL			cwt 20 lb cu ft 6.9	com 5/8 yds	grade 1	806	907	
				17	16			28.75	grade 2\com	811	912
			SEAT	13.5	14			grade 3	812	913	
								grade 4\col	815	917	
							grade 5	821	922		
							grade 6	821	924		
							grade 7	824	927		
	IC711SBUS	chair sled base wood back upholstered seat with arms <i>CAN SHIP UPS</i>	OVERALL			cwt 30 lb cu ft 11.1	com 5/8 yds	grade 1	974	1,096	
				22.25	20.5			32.25	grade 2\com	979	1,101
			SEAT	17.5	17.5			grade 3	980	1,102	
								grade 4\col	984	1,107	
							grade 5	988	1,112		
							grade 6	989	1,113		
							grade 7	991	1,115		
	IC711US	chair four legs wood back upholstered seat with arms <i>CAN SHIP UPS</i>	OVERALL			cwt 30 lb cu ft 11.1	com 5/8 yds	grade 1	974	1,096	
				22.25	20.5			33.25	grade 2\com	979	1,101
			SEAT	17.5	17.5			grade 3	980	1,102	
								grade 4\col	984	1,107	
							grade 5	988	1,112		
							grade 6	989	1,113		
							grade 7	991	1,115		
	IC412US	chair rocker wood back upholstered seat <i>ALL WOOD AVAILABLE, PRICE= GRADE 1 CAN SHIP UPS</i>	OVERALL			cwt 27 lb cu ft 13.6	com 5/8 yds col 15 sqft	grade 1	882	992	
				23	18.75			32.5	grade 2\com	887	997
			SEAT	17.5	17.5			grade 3	888	998	
								grade 4\col	891	1,003	
							grade 5	999	1,008		
							grade 6	896	1,009		
							grade 7	900	1,012		
	IC413US	chair rocker wood back upholstered seat <i>ALL WOOD AVAILABLE, PRICE = GRADE 1 CAN SHIP UPS</i>	OVERALL			cwt 27 lb cu ft 13.6	com 5/8 yds col 15 sqft	grade 1	912	1,025	
				27.5	18.75			32.5	grade 2\com	916	1,032
			SEAT	17.5	17.5			grade 3	917	1,032	
								grade 4\col	921	1,037	
							grade 5	926	1,041		
							grade 6	927	1,042		
							grade 7	929	1,045		
	IC412	chair rocker wood back wood seat <i>CAN SHIP UPS</i>	OVERALL					grade 1	782	880	
				27.5	18.75	32.5			grade 2\com		
			SEAT	17.5	17.5				grade 3		
									grade 4\col		
							grade 5				
							grade 6				
							grade 7				
	IC413	chair rocker wood back wood seat <i>CAN SHIP UPS</i>	OVERALL			cwt 27 lb cu ft 13.6		grade 1	782	880	
				27.5	18.75		32.5		grade 2\com		
			SEAT	17.5	17.5			grade 3			
								grade 4\col			
							grade 5				
							grade 6				
							grade 7				
	IC761SB	chair sled base upholstered back upholstered seat <i>CAN SHIP UPS</i>	OVERALL			cwt 53 lb cu ft 14.7	com 1 5/8 yds	grade 1	1,812	2,038	
				31	24			32.5	grade 2\com	1,825	2,053
			SEAT	21.25	17			grade 3	1,827	2,055	
								grade 4\col	1,837	2,066	
							grade 5	1,848	2,079		
							grade 6	1,850	2,082		
							grade 7	1,857	2,089		

seating




										list \$	
	model number	description	d	w	h	freight	com/col	upholstery	F.O.B.	Zone 1	
	IC762SB	settee sled base upholstered back upholstered seat CAN SHIP UPS	OVERALL								
			31	45	32.5	cwt 83 lb	com 3 3/8 yds	grade 1	2,826	3,179	
			SEAT	21.25	17			grade 2\com	2,852	3,208	
			ARM	22.75				grade 3	2,857	3,214	
	IC763SB	sofa sled base upholstered back upholstered seat CAN SHIP UPS	OVERALL								
			31	67	32.5	cwt 113 lb	com 5 yds	grade 1	4,099	4,611	
			SEAT	21.25	17			grade 2\com	4,138	4,655	
			ARM	22.75				grade 3	4,144	4,662	
							grade 4\col	4,175	4,697		
							grade 5	4,210	4,736		
							grade 6	4,216	4,743		
							grade 7	4,237	4,766		






wood



LO light oak on oak
MO medium oak on oak
DO dark oak on oak

2 KL sepia on maple
3 L saddle on maple

25 M mahogany on maple
4 L dark mahogany on maple

								list \$	
	model number	description	d	w	h	freight	F.O.B.	Zone 1	
	PSU	personal storage units universal style horizontal or vertical positioning <i>SPECIFY FINISH</i>	12	15.5	21.75	class 125 cwt 20 lb cu ft 2	626	776	
	CDP CDP-I	center drawer black plastic <i>CANNOT BE FACTORY INSTALLED IN BRIDGES, CORNER UNITS OR ANY TREK 2500 SURFACES. PLEASE SPECIFY UNIT ON WHICH TO BE INSTALLED FACTORY INSTALLED ONLY</i>	19	24.3	1.8	class 100 cwt 5 lb cu ft 1	175	216	
	CDP-14 CDP-14-I	center drawer black plastic for use with 20" units <i>CANNOT BE FACTORY INSTALLED IN BRIDGES, CORNER UNITS OR ANY TREK 2500 SURFACES. PLEASE SPECIFY UNIT ON WHICH TO BE INSTALLED. FACTORY INSTALLED ONLY</i>	17	14	1.8	class 100 cwt 5 lb cu ft 1	175	216	
	KBCD-I	keyboard drawer with lock styled as center drawer with drop front drawer pulls out for keyboard use *indicate which series (NOT available in Muse, Progeny, Trek or Brio) <i>FACTORY INSTALLED ONLY, SPECIFY GROMMET LOCATION</i>	14	4		class cwt lb cu ft	521	646	
	KBP KBP-I	plastic keyboard platform <i>ARTICULATING KEYBOARD CONTROLS HEIGHT ADJUSTMENT FROM 26.5" - 29" CANNOT BE FACTORY INSTALLED IN BRIDGES, CORNER UNITS OR ANY TREK 2500 SURFACES. PLEASE SPECIFY UNIT ON WHICH TO BE INSTALLED FACTORY INSTALLED ONLY</i>	11	23	1.25	class 100 cwt 10 lb cu ft .5	336	417	
	MT	fold out and tilting mouse tray for right hand or left hand <i>FOR USE WITH KBP, FIELD INSTALLATION ONLY</i>				class 100 cwt 5 lb cu ft .5	160	199	
	KBMT KBMT-I	keyboard mechanism with clamp tray adjustable wrist rest and swivel mouse arm; black Wrist - 10.5"x3"x20.5" Mouse - 7.5/16" x 7.5/16" Arm - 10.5" x 4.5" x 19" <i>HEIGHT ADJUSTABLE FROM 26.5 - 29" FACTORY INSTALLED ONLY</i>				class 100 cwt 15 lb cu ft 1	665	727	

							list \$	
	model number	description	d	w	h	freight	F.O.B.	Zone 1
	LTKB LTKB-I	laptop keyboard holder slides back into kneespace when lap top is closed; adjustable height and tilt; side clamps adjust to individual lap top size; black <i>FACTORY INSTALLED ONLY</i>				class 100 cwt 10 lb cu ft .5	527	654
	KBCM KBCM-I	keyboard mechanism with articulating control mechanism clamps on to keyboard; eliminates the need for trays to hold keyboard; keyboard is mounted under work surface; black <i>HEIGHT ADJUSTABLE FROM 26.5" TO 29"</i> <i>FACTORY INSTALLED ONLY</i>	10	-	4.25	class 100 cwt 10 lb cu ft .5	309	322
	RGS-I	rectangular black grommet accepts almost any size plug or cords <i>FACTORY INSTALLED ONLY, SPECIFY LOCATION</i>	4	2	-	class cwt lb cu ft	135	167
	WMC-30	wire/cable management conduit 2.25" x 1" black plastic wire/cable conduit; secures to kneespace or under tops with double sided tape; top opens for wires/cables to slip in and be concealed; customer can cut to length	-	30	-	class cwt lb cu ft	120	129
	CPU	vertical off the floor fixed mount CPU holder 360° swivel supports up to 45 lbs steel construction, black finish <i>FILED INSTALLED ONLY</i> <i>VERTICAL STORAGE: 14.5 - 22.5"</i> <i>HORIZONTAL ADJUSTMENT: 5.25 - 9.5"</i>				class 100 cwt 15 lb cu ft 1	309	383
	CPU-T	vertical off the floor fixed mount CPU holder 360° swivel supports up to 45 lbs steel construction, black finish *for thinner CPU's <i>FILED INSTALLED ONLY</i> <i>VERTICAL STORAGE: 14.5 - 22.5"</i> <i>HORIZONTAL ADJUSTMENT: 2.75 - 5.5"</i>				class 100 cwt 15 lb cu ft 1	301	372
	PCH	power communications harness mounts in any knee-well or any panel 13 amp circuit breaker; 120 volt, 60hz, 13 amp ratings; 10' power cord; 105 c; 16/3 13 amp; 14' telephone hook up for phone, modem or fax; black <i>UL NETED</i> <i>CSD CERTIFIED</i> <i>FIELD INSTALLED ONLY</i>				class cwt lb cu ft	235	291


						list \$	
model number	description	d	w	h	freight	F.O.B.	Zone 1
 <p>PPM PPM-I</p>	<p>pop-up power supply management three 10 amp circuit breaker simplex outlets; black</p> <p><i>6 FOOT POWER CORD PLEASE SPECIFY LOCATION FACTORY INSTALLED ONLY</i></p>				class cwt lb cu ft	391	485
 <p>PPC PPC-I</p>	<p>pop-up power supply management two 10 amp circuit breaker simplex outlets; one adapter face plate; one voice/data adapter kit to accept voice/data couplers and jacks (sold separately) separates power and data; black</p> <p><i>6 FOOT POWER CORD PLEASE SPECIFY LOCATION FACTORY INSTALLED ONLY</i></p>				class cwt lb cu ft	391	485
 <p>PCC PCC-I</p>	<p>pop-up power and communications center three 15 amp simplex outlets; two adapter face plates; two voice/data adapter kit to accept voice/data couplers and jacks (sold separately) 10 amp circuit breaker; black</p> <p><i>6 FOOT POWER CORD PLEASE SPECIFY LOCATION FACTORY INSTALLED ONLY</i></p>				class cwt lb cu ft	442	548
 <p>FPM FPM-I</p>	<p>flip-up power management with two simplex outlets and two communication blanks; black</p> <p><i>PLEASE SPECIFY LOCATION FACTORY INSTALLED ONLY</i></p>				class cwt lb cu ft	477	592
 <p>BRKIT1 BRKIT1-I</p>	<p>18" brush wire management grommet</p> <p><i>FACTORY INSTALLED ONLY PLEASE SPECIFY LOCATION</i></p>				class cwt lb cu ft	457	566
 <p>BRKIT2 BRKIT2-I</p>	<p>two 18" brush wire management grommet</p> <p><i>FACTORY INSTALLED ONLY PLEASE SPECIFY LOCATION</i></p>				class cwt lb cu ft	671	832

For other accessories items please see "accessories" in the 2011 contract price list (online only).

podiums

CX26-BL-C

unit identification (type), - base finish - casters

	model number	description	d	w	h	freight	list \$		
							F.O.B.	Zone 1	
	IP-CPU	Podium alone with CPU storage	24	24	46	class cwt cu ft	lb	1586	1,853
	IP-2F	Podium alone with 2 file drawers and small hinged door	24	24	46	class cwt cu ft	lb	1789	2,090
	IP-3D	Podium alone with 2 box/file drawer and small hinged door	24	24	46	class cwt cu ft	lb	1956	2,177
	IP-BL (or BR)-CPU	Podium/bullet top with CPU storage (BL) bullet left or (BR) bullet right (left shown) Bullet top is 42" long <i>WITH WOOD SUPPORT/MODESTY</i>	24	24	46	class cwt cu ft	lb	1845	2,155
	IP-BL (or BR)-2F	Podium/bullet top with 2 file drawers and hinged door storage (BL) bullet left or (BR) bullet right (left shown) Bullet top is 42" long <i>WITH WOOD SUPPORT/MODESTY</i>	24	24	46	class cwt cu ft	lb	2049	2,393
	IP-BL (or BR)-3D	Podium/bullet top with 2 box/file drawer and small hinged door (BL) bullet left or (BR) bullet right (left shown) Bullet top is 42" long <i>WITH WOOD SUPPORT/MODESTY</i>	24	24	46	class cwt cu ft	lb	2123	2,479
	IP-DL (or DR)-CPU	Podium/return top desk with CPU storage (DL) desk left or (DR) bullet desk (left shown) Desk top is 42" long <i>3/4 BOX/FILE PEDESTAL/FULL MODESTY</i>	24	24	46	class cwt cu ft	lb	2799	3,267
	IP-DL (or DR)-2F	Podium/return top desk with 2 file drawers and hinged door storage (DL) desk left or (DR) bullet desk (left shown) Desk top is 42" long <i>3/4 BOX/FILE PEDESTAL/FULL MODESTY</i>	24	24	46	class cwt cu ft	lb	2999	3,505
	IP-DL (or DR)-3D	Podium/return top with 2 box/ 1 file drawer and small hinged door (DL) desk left or (DR) bullet desk (left shown) Desk top is 42" long <i>3/4 BOX/FILE PEDESTAL/FULL MODESTY</i>	24	24	46	class cwt cu ft	lb	3075	3,591