


PLAN




PLAN


SECTION A-A

SIGN PANEL CONNECTION DETAILS


1" = 1'-0"



SIDE VIEW



DETAIL I
N.T.S.



POST CLIP BOLT
N.T.S.

NOTES:

1. ALUMINUM SIGN HANGERS W4x3.06 SHALL BE SPACED AT 4'-6" MAXIMUM O.C.
2. ALUMINUM EXTRUSION AND CONNECTIONS ARE SHOWN FOR INFORMATION ONLY. EXACT DETAILS AND RELATED HARDWARE TO BE PROVIDED BY THE MANUFACTURER, AND TO BE APPROVED BY THE ENGINEER.
3. S.S. DENOTES STAINLESS STEEL CONFORMING TO ASTM A276, TYPE 304.
4. APPROVED S.S. SHIM PLATES OR NEOPRENE PADS SHALL BE PLACED BETWEEN DISSIMILAR METALS AT CONNECTED SURFACES OF ALUMINUM TO STEEL.

TYPICAL CONDUIT TERMINATION DETAILS AT SIGN SUPPORT STRUCTURES
(CANTILEVER SIGN STRUCTURE SHOWN, OVERHEAD SPAN-TYPE SIGN STRUCTURE SIMILAR)
N.T.S.



ORIGINAL SIZE IN INCHES

APP.	NO.	DATE	REVISION
	1	03/14	REVISED HOLE SIZE
	0	09/12	REISSUED DRAWING

NEW JERSEY TURNPIKE AUTHORITY	
GARDEN STATE PARKWAY	
MISCELLANEOUS DETAILS SIGN ATTACHMENT & CONDUIT TERMINATION	
OFFICE OF THE CHIEF ENGINEER NEW JERSEY TURNPIKE AUTHORITY	2010 STANDARD
WOODBRIDGE NEW JERSEY	DRAWING SI-42

CONTRACT NO.

SHEET NO. OF

FILE NAME: \$FILEL\$