2003 Chevrolet Express Passenger
CG23406 2500 135" WB RWD

No Picture Available for this vehicle

VEHICLE SUMMARY

Effective Date: 7/22/02

SELECTED OPTIONS

CODE	DESCRIPTION
ZW9	BODY, STANDARD
C5F	GVWR, 8500 lbs. (3856 kg) (REQ: KL5 Compressed Natural Gas Engine Conversion)
VCL	FEDERAL CLEAN FUEL FLEET EMISSIONS *VCL must be ordered to receive the LEV California emission compliance certification. If VCL is not ordered the vehicle will be produced w/FE9 Federal requirement & will not be LEV certified*
LQ4	ENGINE, VORTEC 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360 lb.-ft. [486.6 N-m] @ 4000 rpm) (STD)
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED w/overdrive, tow/haul mode & external transmission oil cooler (STD)
___	NO LOCKING DIFFERENTIAL
GT4	REAR AXLE, 3.73 RATIO (STD)
1SA	BASE PREFERRED EQUIPMENT GROUP -inc: base vehicle only
XHF	TIRES, FRONT LT225/75R16E, ALL-SEASON, BLACKWALL (STD)
YHF	TIRES, REAR LT225/75R16E, ALL-SEASON, BLACKWALL (STD)
ZHF	TIRES, SPARE LT225/75R16E, ALL-SEASON, BLACKWALL (STD)
ZP8	SEATING, 8-PASSENGER *CREDIT*
AR7	SEATS, FRONT VINYL RECLINING BUCKETS (REQ: 1SA Base Preferred Equipment Group) -inc: head restraints (STD)
__W	CUSTOM VINYL (REQ: AR7 Seats) (STD)
ZY1	SOLID PAINT (STD)
UM7	SOUND SYSTEM, ETR AM/FM STEREO -inc: seek-and-scan and digital clock (STD)
___	WHEELS, GRAY PAINTED (REQ: 1SA Base Preferred Equipment Group) (STD) -inc: gray center caps & steel spare

ALTERNATIVE FUEL VEHICLES (AFV), PASSENGER VAN, DED/BI-FUEL CNG - T2095
SECTION 2 (PRICE LINE 2) CONTRACT PRICE: $22,767.00
CONTRACT: A53311 CONTRACTOR: HERTRICH FLEET SERVICES

CODE	DESCRIPTION
KL5	ALTERNATIVE FUEL CONVERSIONS, CONVERSION-READY ENGINE (REQ: KL6 or KL8 Alternative Fuel Conversions) -inc: internal modifications for operation w/natural or propane gas
KL6	ALTERNATIVE FUEL CONVERSIONS, BI-FUEL COMPRESSED NATURAL GAS (CNG) SYSTEM (complete vehicle & system ready) *Deletes spare tire & wheel, spare tire hoist, jack & tools* (REQ: C5F 8500# GVWR) -inc: [KL5] alternative fuel conversions, conversion-ready engine, CNG tanks & fuel system)

Color Selections

	Description	Code
Exterior#1	Light Pewter Metallic	11
Exterior#2		
Interior	Neutral	52

	Description	Code
Exterior#1	Light Pewter Metallic	11
Exterior#2		
Interior	Medium Dark Pewter	93

	Description	Code
Exterior#1	Indigo Blue Metallic	39
Exterior#2		
Interior	Neutral	52

	Description	Code
Exterior#1	Indigo Blue Metallic	39
Exterior#2		
Interior	Medium Dark Pewter	93

	Description	Code
Exterior#1	Black	41
Exterior#2		
Interior	Neutral	52

	Description	Code
Exterior#1	Black	41
Exterior#2		
Interior	Medium Dark Pewter	93

	Description	Code
Exterior#1	Dark Green Metallic	47
Exterior#2		
Interior	Neutral	52

CODE DESCRIPTION

	Description	Code
Exterior#1	Dark Green Metallic	47
Exterior#2		
Interior	Medium Dark Pewter	93

	Description	**Code**
Exterior#1	Summit White	50
Exterior#2		
Interior	Neutral	52

	Description	**Code**
Exterior#1	Summit White	50
Exterior#2		
Interior	Medium Dark Pewter	93

	Description	**Code**
Exterior#1	Sandalwood Metallic	58
Exterior#2		
Interior	Neutral	52

	Description	**Code**
Exterior#1	Dark Gray Metallic	62
Exterior#2		
Interior	Medium Dark Pewter	93

	Description	**Code**
Exterior#1	Victory Red	74
Exterior#2		
Interior	Neutral	52

	Description	**Code**
Exterior#1	Victory Red	74
Exterior#2		
Interior	Medium Dark Pewter	93

	Description	**Code**
Exterior#1	Berry Red Metallic	87
Exterior#2		
Interior	Neutral	52

	Description	**Code**
Exterior#1	Berry Red Metallic	87

CODE	DESCRIPTION	
Exterior#2		
Interior	Medium Dark Pewter	93

STANDARD EQUIPMENT

MECHANICAL

Engine, Vortec 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360 lb.-ft. [486.6 N-m] @ 4000 rpm)

Transmission, 4-speed automatic, heavy-duty, electronically controlled w/ overdrive, tow/haul mode & external transmission oil cooler

Rear axle, 3.73 ratio

Rear-wheel drive

Battery, 600 cold-cranking amps-inc: rundown protection & retained accessory power

Alternator, 105 amps

Suspension, front, independent coil springs, & stabilizer bar

Suspension, rear, hypoid drive axle w/multi-leaf springs

GVWR, 8600 lbs. (3901 kg)

Tires, front LT225/75R16E, all-season, blackwall

Tires, rear LT225/75R16E, all-season, blackwall

Tire, spare LT225/75R16E, all-season, blackwall, located at rear underbody of vehicle

Wheels, gray painted-inc: gray center caps & steel spare

Steering, power

Brakes, 4-wheel antilock, 4-wheel disc

Exhaust, aluminized stainless-steel muffler & tailpipe

EXTERIOR

Bumper, front, painted black

Grille, black composite

Headlamps, single rectangular halogen

Mirrors, outside rearview, foldaway, manual, black, adjustable heads

Glass, Solar-Ray light tinted, all windows

Glass, rear side door, swing-out

Wipers, intermittent, front wet-arm w/pulse washers

Door, swing-out passenger side, 60/40 split

INTERIOR

Seats, front vinyl reclining buckets-inc: head restraints

Seating, 12-passenger

Cupholders, 3, on engine console cover

Power outlet, auxiliary, 2 covered, on engine console cover, 12-volt

Floor covering, embossed black rubberized vinyl full width floormat over floor area & front wheelhousing

Steering wheel, steel sleeve-inc: theft-deterrent locking feature, black

INTERIOR

Instrumentation, analog-inc: speedometer, odometer w/trip odometer, fuel level, voltmeter, engine temperature & oil pressure

Theft-deterrent system, PASSLock

Air conditioning, front manual

Defogger, side window

Sound system, ETR AM/FM stereo-inc: seek-and-scan & digital clock

Headliner, cloth, w/matching retainer moldings

Visors, padded, driver & passenger side w/vinyl trim

Lighting, 3 dome lamps-inc: defeat switch & door handle-activated switches

SAFETY

Brakes, 4-wheel antilock, 4-wheel disc

Air bags, frontal, driver & right front passenger

Daytime running lights

Brake/transmission shift interlock, automatic transmission

Child seat anchor, located on all rear 3-passenger bench seating positions

COLOR CHART

	Interior Colors	
	Neutral	Medium Dark Pewter
Exterior Colors		
Light Pewter Metallic	X	X
Indigo Blue Metallic	X	X
Black	X	X
Dark Green Metallic	X	X
Summit White	X	X
Sandalwood Metallic	X	
Dark Gray Metallic		X
Victory Red	X	X
Berry Red Metallic	X	X

WARRANTY

<<< PRELIMINARY 2003 WARRANTY >>>

Basic: 3 Years/36,000 Miles

Drivetrain: 3 Years/36,000 Miles

Corrosion: 6 Years/100,000 Miles

Roadside Assistance: 3 Years/36,000 Miles

POWERTRAIN - BASIC SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

ENGINE

ENGINE		
Engine Order Code	(LQ4)	
Engine Type	* Bi-Fuel	
Displacement	6.0L/364 CID	
Fuel System	(MFI)	
SAE Net Horsepower @ RPM	300 @ 4400	
SAE Net Torque @ RPM	360 @ 4000	
TRANSMISSION		
Trans Order Code	(MT1)	
Trans Type	4-Speed HD Automatic w/OD	
Drivetrain	Rear Wheel Drive	
MILEAGE	**City**	**Hwy**
EPA Fuel Economy Est (MPG)	- TBD -	- TBD -
Cruising Range (mi)	* - TBD -	* - TBD -

POWERTRAIN - ADVANCED SPECIFICATIONS

TRANSMISSION		
Gear Ratio (:1)		
First Gear Ratio (:1)	2.48	
Second Gear Ratio (:1)	1.48	
Third Gear Ratio (:1)	1.00	
Fourth Gear Rato (:1)	0.75	
Reverse Ratio (:1)	2.07	
Clutch Size (in)		
Trans Power Take Off	N/A	
TRANSFER CASE		
Transfer Case Model		
Gear Ratio (:1)		
Transfer Case Gear Ratio (:1), High		
Transfer Case Gear Ratio (:1), Low		
Transfer Case Power Take Off		
DIFFERENTIAL	**Front**	**Rear**
Final Drive Axle Ratio (:1)		3.73
ELECTRICAL		
Battery	1	2
Maximum Capacity @ 0° F	600.00	
Alternator		
Maximum Alternator Capacity (amps)	105.00	
COOLING SYSTEM		
Total Cooling System Capacity (qts)	- TBD -	

COOLING SYSTEM	
Engine Oil Cooler	- TBD -

PAYLOAD/TRAILERING SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

WEIGHT INFORMATION	Front	Rear
Gross Axle Weight Rating (lbs)	4,100.00	5,360.00
Curb Weight (lbs)	- TBD -	- TBD -
Total Option Weight (lbs)	0.00	0.00
Reserve Axle Capacity (lbs)		
Gross Vehicle Weight Rating (lbs)		
As Spec'd Curb Weight (lbs)		
As Spec'd Payload (lbs)		
Gross Combined Wt Rating (lbs)		

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	* 6,500.00	* 650.00
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

EXTERIOR DIMENSIONS	
Wheelbase (in)	135.00
Width, Max w/o mirrors (in)	79.40
Height, Overall (in)	81.60
Overhang	
Overhang, Front (in)	- TBD -
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	27.70
Ground Clearance	
Ground Clearance, Front (in)	8.20
Ground Clearance, Rear (in)	8.00
Rear Door	
Side Door	
CARGO AREA DIMENSIONS	
Length @ Floor	
Width	

CARGO AREA DIMENSIONS			
Cargo Box Width @ Wheelhousings (in)	50.80		
Cargo Box (Area) Height (in)	53.80		
Cargo Volume			
INTERIOR DIMENSIONS			
Passenger Capacity	* 8.00		
Seating Position	Front	Second	Third
Head Room (in)	40.20	38.50	
Leg Room (in)	41.20	34.80	
Shoulder Room (in)	68.80	68.90	
Hip Room (in)	65.50	66.00	
Seating Position	Fourth		

CHASSIS SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

SUSPENSION	**Front**	**Rear**
Spring		
Spring Type	Coil springs	2-Stage multi-leaf
Spring Capacity (lbs)	* - TBD -	5,360.00
Axle		
Axle Type	Independent	Semi-Floating
Axle Capacity (lbs)	4,100.00	* - TBD -
Shock Absorber Diameter (mm)	- TBD -	- TBD -
Stabilizer Bar Diameter (in)	1.38	
BRAKES		
Brake Type	Pwr	
Brake ABS System	4-Wheel	
	Front	**Rear**
Disc	Yes	Yes
Rotor Diam x Thickness (in)	12.8 x 1.5	13 x 1.14

TIRES	**Front**	**Rear**	**Spare**
Tire Order Code	XHF	YHF	ZHF
Tire Size	LT225/75R16	LT225/75R16	LT225/75R16
Capacity (lbs)	2,060.00	2,680.00	- TBD -
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -

WHEELS	**Front**	**Rear**	**Spare**
Wheel Size (in)	16 x - TBD -	16 x - TBD -	16 x - TBD -
Wheel Type	Steel	Steel	Steel

STEERING	
Steering Type	Pwr

STEERING		
Ratio (:1)		
Steering Ratio (:1), On Center	- TBD -	
Steering Ratio (:1), At Lock	- TBD -	
Turning Diameter (ft)		
Turning Diameter - Curb to Curb (ft)	- TBD -	
Turning Diameter - Wall to Wall (ft)	- TBD -	
FUEL TANK	**Main**	**Auxiliary**
Fuel Tank Capacity, Approx (gal)	31.00	* 9.30
Fuel Tank Location	Mid Inboard Rail	

ALTERNATIVE FUEL VEHICLES (AFV), PASSENGER VAN, DED/BI-FUEL CNG - T2095
SECTION 2 (PRICE LINE 2) CONTRACT PRICE: $22,767.00
CONTRACT: A53311 CONTRACTOR: HERTRICH FLEET SERVICES