

State of New Jersey

PHILIP D. MURPHY

Governor

SHEILA Y. OLIVER

Lt. Governor

DEPARTMENT OF ENVIRONMENTAL PROTECTION

CATHERINE R. McCABE

Commissioner

Compliance and Enforcement 401 East State Street, 4th Floor Mail Code: 401-04B, PO Box 420 Trenton, New Jersey 08625-0420

Telephone: (609) 777-0122 Fax: (609) 292-9938

May 12, 2020

To Agriculture and Agribusiness Representatives:

The New Jersey Department of Environmental Protection (DEP) is issuing this notice concerning open burning due to colder spring overnight temperatures presently forecasted for areas of New Jersey from <u>Tuesday</u>, <u>May 12 through Friday</u>, <u>May 15</u>, <u>2020</u>, which could adversely affect fruit, vegetable, and floriculture crops in bloom or near bloom around the state. The DEP intends to exercise its authority and discretion under the Air Pollution Control Code, N.J.A.C. 7:27, et seq., and other applicable authorities to permit the following procedure for open burning or the use of smudge pots to assist farmers to protect their crops in low temperatures.

Procedures for Open Burning and the Use of Smudge Pots Pertaining to New Jersey Fruit, Vegetables and Floriculture

- Facilities that believe they will conduct open burning or use smudge pots <u>must provide notice</u> to the DEP 24-hour Communications Center at 1-877- WARN DEP (1-877-927-6337) prior to the use of either technique.
- Facilities should notify DEP if they believe they may need to use either technique.
- Where DEP cannot be notified in advance, a facility must notify DEP the following morning no later than 9:00 a.m.
- The following information must to be provided to DEP upon each notification:
 - 1. Name of the individual deciding to conduct the open burning or use of smudge pots
 - 2. Name of the farm or facility
 - 3. Actual street address of the facility on which either technique will be used
 - 4. Contact person and telephone number at the facility
 - 5. Predicted temperature (in F) at facility anticipated when the technique will be used
 - 6. Predicted wind speed at facility anticipated when the technique will be used
 - 7. Predicted hours of open burning or use of smudge pots
 - 8. Predicted material to be used for open burning or use of smudge pots
- Upon completion of the open burning or the use of smudge pots, the facility must provide the following information within 2 business days to the DEP 24-hour Communication Center at 1-877-WARN DEP (1-877-927-6337):

- 1. The DEP Communications Center incident number
- 2. Ambient orchard(s) temperature (in F) at the time the technique was used
- 3. Actual wind speed at the orchard(s) location at the time the technique was used
- 4. A statement that all restrictions in the open burning or use of smudge pots were followed. The restrictions are noted below.

RESTRICTIONS

• NO OPEN BURNING WILL BE PERMITTED UNLESS:

- 1. The temperature within the orchard area is at or below the critical temperature for the bud stage. The attached report lists the critical temperatures for New Jersey crops.
 - -AND-

2. The wind velocity is less than 5 miles per hour.

- Authorized open burning material may consist only of either the following materials: clean scrap lumber (untreated), felled trees, prunings, hedgerows or firewood.
- <u>ABSOLUTELY NO</u> refuse, trade waste, tires, garbage, or other solid waste may be added to the authorized open burning material. **Introduction of any unauthorized material into an authorized open burn is a violation of environmental laws and may carry significant penalties.**
- **Smudge pots are only permitted when** the temperature within the orchard area is at or below the critical temperature for the bud stage (wind velocity restriction does not apply).
- Smudge pots must be fueled only with either kerosene or No. 2 fuel oil.
- Failure to abide by these provisions and restrictions may result in enforcement action.

If you have any question, please contact Richelle Wormley, the Director of the Division of Air Enforcement at Richelle.Wormley@dep.nj.gov.

Respectfully,

Elizabeth Dragon

Assistant Commissioner

Elizabeth Dragon

Attachment Critical Temperatures for Frost Protection

c: New Jersey Department of Agriculture



Critical Spring Temperatures for Tree Fruit Bud Development Stages

Pome Fruit									
	Silver	Green	½ inch	Tight	First	Full	First	Full	Post
Apples	tip	Tip	green	Cluster	Pink	Pink	Bloom	Bloom	Bloom
Old temp	16	16	22	27	27	28	28	29	29
10% kill	15	18	23	27	28	28	28	28	28
90% kill	2	10	15	21	24	25	25	25	25
	Bud	Bud		Tight	First	Full	First	Full	Post
Pears	Swell	Burst		cluster	White	White	Bloom	Bloom	Bloom
Old temp	18	23		24	28	29	29	29	30
10% kill	15	20		24	25	26	27	28	28
90% kill	0	6		15	19	22	23	24	24
Stone Fruit									
	Bud	Bud	Red	First	First	Full		In the	Green
Apricots	Swell	Burst	Tip	White	Bloom	Bloom		Shuck	Fruit
Old temp		23		25			28		31
10% kill	15	20	22	24	25		27	27	28
90% kill		0	9	14	19		22	24	25
	Bud	Calyx	Calyx	First	First		Full	Post	
Peaches	Swell	Green	Red	Pink	Bloom		loom	Bloom	
Old temp	23			25			27	30	
10% kill	18	21	23	25	26		27	28	
90% kill	1	5	9	15	21		24	25	
European	Bud	Side	Tip	Tight	First	F	irst	Full	Post
Plums	Swell	White	Green	Cluster	White		loom	Bloom 27	Bloom
Old temp					23		27		30
10% kill	14	17	20	24	26		27		28
90% kill	0	3	7	16	22		23	23	23
Sweet	Bud	Side	Green	Tight	Open	First	First	Full	Post
Cherries	Swell	Green	Tip	Cluster	Cluster	White	Bloom	Bloom	Bloom
Old temp	23	23	25	28	28	29	29	29	30
10% kill	17	22	25	26	27	27	28	28	28
90% kill	5	9	14	17	21	24	25	25	25
Tart	Bud	Side	Green	Tight	Open	First	First	Full	
Cherries	Swell	Green	Tip	Cluster	Cluster	White	Bloom	Bloom	
10% kill	15	24	26	26	28	28	28	28	
90% kill	0	10	22	24	24	24	24	24	

Old standard temperature represented the critical temperature in Fahrenheit (the lowest temperature that can be endured for 30 minutes without damage). In addition, the chart shows the temperature at which 10 % and 90 % of normal buds will be killed. These numbers were taken from Washington (WSU), and Michigan (MSU) Extension Bulletins. Apple - WSU EB0913, Pears - WSU EB0978, Sweet Cherries - WSU EB1128, Peaches - WSU EB0914, Apricots - WSU EB1240, Tart Cherries - MSU Research. Rpt. 220

Data Compiled by Mark Longstroth MSUE

AgBioResearch
www.agbioresearch.msu.edu

To contact an expert in your area, visit people.msue.msu.edu, or call 888-MSUE4MI (888-678-3364).