Pennsylvania New Jersey Delaware Maryland

Implementation Guideline

Electronic Data Interchange

TRANSACTION SET



Table of Contents

Summary o	f Changes	3
General No	tes	5
New Jersey	Notes	6
Delaware N	lotes	6
Maryland N	lotes	6
Pennsylvan	ia Notes	6
How to Use	the Implementation Guideline	7
	ıre	
Data Dictio	nary for 248 Write Off	9
Segment:	ST Transaction Set Header	11
Segment:	BHT Beginning of Hierarchical Transaction.	12
Segment:	NM1 Individual or Organizational Name (8S=LDC Name)	13
Segment:	NM1 Individual or Organizational Name (SJ=ESP Name)	14
Segment:	HL Hierarchical Level	
Segment:	NM1 Individual or Organizational Name (D4=Cutomer Name)	16
Segment:	REF Reference Identification (11=ESP Account Number)	17
Segment:	REF Reference Identification (12=LDC Account Number)	18
Segment:	REF Reference Identification (45=LDC Old Account Number)	
Segment:	REF Reference Identification (X0=Write off Account Number)	20
Segment:	PER Administrative Communications Contact	
Segment:	BAL Balance Detail	22
Segment:	DTP Date or Time or Period (630=Write off date)	23
Segment:	DTP Date or Time or Period (584=Reinstatement Date)	24
Segment:	SE Transaction Set Trailer	25
Examples: .		26
Examp	le: Account Balance that is written off by the billing party.	26
Examp	le: Account Balance that is reinstated by the billing party.	26
Examp	le: Account balance that was overpaid by the customer, and for which the non-billing party needs to	
reimbu	rse the customer	26

Summary of Changes

April 5, 1999 Version 1.0	Initial release.
May 25, 1999 Version 1.1	 Made changes for consistency with the 814 4010 changes: BHT04: Clarified transaction creation date Added PER02 (Customer Name) as an optional field. Added Old Account Number Added NJ Information Added Notes Page
May 26, 1999 Version 1.2	 Corrected references to BHT02 (they had read BHT01) Corrected usage rules for old LDC account number Changed requirement for ESP account number to 2/1/2000
May 27, 1999 Version 2.0 June 8, 1999	Issued as FINAL for Version 4010 for Pennsylvania Added clarification for New Jersey on Conectiv's intention to utilize the 248 transaction.
Version 2.1	Added clarification for New Jersey on Concerty's intention to durize the 246 transaction.
June 29, 1999 Version 2.2	 Changed "EGS" to "ESP" and "EDC" to "LDC" throughout the guideline. Removed "NJ Definitions" and replaced it with "LDC Definitions" and "ESP Definitions" in the Notes section.
October 1, 1999	• Added "How to use the implementation guideline" page. In addition, changed all headers to the true X12 definition. Also corrected the Table on Page 4 to reflect X12 definitions and added the words "X12 Structure" to the title on that page. Change Control #004:
DRAFT Version 2.2b	 Added to Notes section: "One customer account per 248"
November 4, 1999	 Additional changes: Added Conectiv Delaware information Moved NJ Notes to its own page Changed "Supplier" to "ESP" in examples This is a FINAL version for Pennsylvania and New Jersey
Version 2.3	This is a Firval version for Felmsylvania and ivew sersey
December 1999 Version 2.3MD1	 Add Maryland use to document – the changes were added to the version 2.3 of the regional standards Added Table of Contents Added Data Dictionary
January 17, 2000 Version 2.3MD2	Clarified REF*45 is only used when LDC sending transaction.
April 7, 2000 Version 2.3MD3	Corrected table of contents Clarified use of old account number for MD Corrected data dictionary to show customer name in MD as 60 characters
June 26, 2000 Version 2.3MD4	This transaction is considered FINAL for MD Added Write Off Account (REF*X0) to TOC Added "balance" to Reinstatement Date description in Data Dictionary
September 10, 2000 Version 2.4	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware (Conectiv only).
October 19, 2001 Version 2.4rev01	Incorporate Delaware Electric Coop (DEC) information for Delaware
January 9, 2002 Version 3.0	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
January 24, 2010 Version 3.0	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware (no changes from January 9, 2002 release).

Version 6.3

September 4, 2010 Version 3.0.1D February 28, 2011 Version 4.0 February 16, 2012

Version 4.0

Version 6

Version 6.1

March 8, 2013

March 17, 2014

• Incorporate PA Change Control 060 (PA Admin/Cleanup Change Control)

This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.

This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware. No changes since prior version.

- Moving to v6.0 to align versions across all transaction sets
- Cleaned up references to Allegheny and APS throughout document
- Incorporate MD EDI Change Control 027 (PHI new CIS; changes to 248)
- Incorporate NJ EDI Change Control Electric 031 (RECO removal from IG)

March 25, 2022 Version 6.2

- Incorporate PA EDI Change Control 163 (Add PA Notes)
- Incorporate MD EDI Change Control 066 (Update MD Notes)
- Incorporate NJ EDI Change Control Electric 054 (Update NJ Notes)

April 29, 2023 Version 6.3

	General Notes
Use: One Account per 248	 This transaction will be used by the billing party to notify the non-billing party that the billing party will no longer pursue collections on behalf of the non-billing party. It will also be used to cancel this notification, in essence reinstating the customer balance. This transaction only applies when NOT making the other party whole. One customer account per 248.
LDC Definitions:	 The term LDC (Local Distribution Company) in this document refers to the utility. Each state may refer to the utility by a different acronym: EDC – Electric Distribution Company (Pennsylvania, Delaware) LDC – Local Distribution Company (New Jersey)
ESP Definitions:	 EC – Electric Company (Maryland) The term ESP (Energy Service Provider) in this document refers to the supplier. Each state may refer to the supplier by a different acronym: EGS – Electric Generation Supplier (Pennsylvania) TPS – Third Party Supplier (New Jersey) ES – Electric Supplier (Delaware) ES – Electricity Supplier (Maryland)

New Jersey Notes

This transaction is Not Used in New Jersey

Delaware Notes

This transaction does not apply in Delaware, PHI does not send.

Maryland Notes

This transaction does not apply in Maryland, no utility sends.

Pennsylvania Notes

This transaction will apply as follows...

- Citizens Electric does not send
- Duquesne Light sends
- FirstEnergy sends
- PECO does not send
- PPL does not send
- UGI sends
- Wellsboro Electric does not send

April 29, 2023

How to Use the Implementation Guideline

Segment:	REF Reference Identification	$\overline{}$		
Position:	030	This section is		
Loop:	LIN	used to show the		
Level:	1			
Usage:	Optional	X12 Rules for this segment.		
Max Use:	>1	You must look		
Purpose:	To specify identifying information	further into the		
Syntax Notes:	1 At least one of REF02 or REF03 is require	ed. grayboxes below		
-	2 If either C04003 or C04004 is present, then			
	3 If either C04005 or C04006 is present, the			
Semantic Notes:	1 REF04 contains data relating to the value of	cited in REF02.		
Comments:				
Notes:	Recommended by UIG	The "Notes:" section generally		
PA Use:	Must be identical to account number as it	contains notes by the Utility Industry		
	appears on the customer's bill, excluding	Group (UIG).		
	punctuation (spaces, dashes, etc.). Significant			
	leading and trailing zeros must be included.	This section is used to show the		
	Request: Required	individual State's Rules for		
	Accept Response: Required	implementation of this segment.		
	Reject Response: Required			
NJ Use:	Same as PA			
Example:	REF*12*2931839200			
L		One or more examples.		
	Data Element Summary			
Ref.	Data			
Des.	Element Name	X12 Attributes		
Must Use REF01	128 Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3		
	12 Billing Account	t		
		account number for end use customer.		
Must Use REF02	127 Reference Identificati			
Musi Use KEF02	/ /	Ilar Transaction Set or as specified by the ference		
	Identification Qualifier			
		This column shows the V12 study to find a		
This column shows the use of each data		This column shows the X12 attributes for each		
element. If state rule	which often do not relate to the	data element. Please refer to Data Dictionary for individual state rules.		
differ, this will show	mormation we are u ying to send.	for marvidual state fules.		
"Conditional" and the	Unfortunately, X12 cannot keep	M = Mandatory, O= Optional, X = Conditional		
conditions will be	up with our code needs so we	in manuality, o optional, re- conditional		
explained in the	often change the meanings of	AN – Alphanumeric, N# – Decimal value		

AN = Alphanumeric, N# = Decimal value, ID = Identification, R = Real

1/30 = Minimum 1, Maximum 30

explained in the

appropriate grayboxes.

existing codes. See graybox for

the UIG or state definitions.

248 Account Assignment/Inquiry and Service/Status X12 Structure

Functional Group ID=SU

Heading:

Must Use	Pos. <u>No.</u> 010	Seg. <u>ID</u> ST	<u>Name</u> Transaction Set Header	Req. <u>Des.</u> M	<u>Max.Use</u> 1	Loop <u>Repeat</u>	Notes and <u>Comments</u>
Must Use	020	BHT	Beginning of Hierarchical Transaction	М	1		
			LOOP ID - NM1			2	
Must Use	030	NM1	Individual or Organizational Name	М	1		n1

Detail:

	Pos. <u>No.</u>	Seg. <u>ID</u>	Name	Req. <u>Des.</u>	Max.Use	Loop <u>Repeat</u>	Notes and <u>Comments</u>
			LOOP ID - HL			>1	
Must Use	010	HL	Hierarchical Level	М	1		n2
Must Use	020	NM1	Individual or Organizational Name	М	1		n3
	060	REF	Reference Identification	0	>1		
	070	PER	Administrative Communications Contact	0	>1		
	110	BAL	Balance Detail	0	1		
			LOOP ID - DTP		<u>.</u>	>1	
	120	DTP	Date or Time or Period	0	1		
Must Use	180	SE	Transaction Set Trailer	М	1		

Transaction Set Notes

- 1. The NM1 loop will contain only information pertaining to the Credit Grantor and the Agency.
- 2. The HL loop will contain parent-child (subordinate) data relationships pertaining to the debtor and/or any association to the debtor.
- **3.** The NM1 segment will contain only information pertaining to the debtor and/or any subordinate association to the debtor.

Appl Field	Field Name	Description	EDI Segment	Loop/ Related EDI Qualifier	Data Type
1	Hierarchical Structure Code	This will always be code "0057".	BHT01 = 0057		X(4)
2	Purpose Code	"01" = Cancellation: Used to reinstate a balance if the billing party resumes collection activities for the customer "22" = Information Copy: Used to notify the non-billing party that the billing party will no longer pursue collections for the customer		BHT01 = 0057	X(2)
3	Transaction Reference Number	Unique Number identifying this transaction assigned by the sender of the transaction. This number should be unique over all time.	BHT03		X(30)
4	System Date	Date this transaction was generated from sender's application system. Format: CCYYMMDD	BHT04		9(8)
5	LDC Name	LDC's Name	NM103	NM1: NM101 = 8S NM102 = 3	X(35)
6	LDC Duns	LDC's DUNS Number or DUNS+4 Number	NM109	NM1: NM108 = 1 or 9	X(13)
7	ESP Name	ESP's Name	NM103	NM1: NM101 = SJ NM102 = 3	X(35)
8	ESP Duns	ESP's DUNS Number or DUNS+4 Number	NM109	NM108 = 1 or 9	X(13)
9	Hierarchical ID Number	Since we have decided that there will only be one 248 transaction per account, the Hierarchical Level identification should always be "1".	HL01 = 1		X(1)
10	Hierarchical Level Code	This will always be code 24 to represent the debtor customer.	HL03 = 24	HL01 = 1	X(2)
11	Debtor Customer	Customer Name as it appears on the Customer Bill	NM103	HL: NM101 = D4 NM102 = 3	X(35) Note: X(60) for MD
12	ESP Account Number	ESP Customer Account Number	REF02	HL: REF01 = 11	X(30)
13	LDC Account Number	LDC Customer Account Number	REF02	HL: REF01 = 12	X(30)
14	Old LDC Account Number	Previous LDC Customer Account Number	REF02	HL: REF01 = 45	X(30)

April 29, 2023

Version	6.3

15	Write-off Account Number	Account number assigned when an account is written off	REF02	HL: REF01 = X0	X(30)
16	Customer Telephone Number #1	Last Known Telephone Number for the customer	PER04	HL: PER01 = IC PER03 = TE	X(20)
17	Customer Telephone Number #2	Last Known Telephone Number for the customer	PER06	HL: PER01 = IC PER05 = TE	X(20)
18	Balance Written Off or Reinstated	Dollar amount that the billing party will no longer pursue collection activity for on behalf of the non-billing party. A negative amount signifies that the non-billing party has been overpaid and that they are responsible for reimbursing the customer.	BAL03	HL: BAL01 = CD BAL02 = BD	-9(9).99
19	Write-off Date	Date the amount was written off	DTP03	DTP01 = 630 DTP02 = D8	9(8)
20	Reinstatement Date	Used only with a cancellation to state the date that the account balance was reinstated.	DTP03	DTP01 = 584 DTP02 = D8	9(8)

Segment:	ST Transaction Set Header
Position:	010
Loop:	
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the start of a transaction set and to assign a control number
Syntax Notes:	
Semantic Notes:	1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:	
PA Use:	Required
NJ Use:	Not Used
DE Use:	Not Used
MD Use:	Not Used
Example:	ST*248*00000001

			Data Element Summary		
	Ref.	Data			
	Des.	<u>Element</u>	<u>Name</u>	Att	<u>ributes</u>
Must Use	ST01	143	Transaction Set Identifier Code	Μ	ID 3/3
			Code uniquely identifying a Transaction Set		
			248 Account Assignment/Inquiry and S	service/S	tatus
Must Use	ST02	329	Transaction Set Control Number	Μ	AN 4/9
			Identifying control number that must be unique within the transaction by the originator for a transaction set	set functior	al group assigned

Segment: Position: Loop:	BHT Beginning of Hierarchical Transaction 020				
Level:	Heading				
Usage:	Mandatory				
Max Use:	1				
Purpose:	To define the business hierarchical structure of the transaction set and identify the business application purpose and reference data, i.e., number, date, and time				
Syntax Notes:					
Semantic Notes:	 BHT03 is the number assigned by the originator to identify the transaction within the originator's business application system. BHT04 is the date the transaction was created within the business application system. BHT05 is the time the transaction was created within the business application system. 				
Comments:	-				
PA Use:	Required				
NJ Use:	Not Used				
DE Use:	Not Used				
MD Use:	Not Used				
Example:	BHT*0057*22*1234567890*19990226				

			Data Elem	chi Summary		
	Ref.	Data				
	Des.	<u>Element</u>	Name		Att	<u>ributes</u>
Must Use	BHT01	1005	Hierarchical Struc	ture Code	Μ	ID 4/4
				archical application structure of a transaction set th ucture of the transaction set Supergroup, subgroup, member	ıat utili	zes the HL
			0007	Debtor Customer		
Must Use	BHT02	353	Transaction Set Pu Code identifying purpose 01		Μ	ID 2/2
				Used to reinstate a balance if the billin resume collection activities for the cus		•
			22	Information Copy		
				Used to notify the non-billing party the will no longer pursue collections for the		• • •
Must Use	ВНТ03	127	Reference Identific Reference information as Identification Qualifier	cation s defined for a particular Transaction Set or as spe	O cified b	AN 1/30 by the Reference
			-	ntifying this transaction assigned by the imber should be unique over all time.	sende	er of the
Must Use	BHT04	373	Date (CCYYMMDD)		0	DT 8/8
			The transaction creat application system.	tion date – the date that the data was pro-	ocesse	ed by the

Segment:	NM1 Individual or Organizational Name (8S=LDC Name)		
Position:	030		
Loop:	NM1		
Level:	Heading		
Usage:	Mandatory		
Max Use:	1		
Purpose:	To supply the full name of an individual or organizational entity		
Syntax Notes:	1 If either NM108 or NM109 is present, then the other is required.		
	2 If NM111 is present, then NM110 is required.		
Semantic Notes:	1 NM102 qualifies NM103.		
Comments:	1 NM110 and NM111 further define the type of entity in NM101.		
PA Use:	Required		
NJ Use:	Not Used		
DE Use:	Not Used		
MD Use:	Not Used		
Example:	NM1*8S*3*LDC COMPANY****1*007909411		

Data Element S	ummary
----------------	--------

			Data Element Summary		
	Ref. <u>Des.</u>	Data <u>Element</u>	Name		ributes
Must Use	NM101	98	Entity Identifier Code	Μ	ID 2/3
			Code identifying an organizational entity, a physical location, property8SConsumer Service Provider	or an indi	vidual
			LDC		
Must Use	NM102	1065	Entity Type Qualifier Code qualifying the type of entity 3 Unknown	М	ID 1/1
Must Use	NM103	1035	Name Last or Organization Name Individual last name or organizational name LDC Company Name	0	AN 1/35
Must Use	NM108	66	Identification Code Qualifier Code designating the system/method of code structure used for Identifi 1 D-U-N-S Number, Dun & Bradstree		ID 1/2 de (67)
			9 D-U-N-S+4, D-U-N-S Number with Suffix	1 Four C	Character
Must Use	NM109	67	Identification Code Code identifying a party or other code	Х	AN 2/80
			LDC D-U-N-S Number or D-U-N-S + 4 Number		

Segment:	$\mathbf{NM1}$ Individual or Organizational Name (SJ=ESP Name)		
Position:	030		
Loop:	NM1		
Level:	Heading		
Usage:	Mandatory		
Max Use:	1		
Purpose:	To supply the full name of an individual or organizational entity		
Syntax Notes:	1 If either NM108 or NM109 is present, then the other is required.		
	2 If NM111 is present, then NM110 is required.		
Semantic Notes:	1 NM102 qualifies NM103.		
Comments:	1 NM110 and NM111 further define the type of entity in NM101.		
PA Use:	Required		
NJ Use:	Not Used		
DE Use:	Not Used		
MD Use:	Not Used		
Example:	NM1*SJ*3*ESP COMPANY****9*007909422ESP1		

			Data Element Summary		
	Ref. <u>Des.</u>	Data <u>Element</u>	Name	Att	ributes
Must Use	NM101	98	Entity Identifier Code	Μ	ID 2/3
			Code identifying an organizational entity, a physical location, property	or an indi-	vidual
			SJ Service Provider		
			ESP		
Must Use	NM102	1065	Entity Type Qualifier	Μ	ID 1/1
			Code qualifying the type of entity		
			3 Unknown		
Must Use	NM103	1035	Name Last or Organization Name Individual last name or organizational name	0	AN 1/35
			ESP Company Name		
Must Use	NM108	66	Identification Code Qualifier Code designating the system/method of code structure used for Identifi 1 D-U-N-S Number, Dun & Bradstree		ID 1/2 de (67)
			9 D-U-N-S+4, D-U-N-S Number wit Suffix	h Four C	haracter
Must Use	NM109	67	Identification Code Code identifying a party or other code	X	AN 2/80
			ESP D-U-N-S Number or D-U-N-S + 4 Number		

Segment:	HL Hierarchical Level				
Position:	010				
Loop:	HL				
Level:	Detail				
Usage:	Mandatory				
Max Use:	1				
Purpose:	To identify dependencies among and the content of hierarchically related groups of data segments				
Syntax Notes: Semantic Notes:					
Comments:	 The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data. The HL segment defines a top-down/left-right ordered structure. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment. 				
PA Use:	Required				
NJ Use:	Not Used				
DE Use:	Not Used				
MD Use:	Not Used				
Example:	HL*1**24				

	Ref.	Data			
	Des.	<u>Element</u>	Name	Att	<u>ributes</u>
Must Use	HL01	628	Hierarchical ID Number	Μ	AN 1/12
			A unique number assigned by the sender to identify a particular data seg structure	ment in a	hierarchical
			Since we have decided that there will only be one 248 trans	nsactior	n per account,
			the Hierarchical Level identification should always be "1"	' .	
Must Use	HL03	735	Hierarchical Level CodeCode defining the characteristic of a level in a hierarchical structure24Supergroup	М	ID 1/2
			Debtor Customer		

Segment:	$\mathbf{NM1}$ Individual or Organizational Name (D4=Cutomer Name)
Position:	020
Loop:	HL
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To supply the full name of an individual or organizational entity
Syntax Notes:	1 If either NM108 or NM109 is present, then the other is required.
	2 If NM111 is present, then NM110 is required.
Semantic Notes:	1 NM102 qualifies NM103.
Comments:	1 NM110 and NM111 further define the type of entity in NM101.
PA Use:	Required
NJ Use:	Not Used
DE Use:	Not Used
MD Use:	Not Used
Example:	NM1*D4*3*JOHN DOE

Data Element	Summary
---------------------	---------

			Data Liei	nent Summary		
	Ref.	Data				
	Des.	<u>Element</u>	<u>Name</u>		Att	<u>ributes</u>
Must Use	NM101	98	Entity Identifier	Code	Μ	ID 2/3
			Code identifying a individual	n organizational entity, a physical locatio	n, pro	operty or an
			D4	Debtor Customer		
Must Use	NM102	1065	Entity Type Qual	lifier	Μ	ID 1/1
			Code qualifying the	ne type of entity		
			3	Unknown		
				The entity name is not segmented and transmitted in NM103 only.	will t	be
Must Use	NM103	1035	Name Last or Or	ganization Name	0	AN 1/35
			Individual last nan	ne or organizational name		
			Customer Name as	s it appears on the Customer's bill		

Segment:	REF Reference Identification (11=ESP Account Number)							
Position:	060							
Loop:	HL							
Level:	Detail							
Usage:	Optional							
Max Use:	>1							
Purpose:	To specify identifying information							
Syntax Notes:	1 At least one of REF02 or REF03 is required.							
	2 If either C04003 or C04004 is present, then the other is required.							
	3 If either C04005 or C04006 is present, then the other is required.							
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.							
Comments:								
PA Use:	Required if it was previously provided to the LDC							
NJ Use:	Not Used							
DE Use:	Not Used							
MD Use:	Not Used							
Example:	REF*11*1394959							

			Data Elem	ent Summary		
	Ref.	Data				
	Des.	<u>Element</u>	<u>Name</u>		Att	<u>ributes</u>
Must Use	REF01	128	Reference Identific	cation Qualifier	Μ	ID 2/3
			Code qualifying the	Reference Identification		
			11	Account Number		
				ESP-assigned account number for end	use [debtor]
				customer.		
Must Use	REF02	127	Reference Identific	cation	Х	AN 1/30
				on as defined for a particular Transaction Ference Identification Qualifier	on Set	or as

Segment:	REF Reference Identification (12=LDC Account Number)						
Position:	060						
Loop:	HL						
Level:	Detail						
Usage:	Optional						
Max Use:	>1						
Purpose:	To specify identifying information						
Syntax Notes:	1 At least one of REF02 or REF03 is required.						
	2 If either C04003 or C04004 is present, then the other is required.						
	3 If either C04005 or C04006 is present, then the other is required.						
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.						
Comments:							
PA Use:	Required						
NJ Use:	Not Used						
DE Use:	Not Used						
MD Use:	Not Used						
Example:	REF*12*1234567890						

			Data Elem	ent Summary	
Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identifi Code qualifying the	cation Qualifier e Reference Identification	<u>Attributes</u> M ID 2/3
			12	Billing Account	
				LDC-assigned account number for en customer. Note: Must be identical to account nu on the Customer's Bill, excluding pun dashes, etc.) Significant leading and t be included.	mber as it appears ctuation (spaces,
Must Use	REF02	127		cation ion as defined for a particular Transaction ference Identification Qualifier	X AN 1/30 on Set or as

Segment:	REF Reference Identification (45=LDC Old Account Number)				
Position:	060				
Loop:	HL				
Level:	Detail				
Usage:	Optional				
Max Use:	>1				
Purpose:	To specify identifying information				
Syntax Notes:	1 At least one of REF02 or REF03 is required.				
	2 If either C04003 or C04004 is present, then the other is required.				
	3 If either C04005 or C04006 is present, then the other is required.				
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.				
Comments:					
PA Use:	Required if the account number has changed within the last 60 days				
	Note: Only used when LDC is sending this transaction.				
NJ Use:	Not Used				
DE Use:	Not Used				
MD Use:	Not Used				
Example:	REF*45*1235367812				

			Data Elen	nent Summary		
	Ref.	Data				
	Des.	<u>Element</u>	Name		Att	<u>ributes</u>
Must Use	REF01	128	Reference Identifi	cation Qualifier	Μ	ID 2/3
			Code qualifying the	e Reference Identification		
			45	Old Account Number		
				Previous LDC-assigned account numb	er for	end use
				[debtor] customer.		
Must Use	REF02	127	Reference Identifi	cation	Х	AN 1/30
				tion as defined for a particular Transaction ference Identification Qualifier	on Set	or as

Segment:	${f REF}$ Reference Identification (X0=Write off Account Number)					
Position:	060					
Loop:	HL					
Level:	Detail					
Usage:	Optional					
Max Use:	>1					
Purpose:	To specify identifying information					
Syntax Notes:	1 At least one of REF02 or REF03 is required.					
	2 If either C04003 or C04004 is present, then the other is required.					
	3 If either C04005 or C04006 is present, then the other is required.					
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.					
Comments:						
PA Use:	Optional					
NJ Use: Not Used						
DE Use:	Not Used					
MD Use:	Not Used					
Example:	REF*X0*155647897					

			Data Eleme	ent Summary		
	Ref.	Data Element	Nomo		A ++.	
Must Use	<u>Des.</u> REF01	Element 128	<u>Name</u> Reference Identific	ation Qualifier	<u>Au</u> M	<u>ributes</u> ID 2/3
112050 050				Reference Identification		
			X0	Debtor's Account		
				Write-off account number		
Must Use	REF02	127	Reference Identific	ation	Х	AN 1/30
				on as defined for a particular Transactic erence Identification Qualifier	on Set	or as

Segment:	PER Administrative Communications Contact
Position:	070
Loop:	HL
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To identify a person or office to whom administrative communications should be directed
Syntax Notes:	1 If either PER03 or PER04 is present, then the other is required.
	2 If either PER05 or PER06 is present, then the other is required.
	3 If either PER07 or PER08 is present, then the other is required.
Semantic Notes:	
Comments:	

\sim	unun		-	
	C	. m	m	 nto

Required if available
Not Used
Not Used
Not Used
PER*IC**TE*7175551111*TE*7175551112

	Ref.	Data	·		
	Des.	<u>Element</u>	<u>Name</u>	Att	<u>ributes</u>
Must Use	PER01	366	Contact Function Code	Μ	ID 2/2
			Code identifying the major duty or responsibility of the person or group na IC Information Contact	amed	
Optional	PER02	93	Name Free-form name	0	AN 1/60
Must Use	PER03	365	Communication Number QualifierCode identifying the type of communication numberTETelephone	X	ID 2/2
Must Use	PER04	364	Communication Number Complete communications number including country or area code when a Last Known Customer Telephone Number #1	X pplicab	AN 1/80 le
Optional	PER05	365	Communication Number QualifierCode identifying the type of communication numberTETelephone	X	ID 2/2
Optional	PER06	364	Communication Number Complete communications number including country or area code when a Last Known Customer Telephone Number #2	X pplicat	AN 1/80 le
			T. T		

	DAT
Segment:	BAL Balance Detail
Position:	110
Loop:	HL
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To identify the specific monetary balances associated with a particular account
Syntax Notes:	
Semantic Notes:	
Comments:	
PA Use:	Required
NJ Use:	Not Used
DE Use:	Not Used
MD Use:	Not Used
Examples:	BAL*CD*BD*325.67
	BAL*CD*BD*-250.00

			Data Elem	ent Summary		
	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Must Use	BAL01	951	Balance Type Code	e	Μ	ID 1/2
			Code indicating the type	of balance		
			CD	Cycle to Date		
				Denotes balance data associated with	define	ed periods
Must Use	BAL02	522	Amount Qualifier Code to qualify amount	Code	Μ	ID 1/2
			BD	Balance Due		
Must Use	BAL03	782	Monetary Amount Monetary amount		Μ	R 1/18
			On an initial 248, th collections for.	is is the amount that the billing party w	ill no	longer pursue
			On a cancellation 24 not reverse the signs	48, this is the same amount provided on s).	the or	riginal 248 (do

A negative amount indicates that the non-billing party has been overpaid and is responsible for reimbursing the customer.

Segment:	DTP Date or Time or Period (630=Write off date)				
Position: 120					
Loop:	DTP				
Level:	Detail				
Usage:	Optional				
Max Use:	1				
Purpose:	To specify any or all of a date, a time, or a time period				
Syntax Notes:					
Semantic Notes:	1 DTP02 is the date or time or period format that will appear in DTP03.				
Comments:					
PA Use:	Required for an original 248 (BHT02 = 22).				
	Not used for cancellation 248 (BHT02 = 01).				
NJ Use:	Not Used				
DE Use:	Not Used				
MD Use:	Not Used				
Example:	DTP*630*D8*19990226				

Data Element Summary						
Must Use	Ref. <u>Des.</u> DTP01	Data <u>Element</u> 374	<u>Name</u> Date/Time Qualifie	۲ ۰	<u>Attı</u> M	<u>ributes</u> ID 3/3
Must Osc	DIIVI	574	-	late or time, or both date and time Account Closed	171	ID 5/5
				Date the account was written off.		
Must Use	DTP02	1250	Date Time Period I Code indicating the date D8	Format Qualifier format, time format, or date and time format Date Expressed in Format CCYYMMI	M DD	ID 2/3
Must Use	DTP03	1251	Date Time Period Expression of a date, a time	ne, or range of dates, times or dates and times	Μ	AN 1/35

248 Write-off (4010)

Segment:	DTP Date or Time or Period (584=Reinstatement Date)			
Position:				
Loop:	DTP			
Level:	Detail			
Usage:	Optional			
Max Use:	1			
Purpose:	To specify any or all of a date, a time, or a time period			
Syntax Notes:				
Semantic Notes:	1 DTP02 is the date or time or period format that will appear in DTP03.			
Comments:				
PA Use:	Not used for an original 248 (BHT02 = 22).			
	Required for cancellation 248 (BHT02 = 01).			
NJ Use:	Not Used			
DE Use:	Not Used			
MD Use:	Not Used			
Example:	DTP*584*D8*19990228			

	Ref. Des.	Data <u>Element</u>	Name		Att	<u>ributes</u>
Must Use	DTP01	374	Date/Time Qualifier	•	Μ	ID 3/3
			Code specifying type of da	ate or time, or both date and time		
			584	Reinstatement		
				Date the account balance was reinstate	d on	behalf of the
				non-billing party.		
Must Use	DTP02	1250	Date Time Period F	ormat Qualifier	Μ	ID 2/3
			Code indicating the date for	ormat, time format, or date and time format		
			D8	Date Expressed in Format CCYYMMI	DD	
Must Use	DTP03	1251	Date Time Period	e, or range of dates, times or dates and times	Μ	AN 1/35
			Expression of a date, a tim	e, or range of dates, times of dates and times		

Segment:	SE Transaction Set Trailer
Position:	180
Loop:	
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the end of the transaction set and provide the count of the transmitted
	segments (including the beginning (ST) and ending (SE) segments)
Syntax Notes:	
Semantic Notes:	
Comments:	1 SE is the last segment of each transaction set.
PA Use:	Required
NJ Use:	Not Used
DE Use:	Not Used
MD Use:	Not Used
Example:	SE*28*00000001

	Ref.	Data			
	Des.	<u>Element</u>	<u>Name</u>	Att	<u>ributes</u>
Must Use	SE01	96	Number of Included Segments	Μ	N0 1/10
			Total number of segments included in a transaction set including ST and S	E segn	nents
Must Use	SE02	329	Transaction Set Control Number	Μ	AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set		hal group assigned

Examples:

Example: Account Balance that is written off by the billing party.

X12 Data	Description
BHT*0057*22*1234567890*19990226	Beginning Segment
NM1*8S*3*LDC NAME****1*007909411	LDC Name
NM1*SJ*3*ESP NAME****9*007909422ESP1	ESP Name
HL*1**24	Beginning of Detail Loop
NM1*D4*3*JOHN DOE	Customer Name
REF*11*1394959	ESP Account Number
REF*12*1234567890	LDC Account Number
PER*IC**TE*7175551111*TE*7175551112	Customer Contact Telephone
BAL*CD*BD*325.67	Indicates balance of \$325.67 is being written off
DTP*630*D8*19990226	Write off date

Example: Account Balance that is reinstated by the billing party.

X12 Data	Description
BHT*0057*01*33367890*19990228	Beginning Segment
NM1*8S*3*LDC NAME****1*007909411	LDC Name
NM1*SJ*3*ESP NAME****9*007909422ESP1	ESP Name
HL*1**24	Beginning of Detail Loop
NM1*D4*3*JOHN DOE	Customer Name
REF*11*1394959	ESP Account Number
REF*12*1234567890	LDC Account Number
PER*IC**TE*7175551111*TE*7175551112	Customer Contact Telephone
BAL*CD*BD*325.67	Indicates balance of \$325.67 is being reinstated
DTP*584*D8*19990228	Reinstatement date

Example: Account balance that was overpaid by the customer, and for which the non-billing party needs to reimburse the customer.

X12 Data	Description
BHT*0057*22*43367890*19990228	Beginning Segment
NM1*8S*3*LDC NAME****1*007909411	LDC Name
NM1*SJ*3*ESP NAME****9*007909422ESP1	ESP Name
HL*1**24	Beginning of Detail Loop
NM1*D4*3*JANE SMITH	Customer Name
REF*11*234721890837	ESP Account Number
REF*12*612324990897	LDC Account Number
PER*IC**TE*8002223456	Customer Contact Telephone
BAL*CD*BD*-250.00	Indicates customer overpaid, non-billing party owes customer \$250.00
DTP*630*D8*19990228	Write off date