Pennsylvania New Jersey Delaware Maryland

Implementation Guideline

For <u>E</u>lectronic <u>D</u>ata <u>Interchange</u>

TRANSACTION SET

867 Interval Usage Ver/Rel 004010

Table of Contents

-	f Changes	
General Not	es	7
Pennsylvani	a Notes	
New Jersey	Notes	13
Maryland N	otes	16
How to Use	the Implementation Guideline	19
X12 Structu	re	20
Data Diction	nary	
Segment:	ST Transaction Set Header	
Segment:	BPT Beginning Segment for Product Transfer and Resale	
Segment:	DTM Date/Time Reference (649=Document Due Date)	
Segment:	MEA Measurements (NP=Percent Participation)	
Segment:	N1 Name (8S=LDC Name)	
Segment:	N1 Name (SJ=ESP Name)	
Segment:	N1 Name (G7=Renewable Energy Provider Name)	
Segment:	N1 Name (8R=Customer Name)	
Segment:	REF Reference Identification (11=ESP Account Number)	
Segment:	REF Reference Identification (12=LDC Account Number)	
Segment:	REF Reference Identification (45=LDC Old Account Number)	
Segment:	REF Reference Identification (HJ=EDC Old Recount Rumber)	
Segment:	REF Reference Identification (PC=Bill Calculator)	
	PTD Product Transfer and Resale Detail (BB=Monthly Billed Summary)	
Segment:		
Segment:		
Segment:		
Segment:		
Segment:	QTY Quantity (Measured Demand)	
	PTD Product Transfer and Resale Detail (BO=Meter Services Summary)	
Segment:	DTM Date/Time Reference (150=Service Period Start)	
Segment:	DTM Date/Time Reference (151=Service Period End)	
Segment:	DTM Date/Time Reference (328=Change Interval Data Increment)	
Segment:	DTM Date/Time Reference (514=Meter Exchange Date)	
Segment:	REF Reference Identification (MG=Meter Number)	
Segment:	REF Reference Identification (JH=Meter Role)	
Segment:	REF Reference Identification (IX=Number of Dials)	
Segment:	QTY Quantity	
Segment:	MEA Measurements (MU=Meter Multiplier)	
Segment:	MEA Measurements (ZA=Power Factor)	
Segment:	MEA Measurements (CO=Transformer Loss Factor)	
	PTD Product Transfer and Resale Detail (PM=Meter Services Detail)	
Segment:	DTM Date/Time Reference (150=Service Period Start)	
Segment:		
Segment:		
Segment:		
Segment:	REF Reference Identification (MT=Meter Type)	
Segment:	QTY Quantity	
Segment:		
Segment:	PTD Product Transfer and Resale Detail (SU=Account Services Summary)	
Segment:	DTM Date/Time Reference (150=Service Period Start)	
Segment:	DTM Date/Time Reference (151=Service Period End)	
Segment:	REF Reference Identification (6W=Channel Number)	71
Segment:	QTY Quantity	72
Segment:	PTD Product Transfer and Resale Detail (BQ=Account Services Detail)	73
Segment:	DTM Date/Time Reference (150=Service Period Start)	74
Segment:	DTM Date/Time Reference (151=Service Period End)	
Segment:	DTM Date/Time Reference (328=Change Interval Data Increment)	76
867 Interval	Usage (4010) 2	IG867IUv6-5.docx

Segment	: REF Reference Identification (MT=Meter Type)	77
Segment		
Segment		
Segment		
Segment:	PTD Product Transfer and Resale Detail (BC=Unmetered Services Summary)	
Segment	: DTM Date/Time Reference (150=Service Period Start)	83
Segment	: DTM Date/Time Reference (151=Service Period End)	84
Segment		
Interval Us	age Examples	
Example	1: Interval Detail reporting at the SUMMARY Level	86
Example	2: Interval Detail reporting at the ACCOUNT Level	86
Example	3: Interval Detail reporting at the METER Level	
Example	4: Renewable Energy Provider - Interval Detail reporting	87
Example	5: Interval Detail reporting at the ACCOUNT Level - with net metering (Channel indicator)	
Example	6 - Multiple Services, Metered and Unmetered (Maryland only)	90
Example	7 - Net Metering / Customer Generation Examples (PA, NJ & MD)	91
Example	8 - Maryland - 867 Interval Usage - Multiple meter exchange in same service period	98

	Summary of Changes
December 21, 1998 Version 1.0	Initial release.
January 7, 1999 Version 3.3	 Fixed footer to read PA867IU Added additional types of quantity qualifiers to satisfy Co-generation needs – this allows reporting of the meter receiving quantity from the co-generation site. Added Clarification to use of Power factor. Clarified use of QTY/MEA segments in the Interim Account Services Summary Loop ("SU").
February 10, 1999 Version 3.4	 Corrected to include REF segment for meter type in BO, PM, BQ, IA, and IB loops. This is needed to report interval size. Add D8 as an option for DTM06 in the SU loop. This is needed for the Interim Solution when interval data is not being sent. If interval data is being sent, DTM06 must be set to DT.
August 10, 1999 Version 3.5a	 Initial changes for version 4010 Added NJ and Delaware (Delmarva) to the document
September 8, 1999 Version 3.5b	 Added Not and Delaware (Definition) to the document Added Note clarifying use of explicit date/timestamp with every interval for Pennsylvania. Added note clarifying use of BB loop (required in PA, optional in NJ/DE (Delmarva)). Formatting changes Changed all headers to the true X12 definition correcting some mistakes that were missed in the upgrade from Version 3070 to Version 4010. Also corrected the Table on Page 4 to reflect X12 definitions and added the words "X12 Structure" to the title on that page.
September 15, 1999 Version 3.5c	 Added QTY01=96 in PM, BQ, and IB loops to indicate when quantity reading is provided for a period outside of the actual billing period. This is used when a company always sends an entire day's worth of readings, but not all readings on the start date and end date are within the current bill period. Removed Timestamp and Zone from the DTM in location 020 in all loops. Only the Date is used in this location. The Date, Time, and Zone are valid for all DTM segments in position 210. Added clarification as to what document will be used by each Pennsylvania utility when the 4010 changes are implemented in November 1999.
October 1, 1999 Version 3.5d November 4, 1999	 Added REF*BLT and REF*PC for PA. Note: Due to the late date this is being added, all companies may not be able to comply with it until some later date. Note: The use of these segments will have to be discussed in NJ and DE (Delmarva) Made BB loop mandatory for New Jersey and Delaware This is a FINAL version for Pennsylvania and New Jersey
Version 3.6	· · ·
April 20, 2000 Version 3.6MD1	 Add Table of contents Add Data Dictionary Add Maryland to document Update PA use of 867 document for interval
June 26, 2000 Version 3.6MD2	 Corrections to TOC Corrected some data types in data dictionary Added clarity to some of the data dictionary fields Added clarity to PTD loops on relevance of "use" column
August 14, 2000 Version 3.6MD3	 Add New Jersey Notes section Add Note for PSE&G on BPT07 Add clarity to PTD segments in regards to the "Use" within the segments in that specific loop.

September 10, 2000 Version 3.7	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware (Delmarva only).
October 19, 2001 Version 3.7rev01	 Incorporate Delaware Electric Coop (DEC) information for Delaware Incorporate PA Change Control 030. Add clarity when canceling a transaction that only specific loops are required: for interval ACCOUNT level - BB and SU; for interval METER level – BB and BO
December 13, 2001 Version 3.7rev02	 Incorporate PA Change Control 038 – change all references of PPL to PPL EU. Incorporate PA Change Control 038 – change PPL EU's use of the 867IU Add clarification to NJ Notes section for PSE&G regarding support of detail interval data (summary level not an option). Also add PSE&G clarification on cancel / rebills for supplier other than supplier of record. Remove note indicating PSE&G does not support cross reference to the 810.
January 9, 2002 Version 4.0	• Incorporate SMECO specifics for MD (MD Change Control 003) This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
May 2004 Version 4.0.1D	• Allow combined interval / non-interval meters on one transaction for NJ
August 4, 2004 Version 4.0.2.D	Review current PA practices for sending interval data – all changes made to the Pennsylvania Notes section
January 20, 2006 Version 4.0.3D	 Incorporate NJ Change Control 005 (NJ CleanPower program changes). Add N1*G7 segment. Incorporate NJ Change Control 006 (Update txn to reflect current practices)
October 23, 2006 Version 4.0.4D	 Incorporate NJ Change Control 000 (Opdate txi) to reflect current practices) Incorporate NJ Change Control 008 to reflect NJ CleanPower – unmetered usage for RECO) Incorporate NJ Change Control 009 to reflect NJ CleanPower change for partial usage. Add clarifying notes for NJ Net Metering.
February 12, 2007 Version 4.0.5F	Considered FINAL for PA and NJ
February 22, 2009 Version 4.0.6D	 Incorporate NJ Change Control PSEG-E-IU to reflect PSEG will send REF*45 as applicable. Allow sending of REF*6W for channel for net metered accts
January 24, 2010 Version 4.1	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
September 8, 2010 Version 4.1.1D	 Incorporate PA Change Control 060 – (PA Admin/Cleanup) Incorporate MD Change Control – Admin (Admin/Cleanup for MD)
February 28, 2011 Version 5.0	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
February 16, 2012 Version 5.01	Incorporate PA Change Control 77 (Add QTY01 Codes) Incorporate PA Change Control 82 (Add/update QTY01 Codes) Incorporate MD Change Control 010 (PEPCO AMI/Smart Meter Support)
March 8, 2013 Version 6.0	 Moving to v6.0 to align versions across all transaction sets Cleaned up references to Allegheny and APS throughout document Incorporated PA Change Control 103 (uniform net meter consumption reporting) Incorporated MD Change Control 016 (add BC loop for MD use) Removed IA/IB loops, region confirmed not used.
March 17, 2014 Version 6.1	 Incorporated PA Change Control 105 Update2 (clarify net meter bank rollover) Incorporated PA Change Control 109 (clarify use of BQ loop) Incorporated PA Change Control 111 (clarify PECO use of BPT04) Incorporated MD Change Control 018 (clarify multiple meter exchanges) Incorporated MD Change Control 024 (PEPCO new CIS) Incorporate MD Change Control 028 (BGE support for 867IU) Incorporate MD Change Control 029 (uniform net meter data reporting) Incorporate NJ Change Control 031 (RECO removal from IG) Incorporate NJ Change Control 032 (PSE&G admin updates)

February 18, 2015 Version 6.2	 Incorporate NJ Change Control Electric 033 (remove BR and PL loops) Incorporate MD Change Control 036 (clarify net meter customer excess generation) 	
February 5, 2016 Version 6.3	 Incorporate PA Change Control 125 (Duquesne meter level support) Incorporate PA Change Control 127 (Clarify PA Notes for net meter bank rollover) Incorporate MD Change Control 42 (Clarify MD Notes for net meter bank rollover) 	
March 14, 2017 Version 6.4	 Incorporate PA Change Control 131 (Add DTM328 to identify data increment change) Incorporate PA Change Control 133v3 (Uniform Daylight Savings Time Reporting) Incorporate NJ Change Control Electric 039 (Uniform Daylight Savings Time Reporting) Incorporate MD Change Control 046 (Uniform Daylight Savings Time Reporting) Incorporate MD Change Control 046 (Clarify Billed Demand reporting) 	
May 18, 2018 Version 6.5	 Incorporate PA Change Control 147 (Add Citizens & Wellsboro to IG) Incorporate NJ Change Control Electric 040 (PSEG Cancel/Rebill process change) 	

General Notes LDC Definitions: The term LDC (Local Distribution Company) in this document refers to the utility. Each state may refer to the utility by a different acronym: EDC - Electric Distribution Company (Pennsylvania, Delaware) • LDC – Local Distribution Company (New Jersey) EC – Electric Company (Maryland) • **ESP** Definitions: The term ESP (Energy Service Provider) in this document refers to the supplier. Each state may refer to the supplier by a different acronym: EGS – Electric Generation Supplier (Pennsylvania) TPS – Third Party Supplier (New Jersey) ES – Electric Supplier (Delaware) ES – Electricity Supplier (Maryland) The term Renewable Energy Provider in this document refers to the party that provides Renewable Energy Provider Definition: Renewable Energy Credits (RECs). This party does not provide generation to the account. Each state may refer to the Renewable Energy Provider by a different acronym: GPM – Green Power Marketer (New Jersey) Note: The transaction will either have an ESP or a Renewable Energy Provider, but not both. Cross Reference There is a cross reference between billing related documents. Number between 867, 810. and 820 867 – BPT02 – This document establishes the cross reference number. 810 – BIG05 – This document must have the cross reference number from the respective 867. 820 - REF6O (letter O) - When making the other party whole, the 820 to the nonbilling party must also include the cross reference number from 867/810 document. **PTD Definition and** The PTD Loops are required. Some are used individually, others are used in pairs. This Use: section describes the purpose of each PTD loop. Depending on the characteristics of the account, there may be a different number of loops. Monthly Billed Summary Information (PTD=BB): This loop is always required for every type of account if the LDC reads the meter. See description of BB loop for applicability in each states. Monthly Billed Summary (PTD01=BB): One PTD per Account – Data obtained from the billing system to reflect the billing data for this account. Metered Services Information – by Meter: (PTD01 = BO and PM) Metered Services Summary (PTD01=BO): Sums intervals by meter by unit of measure. For each meter provided in the detail, there must be one summary loop for a kwh or kvarh unit of measurement. Data is obtained from the metering system. The PTD01=BO provides control totals for the sum of all intervals in the PTD01=PM by unit of measure and meter. However, the PTD01=BO loop will NEVER be provided for kW or KVAR. For instance, if there are two meters on the account, one of which measures KW and kwh and the other of which measures kwh, there will be two PTD01=BO for the summary kwh information and three PTD01=PM loops. Pennsylvania Only – the PTD01=PM will be also be looped when the interval data reporting increment changes. See DTM*328 segment and examples section for additional information.

Metered Services Detail (PTD01=PM): One or more PTDs, one for each unit of
measure for each meter. Data is obtained from the metering system. Individual
intervals are provided in the PTD01=PM

Pennsylvania Only – the PTD01=PM will be also be looped when the interval data reporting increment changes. See DTM*328 segment and examples section for additional information.

PTD Definition and Use: (continued)	 <u>Account Services Information – by Account:</u> (PTD01 = SU and BQ) <u>Account Services Summary (PTD01=SU)</u>: Summing to the account level by kWh and KVARH. Data is obtained from the metering system. For every PTD01=SU, there must be a PTD01=BQ. The PTD01=SU loop will NEVER be provided for kW or KVAR. This is typically used when the account has a Data Recorder or Load Profile Recorder, or the metering system can sum information to the account level. <u>Account Services Detail (PTD01=BQ)</u>: One or more PTDs, one for each unit of measure. Data is obtained from the metering system. Individual
	intervals are provided in the PTD01=BQ loop. If the account measures KW and kwh, there will be one PTD loop for the kwh intervals and one PTD loop for the KW intervals. Pennsylvania Only – the PTD01=BQ will be also be looped when the interval data reporting increment changes. See DTM*328 segment and examples section for additional information.
	<u>Unmetered Services Information</u> (PTD01 = BC) – This loop is used to convey the usage for any unmetered portion of an account. This information must be provided at the summary level (PTD01=BC). [Maryland only] Unmetered Services Summary (PTD01=BC) : Total Consumption for all unmetered services at the account level. Even though some of the consumption may be estimated, the consumption is reported as actual for unmetered services. The summary is required for Unmetered Services. [Maryland only]
Valid Loop Combinations:	 There are several valid combinations of the use of the different PTD loops when EDC is the metering agent: <u>Combination # 1 – Interval Account Level Reporting (intervals are summed to ACCOUNT level)</u> Monthly Billed Summary (PTD01=BB) – if required by state Account Services Summary (PTD01=SU) Account Services Detail (PTD01=BQ) [not required on a cancel] <u>Combination # 2 – Interval Meter Level Reporting (intervals are provided at meter level)</u> Monthly Billed Summary (PTD01=BB) – if required by state Monthly Billed Summary (PTD01=BB) – if required by state Meter Services Summary (PTD01=BD) – if required on a cancel]

	Note: For cancel transactions, the account and summary loop information is sent; however, it is optional to include the PM and BQ loops.
Order Loops are sent	The PTD loop may be sent in any order.
Daylight Savings Time (DST) Reporting	The following formats are required to report Daylight Savings Time (DST).
	Spring Daylight Savings Time 60 Minute Interval Increment - Upon the change from Eastern Standard time (ES) to Eastern Daylight time (ED) at 0200, the interval ending 0300 is skipped and the interval ending 0400 is sent with a Time Code (DTM04) of ED. The Time Code 'ED' will be displayed for every reading until the fall DST where it will change to 'ES' denoting Eastern Standard time.
	Example of Spring DST Change with 60-minute interval increments QTY~QD~95.58~KH DTM~582~20150308~0100~ES QTY~QD~96.9~KH DTM~582~20150308~0200~ES QTY~QD~86.7~KH DTM~582~20150308~0400~ED QTY~QD~96.9~KH DTM~582~20150308~0500~ED QTY~QD~97.44~KH
	30 Minute Interval Increment - Upon the change from Eastern Standard time (ES) to Eastern Daylight time (ED) at 0200, the intervals ending 0230 & 0300 are skipped and the interval ending 0330 is sent with a Time Code (DTM04) of ED. The Time Code 'ED' will be displayed for every reading until the fall DST where it will change to 'ES denoting Eastern Standard time. Example of Spring DST Change with 30-minute interval increments QTY-QD-239.76-KH DTM-582-20150308-0130-ES QTY-QD-302.4-KH DTM-582-20150308-0200-ES QTY-QD-248.76-KH DTM-582-20150308-0330-ED QTY-QD-241.56-KH DTM-582-20150308-0400-ED
	15 Minute Interval Increment - Upon the change from Eastern Standard time (ES) to Eastern Daylight time (ED) at 0200, the intervals ending 0215, 0230, 0245 & 0300 are skipped and the interval ending 0315 is sent with a Time Code (DTM04) of ED. The Time Code 'ED' will be displayed for every reading until the fall DST where it will change to 'ES' denoting Eastern Standard time. Example of Spring DST Change with 15-minute interval increments QTY~QD~239.76~KH DTM~582~20150308~0145~ES QTY~QD~302.4~KH DTM~582~20150308~0200~ES QTY~QD~248.76~KH DTM~582~20150308~0315~ED QTY~QD~241.56~KH DTM~582~20150308~0330~ED
	Fall Daylight Savings Time 60 Minute Interval Increment – Upon the change from Eastern Daylight time (ED) to Eastern Standard time (ES) at 0200, the interval ending 0200 reading is repeated. The first interval ending 0200 represents the last interval for Eastern Daylight time (ED) with a Time Code (DTM04) of ED. The second interval ending 0200 represents the initial interval for Eastern Standard time (ES) with a Time Code (DTM04) of ES. The

Time Code 'ES' will be displayed for every reading until the spring DST where it will change to ED denoting Eastern Daylight time.

Example of Fall DST Change with 60-minute interval increments... QTY*QD*54.87*KH DTM*582*20151101*0100*ED QTY*QD*55.62*KH DTM*582*20151101*0200*ED QTY*QD*54.71*KH DTM*582*20151101*0200*ES QTY*QD*53.46*KH DTM*582*20151101*0300*ES

30 Minute Interval Increment – Upon the change from Eastern Daylight time (ED) to Eastern Standard time (ES) at 0200, the intervals ending 0130 & 0200 are repeated. The interval ending 0200 represents the last interval for Eastern Daylight time (ED) with a Time Code (DTM04) of ED. The second interval ending 0130 represents the initial interval for Eastern Standard time (ES) with a Time Code (DTM04) of ES. The Time Code 'ES' will be displayed for every reading until the spring DST where it will change to ED denoting Eastern Daylight time.

Example of Fall DST Change with 30-minute interval increments...

QTY~QD~18.9~KH DTM~582~20151101~0100~ED QTY~QD~18.63~KH DTM~582~20151101~0130~ED QTY~QD~19.17~KH DTM~582~20151101~0200~ED QTY~QD~19.44~KH DTM~582~20151101~0130~ES QTY~QD~19.575~KH DTM~582~20151101~0200~ES QTY~QD~19.17~KH DTM~582~20151101~0230~ES

15 Minute Interval Increment – Upon the change from Eastern Daylight time (ED) to Eastern Standard time (ES) at 0200, the intervals ending 0115, 0130, 0145 & 0200 are repeated. The interval ending 0200 represents the last interval for Eastern Daylight time (ED) with a Time Code (DTM04) of ED. The second interval ending 0115 represents the initial interval for Eastern Standard time (ES) with a Time Code (DTM04) of ES. The Time Code 'ES' will be displayed for every reading until the spring DST where it will change to ED denoting Eastern Daylight time.

Example of Fall DST Change with 15-minute interval increments...

QTY~QD~18.63~KH DTM~582~20151101~0115~ED QTY~QD~19.17~KH DTM~582~20151101~0130~ED QTY~QD~19.44~KH DTM~582~20151101~0145~ED QTY~QD~19.575~KH DTM~582~20151101~0200~ED QTY~QD~19.17~KH DTM~582~20151101~0115~ES QTY~QD~18.9~KH DTM~582~20151101~0130~ES QTY~QD~20.115~KH DTM~582~20151101~0145~ES QTY~QD~18.36~KH DTM~582~20151101~0200~ES QTY~QD~18.765~KH

Pennsylvania Notes

If a supplier elects to receive only summary level information for an interval account, they will receive an 867MU document.

The 867IU document will be used when interval detail and summary level data is being sent. Listed below are the plans, by utility, of the information to be sent for summary and detail transaction.

- Citizens & Wellsboro will provide detail interval data using 867IU with BB, BO, PM loops. The default is summary and 867MU and is sent with BB, SU, PM (BPT04 will be "DD").
- Duquesne Will provide detail interval data using 867IU with BB, BO and PM loops. If summary level is requested, will provide an 867MU with BB, SU, and PM loops (BPT04 will be "X5").
- FIRST ENERGY Will provide detail interval data using 867IU with BB, SU, and BQ loops. If summary level is requested, will provide an 867MU with BB, SU, and PM loops (BPT04 will be "X5").
- PECO If account-level interval detail is requested, will provide using 867IU with BB, SU, and BQ loops. If meter-level interval detail is requested, will provide using BB, BO, and PM loops. Else, will provide an 867MU with BB, SU, and PM loops (BPT04 in 867MU will be "DD" for AMR monthly metered accounts and "X5" for interval metered accounts).
- PPL EU Will provide detail interval data using 867IU with BB, SU, and BQ loops. If summary level is requested, will provide an 867MU with BB and SU loops (BPT04 will be "DD")
- UGI No Interval Usage Customers

All utilities provide a timestamp with each interval.

Use of date/timestamp with every interval:

What document is sent

receive detail interval

data?

if supplier elects NOT to

Change in Interval Data Increment

Requirements for uniform support of Net Metered Customers: The PTD01=BQ & PM loops will be repeated when the interval data reporting increment changes. See DTM*328 segment and examples section for additional information.

Interval Metered - ACCOUNT Level Detail – all meters summarized (FE, PPL, and PECO)

- BB (Monthly Billed Summary) Loop reports the monthly billed summary usage for net metered customers.
 - 1. When customer's consumption is greater than generation, the billed KH usage in the QTY02 will be reported as net KH (generation subtracted from total consumption).
 - 2. When customer's generation is greater than consumption, the billed usage in the QTY02 will be reported as 0 (zero) KH.
 - 3. In either scenario, the QTY02 will never be signed negative.
- SU (Account Services Summary) Loop reports the summary usage for net metered customers by unit of measure.
 - 1. When the customer's consumption is greater than generation, the KH will be reported as net consumption (QTY01 w/actual = QD or estimated = KA) with the total generation subtracted from total consumption.
 - 2. When the customer's generation is greater than consumption, the KH will be reported as net generation (actual = 87 or estimated = 9H) with the total consumption subtracted from total generation).
 - 3. In either scenario, the QTY02 will never be signed negative.
- BQ (Account Services Detail) Loop reports the account level detail KH for net metered customers and will be looped for each unit of measure.
 - 1. The QTY02 will report the net KH for ALL metered services being summed to the account level.

2.	If the net KH for a given report period is generation, the QTY01 will be either '87'
	or '9H'.

3. However if the total account's customer generation is less than consumption for a single reporting period, only the net consumption is sent with QTY01 qualifier of as consumption, non-billable, incomplete, or unavailable.

Requirements for uniform support of Net Metered Customers (continued):

Interval Metered – METER Level Detail – each meter reported separately.
(used by Duquesne Light, Citizens & Wellsboro and PECO only if EGS requests meter
detail via 814E/C)

- BB (Monthly Billed Summary) Loop reports the monthly billed summary usage for net metered customers.
 - 1. When customer's consumption is greater than generation, the billed KH usage in the QTY02 will be reported as net KH (generation subtracted from total consumption).
 - 2. When customer's generation is greater than consumption, the billed usage in the QTY02 will be reported as 0 (zero) KH. I
 - 3. In either scenario, the QTY02 will never be signed negative
 - BO (Meter Services Summary) Loop –sums intervals by meter by unit of measure. Each meter will have its own associated BO loop. Provides control totals for the sum of all intervals in the PM loops.
 - 1. When the customer's consumption is greater than generation, the KH will be reported as net consumption (QTY01 w/actual = QD or estimated = KA) with the total generation subtracted from total consumption. The meter role (REF*JH) will be Additive.
 - 2. When the customer's generation is greater than consumption, the KH will be reported as net generation (actual = 87 or estimated = 9H) with the total consumption subtracted from total generation). The meter role (REF*JH) will be subtractive.
 - 3. In either scenario, the QTY02 will never be signed negative
 - PM (Meter Services Detail) Loop SINGLE meter reporting in/out flow. The meter loop will report the meter level detail KH for net metered customers via a single meter reporting both in and out flow. PM is looped for each meter and each unit of measure.
 - 1. When the quantity for a given report period (interval reading) is generation, the quantity qualifier (QTY01) will be either '87' or '9H'. Otherwise, the QTY01 will be reported as consumption, non-billable, incomplete, or unavailable.
 - 2. The QTY02 will never be signed negative
- PM (Meter Services Detail) Loops SEPARATE meters, one reporting inflow and another meter reporting outflow. The PM loop will be repeated for each unit of measure, one meter reporting consumption and one meter reporting generation. Used by PECO only.
 - 1. The meter number should be unique for each KH loop. The meter attributes for each KH loop may have different values.
 - 2. The QTY02 will never be signed negative.

Banked KH adjustment for excess customer generation:

Applies to FirstEnergy companies, PPLEU, Duquesne and UGI (PECO does NOT bank excess customer generation)

The LDC will apply excess generation KH from a prior month(s) into the billed quantity (D1) segment of the billed summary (BB) loop of the 867MU/IU transaction sets reducing billed consumption. When this occurs, the sum of the metered services (PM) loops will not equal the KH being reporting in the BB loop. In the event the banked KH is not exhausted it will carry over to the following month. Suppliers should understand this practice and examine current billing processes for net metered customers. In most cases, the customer's actual consumption and generation is made available in the PM (meter) loops of the 867MU/IU. Settlement process for excess customer generation varies by EDC. EGSs should contact each EDC directly to obtain this information.

New Jersey Notes

The standard method for interval accounts is to always pass interval data.

- JCP&L JCP&L will allow the summary option under the same guidelines they use in PA. JCP&L will provide detail interval data using 867IU with BB, SU, and BQ loops. If summary level is requested, will provide an 867MU with BB, SU, and PM loops (BPT04 will be "X5").
- Atlantic City Electric will allow a summary option. Atlantic City Electric will provide detail interval data using 867IU with BB, SU, and BQ loops. If summary level is requested, will provide an 867MU with BB, SU, PM and BC loops. (BPT04 will be "X5")
- PSE&G will not support supplier having a choice to receive summary only.

Cancel / Re-bill when supplier is no longer active supplier

What document is sent

if supplier elects NOT

to receive detail

interval data?

PSE&G: Before August 1st, 2016 (867 bill window close date) PSE&G cannot provide consolidated billing for ESP's who are not supplier of record at the time the cancel / re-bill is processed. The process for Cancel/ Re-bill for an ESP who is not customer's current supplier of record is:

- PSE&G will cancel charges from 810(s) that correspond to the original 867(s) being canceled.
- Send 867(s) cancel
- Send 867(s) re-bill noting that customer billing option is DUAL.
- PSE&G will issue an 820 and reduce a future payment by the amount of the canceled 810(s) (on the scheduled date of the 820).
- TPS must Dual bill customer for the re-billed 867(s).

PSE&G: On or After August 1st, 2016 (867 bill window close date) PSE&G implemented a system enhancement that will allow the billing option to remain consolidated for a cancel/rebill processed after the customer-supplier relationship has terminated.

- PSE&G will cancel charges from 810(s) that correspond to the original 867(s) being canceled.

- Send 867(s) cancel
- Send 867(s) rebill noting that customer billing option is CONSOLIDATED.

- PSE&G will issue an 820 and reduce a future payment by the amount of the canceled 810(s) (on the scheduled date of the 820).

- TPS must send in 810 charges for the rebilled 867(s).
- PSE&G will issue an 820 for the amount of the 810(s) for the rebilled 867(s).
- PSE&G- Is currently using meters that have different channels to capture inbound and outbound usage and will send inbound and outbound at the detail level, and the net in the billed summary loop.
 - Atlantic City Electric- Is currently using watt-hour meters that go both ways ultimately providing the net usage to the EDI process. This is for both the TPSs as well as the Clean Power providers.
 - JCP&L-Is currently using a bi-directional meter for both the TPS's as well as the Clean Power suppliers. The bi-directional meter is providing the in and the out reading to the EDI process. The EDI summary loop will include the net usage.

Rockland Electric
CompanyRockland Electric Company (RECO) in New Jersey does NOT follow this implementation
guideline. RECO utilizes the New York State EDI standards.

Data Requirements for uniform support of Net Metered Customers: NJ EDI Change Control Electric 016 mandates specific data requirements in support of net metered customers. Implementation by utility as follows...

- Atlantic City Electric with new CIS (est. early 2015)
- o JCP&L 4Q 2014 (867MU/HU) and 1Q 2015 (867IU)
- $\circ \quad PSE\&G-currently \ supported, \ see \ below \ for \ additional \ PSE\&G \ notes$

Interval Metered - ACCOUNT Level Detail – all meters summarized (JCP&L, Atlantic City Electric)

- BB (Monthly Billed Summary) Loop reports the monthly billed summary usage for net metered customers.
 - 1. When customer's consumption is greater than generation, the billed KH usage in the QTY02 will be reported as net KH (generation subtracted from total consumption).
 - 2. When customer's generation is greater than consumption, the billed usage in the QTY02 will be reported as 0 (zero) KH.
 - 3. In either scenario, the QTY02 will never be signed negative.
- SU (Account Services Summary) Loop reports the summary usage for net metered customers by unit of measure.
 - 1. When the customer's consumption is greater than generation, the KH will be reported as net consumption (QTY01 w/actual = QD or estimated = KA) with the total generation subtracted from total consumption.
 - 2. When the customer's generation is greater than consumption, the KH will be reported as net generation (actual = 87 or estimated = 9H) with the total consumption subtracted from total generation).
 - 3. In either scenario, the QTY02 will never be signed negative.
- BQ (Account Services Detail) Loop reports the account level detail KH for net metered customers and will be looped for each unit of measure.
 - 1. The QTY02 will report the net KH for ALL metered services being summed to the account level.
 - 2. If the net KH for a given report period is generation, the QTY01 will be either '87' or '9H'.
 - 3. However if the total account's customer generation is less than consumption for a single reporting period, only the net consumption is sent with QTY01 qualifier of as consumption, non-billable, incomplete, or unavailable.

Data Requirements for uniform support of Net Metered Customers (Continued):

Interval Metered – METER Level Detail – each meter reported separately. (used by PSE&G only)

- BB (Monthly Billed Summary) Loop reports the monthly billed summary usage for net metered customers.
 - 1. When customer's consumption is greater than generation, the billed KH usage in the QTY02 will be reported as net KH (generation subtracted from total consumption).
 - 2. When customer's generation is greater than consumption, the billed usage in the QTY02 will be reported as 0 (zero) KH. I
 - 3. In either scenario, the QTY02 will never be signed negative
- BO (Meter Services Summary) Loop –sums intervals by meter by unit of measure. Provides control totals for the sum of all intervals in the PM loops.
 - 1. PSE&G defaults meter role (REF*JH) to additive.
 - 2. The customer's consumption KH is reported as a single QTY segment with the QTY01 of actual = QD or estimated = KA.
 - 3. The customer's generation KH is reported as a single QTY segment with the QTY01 of actual = 87 or estimated = 9H.
 - 4. In either QTY segment, the QTY02 will never be signed negative
- PM (Meter Services Detail) Loop SINGLE meter reporting in/out flow. The meter loop will report the meter level detail KH for net metered customers via a single meter reporting both in and out flow. PM is looped for each meter, each unit of measure, and for KH, looped for in-flow and out-flow.
 - 1. For the KH in-flow PM loop PSE&G reports the customers consumption for each given report period (interval reading). The quantity qualifier (QTY01) will be consumption reported as actual (QD) or estimated (KA).
 - 2. For the KH out-flow PM loop PSE&G reports the customers generation for each given report period (interval reading). The quantity qualifier (QTY01) will be generation reported as actual (87) or estimated (9H).
 - 3. The meter role (REF*JH) is not sent.

The QTY02 will never be signed negative

What document is sent if supplier elects NOT to receive detail interval data?

Maryland Notes

If a supplier elects to receive only summary level information for an interval account, they will receive an 867MU document.

Note: BGE – The default is that an ESP will receive interval data at the summary level only.

- If an ESP wants to receive interval data at the detail level for AMI/Smart metered accounts, the ESP must submit "SI" in the LIN05 and "DETAIL" in the REF17.
- The ESP may request detail level interval data post enrollment by submitting a Change Request at a later date.
- For non-AMI/Smart metered interval accounts, the ESP will receive 867MU with the detail interval data posted to BGE's website.

If a supplier elects to receive detail and summary level information for an interval account, this is what they will receive, by utility.

- Delmarva & PEPCO Supplier will receive 867IU for all accounts (unless supplier has requested summary data). If the supplier elects NOT to receive detail interval data, PHI will send EDI 867MU (BB/SU/PM/BC loops) with BPT04 = 'X5' for accounts the supplier requested summary interval usage.
- BG&E For AMI/Smart metered accounts, will provide 867IU if requested as stated above. For non-AMI/Smart metered accounts, no 867IU will be sent and interval data will be provided on web; however, an 867MU will be provided for the Summary data.
- Potomac Edison Will provide detail interval data using 867IU with BB, SU, and BQ loops. If summary level is requested, will provide an 867MU with BB, SU, and PM loops (BPT04 will be "X5").

Looping of DTM segments in the PM (meter) loop when multiple meter exchanges occur during the same service period 8

If the event the utility experiences multiple meter exchanges during the same service period, the following format applies. In the rare event a meter exchange occurs and a day or more go by without the new meter being installed, the meter party cannot have a 'gap' in the service period. By design, the consumption was never intended to have any break in the dates

867IU - PTD*BO, PTD*PM and PTD*PL Loops - Position 020

The PTD*BO and PTD*PM (or PTD*PL) loops will be separate for each meter throughout the multiple meter exchange process.

Sample provided in the back of this implementation guideline.

Requirements for uniform support of Net Metered Customers

Interval Metered - ACCOUNT Level Detail – all meters summarized (BGE, PHI & PE)

- BB (Monthly Billed Summary) Loop reports the monthly billed summary usage for net metered customers.
 - 1. When customer's consumption is greater than generation, the billed KH usage in the QTY02 will be reported as net KH (generation subtracted from total consumption).
 - 2. When customer's generation is greater than consumption, the billed usage in the QTY02 will be reported as 0 (zero) KH.
 - 3. In either scenario, the QTY02 will never be signed negative.
- SU (Account Services Summary) Loop reports the summary usage for net metered customers by unit of measure.

	 When the customer's consumption is greater than generation, the KH will be reported as net consumption (QTY01 w/actual = QD or estimated = KA) with the total generation subtracted from total consumption. When the customer's generation is greater than consumption, the KH will be reported as net generation (actual = 87 or estimated = 9H) with the total consumption subtracted from total generation). In either scenario, the QTY02 will never be signed negative. BQ (Account Services Detail) Loop – reports the account level detail KH for net metered customers and will be looped for each unit of measure. The QTY02 will report the net KH for ALL metered services being summed to the account level. If the net KH for a given report period is generation, the QTY01 will be either '87' or '9H'. However if the total account's customer generation is less than consumption for a single reporting period, only the net consumption is sent with QTY01 qualifier of as consumption, non-billable, incomplete, or unavailable.
Net Metering – Excess Customer Generation	Maryland legislation PUA 7-306 states the Electric Company, not the Electricity Supplier, must pay the customer for accrued net excess generation on an annual basis (April meter read). Furthermore the rule states "For customers served by an electricity supplier, the dollar value of the net excess generation shall be equal to the generation or commodity rate that the customer would have been charged by the electricity supplier multiplied by the number of kilowatt–hours of net excess generation." To support this requirement, each LDC maintains customer generation balance and for any excess generation during the annual true-up, the customer is credited based on their LDC or EGS rate.
Net Metering – banked KH adjustment for excess customer generation	 Applies to Potomac Edison, BG&E, Delmarva MD and PEPCO MD The LDC will apply excess generation KH from a prior month(s) into the billed quantity (D1) segment of the billed summary (BB) loop of the 867MU/IU transaction sets reducing billed consumption. When this occurs, the sum of the metered services (PM) loops will not equal the KH being reporting in the BB loop. In the event the banked KH is not exhausted it will carry over to the following month. In conjunction with Maryland excess generation rules, the EGS should understand this banked rollover practice and examine current billing processes for net metered customers) Kample of banked KH adjustment (non-TOU customers) Month 1 – Customer consumes 200KH and generates 500KH, net is excess generation of 300KH. The utility sends 0KH in BB loop. Supplier would bill customer 0 KH Month 2 – Customer consumes 500KH and generates 150KH, net is consumption of 350KH. The utility rolls banked excess of 300KH from prior month and applies to current month bill. Utility and supplier bill customer for 50KH (350KH – 300KH) Settlement process for excess customer generation varies by LDC. Suppliers should contact each LDC directly to obtain this information.

Demand Reporting – Multiple suppliers during same billing period The following describes each utility's process for reporting Demand (K1) when multiple suppliers serve the same customer during the same billing period.

BGE

The demands passed in each 867MU/IU reflects the highest demand values that occurred during each supplier's sub-period, NOT the entire billing period. Demand values for each sub-period are NOT prorated.

BB Loop / QTY*D1 - The highest overall demand (regardless of TOU Peak) that occurred in the supplier's sub-period. Although coded "D1", this may not be the highest overall demand billed by BGE for the entire billing period.

BB Loop / QTY*QD - The highest recorded On Peak demand that occurred in the supplier's sub-period (This may or may not be the highest overall billed "D1" demand).

Potomac Edison (FirstEnergy)

Will send the peak demand for the entire billing period in all 867s created for the period. If the customer's peak demand is 10.4 K1 for the whole billing period, all suppliers would receive 10.4K1 in their 867.

PHI (Delmarva MD & PEPCO MD)

Will prorate demand for the entire period based on the number of days served by the supplier.

If max demand for entire period is 90 and one supplier serves 15/30 days, PHI will send that supplier 45, if another supplier serves 10/30 days, will send that supplier 30, and if utility has remaining 5/30 days, they will have 15. PHI will implement this to be consistent with all meter types and to ensure the customer is never charged more than the maximum.

How to Use the Implementation Guideline

	DEE	_
Segment:	REF Reference Identification	
Position:	030	This section is
Loop:	LIN	used to show the
Level:	Detail	X12 Rules for
Usage:	Optional	this segment.
Max Use:	>1	You must look
Purpose:	To specify identifying information	further into the
Syntax Notes:	1 At least one of REF02 or REF03 is required	<u> </u>
	 2 If either C04003 or C04004 is present, then 3 If either C04005 or C04006 is present, then 	1
Semantic Notes:	1 REF04 contains data relating to the value c	
Comments:	1 KEP04 contains data relating to the value e	
Notes:	Recommended by UIG	The "Notes:" section generally
PA Use:	Must be identical to account number as it	contains notes by the Utility Industry
	appears on the customer's bill, excluding	Group (UIG).
	punctuation (spaces, dashes, etc.). Significant	
	leading and trailing zeros must be included.	
		This section is used to show the
	Request: Required	individual State's Rules for
	Accept Response: Required	implementation of this segment.
	Reject Response: Required	
NJ Use:	Same as PA	
Example:	REF*12*2931839200	
		One or more examples.
	Data Element Summary	
Ref.	Data Element Summary	
Des.	Element Name	X12 Attributes
Must Use REF01	128 Reference Identification Qualifier	M ID 2/3
	Code qualifying the Reference Identification	
	12 Billing Account	
	LDQ issigned a	ccount number for end use customer.
Must Use REF02	127 Reference Identificatio	X AN 1/30
N	Reference information as de for a particul Identification Qualifier	lar Transaction Set or as specified by the reference
	/ / _	
This column shows the	These are V12 and descriptions	This column shows the X12 attributes for each
use of each data	^{1e} These are X12 code descriptions, which often do not relate to the	data element. Please refer to Data Dictionary
element. If state rule	s information we are trying to send.	for individual state rules.
differ, this will show	Unfortunately, X12 cannot keep	
"Conditional" and the	up with our code needs so we	M = Mandatory, O= Optional, X = Conditional
conditions will be	often change the meanings of	
explained in the	existing codes. See gravbox for	AN = Alphanumeric, N# = Decimal value,
appropriate grayboxe	s. the UIG or state definitions.	ID = Identification, R = Real
appropriate grayboxe	s. the UIG or state definitions.	
appropriate grayboxe	s. the UIG or state definitions.	ID = Identification, R = Real 1/30 = Minimum 1, Maximum 30
appropriate grayboxe	s. the UIG or state definitions.	

867 Product Transfer and Resale Report X12 Structure

Functional Group ID= \mathbf{PT}

Heading:

Must Use	Pos. <u>No.</u> 010	Seg. ID ST	<u>Name</u> Transaction Set Header	Req. <u>Des.</u> M	<u>Max.Use</u> 1	Loop <u>Repeat</u>	Notes and <u>Comments</u>
Must Use	020	BPT	Beginning Segment for Product Transfer and Resale	М	1		
	050	DTM	Date/Time Reference	0	10		
	075	MEA	Measurements	0	20		
			LOOP ID – N1			5	
	080	N1	Name	0	1		
	120	REF	Reference Identification	0	12		

Detail:

	Pos. <u>No.</u>	Seg. <u>ID</u>	Name	Req. <u>Des.</u>	<u>Max.Use</u>	Loop <u>Repeat</u>	Notes and <u>Comments</u>
			LOOP ID – PTD			>1	
Must Use	010	PTD	Product Transfer and Resale Detail (Monthly Billed Summary) – BB	М	1		
	020	DTM	Date/Time Reference	0	10		
			LOOP ID – QTY			>1	
	110	QTY	Quantity	0	1		
			LOOP ID – PTD			>1	
Must Use	010	PTD	Product Transfer and Resale Detail (Meter	М	1		
	020	DTM	Services Summary) – BO Date/Time Reference	0	10		
	030	REF	Reference Identification	0	20		
			LOOP ID – QTY			>1	
	110	QTY	Quantity	0	1		
	160	MEA	Measurements	0	40		
			LOOP ID – PTD			>1	
Must Use	010	PTD	Product Transfer and Resale Detail (Meter Services Detail) – PM	М	1		
	020	DTM	Date/Time Reference	0	10		
	030	REF	Reference Identification	0	20		
			LOOP ID – QTY			>1	
	110	QTY	Quantity	0	1		
	210	DTM	Date/Time Reference	0	10		
			LOOP ID – PTD			>1	
Must Use	010	PTD	Product Transfer and Resale Detail (Non- interval Meter Services Summary) – BR	М	1		
	020	DTM	Date/Time Reference	0	10		
	030	REF	Reference Identification	0	20		
			LOOP ID – QTY			>1	
	110	QTY	Quantity	0	1		
	160	MEA	Measurements	0	40		

			LOOP ID – PTD			>1
Must Use	010	PTD	Product Transfer and Resale Detail (Non-	М	1	
	020	DTM	Interval Meter Services Detail) – PL Date/Time Reference	0	10	
	030	REF	Reference Identification	0	20	
			LOOP ID – QTY			>1
	110	QTY	Quantity	0	1	
	210	DTM	Date/Time Reference	0	10	
			LOOP ID – PTD			>1
Must Use	010	PTD	Product Transfer and Resale Detail (Account	М	1	
	020	DTM	Services Summary) – SU Date/Time Reference	0	10	
			LOOP ID – QTY			>1
	110	QTY	Quantity	0	1	
			LOOP ID – PTD			>1
Must Use	010	PTD	Product Transfer and Resale Detail (Account	М	1	
	020	DTM	Services Detail) – BQ Date/Time Reference	0	10	
	030	REF	Reference Identification	0	20	
			LOOP ID – QTY			>1
	110	QTY	Quantity	0	1	
	210	DTM	Date/Time Reference	0	10	
			LOOP ID – PTD			>1
Must Use	010	PTD	Product Transfer and Resale Detail (Residential	М	1	
	020	DTM	Meter Services Summary) – IA Date/Time Reference	0	10	
	030	REF	Reference Identification	0	20	
			LOOP ID – QTY			>1
	110	QTY	Quantity	0	1	
	160	MEA	Measurements	0	40	
			LOOP ID – PTD			>1
Must Use	010	PTD	Product Transfer and Resale Detail (Residential	М	1	
	020	DTM	Meter Readings Detail) – IB Date/Time Reference	0	10	
	030	REF	Reference Identification	0	20	
			LOOP ID – QTY			>1
	110	QTY	Quantity	0	1	
	210	DTM	Date/Time Reference	0	10	
Summary:						<u></u>

Summary:

	Pos.	Seg.		Req.		Loop	Notes and
	<u>No.</u>	ID	<u>Name</u>	Des.	Max.Use	Repeat	Comments
Must Use	030	SE	Transaction Set Trailer	Μ	1		

Data Dictionary

Appl Field Name Description EDI Related EDI Data						
Appl Field	Field Name	Description	EDI Segment	Related EDI Qualifier	Data Type	
Header	Information					
1	Purpose Code	00 – Original 01 – Cancellation – Cancels an entire Usage	BPT01		X(2)	
2	Transaction Reference Number	Unique Number identifying this transaction assigned by the sender of the transaction. This number should be unique over all time. This number will also be shown on the related 810 document (both Bill Ready and Rate Ready), and for cases where the billing party makes the other party whole, on the 820 document.	BPT02		X(30)	
3	System Date	Date that the data was processed by the sender's application system.	BPT03		9(8)	
4	Report Type Code	C1- Cost Data Summary – Indicates this is an interval usage transaction.	BPT04	BPT01	X(2)	
		DR – Transaction includes interval and non- interval data				
		KH-Proposal Support Data-Meter Changeout when Meter Agent Changes. Interval Usage (used to tell the receiver that this is a partial				
		usage statement). The billing agent must combine the KH usage and the MV usage to determine total usage for period.				
5	Final Indicator	Indicates if this is a final reading for that particular ESP (e.g., customer moves, customer switches, etc.).	$BPT07 = \mathbf{F}$		X(1)	
6	Transaction Reference Number	Transaction Reference Number echoed from BPT02 of the Original Transaction	BPT09		X(30)	
7	Document Due Date/Time	The last date/time that information will be accepted by the billing party for processing the bill.	DTM02 (CCYYMM DD) and DTM03(HH	DTM01= 649	DTM02= 9(8) and DTM03= 9(4)	
		If 810 is received after this date/time, and the billing party cannot process it, they must notify the non-billing party (via email, phone call, etc.)	MM)			
8	Percent Participation	Used to express the percentage of the total load that is being supplied by the ESP. This is the multiplication of two fields that are on the 814 transaction, AMT*7N (Participating Interest) and AMT*QY (Eligible Load).	MEA03	MEA02 = NP	9(1).9999 9	
9	LDC Name	LDC's Name	N102	N1: N101 = 8S	X(60)	
10	LDC Duns	LDC's DUNS Number or DUNS+4 Number	N104	N1: N101 = 8S N103 = 1 or 9	X(13)	

11	ESP Name	ESP's Name	N102	N1: N101 =	X(60)
12	ESP Duns	ESP's DUNS Number or DUNS+4 Number	N104	SJ $N1: N101 = SJ$ $N102 = 1 or 0$	X(13)
12.3	Renewable Energy Provider Name	Renewable Energy Provider 's Name	N102	N103 = 1 or 9 N1: N101 = G7	X(60)
12.4	Renewable Energy Provider Duns	Renewable Energy Provider 's DUNS Number or DUNS+4 Number	N104	N1: N101 = G7 N103 = 1 or 9	X(13)
13	Customer Name	Customer Name	N102	N1: N101 = 8R	X(60)
14	ESP Account Number	ESP Customer Account Number	REF02	N1: N101*8R Loop REF01 = 11	X(30)
15	LDC Account Number	LDC Customer Account Number	REF02	N1: N101*8R Loop REF01 = 12	X(30)
15.2	LDC Account Number - unmetered	LDC Customer Account Number – Unmetered	REF03	N1: N101 = $8R$ REF01 = 12 REF03 = U	X(80)
16	Old Account Number	Previous LDC Customer Account Number	REF02	N1: N101*8R Loop REF01 = 45	X(30)
17	Billing Type	Indicates type of billing - LDC consolidated Billing (REF02=LDC) - ESP consolidated Billing (REF02=ESP) - Dual bills (REF02=DUAL)	REF02	LIN: REF01= BLT	X(4)
18	Billing Calculation Method	Indicates party to calculate bill. - LDC calculates bill (REF02=LDC) - Each calculate portion (REF02=DUAL)	REF02	LIN: REF01= PC	X(4)
Please		for details about the use of the PTD loop con			
This in		Billed Summary - Loop Required if the LDC om the billing system to reflect billing data for t			auna laval
1 ms m 19		Monthly Billed Summary	PTD01 = BB		X(2)
20	Service Period Start Date	Start date of the period for which the readings are provided	DTM02	DTM01 = 150	9(8)
21	Service Period End Date	End date of the period for which the readings are provided	DTM02	DTM01 = 151	9(8)
22	Quantity Qualifier	Represents that the quantity was billed: D1 - Billed	QTY01		X(2)
23	Quantity Delivered - Billed kWh	This data is taken from the LDC billing system and reflects the KWH amount on which the customer was billed.	QTY02	QTY01	- 9(10).9(4)
24	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during service period. KH - Kilowatt Hours	QTY03		X(2)
25	Quantity Qualifier	Represents that the quantity was billed: D1 - Billed	QTY01		X(2)

			0.000	0.000	
26	Quantity Delivered - Derived or Billed Demand	Demand for which the customer was actually billed at account level only. Derived or billed demand is different from measured demand because the result is based on contract demand or rate minimum demand.	QTY02	QTY01	- 9(10).9(4)
27	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during service period. K1 - Demand (kW)	QTY03		X(2)
28	Quantity Qualifier	Represents whether the quantity is actual or estimated: KA = Estimated Quantity Delivered QD = Actual Quantity Delivered 87 = Actual Quantity Received (Net Meter) 9H = Estimated Quantity Received (Net Meter)	QTY01		X(2)
29	Quantity Delivered - Measured or Registered Demand	Reflects what the meter actual shows (including all factors except Power Factor) and is provided at the account level only.	QTY02	QTY01	- 9(10).9(4)
30	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during service period. K1 - Demand (KW)	QTY03		X(2)
Meter	ed Services Summary -	 Loop Required when the metering agent is a level. 	reporting inte	erval data at th	e meter
	T		Γ	T	Γ
31	Product Transfer Type	Metered Services Summary	PTD01= BO		X(2)
32	Service Period Start Date	Start date of the service period or start date of the changed in meter.	DTM02	DTM01 = 150	9(8)
33	Service Period End Date	End date of the service period or end date of the changed out meter.	DTM02	DTM01 = 151	9(8)
33.1	Change Interval Data Increment	Date when the change in the interval data increment occurs.	DTM02	DTM01 = 328	9 (8)
34	Meter Change Out Date	Used in conjunction with either the Service Period Start Date or the Service Period End Date to indicate when a meter has been replaced. Separate PTD loops must be created for each period and meter.	DTM02	DTM01 = 514	9(8)
35	Meter Number	Serial number of this specific meter (may have multiple meters)	REF02	REF01 = MG	X(30)
36	Meter Role	Effect of consumption on summarized total. S = Subtractive (consumption subtracted from summarized total). A = Additive (consumption contributed to summarized total - do nothing). I = Ignore (consumption did not contribute to summarized total - do nothing	REF02	REF01 = JH	X(30)
37	Number of Dials / Digits and related decimal positions	Needed to determine usage if meter reading rolls over during the billing period. Number of dials on the meter displayed as the number of dials to the left of the decimal, a decimal point, and number of dials to the right of the decimal.	REF02	REF01 = IX	9.9

38	Quantity Qualifier	Represents whether the quantity is actual or estimated:	QTY01		X(2)
		 KA = Estimated Quantity Delivered QD = Actual Quantity Delivered 87 = Actual Quantity Received (Net Meter) 9H = Estimated Quantity Received (Net Meter) Meter) 			
39	Quantity Delivered	Represents quantity of consumption delivered for service period. Contains the difference in the meter readings (or as measured by the meter) multiplied by various factors, excluding Power Factor.	QTY02	QTY01	9(10).9(4
40	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during service period.	QTY03		X(2)
41	Meter Multiplier	Meter Constant - used to represent how many units are reflected by one dial or digit increment.	MEA03	MEA02 = MU	9(9).9(4)
42	Power Factor	Relationship between watts and volt - amperes necessary to supply electric load	MEA03	MEA02 = ZA	9(9).9(4)
43	Transformer Loss Multiplier	Used when a customer owns a transformer and the transformer loss is not measured by the meter. Consumption figures from meter must be adjusted by this factor to reflect true	MEA03	MEA02 = CO	9(9).9(4)
		end use consumption.			
Met	ered Services Detail -]	end use consumption. Loop Required when the metering agent is rep		val data at the	meter
Met	ered Services Detail -]	end use consumption.		val data at the	meter
Met 44		end use consumption. Loop Required when the metering agent is replevel. [Loop not required on a cancel transa	ction]		
		end use consumption. Loop Required when the metering agent is rep	ction]		meter X(2) 9(8)
44	Product Transfer Type Service Period Start	end use consumption. Loop Required when the metering agent is replevel. [Loop not required on a cancel transa Metered Services Detail Start date of the service period or start date of	ction]	I DTM01 =	X(2)
<u>44</u> 45	Product Transfer Type Service Period Start Date Service Period End	end use consumption. Loop Required when the metering agent is replevel. [Loop not required on a cancel transa Metered Services Detail Start date of the service period or start date of the changed in meter. End date of the service period or end date of	ction] PTD01= PM DTM02	I DTM01 = 150 DTM01 =	X(2) 9(8)
44 45 46	Product Transfer Type Service Period Start Date Service Period End Date Change Interval Data	end use consumption. Loop Required when the metering agent is replevel. [Loop not required on a cancel transa Metered Services Detail Start date of the service period or start date of the changed in meter. End date of the service period or end date of the changed out meter. Date when the change in the interval data	ction] PTD01= PM DTM02 DTM02 DTM02 DTM02	I DTM01 = 150 DTM01 = 151 DTM01 =	X(2) 9(8) 9(8)
44 45 46 46.1	Product Transfer Type Service Period Start Date Service Period End Date Change Interval Data Increment Meter Change Out	 end use consumption. Loop Required when the metering agent is replevel. [Loop not required on a cancel transa Metered Services Detail Start date of the service period or start date of the changed in meter. End date of the service period or end date of the changed out meter. Date when the change in the interval data increment occurs. Used in conjunction with either the Service Period Start Date or the Service Period End Date to indicate when a meter has been replaced. Separate PTD loops must be created for each period and meter. 	ction] PTD01= PM DTM02 DTM02 DTM02 DTM02	I DTM01 = 150 DTM01 = 151 DTM01 = 328 DTM01 =	X(2) 9(8) 9(8) 9(8) 9(8))
44 45 46 46.1 47	Product Transfer Type Service Period Start Date Service Period End Date Change Interval Data Increment Meter Change Out Date	 end use consumption. Loop Required when the metering agent is replevel. [Loop not required on a cancel transa Metered Services Detail Start date of the service period or start date of the changed in meter. End date of the service period or end date of the changed out meter. Date when the change in the interval data increment occurs. Used in conjunction with either the Service Period Start Date or the Service Period End Date to indicate when a meter has been replaced. Separate PTD loops must be created for each period and meter. 	ction] PTD01= PM DTM02 DTM02 DTM02 DTM02	I DTM01 = 150 DTM01 = 151 DTM01 = 328 DTM01 = 514	X(2) 9(8) 9(8) 9(8) 9(8))

				0.000	
51	Quantity Delivered	Represents quantity of consumption delivered for service period. Contains the difference in the meter readings (or as measured by the meter) multiplied by various factors,	QTY02	QTY01	9(10).9(4
		excluding Power Factor.			
50	Orrentiter Dellinens 1	-	07.02		V(2)
52	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during service period.	QTY03		X(2)
	Chit of Weasarement	consumption derivered during service period.			
53	Report Period	The date/time of the end of the interval.	DTM02	DTM01 =	DTM02=
	Date/Time		(CCYYMM	582	9(8) and
			DD) and		DTM03=
			DTM03(HH MM		9(4)
54	Time Code	The time code must accurately provide the	DTM04		X(2)
0.		time zone when the daylight savings time	2 1110 1		(-)
		starts and ends if the meter is adjusted for			
		daylight savings time.			
		ED = Eastern Daylight Time			
٨	agount Sarvigas Summa	ES = Eastern Standard Time rry - Loop required when the metering agent	is roporting i	ntorvol doto o	t the
A	cebunt Services Summa	account level.	is reporting i		t the
55	Product Transfer Type	Account Services Summary	PTD01= SU	· [X(2)
	51				
56	Service Period Start	Start date of the period for which the readings	DTM02	DTM01 =	9(8)
	Date	are provided		150	
57	Service Period End	End date of the period for which the readings	DTM02	DTM01 =	9(8)
	Date	are provided		151	
58	Meter Channel	Summarizes usage at the channel level	REF02	REF01= 6W	X(30)
59	Quantity Qualifier	Represents whether the quantity is actual or	QTY01		X(2)
		estimated:			
		KA = Estimated Quantity Delivered			
		QD = Actual Quantity Delivered 87 = Actual Quantity Received (Net Meter)			
		9H = Estimated Quantity Received (Net Meter)			
		Meter)			
60	Quantity Delivered	Represents quantity of consumption delivered	QTY02	QTY01	-
		for service period. Contains the difference in			9(10).9(4
		the meter readings multiplied by various)
		factors, excluding Power Factor.			
(1					V(2)
61 62	Product Transfer Type Service Period Start		PTD01= BQ DTM02	DTM01 =	X(2)
62	Date	Start date of the service period or start date of the changed in meter.	DTM02	150	9(8)
63	Service Period End	End date of the service period or end date of	DTM02	DTM01 =	9(8)
	Date	the changed out meter.		151	
63.1	Change Interval Data	Date when the change in the interval data	DTM02	DTM01 =	9 (8)
	Increment	increment occurs.		328	
<u> </u>	Matan	The second second	DEE02		V(T)
64	Meter Type	Type of Meter	REF02	REF01 = MT	X(5)
65	Meter Channel	Summarizes usage at the channel level	REF02	REF01= 6W	X(30)

66	Quantity Qualifier	Represents whether the quantity is actual or estimated: 17 = Incomplete Quantity Delivered 19 = Incomplete Quantity Received (Net Meter) 20 = Unavailable 87 = Actual Quantity Received (Net Meter) 96 = Non-Billable Quantity 9H = Estimated Quantity Received (Net Meter) KA = Estimated Quantity Delivered QD = Actual Quantity Delivered	QTY01		X(2)
	Quantity Delivered	Represents quantity of consumption delivered for service period. Contains the difference in the meter readings (or as measured by the meter) multiplied by various factors, excluding Power Factor.	QTY02	QTY01	9(10).9(4
	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during service period.	QTY03		X(2)
	Report Period Date/Time	The date/time of the end of the interval.	DTM02 (CCYYMM DD) and DTM03(HH MM	DTM01 = 582	DTM02= 9(8) and DTM03= 9(4)
	Time Code	The time code must accurately provide the time zone when the daylight savings time starts and ends if the meter is adjusted for daylight savings time. ED = Eastern Daylight Time ES = Eastern Standard Time	DTM04		X(2)

Segment:	ST Transaction Set Header
Position:	010
Loop:	
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the start of a transaction set and to assign a control number
Syntax Notes:	
Semantic Notes:	1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:	
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	ST*867*00000001

Must Use	Ref. <u>Des.</u> ST01	Data <u>Element</u> 143		Set Identifier Code entifying a Transaction Set	<u>Att</u> M	ributes ID 3/3
Must Use	ST02	329	Identifying control	Product Transfer and Resale Report Set Control Number ol number that must be unique within the transaction set for a transaction set	M function	AN 4/9 nal group assigned

Segment:	${f BPT}$ Beginning Segment for Product Transfer and Resale					
Position:	020					
Loop:						
Level:	Heading					
Usage:	Mandatory					
Max Use:	1					
Syntax Notes:	1 If either BPT05 or BPT06 is present, then the other is required.					
Semantic Notes:	1 BPT02 identifies the transfer/resale number.					
	2 BPT03 identifies the transfer/resale date.					
	3 BPT08 identifies the transfer/resale time.					
	4 BPT09 is used when it is necessary to reference a Previous Report Number.					
Comments:						
PA Use:	Required					
NJ Use:	Required					
DE Use:	Required					
MD Use:	Required					
Examples:	BPT*00*199902010001*19990131*C1					
_	BPT*00*199902010001*19990131*C1***F					
	BPT*01*199902020001*19990131*C1*****1999020100001					
	BPT*00*199902010001*19990131*DR					

Ref. Data Des. Element Name Attributes Must Use BPT01 353 Fransaction Set Purpose Code Ode Model Instant 00 Original Onveys original readings for the account being reported. Conveys original readings for the account being reported. 01	
Conveys original readings for the account being reported.	
reported.	
01 Cancellation	
Indicates that the readings previously reported for the account are to be ignored.	
Must Use BPT02 127 Reference Identification O AN 1/3)
Reference information as defined for a particular Transaction Set or as specified by the Refer Identification Qualifier	ice
A unique transaction identification number assigned by the originator of the transaction. This number must be unique over time.	3
PA: This code will be used as a cross reference to the 810 billing documer and for billing parties that make the other party whole, it will also be cross referenced on the 820.	,
Must UseBPT03373Date Date (CCYYMMDD)M DT 8/8	
Transaction Creation Date – the date that the data is processed by the application system.	
Must Use BPT04 755 Report Type Code Code indicating the title or contents of a document, report or supporting item O ID 2/2	
C1 Cost Data Summary	
Indicates transaction is an Interval Data transaction.	
This will be used whether supplier is receiving summ data only, or both summary and detail interval data.	ry

			DR	Datalog Report
			KH	Mixed Values - transaction contains data for both interval and non-interval meters Proposal Support Data
				Meter Changeout when Meter Agent Changes - Interval Usage (used to tell the receiver that this is a partial usage statement. The billing agent must combine the KH usage and the MV usage to determine total usage for period.
Conditional	BPT07	306	Action Code Code indicating ty	D ID 1/2 pe of action
			F	Final
				Code to indicate this is the final usage data being sent for this customer. Either the customer account is final with the LDC or the customer switched to a new ESP. NJ PSE&G: PSE&G only sends "F" on a customer account final. They do not send an "F" on a customer switch.
Conditional	BPT09	127	Reference Identifi Reference information a Identification Qualifier	cation O AN 1/30 as defined for a particular Transaction Set or as specified by the Reference
				(cancel), this element is required and should contain the cation number from BPT02 of the transaction that is being

Segment:	DTM Date/Time Reference (649=Document Due Date)					
Position:	050					
Loop:						
Level:	Heading					
Usage:	Optional					
Max Use:	10					
Purpose:	To specify pertinent dates and times					
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.					
	2 If DTM04 is present, then DTM03 is required.					
	3 If either DTM05 or DTM06 is present, then the other is required.					
Semantic Notes:						
Comments:						
Notes:	Required for Bill Ready Consolidated Billing where the meter reading party sends an 867					
	to the non-billing party, who calculates their own portion of the bill and sends the 810 to					
	the billing party. Must be expressed in Eastern Prevailing Time. Not provided on cancel transaction.					
PA Use:	Required for Bill Ready, not used in Rate Ready and Dual Billing					
	Note: For ESP Consolidated Billing, the document due date will be set according to the					
	specific LDC bill ready implementation.					
NJ Use:	Required for Bill Ready, not used in Rate Ready and Dual Billing					
DE Use:						
	Required for Bill Ready, not used in Rate Ready and Dual Billing					
MD Use:	Required for Bill Ready, not used in Rate Ready and Dual Billing					
Examples:	DTM*649*19990131*2359					

	Ref.	Data	2 2	» y		
	Des.	Element	Name		Att	ributes
Must Use	DTM01	374	Date/Time Qualifi	er	Μ	ID 3/3
			Code specifying type of	date or time, or both date and time		
			649	Document Due		
				The date that the non-billing party mu transaction back to the billing party.	st prov	vide the 810
				If a file is received by the billing party and the billing party cannot process it, the non-billing party (via email, phone means).	, they	must notify
Must Use	DTM02	373	Date Date expressed as CCY	VMMDD	Х	DT 8/8
Must Use	DTM03	337	Time		x	TM 4/8
171USL USC	D11103	331	Time expressed in 24-ho HHMMSSDD, where H	our clock time as follows: HHMM, or HHMMSS, I = hours (00-23), M = minutes (00-59), S = intege decimal seconds are expressed as follows: D = ten	or HHN er secon	MMSSD, or ds (00-59) and
			HHMM format			

G 4	MEA Measurements (NP=Percent Participation)		
Segment:			
Position:	075		
Loop:			
Level:	Heading		
Usage:	Optional		
Max Use:	20		
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)		
Syntax Notes:	1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.		
•	2 If MEA05 is present, then MEA04 is required.		
	3 If MEA06 is present, then MEA04 is required.		
	4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.		
	5 Only one of MEA08 or MEA03 may be present.		
Semantic Notes:	1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.		
Comments:	1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.		
PA Use:	Required if less than 100%		
NJ Use:	Not used		
DE Use:	Not used		
MD Use:	Only used by Potomac Edison		
Example:	MEA**NP*.66667		

Must Use	Ref. <u>Des.</u> MEA02	Data <u>Element</u> 738	Name Measurement Quali Code identifying a specific	<u>Attributes</u>
			NP	Percent Participation
				This code is used to indicate the percentage of the total load that is supplied by the ESP. This is the multiplication of two fields that are on the 814 transaction, AMT*7N (Participating Interest) and AMT*QY (Eligible Load).
Must Use	MEA03	739	Measurement Value The value of the measurem	
				" represents 100 percent. Decimal numbers less than "1" from 1 percent to 99 percent.

Segment:	N1 Name (8S=LDC Name)			
Position:	080			
Loop:	N1			
Level:	Heading			
Usage:	Optional			
Max Use:	1			
Purpose:	To identify a party by type of organization, name, and code			
Syntax Notes:	1 At least one of N102 or N103 is required.			
	2 If either N103 or N104 is present, then the other is required.			
Semantic Notes:				
Comments:	 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. N105 and N106 further define the type of entity in N101. 			
PA Use:	Required			
NJ Use:	Required			
DE Use:	Required			
MD Use:	Required			
Example:	N1*8S*LDC COMPANY*1*007909411			

	Ref.	Data	Data Element Summary		
	Des.	Element	<u>Name</u>	Att	ributes
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, propert 8S Consumer Service Provider (CSP)	•	ID 2/3 ividual
			LDC		
Must Use	N102	93	Name Free-form name	Х	AN 1/60
			LDC Company Name		
Must Use	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identi 1 D-U-N-S Number, Dun & Bradstructure		ID 1/2 de (67)
			9 D-U-N-S+4, D-U-N-S Number wi Suffix	th Four C	Character
Must Use	N104	67	Identification Code Code identifying a party or other code LDC D-U-N-S Number or D-U-N-S + 4 Number	X	AN 2/20

Segment:	N1 Name (SJ=ESP Name)				
Position:	080				
Loop:	N1				
Level:	Heading				
Usage:	Optional				
Max Use:	1				
Purpose:	To identify a party by type of organization, name, and code				
Syntax Notes:	1 At least one of N102 or N103 is required.				
	2 If either N103 or N104 is present, then the other is required.				
Semantic Notes:					
Comments:	 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. N105 and N106 further define the type of entity in N101. 				
PA Use:	Required				
NJ Use:	Required				
DE Use:	Required				
MD Use:	Required				
Example:	N1*SJ*ESP COMPANY*9*007909422ESP				

	Ref. <u>Des.</u>	Data <u>Element</u>	<u>Name</u>	ent Summary	Att	<u>ributes</u>
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or SJ Service Provider		M an indi	ID 2/3 vidual
				ESP		
Must Use	N102	93	Name Free-form name		X	AN 1/60
			ESP Company Nam	e		
Must Use	N103	66	Identification Code Code designating the sys 1	e Qualifier tem/method of code structure used for Identificati D-U-N-S Number, Dun & Bradstreet	X ion Co	ID 1/2 de (67)
			9	D-U-N-S+4, D-U-N-S Number with F Suffix	our C	Character
Must Use	N104	67	Identification Code Code identifying a party ESP D-U-N-S Num		X	AN 2/20

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments:	 N1 Name (G7=Renewable Energy Provider Name) 080 N1 Heading Optional 1 To identify a party by type of organization, name, and code 1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required. 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
PA Use:	Not used
NJ Use:	Required
DE Use:	Not used
MD Use:	Not used
Example:	N1*G7*RENEWABLE COMPANY*9*007909422GPM

	Ref. <u>Des.</u>	Data <u>Element</u>	Name	ent Summary	Att	ributes
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or G7 Entity Providing the Service		M an indi	ID 2/3 vidual
				Renewable Energy Provider		
Must Use	N102	93	Name Free-form name		X	AN 1/60
			Renewable Energy	Provider Company Name		
Must Use	N103	66	Identification Code QualifierXCode designating the system/method of code structure used for Identification C1D-U-N-S Number, Dun & Bradstreet			ID 1/2 de (67)
			9	D-U-N-S+4, D-U-N-S Number with F Suffix	our C	Character
Must Use	N104	67	Identification Code Code identifying a party Renewable Energy	-	X + 4 N	AN 2/20 Number

Segment:	N1 Name (8R=Customer Name)					
Position:	080					
Loop:	N1					
Level:	Heading					
Usage:	Optional					
Max Use:	1					
Purpose:	To identify a party by type of organization, name, and code					
Syntax Notes:	1 At least one of N102 or N103 is required.					
	2 If either N103 or N104 is present, then the other is required.					
Semantic Notes:						
Comments:	 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. N105 and N106 further define the type of entity in N101. 					
Notes:	Please note that while you may place your N1 segments in any order, the REF segments that follow must be contained within the N1*8R loop.					
PA Use:	Required					
NJ Use:	Required					
DE Use:	Required					
MD Use:	Required					
Example:	N1*8R*CUSTOMER NAME					

	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Must Use	N101	98	Entity Identifier Co	ode	Μ	ID 2/3
			Code identifying an organizational entity, a physical location, property or an indivi			
			8R	Consumer Service Provider (CSP) Cu	stome	r
				End Use Customer		
Must Use	N102	93	Name Free-form name		Х	AN 1/60
			Customer Name			

Segment:	REF Reference Identification (11=ESP Account Number)			
Position:	120			
Loop:	N1			
Level:	Heading			
Usage:	Optional			
Max Use:	12			
Purpose:	To specify identifying information			
Syntax Notes:	1 At least one of REF02 or REF03 is required.			
	2 If either C04003 or C04004 is present, then the other is required.			
	3 If either C04005 or C04006 is present, then the other is required.			
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.			
Comments:				
PA Use:	Required if it was previously provided to the LDC.			
NJ Use:	Same as PA			
DE Use:	Same as PA			
MD Use:	Same as PA			
Example:	REF*11*1394959			

Data Element Summary					
Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identific Code qualifying the Refe	e	Attributes M ID 2/3
			11	Account Number	
				ESP-assigned account number for the	end use customer.
Must Use	REF02	127	Reference Identific Reference information as Identification Qualifier	cation s defined for a particular Transaction Set or as spe	X AN 1/30 ecified by the Reference

Segment:	REF Reference Identification (12=LDC Account Number)
Position:	120
Loop:	N1
Level:	Heading
Usage:	Optional
Max Use:	12
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
	2 If either C04003 or C04004 is present, then the other is required.
	3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	REF*12*1239485790

Data Element Summary					
Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identifi Code qualifying the Ref	e	Attributes M ID 2/3
			12	Billing Account	
				LDC-assigned account number for the customer. Must appear as it does on t	
Must Use	REF02	127	Reference Identifi Reference information a Identification Qualifier	cation is defined for a particular Transaction Set or as spe	X AN 1/30 ecified by the Reference

Segment:	REF Reference Identification (45=LDC Old Account Number)					
Position:	120					
Loop:	N1					
Level:	Heading					
Usage:	Optional					
Max Use:	12					
Purpose:	To specify identifying information					
Syntax Notes:	1 At least one of REF02 or REF03 is required.					
	4 If either C04003 or C04004 is present, then the other is required.					
	5 If either C04005 or C04006 is present, then the other is required.					
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.					
Comments:						
PA Use:	Note: Only used when LDC is sending this transaction.					
	Required if account number has changed within the last 60 days.					
NJ Use:	Required if account number has changed within the last 60 days.					
DE Use:	Not used					
MD Use:	Note: Only used when LDC is sending this transaction.					
	Not Used by BGE, PEPCO, or Delmarva.					
	PE: Required if the account number has changed in the last 60 days.					
Example:	REF*45*939581900					

Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	Name Reference Identifie Code qualifying the Refe		<u>Att</u> M	ributes ID 2/3
			45	Old Account Number		
				Previous LDC-assigned account numb customer.	er for	the end use
Must Use	REF02	127	Reference Identifie Reference information a Identification Qualifier	cation s defined for a particular Transaction Set or as spe	X cified l	AN 1/30 by the Reference

Segment:	REF Reference Identification (BLT=Billing Type)
Position:	120
Loop:	N1
Level:	Heading
Usage:	Optional
Max Use:	12
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
	2 If either C04003 or C04004 is present, then the other is required.
	3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
PA Use:	Required
	Note: Some utilities may not be able to comply with this until later since this was added
	so close to the 4010 implementation date.
NJ Use:	Optional
DE Use:	Optional
MD Use:	Optional
Example:	REF*BLT*LDC

	Ref.	Data		ient Summary		
	Des.	Element	Name		X12	<u>2 Attributes</u>
Must Use	REF01	128	Reference Identifi Code qualifying the Ref		Μ	ID 2/3
			BLT	Billing Type		
				Identifies whether the bill is consolidat ESP, or whether each party will render See REF02 for valid values.	~	
Must Use	REF02	127	Reference IdentificationXAN 1/30Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
			LDC - The LDC ESP - The ESP	<i>L</i> T, valid values for REF02 are: C bills the customer bills the customer arty bills the customer for their portion		
			Note: In New Jerse	ey, only LDC and DUAL are valid.		

Segment:	REF Reference Identification (PC=Bill Calculator)
Position:	120
Loop:	N1
Level:	Heading
Usage:	Optional
Max Use:	12
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
	2 If either C04003 or C04004 is present, then the other is required.
	3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
PA Use:	Required
	Note: Some utilities may not be able to comply with this until later since this was added
	so close to the 4010 implementation date.
NJ Use:	Optional
DE Use:	Optional
MD Use:	Optional
Example:	REF*PC*LDC

Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128		tification Qualifier Reference Identification	X12 Attributes M ID 2/3
			PC	Production Code	
				Identifies the party that is to calculate bill.	the charges on the
Must Use	REF02	127	Reference Iden Reference informati- Identification Qualifi	on as defined for a particular Transaction Set or as spe	X AN 1/30 scified by the Reference
			LDC - The L	PC, valid values for REF02 are: DC calculates the charges on the bill (Rate h party calculates its portion of the bill (Dua	•

IF		THEN		
Bills the	Calculates		Billing Party	Calc. Party
Customer	LDC Portion	ESP Portion	REF*BLT	REF*PC
LDC	LDC	LDC	LDC	LDC
LDC	LDC	ESP	LDC	DUAL
ESP	LDC	ESP	ESP	DUAL
DUAL	LDC	ESP	DUAL	DUAL

Be careful to use the UIG Standard Code Values LDC and ESP rather than the Pennsylvania versions of those codes.

Segment:	PTD Product Transfer and Resale Detail (BB=Monthly Billed Summary)
Position:	010
Loop:	PTD
Level:	Detail
Usage:	Mandatory
Max Use:	1
Syntax Notes:	1 If either PTD02 or PTD03 is present, then the other is required.
	2 If either PTD04 or PTD05 is present, then the other is required.
Semantic Notes:	
Comments:	
Notes:	PTD Loops may be sent in any order.
PA Use:	One Monthly Billed Summary PTD loop is required for every account.
NJ Use:	One Monthly Billed Summary PTD loop is required for every account.
DE Use:	One Monthly Billed Summary PTD loop is required for every account.
MD Use:	One Monthly Billed Summary PTD loop is required for every account.
Example:	PTD*BB

Must Use	Ref. <u>Des.</u> PTD01	Data <u>Element</u> 521	Name Product Transfer 7 Code identifying the type		<u>Attributes</u> M ID 2/2
			BB	Demand Information Only	
				This information is obtained from the b reflect the billing data for this account a measure level.	

Note:

Refer to the "PTD Loops Definition and Use" section earlier in this document for an explanation of this specific PTD Loop.

Segment:	DTM Date/Time Reference (150=Service Period Start)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes: Comments:	

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374	Name Date/Time Qualifier Code specifying type of date or time, or both date and time		Att M	<u>ributes</u> ID 3/3
Must Use	DTM02	373	150 Date Date expressed as	Service Period Start	X	DT 8/8

Segment:	DTM Date/Time Reference (151=Service Period End)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes:	
Commonto	

Comments:	
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	DTM*151*19990131

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374	<u>Name</u> Date/Time Qu	Dalifier ype of date or time, or both date and time	Att M	<u>ributes</u> ID 3/3
Must Use	DTM02	373	151 Date Date expressed as	Service Period End	X	DT 8/8

Segment:	QTY Quantity (Billed kwh)
Position:	110
Loop:	QTY
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify quantity information
Syntax Notes:	1 At least one of QTY02 or QTY04 is required.
	2 Only one of QTY02 or QTY04 may be present.
Semantic Notes:	1 QTY04 is used when the quantity is non-numeric.
Comments:	
Notes:	Billed KWH
PA Use:	Required
NJ Use:	Required
	Note: For a net metered account, this will reflect the net usage.
DE Use:	Required
MD Use:	Required
Example:	QTY*D1*22348*KH

Data Element Summary						
Must Use	Ref. <u>Des.</u> QTY01	Data <u>Element</u> 673	Name Quantity Qualifier Code specifying the type	of quantity	<u>Attı</u> M	<u>ributes</u> ID 2/2
			D1	Billed		
				Used when Quantity in QTY02 is a "Bi	lled"	quantity.
Must Use	QTY02	380	Quantity Numeric value of quantity	y	X	R 1/15
Must Use	QTY03	355	Unit or Basis for M Code specifying the units has been taken	teasurement Code in which a value is being expressed, or manner in	M which	ID 2/2 a measurement
			KH	Kilowatt Hour		
				Billed Kilowatt Hours as shown on the May or may not be the same as measure hours.		

Segment:	QTY Quantity (Billed Demand)
Position:	110
Loop:	QTY
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify quantity information
Syntax Notes:	1 At least one of QTY02 or QTY04 is required.
	2 Only one of QTY02 or QTY04 may be present.
Semantic Notes:	1 QTY04 is used when the quantity is non-numeric.
Comments:	
Notes:	Billed Demand
PA Use:	Required if account measures Demand (KW). This must be sent even if Billed (derived)
	demand is equal to measured demand.
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Example:	QTY*D1*14*K1

Data Element Summary						
Must Use	Ref. <u>Des.</u> QTY01	Data <u>Element</u> 673	<u>Name</u> Quantity Qualifier Code specifying the type		<u>Attı</u> M	ributes ID 2/2
			D1	Billed		
				Used when Quantity in QTY02 is a "B	illed'	' quantity.
Must Use	QTY02	380	Quantity Numeric value of quantity	у	X	R 1/15
Must Use	QTY03	355	Unit or Basis for M Code specifying the units has been taken	leasurement Code s in which a value is being expressed, or manner in	M n whicl	ID 2/2 h a measurement
			K1	Kilowatt Demand		

Segment:	QTY Quantity (Measured Demand)					
Position:	110					
Loop:	QTY					
Level:	Detail					
Usage:	Optional					
Max Use:	1					
Purpose:	To specify quantity information					
Syntax Notes:	1 At least one of QTY02 or QTY04 is required.					
	2 Only one of QTY02 or QTY04 may be present.					
Semantic Notes:	1 QTY04 is used when the quantity is non-numeric.					
Comments:	i					
Notes:	Measured Demand					
PA Use:	Required if account measures Demand (KW)					
NJ Use:	Same as PA					
DE Use:	Same as PA					
MD Use:	Same as PA					
Example:	QTY*QD*14*K1					

	Data Element Summary			ent Summary		
Must Use	Ref. <u>Des.</u> QTY01	Data <u>Element</u> 673	<u>Name</u> Quantity Qualifier Code specifying the type			
			KA	Estimated Quantity Delivered		
				Used when the quantity delivered is an estimated quantity.		
			QD	Actual Quantity Delivered		
			87	Used when the quantity delivered is an actual quantity. Actual Quantity Received (Net Metering)		
			Used when the net generation quantity received is actual.			
			9Н	Estimated Quantity Received (Net Metering) Used when the net generation quantity received is estimated.		
Must Use	QTY02	380	Quantity Numeric value of quantit	y X R 1/15		
Must Use	QTY03	355	Unit or Basis for M Code specifying the units has been taken	Ieasurement Code M ID 2/2 s in which a value is being expressed, or manner in which a measurement		
			K1	Kilowatt Demand		

Segment:	PTD Product Transfer and Resale Detail (BO=Meter Services Summary)					
Position:	010					
Loop:	PTD					
Level:	Detail					
Usage:	Mandatory					
Max Use:	1					
Purpose:	To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data					
Syntax Notes:	1 If either PTD02 or PTD03 is present, then the other is required.					
	2 If either PTD04 or PTD05 is present, then the other is required.					
Semantic Notes: Comments:						
Notes:	Metered Services Summary.					
	This loop is always used in conjunction with the Metered Services Detail loop (PTD01=PM). It is used when the metering agent is reporting interval data at the meter level. Note: All "Use" fields for this PTD loop are relevant only if this PTD loop (PTD01=BO)					
	is used.					
PA Use:	Required					
NJ Use:	Required					
DE Use:	Required					
MD Use:	Required					
Example:	PTD*BO					
-						

			Data Elem	ent Summary	
	Ref.	Data Flomont	Nome		Attributor
Must Use	<u>Des.</u> PTD01	Element 521	<u>Name</u> Product Transfer	Type Code	<u>Attributes</u> M ID 2/2
Must Osc	1 1 1 0 1	521	Code identifying the typ		
			BO	Designated Items	
				Meter Services Summary	

Segment:	DTM Date/Time Reference (150=Service Period Start)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes: Comments:	
	This data and ante the hearing of the data serves for this mater for this hilling paried
Notes:	This date reflects the beginning of the date range for this meter for this billing period. Note: The Service Period Start Date and Service Period End Date in the Metered Services Summary loop <u>must</u> match the dates in the Metered Services Detail loop.
PA Use:	Required, unless a "DTM*514" is substituted for this code.
NJ Use:	Not Used
DE Use:	Not Used
MD Use:	Not Used
Example:	DTM*150*19990101

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374	<u>Name</u> Date/Time Q	Name Date/Time Qualifier Code specifying type of date or time, or both date and time		ributes ID 3/3
Must Use	DTM02	373	150 Date Date expressed a	Service Period Start s CCYYMMDD	X	DT 8/8

Segment:	DTM Date/Time Reference (151=Service Period End)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes:	
Comments:	
Notes:	This date reflects the end of the date range for this meter for this billing period.
	Note: The Service Period Start Date and Service Period End Date in the Metered
	Services Summary loop must match the dates in the Metered Services Detail loop.
PA Use:	Required, unless a "DTM*514" is substituted for this code.
NJ Use:	Not Used
DE Use:	Not Used
MD Use:	Not Used
Example:	DTM*151*19990131

	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Must Use	DTM01	374	Date/Time Q	ualifier	Μ	ID 3/3
			Code specifying	type of date or time, or both date and time		
			151	Service Period End		
Must Use	DTM02	373	Date Date expressed a	s CCYYMMDD	Х	DT 8/8

Segment:	DTM Date/Time Reference (328=Change Interval Data Increment)						
Position:	020						
Loop:	PTD						
Level:	Detail						
Usage:	Optional						
Max Use:	10						
Purpose:	To specify pertinent dates and times						
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.						
	2 If DTM04 is present, then DTM03 is required.						
	3 If either DTM05 or DTM06 is present, then the other is required.						
Semantic Notes:							
Comments:							
Notes:	Used in conjunction with either the Service Period Start Date or the Service Period End						
	Date to indicate when the Interval Data Increment has been changed by the LDC.						
	Separate PTD loops must be created for each period and Interval Data Increment value						
	reporting in the REF*MT (meter type) segment.						
PA Use:	Required when there is a change to the Interval Data Increment						
NJ Use:	Not Used						
DE Use:	Not Used						
MD Use:	Not Used						
Example:	Date Range in the first PTD is shown as:						
	DTM*150*20151201						
	DTM*328*20151214						
	Date Range in the second PTD is shown as:						
	DTM*328*20151214						
	DTM*151*20151231						

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374	<u>Name</u> Date/Time (Qualifier g type of date or time, or both date and time	<u>Att</u> M	<u>ributes</u> ID 3/3
			328	Changed		
				Change Interval Data Increment		
Must Use	DTM02	373	Date		Х	DT 8/8
			Date expressed	as CCYYMMDD		

Segment:	DTM Date/Time Reference (514=Meter Exchange Date)				
Position:	020				
Loop:	PTD				
Level:	Detail				
Usage:	Optional				
Max Use:	10				
Purpose:	To specify pertinent dates and times				
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.				
	2 If DTM04 is present, then DTM03 is required.				
	3 If either DTM05 or DTM06 is present, then the other is required.				
Semantic Notes:					
Comments:					
Notes:	Used in conjunction with either the Service Period Start Date or the Service Period End Date to indicate when a meter has been replaced. Separate PTD loops must be created				
	for each period and meter.				
PA Use:	Required when a meter is changed and the meter agent does not change.				
NJ Use:	Not Used				
DE Use:	Not Used				
MD Use:	Not Used				
Example:	Date Range in the first PTD is shown as:				
	DTM*150*19990201				
	DTM*514*19990214				
	Date Range in the second PTD is shown as:				
	DTM*514*19990214				
	DTM*151*19990228				

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374	<u>Name</u> Date/Time Qualific	er late or time, or both date and time	<u>Att</u> M	<u>ributes</u> ID 3/3
			514	Transferred		
				Exchanged meter read date		
Must Use	DTM02	373	Date Date expressed as CCYY	'MMDD	Х	DT 8/8

Segment:	REF Reference Identification (MG=Meter Number)
Position:	030
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	20
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
	2 If either C04003 or C04004 is present, then the other is required.
	3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
PA Use:	Required if this is a metered account and the meter is on the account at the end of the period. For some utilities, they may not be able to provide the actual meter number for a meter that has been changed out during the month. In that case, the REF*MG will not be sent. Everyone is working toward being able to provide the old meter number.
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Example:	REF*MG*2222277S

	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Must Use	REF01	128		entification Qualifier he Reference Identification	Μ	ID 2/3
			MG	Meter Number		
Must Use	REF02	127	Reference Ide Reference information Quartification Quartificatio	ation as defined for a particular Transaction Set or as sp	X pecified	AN 1/30 by the Reference

Segment:	REF Reference Identification (JH=Meter Role)
Position:	030
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	20
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
	2 If either C04003 or C04004 is present, then the other is required.
	3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
Notes:	Meter Role – effect of consumption on summarized total:
PA Use:	Required if consumption is provided at a meter level
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Example:	REF*JH*A

Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128		lentification Qualifier the Reference Identification Meter Role	Atti M	ributes ID 2/3
Must Use	REF02	127	Reference Id	lentification nation as defined for a particular Transaction S	X et or as specified b	AN 1/30 by the Reference
			 When REF01 is JH, valid values for REF02 are: S = Subtractive - this consumption needs to be summarized total. A = Additive - this consumption contributed to (do nothing). I = Ignore - this consumption did not contribute total (do nothing). 			narized total

Segment:	REF Reference Identification (IX=Number of Dials)
Position:	030
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	20
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
	2 If either C04003 or C04004 is present, then the other is required.
	3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
PA Use:	Required for meters with dials
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Example:	REF*IX*6.0
	REF*IX*5.1
	REF*IX*4.2

	Ref.	Data		Sinche Summary		
	Des.	<u>Element</u>	<u>Name</u>		<u>X12</u>	<u>2 Attributes</u>
Must Use	REF01	128	Reference Ident	ification Qualifier	Μ	ID 2/3
			Code qualifying the H	Reference Identification		
			IX	Rate Card Number		
				Number of Dials on the Meter display	red as	the number
				of dials to the left of the decimal, a de	cimal	point, and
				the number of dials to the right of the	decim	nal.
Must Use	REF02	127	Reference Ident	ification	Х	AN 1/30
			Reference informatio Identification Qualifi	n as defined for a particular Transaction Set or as sp er	ecified l	by the Reference
Optional	REF03	352	Description		Х	AN 1/80
			A free-form descripti	on to clarify the related data elements and their conte	ent	
			Optional use: See	e Meter Type (REF*MT) on 814 Enrollme	nt for	valid codes.

# Dials	Positions to	Positions to	X12 Example
	left of decimal	right of decimal	
6	6	0	REF*IX*6.0
6	5	1	REF*IX*5.1
6	4	2	REF*IX*4.2

Segment:	QTY Quantity
Position:	110
Loop:	QTY
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify quantity information
Syntax Notes:	1 At least one of QTY02 or QTY04 is required.
	2 Only one of QTY02 or QTY04 may be present.
Semantic Notes:	1 QTY04 is used when the quantity is non-numeric.
Comments:	······································
Notes:	There will be one QTY loop for each of the QTY03 Units of Measurement listed below
	that are measured on this account when interval data is being provided at the meter level.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	QTY*QD*22348*KH

			Data Liente	ent Summary
	Ref.	Data		
	Des.	Element	Name	Attributes
Must Use	QTY01	673	Quantity Qualifier	M ID 2/2
112460 0.50	Q1101	075	Code specifying the type	
			KA	Estimated Quantity Delivered
				Used when the quantity delivered is an estimated
				quantity.
			QD	Actual Quantity Delivered
				Used when the quantity delivered is an actual quantity.
			87	Actual Quantity Received (Net Metering)
				Used when the net generation quantity received is
				actual.
			9H	Estimated Quantity Received (Net Metering)
				Used when the net generation quantity received is
				estimated.
Must Use	QTY02	380	Quantity	X R 1/15
	-		Numeric value of quantit	у
Must Use	QTY03	355	Unit or Basis for M	leasurement Code M ID 2/2
	x		Code specifying the units	in which a value is being expressed, or manner in which a measurement
			has been taken	
			K3	Kilovolt Amperes Reactive Hour (kVARH)
				Represents actual electricity equivalent to kilowatt
				hours; billable when usage meets or exceeds defined
				parameters
			KH	Kilowatt Hour (kWh)
			1311	

Segment:	MEA Measurements (MU=Meter Multiplier)
Position:	160
Loop:	QTY
Level:	Detail
Usage:	Optional
Max Use:	40
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances,
	and weights (See Figures Appendix for example of use of C001)
Syntax Notes:	1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.
	2 If MEA05 is present, then MEA04 is required.
	3 If MEA06 is present, then MEA04 is required.
	4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.
	5 Only one of MEA08 or MEA03 may be present.
Semantic Notes:	1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.
Comments:	1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or
	any measurement where a positive (+) value cannot be assumed, use MEA05 as the
	negative (-) value and MEA06 as the positive (+) value.
PA Use:	Required for a meter that has a meter multiplier other than 1.
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Example:	MEA**MU*2

			Data Element Summary		
	Ref.	Data			
	Des.	<u>Element</u>	Name	Att	<u>ributes</u>
Must Use	MEA02	738	Measurement Qualifier	0	ID 1/3
			Code identifying a specific product or process characteristic to which a m	easuren	nent applies
			MU Multiplier		
Must Use	MEA03	739	Measurement Value The value of the measurement	X	R 1/20
			Represents the meter constant when MEA02 equals "MU" multiplier equals 1, do not send this MEA segment.	. When	n the

Segment:	MEA Measurements (ZA=Power Factor)		
Position:	160		
Loop:	QTY		
Level:	Detail		
Usage:	Optional		
Max Use:	40		
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)		
Syntax Notes:	1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.		
	3 If MEA05 is present, then MEA04 is required.		
	3 If MEA06 is present, then MEA04 is required.		
	3 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.		
	3 Only one of MEA08 or MEA03 may be present.		
Semantic Notes:	1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.		
Comments:	1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.		
PA Use:	Power Factor: Relationship between watts and volt amperes necessary to supply electric		
	load. Required if it is available to the meter agent and it is used in the calculation of the sustainer's hill. This is only relevant and should only be sent with Demond $(K1)$. If not		
	customer's bill. This is only relevant and should only be sent with Demand (K1). If not present with a demand quantity, it should be assumed to be 1.		
NJ Use:	Same as PA		
DE Use:	Same as PA		
MD Use:	Same as PA		
Example:	MEA**ZA*.95		

Must Use	Ref. <u>Des.</u> MEA02	Data <u>Element</u> 738	<u>Name</u> Measurement Qua	lifier	0	ributes ID 1/3
			ZA	Power Factor Relationship between watts and volt – necessary to supply electric load		
Must Use	MEA03	739	Measurement Value The value of the measure		Х	R 1/20
			1	er Factor when MEA02 equals "ZA". We the value is 1, do not send this MEA se		

Segment:	MEA Measurements (CO=Transformer Loss Factor)			
Position:	160			
Loop:	QTY			
Level:	Detail			
Usage:	Optional			
Max Use:	40			
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)			
Syntax Notes:	1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.			
	3 If MEA05 is present, then MEA04 is required.			
	3 If MEA06 is present, then MEA04 is required.			
	3 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.			
	3 Only one of MEA08 or MEA03 may be present.			
Semantic Notes:	1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.			
Comments:	1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.			
PA Use:	Transformer Loss Factor: Required when customer owns a transformer and the			
	transformer loss is not calculated by the meter.			
NJ Use:	Same as PA			
DE Use:	Same as PA			
MD Use:	Same as PA			
Example:	MEA**CO*1.02			

Must Use	Ref. <u>Des.</u> MEA02	Data <u>Element</u> 738	<u>Name</u> Measurement Qua Code identifying a speci	alifier ific product or process characteristic to which a mo	Attributes O ID 1/3 easurement applies
			CO	Transformer Loss Multiplier	
				When a customer owns a transformer transformer loss is not measured by the	
Must Use	MEA03	739	Measurement Value of the measurement		X R 1/20
			Represents the Tran	nsformer Loss Multiplier when MEA02	equals "CO".

Segment:	PTD Product Transfer and Resale Detail (PM=Meter Services Detail)
Position:	010
Loop:	PTD
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data
Syntax Notes:	1 If either PTD02 or PTD03 is present, then the other is required.
-	3 If either PTD04 or PTD05 is present, then the other is required.
Semantic Notes:	
Comments:	
Notes:	Meter Services Detail This loop is always used in conjunction with the Metered Services Summary loop (PTD01=BO). It is used when the metering agent is reporting interval data at the meter level. Note: This loop is optional on a cancel transaction. Note: All "Use" fields for this PTD loop are relevant only if this PTD loop (PTD01=PM) is used.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	PTD*PM

Must Use	Ref. <u>Des.</u> PTD01	Data <u>Element</u> 521	<u>Name</u> Product Transfer 7	Гуре Code	<u>Attr</u> M	<u>ibutes</u> ID 2/2
			Code identifying the type	e of product transfer		
			PM	Physical Meter Information		
				Meter Services Detail		

Note:

Refer to the "PTD Loops Definition and Use" section earlier in this document for an explanation of this specific PTD Loop.

Segment:	DTM Date/Time Reference (150=Service Period Start)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes: Comments:	
Notes:	This date reflects the beginning of the date range for this meter for this billing period.
	Note: The Service Period Start Date and Service Period End Date in the Meter Services Summary loop <u>must</u> match the dates in the Meter Services Detail loop.
PA Use:	Required, unless a "DTM*514" is substituted for this code.
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Example:	DTM*150*19990101

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374	<u>Name</u> Date/Time Q	Name Date/Time Qualifier Code specifying type of date or time, or both date and time		ributes ID 3/3
Must Use	DTM02	373	150 Date Date expressed a	Service Period Start s CCYYMMDD	X	DT 8/8

Segment:	DTM Date/Time Reference (151=Service Period End)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes: Comments:	
Notes:	This date reflects the end of the date range for this meter for this billing period.
	Note: The Service Period Start Date and Service Period End Date in the Meter Services Summary loop <u>must</u> match the dates in the Meter Services Detail loop.
PA Use:	Required, unless a "DTM*514" is substituted for this code.
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Example:	DTM*151*19990131

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 274	<u>Name</u>	volifion		<u>ributes</u> ID 3/3
Wiust Use	DTM01	374	Date/Time Que Code specifying t	ype of date or time, or both date and time	М	ID 3/3
			151	Service Period End		
Must Use	DTM02	373	Date Date expressed as	CCYYMMDD	Х	DT 8/8

Segment:	DTM Date/Time Reference (514=Meter Exchange Date)				
Position:	020				
Loop:	PTD				
Level:	Detail				
Usage:	Optional				
Max Use:	10				
Purpose:	To specify pertinent dates and times				
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.				
	2 If DTM04 is present, then DTM03 is required.				
	3 If either DTM05 or DTM06 is present, then the other is required.				
Semantic Notes:					
Comments:					
Notes:	Used in conjunction with either the Service Period Start Date or the Service Period End Date to indicate when a meter has been replaced. Separate PTD loops must be created for each period and meter.				
PA Use:	Required when a meter is changed and the meter agent does not change.				
NJ Use:	Same as PA				
DE Use:	Same as PA				
MD Use:	Same as PA				
Example:	Date Range in the first PTD is shown as: DTM*150*19990201 DTM*514*19990214 Date Range in the second PTD is shown as:				
	DTM*514*19990214				
	DTM*151*19990228				

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374	Name Date/Time Qualifier Code specifying type of date or time, or both date and time			<u>ributes</u> ID 3/3
			514	Transferred		
				Exchanged meter read date		
Must Use	DTM02	373	Date Date expressed as CCYY	YMMDD	X	DT 8/8

Segment:	REF Reference Identification (MG=Meter Number)
Position:	030
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	20
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
	2 If either C04003 or C04004 is present, then the other is required.
	3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
PA Use:	Required if this is a metered account and the meter is on the account at the end of the period. For some utilities, they may not be able to provide the actual meter number for a
	meter that has been changed out during the month. In that case, the REF*MG will not be
	sent. Everyone is working toward being able to provide the old meter number.
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Example:	REF*MG*2222277S

Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Ide Code qualifying th		<u>ibutes</u> ID 2/3	
			MG	Meter Number		
	REF02	127	Reference Ide	ntification	Х	AN 1/30
			Reference informa Identification Qua	tion as defined for a particular Transaction Set of lifter	r as specified by	the Reference

Segment:	REF Reference Identification (MT=Meter Type)
Position:	030
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	20
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
	2 If either C04003 or C04004 is present, then the other is required.
	3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
Notes:	The use of this segment allows the receiver to know the interval length being sent.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	REF*MT*KH015

	Ref.	Data		· · ·				
	Des.	<u>Element</u>	Name				Att	<u>ributes</u>
Must Use	REF01	128	Reference Ider	ntification Qualifier	ſ		Μ	ID 2/3
			Code qualifying the	e Reference Identification	l			
			MT	Meter Type				
Must Use	REF02	127	Reference Ider Reference informat Identification Quali	ion as defined for a partic	cular Trans	action Set or as spec	X atfied t	AN 1/30 by the Reference
			two characters a metering interva	When REF01 is MT, the meter type is expressed as a five-charact two characters are the type of consumption, the last three charact metering interval. Since this value ties to the consumption being value "COMBO" is not valid. Valid values can be a combination values:				
		Type of	Consumption	l		Metering Int	terva	al
	K1	Kilowatt De	-		Nnn	Number of minu		
	K2	Kilovolt Am	peres Reactive De	mand	ANN	Annual		
	K3	Kilovolt Am	peres Reactive Ho	ur	BIA	Bi-annual		
	K4	Kilovolt Am	peres		BIM	Bi-monthly		
	K5	Kilovolt Am	peres Reactive		DAY	Daily		
	KH	Kilowatt Ho	ur		MON	Monthly		
	Т9	Thousand K	ilowatt Hours		QTR	Quarterly		
	For Exar	nple:						
	KHM K101		Kilowatt Hours P Kilowatt Demand	er Month I per 15 minute interva	ıl			

Segment:	QTY Quantity
Position:	110
Loop:	QTY
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify quantity information
Syntax Notes:	1 At least one of QTY02 or QTY04 is required.
2 Only one of	QTY02 or QTY04 may be present.
Semantic Notes:	1 QTY04 is used when the quantity is non-numeric.
Comments:	
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	QTY*QD*87*KH

	D C	D (Data Elene	ent Summary
	Ref.	Data Element	Nama	A 44-1
Must Use	<u>Des.</u> QTY01	Element 673	<u>Name</u> Quantity Qualifier	<u>Attributes</u> M ID 2/2
Winst Ose	QIIII	075	Code specifying the type	
			KA	
			NА	Estimated Quantity Delivered
				Used when the quantity delivered is an estimated
			QD	quantity. Actual Quantity Delivered
			QD	Used when the quantity delivered is an actual quantity.
			20	Unavailable
			20	Used when meter data is not available to fill intervals.
			87	Actual Quantity Received (Net Metering)
			0,	Used when the net generation quantity received is
				actual.
			96	Non-Billable Quantity
				Indicates this quantity and interval are outside of the
				actual bill period
			9H	Estimated Quantity Received (Net Metering)
				Used when the net generation quantity received is
				estimated.
Must Use	QTY02	380	Quantity Numeric value of quantity	y X R 1/15
Must Use	QTY03	355	Unit or Basis for M	leasurement Code M ID 2/2
			Code specifying the units has been taken	in which a value is being expressed, or manner in which a measurement
			K1	Kilowatt Demand (kW)
				Represents potential power load measured at predetermined intervals
			K2	Kilovolt Amperes Reactive Demand (kVAR)
				Reactive power that must be supplied for specific types of customer's equipment; billable when kilowatt demand usage meets or exceeds a defined parameter
			K3	Kilovolt Amperes Reactive Hour (kVARH)
				Represents actual electricity equivalent to kilowatt hours;
				billable when usage meets or exceeds defined parameters
			K4	Kilovolt Amperes (KVA)
			KH	Kilowatt Hour (kWh)

Segment:	DTM Date/Time Reference (582=Report Period)
Position:	210
Loop:	QTY
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	3 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes: Comments:	
Notes:	End date and time of the period for which the quantity is provided. Time will include zone. Each interval must be explicitly labeled with the date and time.
PA Use:	Required
NJ Use:	Required

NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	DTM*582*19990115*1500*ET

			Data E	aement Summary		
	Ref. <u>Des.</u>	Data <u>Element</u>	Name		At	<u>tributes</u>
Must Use	DTM01	374	Date/Time Qua	alifier	Μ	ID 3/3
			Code specifying typ	be of date or time, or both date and time		
			582	Report Period		
				The date/time of the end of the interv	val.	
Must Use	DTM02	373	Date Date expressed as C	CCYYMMDD	Х	DT 8/8
Must Use	DTM03	337	HHMMSSDD, whe	24-hour clock time as follows: HHMM, or HHMMSS ere H = hours (00-23), M = minutes (00-59), S = integ nds; decimal seconds are expressed as follows: D = te	ger secon	nds (00-59) and
			HHMM format			
Must Use	DTM04	623	time can be specifie	e time. In accordance with International Standards O ed by $a + or - and an indication in hours in relation totime; since + is a restricted character, + and - are sub$	Univers	al Time
			time starts and a is not adjusted f	nust accurately provide the time zone whe ends if the meter is adjusted for daylight sa for daylight savings time, the time code wi at Time which will be interpreted as prevai	vings t ll alwa	time. If meter ys reflect
			ED	Eastern Daylight Time		
			ES	Eastern Standard Time		

Segment:	PTD Product Transfer and Resale Detail (SU=Account Services Summary)
Position:	010
Loop:	PTD
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data
Syntax Notes:	1 If either PTD02 or PTD03 is present, then the other is required.
	3 If either PTD04 or PTD05 is present, then the other is required.
Semantic Notes:	
Comments:	
Notes:	Account Services Summary
	This loop is always used in conjunction with the Account Services Detail loop (PTD01=BQ). It is used when the metering agent is reporting interval data at the account level.
	Note: All "Use" fields for this PTD loop are relevant only if this PTD loop (PTD01=SU) is used.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	PTD*SU
	I

Data Element Summary							
	Ref.	Data					
	Des.	<u>Element</u>	Name		<u>Attributes</u>		
Must Use	PTD01	521	Product Transfer	Гуре Code	M ID 2/2		
			Code identifying the type	e of product transfer			
			SU	Summary			
				Account Services Summary			

Note:

Refer to the "PTD Loops Definition and Use" section earlier in this document for an explanation of this specific PTD Loop.

Segment:	DTM Date/Time Reference (150=Service Period Start)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	3 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes: Comments:	
Notes:	This date reflects the end of the date range for this meter for this billing period.
	Note: The Service Period Start Date and Service Period End Date in the Account
	Services Summary loop must match the dates in the Account Services Detail loop.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	DTM*150*19990101

	Ref.	Data				
	Des.	Element	<u>Name</u>		At	<u>tributes</u>
Must Use	DTM01	374	Date/Time Q	ualifier	Μ	ID 3/3
			Code specifying t	ype of date or time, or both date and time		
			150	Service Period Start		
Must Use	DTM02	373	Date Date expressed as	S CCYYMMDD	X	DT 8/8

Segment:	DTM Date/Time Reference (151=Service Period End)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2 If DTM04 is present, then DTM03 is required.
• If either DTM05 or	DTM06 is present, then the other is required.
Semantic Notes:	
Comments:	
Notes:	This date reflects the end of the date range for this meter for this billing period.
	Note: The Service Period Start Date and Service Period End Date in the Account
	Services Summary loop <u>must</u> match the dates in the Account Services Detail loop.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	DTM*151*19990131

	Ref.	Data				
	Des.	Element	<u>Name</u>		At	<u>tributes</u>
Must Use	DTM01	374	Date/Time (Jualifier	Μ	ID 3/3
			Code specifying	type of date or time, or both date and time		
			151	Service Period End		
Must Use	DTM02	373	Date Date expressed a	as CCYYMMDD	Х	DT 8/8

Segment: REF Reference Identification (6W=Channel Number	r)
Position: 030	
Loop: PTD	
Level: Detail	
Usage: Optional	
Max Use: 20	
Purpose: To specify identifying information	
Syntax Notes: 1 At least one of REF02 or REF03 is required.	
2 If either C04003 or C04004 is present, then the other is	required.
3 If either C04005 or C04006 is present, then the other is	required.
Semantic Notes: 1 REF04 contains data relating to the value cited in REF0 Comments:	2.

PA Use:	N/A
NJ Use:	Used by PSEG. If only one channel is used, this will still be sent.
DE Use:	N/A
MD Use:	N/A
Example:	REF*6W*1

Data Element Summary						
Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identific	ation Qualifier	<u>Attı</u> M	<u>ributes</u> ID 2/3
			Code qualifying the	Reference Identification		
			6W	Sequence Number		
				Channel Number		
Must Use	REF02	127	Reference Identific	ation	Х	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		or as	
			Channel Number			

Segment:	QTY Quantity
Position:	110
Loop:	QTY
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify quantity information
Syntax Notes:	1 At least one of QTY02 or QTY04 is required.
	1. Only one of QTY02 or QTY04 may be present.
Semantic Notes:	1 QTY04 is used when the quantity is non-numeric.
Comments:	
Notes:	There will be one QTY loop for each of the QTY03 Units of Measurement listed below
	that are measured on this account when interval data is being provided at the Account
	level.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	QTY*QD*22348*KH

Data Element Summary				
	Ref.	Data		
	Des.	Element	<u>Name</u>	<u>Attributes</u>
Must Use	QTY01	673	Quantity Qualifier	M ID 2/2
			Code specifying the type	of quantity
			KA	Estimated Quantity Delivered
				Used when the quantity delivered is an estimated
				quantity.
			QD	Actual Quantity Delivered
				Used when the quantity delivered is an actual quantity.
			87	Actual Quantity Received (Net Metering)
				Used when the net generation quantity received is
				actual.
			9H	Estimated Quantity Received (Net Metering)
				Used when the net generation quantity received is
				estimated.
Must Use	QTY02	380	Quantity Numeric value of quantity	у X R 1/15
Must Use	QTY03	355	Unit or Basis for M	leasurement Code M ID 2/2
	C C		Code specifying the units has been taken	in which a value is being expressed, or manner in which a measurement
			K3	Kilovolt Amperes Reactive Hour (kVARH)
				Represents actual electricity equivalent to kilowatt
				hours; billable when usage meets or exceeds defined
				parameters
			KH	Kilowatt Hour

Segment:	PTD Product Transfer and Resale Detail (BQ=Account Services Detail)
Position:	010
Loop:	PTD
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data
Syntax Notes:	1 If either PTD02 or PTD03 is present, then the other is required.
	2. If either PTD04 or PTD05 is present, then the other is required.
Semantic Notes:	
Comments:	
Notes:	Account Services Detail This loop is always used in conjunction with the Account Services Summary loop (PTD01=SU). It is used when the metering agent is reporting interval data at the account level. Note: This loop is optional on a cancel transaction. Note: All "Use" fields for this PTD loop are relevant only if this PTD loop (PTD01=BQ)
	is used.
PA Use:	Required Note: One loop for kWh is required, all other unit of measure loops are optional.
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	PTD*BQ

Must Use	Ref. <u>Des.</u> PTD01	Data <u>Element</u> 521	<u>Name</u> Product Transfer Code identifying the typ		Attributes M ID 2/2
			BQ	Other	
				Account Services Detail Issue from inventory, when a specific r otherwise provided	reason type is not

Note:

Refer to the "PTD Loops Definition and Use" section earlier in this document for an explanation of this specific PTD Loop.

Segment:	DTM Date/Time Reference (150=Service Period Start)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	3. If DTM04 is present, then DTM03 is required.
	4. If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes: Comments:	
Notes:	This date reflects the end of the date range for this meter for this billing period.
	Note: The Service Period Start Date and Service Period End Date in the Account
	Services Summary loop must match the dates in the Account Services Detail loop.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	DTM*150*19990101

	Ref.	Data				
	Des.	<u>Element</u>	<u>Name</u>		At	<u>tributes</u>
Must Use	DTM01	374	Date/Time Q	ualifier	Μ	ID 3/3
			Code specifying	type of date or time, or both date and time		
			150	Service Period Start		
Must Use	DTM02	373	Date Date expressed as	s CCYYMMDD	X	DT 8/8

Segment:	DTM Date/Time Reference (151=Service Period End)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	5. If DTM04 is present, then DTM03 is required.
	6. If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes: Comments:	
Notes:	This date reflects the end of the date range for this meter for this billing period.
	Note: The Service Period Start Date and Service Period End Date in the Account
	Services Summary loop must match the dates in the Account Services Detail loop.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	DTM*151*19990131

	Ref.	Data				
	Des.	Element	<u>Name</u>		At	<u>tributes</u>
Must Use	DTM01	374	Date/Time Q	Jualifier	Μ	ID 3/3
			Code specifying	type of date or time, or both date and time		
			151	Service Period End		
Must Use	DTM02	373	Date Date expressed a	as CCYYMMDD	X	DT 8/8

Segment:	DTM Date/Time Reference (328=Change Interval Data Increment)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	3 If DTM04 is present, then DTM03 is required.
	4 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes:	
Comments:	
Notes:	Used in conjunction with either the Service Period Start Date or the Service Period End
	Date to indicate when the Interval Data Increment has been changed by the LDC.
	Separate PTD loops must be created for each period and Interval Data Increment value
	reporting in the REF*MT (meter type) segment.
PA Use:	Required when there is a change to the Interval Data Increment
NJ Use:	Not Used
DE Use:	Not Used
MD Use:	Not Used
Example:	Date Range in the first PTD is shown as:
	DTM*150*20151201
	DTM*328*20151214
	Date Range in the second PTD is shown as:
	DTM*328*20151214
	DTM*151*20151231

	Ref.	Data				
	Des.	<u>Element</u>	<u>Name</u>		Att	<u>ributes</u>
Must Use	DTM01	374	Date/Time Qual	lifier	Μ	ID 3/3
			Code specifying type	of date or time, or both date and time		
			328	Changed		
				Change Interval Data Increment		
Must Use	DTM02	373	Date		Х	DT 8/8
			Date expressed as CC	CYYMMDD		

Segment:	REF Reference Identification (MT=Meter Type)
Position:	030
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	20
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
• If either C04003	3 or C04004 is present, then the other is required.
• If either C04005	5 or C04006 is present, then the other is required.

		-	_	
Semantic Notes:	1	REF04 contains data	relating to the value ci	ited in REF02.

Comments:	
Notes:	The use of this segment allows the receiver to know the interval length being sent.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	REF*MT*KH015

	Ref.	Data				
	Des.	Element	<u>Name</u>			<u>Attributes</u>
Must Use	REF01	128	Reference Ide	ntification Qualifie	r	M ID 2/3
			Code qualifying th	e Reference Identification	n	
			MT	Meter Type		
Must Use	REF02	127	Reference Ide	ntification		X AN 1/30
			Reference information Qual		cular Trans	saction Set or as specified by the Reference
			When REF01 i	s MT, the meter type	e is expre	essed as a five-character field. The first
			two characters	are the type of const	umption,	the last three characters are the
			metering interv	al. Since this value	ties to th	e consumption being reported, the
			value "COMBO	O" is not valid. Vali	d values	can be a combination of the following
			values:			
		Type of	Consumption	1		Metering Interval
	K1	Kilowatt Dei	mand		Nnn	Number of minutes from 001 to 999
	K2	Kilovolt Am	peres Reactive De	emand	ANN	Annual
	K3	Kilovolt Am	peres Reactive Ho	our	BIA	Bi-annual
	K4	Kilovolt Am	peres		BIM	Bi-monthly
	K5		peres Reactive		DAY	Daily
	KH	Kilowatt Ho			MON	Monthly
	T9	Thousand Ki	ilowatt Hours		QTR	Quarterly
	For Exar	nple:				

KHMON	Kilowatt Hours Per Month
K1015	Kilowatt Demand per 15 minute interval

Segment:	REF Reference Identification (6W=Channel Number)
Position:	030
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	20
Purpose:	To specify identifying information
Syntax Notes:	1 At least one of REF02 or REF03 is required.
	2 If either C04003 or C04004 is present, then the other is required.
	3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	

PA Use:	N/A
NJ Use:	Used by PSEG. If only one channel is used, this will still be sent.
DE Use:	N/A
MD Use:	N/A
Example:	REF*6W*1

			Data Eleme	ent Summary		
Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identific	ation Qualifier	<u>Attı</u> M	<u>ributes</u> ID 2/3
			Code qualifying the	Reference Identification		
			6W	Sequence Number		
				Channel Number		
Must Use	REF02	127	Reference Identific	ation	Х	AN 1/30
				on as defined for a particular Transaction erence Identification Qualifier	n Set o	or as
			Channel Number			

Segment:	QTY Quantity
Position:	110
Loop:	QTY
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify quantity information
Syntax Notes:	1 At least one of QTY02 or QTY04 is required.
	1. Only one of QTY02 or QTY04 may be present.
Semantic Notes:	1 QTY04 is used when the quantity is non-numeric.
Comments:	
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	QTY*QD*87*KH

			Data Elemo	ent Summary
	Ref.	Data Element	Name	Attributes
Must Use	<u>Des.</u> QTY01	<u>673</u>	Quantity Qualifier	
Whist Use	QIIUI	075	Code specifying the type	
			17	
			17	Incomplete Quantity Delivered Used when multi-metered account rolled up and at least
				one of the meters is not available.
			19	
			19	Incomplete Quantity Received (Net Metering) Used when multi-metered account rolled up, at least one
				of the meters is not available and the total is net
				generation.
			20	Unavailable
			20	Used when meter data is not available to fill the
				intervals.
			87	Actual Quantity Received (Net Metering)
			07	Used when the net generation quantity received is
				actual.
			96	Non-Billable Quantity
			,,,	Indicates this quantity and interval are outside of the
				actual bill period
			9H	Estimated Quantity Received (Net Metering)
				Used when the net generation quantity received is
				estimated.
			KA	Estimated Quantity Delivered
				Used when the quantity delivered is an estimated
				quantity.
			QD	Actual Quantity Delivered
				Used when the quantity delivered is an actual quantity.
Must Use	QTY02	380	Quantity Numeric value of quantit	у X R 1/15
Must Use	QTY03	355	Unit or Basis for M	
			Code specifying the units has been taken	s in which a value is being expressed, or manner in which a measurement
			K1	Kilowatt Demand (kW)
				Represents potential power load measured at predetermined
				intervals
			K2	Kilovolt Amperes Reactive Demand (kVAR)
867 Interval	Usage (4010)			79 IG867IUv6-5.docx

	Reactive power that must be supplied for specific types of customer's equipment; billable when kilowatt demand usage meets or exceeds a defined parameter
K3	Kilovolt Amperes Reactive Hour (kVARH)
	Represents actual electricity equivalent to kilowatt hours; billable when usage meets or exceeds defined parameters
K4	Kilovolt Amperes (KVA)
KH	Kilowatt Hour (kWh)

Segment:	DTM Date/Time Reference (582=Report Period)
Position:	210
Loop:	QTY
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2. If DTM04 is present, then DTM03 is required.
	3. If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes:	
Comments:	
Notes:	End date and time of the period for which the quantity is provided. Time will include

comments.						
Notes:	End date and time of the period for which the quantity is provided. Time will include					
	zone. Each interval must be explicitly labeled with the date and time.					
PA Use:	Required					
NJ Use:	Not Used					
DE Use:	Not Used					
MD Use:	Required					
Example:	DTM*582*19990115*1500*ES					

	Ref. <u>Des.</u>	Data <u>Element</u>	Name	lement Summary	At	tributes
Must Use	DTM01	374	Date/Time Qua Code specifying type	alifier pe of date or time, or both date and time	М	ID 3/3
			582	Report Period		
				The date/time of the end of the interv	al.	
Must Use	DTM02	373	Date Date expressed as 0	CCYYMMDD	Х	DT 8/8
Must Use	DTM03	337	HHMMSSDD, who	24-hour clock time as follows: HHMM, or HHMMSS ere H = hours (00-23), M = minutes (00-59), S = integ nds; decimal seconds are expressed as follows: D = te	er secon	nds (00-59) and
			HHMM format			
Must Use	DTM04	623	time can be specific	the time. In accordance with International Standards Or ed by $a + or - and an indication in hours in relation totime; since + is a restricted character, + and - are subs$	Univers	al Time
			The time code must accurately provide the time zone when the daylight savings time starts and ends if the meter is adjusted for daylight savings time. If meter is not adjusted for daylight savings time, the time code will always reflect Eastern Daylight Time which will be interpreted as prevailing time.			
			ED	Eastern Daylight Time		
			ES	Eastern Standard Time		

Segment:	PTD Product Transfer and Resale Detail (BC=Unmetered Services Summary)
Position:	010
Loop:	PTD
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the start of detail information relating to the transfer/resale of a product and
	provide identifying data
Syntax Notes:	1 If either PTD02 or PTD03 is present, then the other is required.
	2 If either PTD04 or PTD05 is present, then the other is required.
Semantic Notes:	
Comments:	
Notes:	PTD Loops may be sent in any order.
PA Use:	Not Used
PA Use: NJ Use:	Not Used Not Used
NJ Use:	Not Used
NJ Use: DE Use:	Not Used Not Used

Must Use	Ref. <u>Des.</u> PTD01	Data <u>Element</u> 521		nsfer Type Code the type of product transfer	<u>Attı</u> M	ributes ID 2/2
			BC	Unmetered Services Summary		

Note:

Refer to the "PTD Loops Definition" section earlier in this document for an explanation of this specific PTD Loop.

Segment:	DTM Date/Time Reference (150=Service Period Start)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes:	

Semantic Notes:

Comments:	
PA Use:	Not Used
NJ Use:	Not Used
DE Use:	Not Used
MD Use:	Required if there are unmetered services on this account
Example:	DTM*150*19990101

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374			<u>ributes</u> ID 3/3	
Must Use	DTM02	373	150 Date Date expressed as	Service Period Start	X	DT 8/8

Segment:	DTM Date/Time Reference (151=Service Period End)
Position:	020
Loop:	PTD
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM05 is required.
	2 If DTM04 is present, then DTM03 is required.
	3 If either DTM05 or DTM06 is present, then the other is required.
Semantic Notes:	

Semantic Notes:

Comments:	
PA Use:	Not Used
NJ Use:	Not Used
DE Use:	Not Used
MD Use:	Required if there are unmetered services on this account
Example:	DTM*151*19990131

Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374			ributes ID 3/3	
Must Use	DTM02	373	151 Date Date expressed as	Service Period End	X	DT 8/8

Segment:	QTY Quantity			
Position:	110			
Loop:	QTY			
Level:	Detail			
Usage:	Optional			
Max Use:	1			
Purpose:	To specify quantity information			
Syntax Notes:	1 At least one of QTY02 or QTY04 is required.			
	2 Only one of QTY02 or QTY04 may be present.			
Semantic Notes:	1 QTY04 is used when the quantity is non-numeric.			
Comments:				
Notes:	This loop is required when there are unmetered services on the account. This will contain the total quantity for the unmetered services.			
PA Use:	Not Used			
NJ Use:	Not Used			
DE Use:	Not Used			
MD Use:	Required is there are unmetered services on the account			
Example:	QTY*QD*500*KH			

	D-f	Data	Data Eleme	ent Summary		
Must Use	Ref. <u>Des.</u> QTY01	Data <u>Element</u> 673	<u>Name</u> Quantity Qualifier Code specifying the type		<u>Att</u> M	<u>ributes</u> ID 2/2
			QD	Actual Quantity Delivered		
				Used when the quantity delivered is an	actu	al quantity.
				All States: Whether unmetered service calculated, or actual, they will be code		
Must Use	QTY02	380	Quantity Numeric value of quantit	y	X	R 1/15
Must Use	QTY03	355	Unit or Basis for M Code specifying the units has been taken	leasurement Code s in which a value is being expressed, or manner in	M n whic	ID 2/2 h a measurement
			99	Watts		
			K1	Kilowatt Demand (kW)		
			KH	Kilowatt Hour		

Interval Usage Examples

Example 1: Interval Detail reporting at the SUMMARY Level

BPT*00*REF01-990201*19990201*C1	Meter detail loop
DTM*649*19990203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*11111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*19990101	Start period
DTM*151*19990131	End period
QTY*D1*12345*KH	Monthly billed kWh
QTY*D1*50*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*SU	Metered services Summary loop
DTM*150*19990101	Start period
DTM*151*19990131	End period
QTY*QD*12345*KH	Calculated summary of all metered for kWh / kvarh only

Example 2: Interval Detail reporting at the ACCOUNT Level

BPT*00*REF01-000201*20000201*C1	Meter detail loop
DTM*649*20000203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*1111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
QTY*D1*123456*KH	Monthly billed kWh
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*SU	Account services Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
QTY*QD*123456*KH	Calculated summary of all metered for kWh / kvarh only
PTD*BQ	Account Services Detail Loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
REF*MT*KH030	Meter Type
QTY*QD*112*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*QD*232*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*QD*248*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified below	
QTY*QD*789*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000131*2330*ES	End date and time of the period for which the quantity is provided.

QTY*QD*730*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000131*2359*ES	End date and time of the period for which the quantity is provided.

Example 3: Interval Detail reporting at the METER Level

BPT*00*REF01-000201*20000201*C1	Meter detail loop
DTM*649*20000203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME - ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*11111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
QTY*D1*123456*KH	Monthly billed kWh
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*BO	Metered Services Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
REF*MG*2222277S	Meter Number
REF*JH*A	Meter Role
REF*IX*6.0	Number of dials or digits
QTY*QD*123456*KH	Calculated summary of all metered for kWh / kvarh only
MEA**MU*2	Meter multiplier = 2
MEA**ZA*1.9999	Power factor $= 1.9999$
MEA**CO*1.02	Transformer Loss Multiplier
PTD*PM	Meter Services Detail Loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
REF*MG*2222277S	Meter Number
REF*MT*KH030	Meter Type
QTY*QD*112*KH	Consumption
DTM*582*20000101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*QD*128*KH	Consumption
DTM*582*20000101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*QD*216*KH	Consumption
DTM*582*20000101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified below	
QTY*QD*789*KH	Consumption
DTM*582*20000131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*QD*730*KH	Consumption
DTM*582*20000131*2359*ES	End date and time of the period for which the quantity is provided.

Example 4: Renewable Energy Provider - Interval Detail reporting

Note: The only difference between an ESP and a Renewable Energy Provider is the use of N1*SJ for an ESP and the use of N1*G7 for a Renewable Energy Provider. The details are not shown since all of the examples that are valid for an ESP are valid for a Renewable Energy Provider.

BPT*00*REF01-000201*20000201*C1	Meter detail loop
DTM*649*20000203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company

N1*G7*RENEWABLE ENERGY	Renewable Energy Provider Company
COMPANY*9*007909422ESP1	
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*11111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
QTY*D1*123456*KH	Monthly billed kWh
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
Continued on until the end of the transaction. Details	
may vary depending on whether this is a Summary level, an	
Account level, or a Meter level transaction.	

Example 5: Interval Detail reporting at the ACCOUNT Level – with net metering (Channel indicator)

BPT*00*REF01-000201*20000201*C1	Account detail loop
DTM*649*20000203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*11111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
QTY*D1*123456*KH	Monthly billed kWh
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*SU	Account services Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
REF*6W*1	Inbound usage
QTY*QD*123456*KH	Calculated summary of all metered for kWh / kvarh only
PTD*BQ	Account Services Detail Loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
REF*MT*KH030	Meter Type
REF*6W*1	Inbound usage
QTY*QD*112*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*QD*232*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*QD*248*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified below	
QTY*QD*789*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*QD*730*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000131*2359*ES	End date and time of the period for which the quantity is provided.
PTD*SU	Account services Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
REF*6W*2	Outbound usage
QTY*87*2045*KH	Calculated summary of all metered for kWh / kvarh only
PTD*BQ	Account Services Detail Loop

DTM*150*20000101	Start period
DTM*151*20000131	End period
REF*MT*KH030	Meter Type
REF*6W*2	Outbound usage
QTY*87*18*KH	Quantity of consumption generated for entire metering period specified
DTM*582*20000101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*87*62*KH	Quantity of consumption generated for entire metering period specified
DTM*582*20000101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*87*178*KH	Quantity of consumption generated for entire metering period specified
DTM*582*20000101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified below	
QTY*87*0*KH	Quantity of consumption generated for entire metering period specified
DTM*582*20000131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*87*8*KH	Quantity of consumption generated for entire metering period specified
DTM*582*20000131*2359*ES	End date and time of the period for which the quantity is provided.

867IU Net Meter less than consumption with Incomplete Net Meter Quantity

contention need to be that company the the	
BPT*00*REF01-000201*20000201*C1	Meter detail loop
DTM*649*20000203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*1111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
QTY*D1*2548*KH	Monthly billed kWh
PTD*SU	Account services Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
QTY*QD*2548*KH	Calculated summary of all metered for kWh / kvarh only
PTD*BQ	Account Services Detail Loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
REF*MT*KH030	Meter Type
QTY*87*312*KH	Net Meter quantity received for entire metering period specified
DTM*582*20000101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*87*232*KH	Net Meter quantity received for entire metering period specified
DTM*582*20000101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*19*166*KH	Incomplete Net Meter quantity received for entire metering period
	specified
DTM*582*20000101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified	
below	
QTY*QD*402*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*QD*187*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20000131*2359*ES	End date and time of the period for which the quantity is provided.

Example 6 - Multiple Services, Metered and Unmetered (Maryland only)

Metered consumption = 123456, Unmetered consumption is 1000.

BPT*00*PEP86720000201200008934771062*20000201*C1	Meter detail loop
DTM*649*20000204*1600	This is only required on Bill Ready Consolidated
	Billing scenarios. Time is always represented as
	Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*1*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer Name
REF*11*1394959	ESP Account number
REF*12*111111111	LDC Account number
REF*BLT*LDC	Bill Type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20000101	Start period
DTM*150 20000101 DTM*151*20000131	End period
OTY*D1*124456*KH	Monthly billed kWh
QTY*D1*450*K1	Monthly derived demand
QTY*D1*29*K1	Monthly measured demand
PTD*SU	Account services Summary loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
QTY*QD*123456*KH	Calculated summary for all metered kWh/kvarh only
PTD*BQ	Account Services Detail loop
DTM*150*20000101	Start period
DTM*151*20000131	End period
REF*MT*KH060	Meter Type
QTY*QD*0.219*KH	Quantity of consumption delivered for entire
	metering period specified
DTM*582*20000101*0100*ES	End date and time of the period for which the
	quantity is provided
QTY*QD*0.2124*KH	Quantity of consumption delivered for entire
	metering period specified
DTM*582*20000101*0200*ES	End date and time of the period for which the
	quantity is provided
QTY*QD*0.1776*KH	Quantity of consumption delivered for entire
	metering period specified
DTM*582*20000101*0300*ES	End date and time of the period for which the
	quantity is provided
Continued on until the end date of the period specified	
below	
QTY*QD*0.3774*KH	Quantity of consumption delivered for entire
<u>z</u> - <u>z</u> viv, , , , , , , , , , , , , , , , , ,	metering period specified
DTM*582*20000131*2359*ES	End date and time of the period for which the
5111 502 20000151 2557 ED	quantity is provided
PTD*BC	Unmetered Services Summary
DTM*150*20000101	Start period
DTM*150*2000101 DTM*151*20000131	End period
QTY*QD*1000*KH	Unmetered consumption

Example 7 - <u>Net Metering / Customer Generation Examples (PA, NJ & MD)</u>

Interval Detail reporting at the ACCOUNT Level – with net metering (Consumption greater than generation)

BPT*00*REF01-120201*20120201*C1	Account detail loop
DTM*649*20120203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*11111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
QTY*D1*123456*KH	Monthly billed kWh
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*SU	Account Services Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
QTY*QD*123456*KH	Calculated summary of all metered for kWh / kvarh only
PTD*BQ	Account Services Detail Loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MT*KH030	Meter Type
QTY*QD*101*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20120101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*87*232*KH	Quantity of generation delivered for entire metering period specified
DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*87*248*KH	Quantity of generation delivered for entire metering period specified
DTM*582*20120101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified	
below	
QTY*QD*789*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20120131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*QD*730*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20120131*2359*ES	End date and time of the period for which the quantity is provided.

BPT*00*REF01-120201*20120201*C1	Account detail loop
DTM*649*20120203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*11111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
QTY*D1*0*KH	Monthly billed kWh - ZERO
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*SU	Account Services Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
QTY*87*1066*KH	Calculated summary of all metered for kWh (net generation)
PTD*BQ	Account Services Detail Loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MT*KH030	Meter Type
QTY*QD*101*KH	Quantity of consumption delivered for entire metering period specified
DTM*582*20120101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*87*232*KH	Quantity of generation delivered for entire metering period specified
DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*87*248*KH	Quantity of generation delivered for entire metering period specified
DTM*582*20120101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified	
below	
QTY*87*789*KH	Quantity of generation delivered for entire metering period specified
DTM*582*20120131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*87*730*KH	Quantity of generation delivered for entire metering period specified
DTM*582*20120131*2359*ES	End date and time of the period for which the quantity is provided.

Interval Detail reporting at the METER Level – SINGLE Meter registering both generation & consumption with net metering (Consumption greater than generation) <u>NOT USED in, MD or NJ. Used in PA only by</u> <u>Duquesne Light.</u>

(see below for PSE&G NJ example)

BPT*00*REF01-000201*20120201*C1	Meter detail loop
DTM*649*20120203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*11111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
QTY*D1*123456*KH	Monthly billed kWh
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*BO	Metered Services Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*2222277S	Meter Number
REF*JH*A	Meter Role - Additive
REF*IX*6.0	Number of dials or digits
QTY*QD*123456*KH	Calculated summary of all metered for kWh / kvarh only
MEA**MU*2	Meter multiplier $= 2$
MEA**ZA*1.9999	Power factor = 1.9999
MEA**CO*1.02	Transformer Loss Multiplier
PTD*PM	Meter Services Detail Loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*87667144	Meter Number
REF*MT*KH030	Meter Type
QTY*QD*112*KH	Consumption
DTM*582*20120101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*QD*128*KH	Consumption
DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*87*216*KH	Generation
DTM*582*20120101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified below	
QTY*QD*789*KH	Consumption
DTM*582*20120131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*QD*730*KH	Consumption
DTM*582*20120131*2359*ES	End date and time of the period for which the quantity is provided.

Interval Detail reporting at the METER Level – SINGLE Meter registering both generation & consumption with net metering (Generation greater than consumption) <u>NOT USED in MD or NJ. Used in PA only by</u> <u>Duquesne Light.</u>

(see below for PSE&G NJ example)

BPT*00*REF01-000201*20120201*C1	Meter detail loop
DTM*649*20120203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*1111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
QTY*D1*0*KH	Monthly billed kWh - ZERO
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*BO	Metered Services Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*2222277S	Meter Number
REF*JH*S	Meter Role - Subtractive
REF*IX*6.0	Number of dials or digits
QTY*87*1166*KH	Calculated summary of all metered for kWh (net generation)
MEA**MU*2	Meter multiplier = 2
MEA**ZA*1.9999	Power factor = 1.9999
MEA**CO*1.02	Transformer Loss Multiplier
PTD*PM	Meter Services Detail Loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*87667144	Meter Number
REF*MT*KH030	Meter Type
QTY*QD*112*KH	Consumption
DTM*582*20120101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*87*128*KH	Generation
DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*87*216*KH	Generation
DTM*582*20120101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified below	
QTY*87*789*KH	Generation
DTM*582*20120131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*QD*730*KH	Consumption
DTM*582*20120131*2359*ES	End date and time of the period for which the quantity is provided.

Interval Detail reporting at the METER Level – TWO Meters, one for generation & another for consumption with net metering (Consumption greater than generation) PECO only when EGS requests meter detail via 814E/C

314E/C	
BPT*00*REF01-000201*20120201*C1	Meter detail loop
DTM*649*20120203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time i
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*1111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
QTY*D1*83000*KH	Monthly billed kWh
OTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*BO	Metered Services Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*2222277S	Meter Number
REF*JH*S	Meter Role - Subtractive
REF*IX*6.0	Number of dials or digits
QTY*87*5000*KH	Calculated summary of all metered for kWh / kvarh only
MEA**MU*2	Meter multiplier = 2
MEA**ZA*1.9999	Power factor $= 1.9999$
MEA**CO*1.02	Transformer Loss Multiplier
PTD*PM	Meter Services Detail Loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*2222277S	Meter Number
REF*MT*KH030	Meter Type
QTY*87*112*KH	Generation
DTM*582*20120101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*87*128*KH	Generation
DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*87*216*KH	Generation
DTM*582*20120101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified below	
QTY*87*789*KH	Generation
DTM*582*20120131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*87*730*KH	Generation
DTM*582*20120131*2359*ES	End date and time of the period for which the quantity is provided.
PTD*BO	Metered Services Summary loop
DTM*150*20120101	Start period
DTM*150*20120101 DTM*151*20120131	End period
REF*MG*87667144A	Meter Number
REF*JH*A	Meter Role - Additive
	Number of dials or digits
REF*IX*6.0	5
QTY*QD*87000*KH	Calculated summary of all metered for kWh / kvarh only
MEA**MU*2	Meter multiplier = 2
MEA**ZA*1.9999	Power factor = 1.9999
MEA**CO*1.02	Transformer Loss Multiplier
PTD*PM	Meter Services Detail Loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*87667144A	Meter Number
	Meter Type
REF*MT*KH030	
REF*MT*KH030 OTY*OD*112*KH	
REF*MT*KH030 QTY*QD*112*KH DTM*582*20120101*0030*ES	Consumption End date and time of the period for which the quantity is provided.

DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*QD*216*KH	Consumption
DTM*582*20120101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified	
below	
QTY*QD*789*KH	Consumption
DTM*582*20120131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*QD*730*KH	Consumption
DTM*582*20120131*2359*ES	End date and time of the period for which the quantity is provided.

Interval Detail reporting at the METER Level – TWO Meters, one for generation & another for consumption with net metering (Generation greater than consumption) PECO only when EGS requests meter detail via 814E/C

BPT*00*REF01-000201*20120201*C1	Motor datail loon
DTM*649*20120203*1700	Meter detail loop This is only required on Bill Ready Consolidated Billing scenarios. Time is
D1M*649*20120203*1700	always represented as Eastern prevailing time.
N1*98*I DC COMDANX*1*007000411	LDC Company
N1*8S*LDC COMPANY*1*007909411	ESP Company
N1*SJ*ESP COMPANY*9*007909422ESP1	Customer name
N1*8R*CUSTOMER NAME – ACCT1	
REF*11*1394959	ESP Account number
REF*12*1111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
QTY*D1*0*KH	Monthly billed kWh - ZERO
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*BO	Metered Services Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*2222277S	Meter Number
REF*JH*S	Meter Role - Subtractive
REF*IX*6.0	Number of dials or digits
QTY*87*5000*KH	Calculated summary of all metered for kWh (net generation)
MEA**MU*2	Meter multiplier = 2
MEA**ZA*1.9999	Power factor = 1.9999
MEA**CO*1.02	
PTD*PM	Transformer Loss Multiplier Meter Services Detail Loop
DTM*150*20120101	
	Start period
DTM*151*20120131	End period
REF*MG*87667144	Meter Number
REF*MT*KH030	Meter Type
QTY*87*112*KH	Generation
DTM*582*20120101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*87*128*KH	Generation
DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*87*216*KH	Generation
DTM*582*20120101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified below	
QTY*87*789*KH	Generation
DTM*582*20120131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*87*730*KH	Generation
DTM*582*20120131*2359*ES	End date and time of the period for which the quantity is provided.
PTD*BO	
DTM*150*20120101	Metered Services Summary loop
	Start period
DTM*151*20120131	End period
REF*MG*87667144A	Meter Number
REF*JH*A	Meter Role - Additive
REF*IX*6.0	Number of dials or digits
QTY*QD*4000*KH	Calculated summary of all metered for kWh / kvarh only
MEA**MU*2	Meter multiplier $= 2$
WEA WO Z	Weter multiplier – 2

MEA**CO*1.02	Transformer Loss Multiplier
PTD*PM	Meter Services Detail Loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*87667144A	Meter Number
REF*MT*KH030	Meter Type
QTY*QD*112*KH	Consumption
DTM*582*20120101*0030*ES	End date and time of the period for which the quantity is provided.
QTY*QD*128*KH	Consumption
DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*QD*216*KH	Consumption
DTM*582*20120101*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period specified below	
QTY*QD*789*KH	Consumption
DTM*582*20120131*2330*ES	End date and time of the period for which the quantity is provided.
QTY*QD*730*KH	Consumption
DTM*582*20120131*2359*ES	End date and time of the period for which the quantity is provided.

PSE&G New Jersey ONLY - Interval Detail reporting at the METER Level – SINGLE Meter registering both generation & consumption with net metering

BPT*00*REF01-000201*20120201*C1	Meter detail loop
DTM*649*20120203*1700	This is only required on Bill Ready Consolidated Billing scenarios. Time is
	always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*11111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20120101	Start period
DTM*151*20120131	End period
QTY*D1*123456*KH	Monthly billed or net kWh
QTY*D1*450*K1	Monthly derived demand
QTY*QD*29*K1	Monthly measured demand
PTD*BO	Metered Services Summary loop
DTM*150*20120101	Start period
DTM*150*20120101 DTM*151*20120131	End period
REF*MG*2222277S	Meter Number
REF*JH*A	Meter Role - Additive
REF*IX*5.0	Number of dials or digits
OTY*OD*123456*KH	Calculated summary of metered kWh / consumption (inflow) usage
MEA**MU*4200	Meter multiplier = 2
OTY*87*123456*KH	Calculated summary of metered kWh / generation (outflow) usage
MEA**MU*4200	Meter multiplier = 2
PTD*PM	Meter Multiplier – 2 Meter Services Detail Loop – Consumption Loop (Inflow) usage
DTM*150*20120101	Start period
DTM*150*20120101 DTM*151*20120131	End period
REF*MG*87667144	Meter Number
REF*MO*8/00/144 REF*MT*KH030	
QTY*QD*112*KH	Meter Type
	Consumption
DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*QD*216*KH	Consumption
DTM*582*20120101*0200*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the reporting period	
PTD*PM	Meter Services Detail Loop – Generation Loop (Outflow) usage
DTM*150*20120101	Start period
DTM*151*20120131	End period
REF*MG*87667144	Meter Number
REF*MT*KH030	Meter Type
QTY*87*112*KH	Generation
DTM*582*20120101*0100*ES	End date and time of the period for which the quantity is provided.
QTY*87*216*KH	Generation
DTM*582*20120101*0200*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the reporting period	

<u>Example 8 - Maryland - 867 Interval Usage - Multiple meter exchange in same service period.</u> (Meter Detail – Maryland)

Service period 1/14/2013 to 2/13/2013 1st Meter Exchange on 1/17/2013 2nd Meter Exchange on 1/19/2013

BPT*00*REF01-000201*20130214*C1	Meter detail
DTM*649*20130214*1700	This is only required on Bill Ready Consolidated Billing scenarios.
	Time is always represented as Eastern prevailing time.
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*CUSTOMER NAME – ACCT1	Customer name
REF*11*1394959	ESP Account number
REF*12*111111111111	LDC Account number
REF*BLT*LDC	Bill type
REF*PC*DUAL	Bill Calculator
PTD*BB	Monthly Billed Summary loop
DTM*150*20130114	Start period
DTM*150*20130114	End period
QTY*D1*123456*KH	Monthly billed kWh
PTD*BO	Metered Services Summary loop
REF*MG* OLDMETER1	Meter Number
REF*JH*A	Meter Role
REF*IX*6.0	Number of dials or digits Calculated summary of all metered for kWh / kvarh only
QTY*QD*123456*KH	Calculated summary of all metered for $k wh / k varn only$ Meter multiplier = 2
MEA**MU*2 MEA**ZA*1.9999	Neter multiplier = 2 Power factor = 1.9999
MEA**CO*1.02	Transformer Loss Multiplier
PTD*PM	Meter Services Detail Loop
DTM*150*20130114	Start period
DTM*150*20130114 DTM*151*20130117	Meter Exchange Date
REF*MG* OLDMETER1	Meter Number
REF*MG* OLDMETERI REF*MT*KH030	Meter Type
OTY*OD*112*KH	Consumption
DTM*582*20130114*0030*ES	End date and time of the period for which the quantity is provided.
QTY*QD*128*KH	Consumption
DTM*582*20130114*0100*ES	End date and time of the period for which the quantity is provided.
QTY*QD*216*KH	Consumption
DTM*582*20130114*0130*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period when the 1 st meter exchange	
occurs.	
PTD*BO	Metered Services Summary loop
REF*MG* MTREXCHG1	Meter Number of 1 st Meter Exchange
REF*JH*A	Meter Role
REF*IX*6.0	Number of dials or digits
QTY*QD*123456*KH	Calculated summary of all metered for kWh / kvarh only
MEA**MU*2	Meter multiplier = 2
MEA**ZA*1.9999	Power factor = 1.9999
MEA**CO*1.02	Transformer Loss Multiplier
PTD*PM	Meter Services Detail Loop
DTM*514*20130117	Meter
DTM*514*20130119	Meter Exchange Date
REF*MG* MTREXCHG1	Meter Number of 1 st Meter Exchange
REF*MT*KH030	Meter Type
QTY*QD*112*KH	Consumption
DTM*582*20130117*1230*ES	End date and time of the period for which the quantity is provided.
QTY*QD*128*KH	Consumption
DTM*582*20130117*1300*ES	End date and time of the period for which the quantity is provided.
QTY*QD*216*KH	Consumption
DTM*582*20130117*1330*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the period when the 2nd meter exchange	
occurs.	
PTD*BO	Metered Services Summary loop
REF*MG* MTREXCHG2	Meter Number of 2nd Meter Exchange
REF*JH*A	Meter Role
867 Interval Usage (4010) 09	IG867II Jv6-5 docx

867 Interval Usage (4010)

May 18, 2018 Version 6.5

REF*IX*6.0	Number of dials or digits
QTY*QD*123456*KH	Calculated summary of all metered for kWh / kvarh only
MEA**MU*2	Meter multiplier = 2
MEA**ZA*1.9999	Power factor $= 1.9999$
MEA**CO*1.02	Transformer Loss Multiplier
PTD*PM	Meter Services Detail Loop
DTM*514*20130119	Meter
DTM*151*20130213	Meter Exchange Date
REF*MG* MTREXCHG2	Meter Number of 2 nd Meter Exchange
REF*MT*KH030	Meter Type
QTY*QD*112*KH	Consumption
DTM*582*20130119*0930*ES	End date and time of the period for which the quantity is provided.
QTY*QD*128*KH	Consumption
DTM*582*20130119*1000*ES	End date and time of the period for which the quantity is provided.
QTY*QD*216*KH	Consumption
DTM*582*20130119*1030*ES	End date and time of the period for which the quantity is provided.
Continued on until the end of the service period specified below	
QTY*QD*789*KH	Consumption
DTM*582*20130213*2330*ES	End date and time of the period for which the quantity is provided.
QTY*QD*730*KH	Consumption
DTM*582*20130213*2359*ES	End date and time of the period for which the quantity is provided.