



1998 Air Quality Report

A summary of the New Jersey air quality data for 1998. Contains information on the Pollutant Standards Index (PSI), concentrations of individual pollutants - sulfur dioxide, total suspended particulates and inhalable particulates, carbon monoxide, ozone, nitrogen oxides, lead, sulfates and nitrates, smoke shade, and acid precipitation - and a monthly summary of meteorological information. A trend comparison with previous years is also provided.

September, 1999

New Jersey Department of Environmental Protection
Bureau of Air Monitoring

1998 AIR QUALITY REPORT


A summary of New Jersey air quality data for 1998. Contains information on the Pollutant Standards Index (PSI), concentrations of individual pollutants -- sulfur dioxide, total suspended particulates and inhalable particulates, carbon monoxide, ozone, nitrogen oxides, lead, sulfates and nitrates, smoke shade, and acid precipitation -- and a monthly summary of meteorological information. A trend comparison with previous years is also provided.

September, 1999

1998 AIR QUALITY REPORT
EXECUTIVE SUMMARY


Based on indicators monitored by the Department of Environmental Protection, air quality in New Jersey has improved significantly since the passage of the original Clean Air Act in 1970. There are National Ambient Air Quality Standards (NAAQS) for six specific air pollutants ("criteria pollutants") and these are the indicators of overall air quality that are used. The NAAQS are based both on health effects (for the primary standards) and welfare effects (for the secondary standards). A bar chart comparing the maximum criteria pollutant concentrations recorded in 1998 with the health NAAQS can be seen below. In 1998, all pollutants except ozone were well within the standards. Even carbon monoxide, which was responsible for unhealthful air quality on 44 days as recently as 1984, has declined significantly in recent years and did not reach unhealthful levels in 1998.

**Maximum 1998 Pollutant Concentrations
as Percent of Federal Standards**



The 1-hour health standard for ozone was exceeded on only 4 days in 1998 which was the fewest ever recorded. In July, 1997 more stringent NAAQS for ozone and particulates were promulgated. Based on the new 8-hour ozone standard, New Jersey would have had 47 exceedance days as compared to 4 days with the old 1-hour standard. Sampling data is not yet available for the new particulate standard, however, it is estimated that most of the state would exceed that standard. Ozone and particulates are New Jersey's two most pervasive air quality problems and more measures need to be taken to ensure that those health standards are attained in future years.

Number of Days the 1-Hour Ozone Health Standard Was Exceeded in New Jersey, 1980-1998



Pollutants other than the six criteria pollutants, and parameters such as meteorology and acid precipitation are also routinely monitored by the department. Acid precipitation remains a persistent environmental problem in New Jersey. Measured pH levels ten times more acidic than the naturally occurring pH of rainwater (5.0 to 5.6) are recorded regularly. The acidity of precipitation measured in New Jersey has improved since 1994 as a result of implementation of the first phase of acid rain controls required by the 1990 Clean Air Act Amendments. Summaries of the acid precipitation data as well as all other pollutant and weather data collected by the department are also contained in this report. Summaries of the data by year from 1975 to 1998 are reported in Appendix A, and Appendix B provides maps illustrating designated nonattainment areas within the state as defined by the U.S. Environmental Protection Agency in the Code of Federal Regulations (40 CFR Part 81). Nonattainment designations are based on evaluations of air monitoring data, emissions inventories, dispersion modeling and other analyses performed for specific "base year(s)". Thus they may not appear consistent with direct comparisons of the 1998 data to the air quality standards.

(This and other blank pages are included
to preserve the layout of the original printed report)

1998 AIR QUALITY REPORT

TABLE OF CONTENTS

	<u>PAGE(S)</u>
Executive Summary	ii-iii
Table of Contents	v
List of Tables	vii
List of Figures	ix
Air Quality Monitoring Report - 1998	
Monitoring Air Quality in New Jersey	3-4
New Jersey Air Monitoring Networks	5-8
Daily Air Quality Reporting	9-14
Air Quality Summary and Trend Analysis Report - 1998	
Air Quality Summary - 1998	15-62
APPENDIX A - Annual Air Quality Comparison 1975-1998	A1-A24
APPENDIX B - New Jersey Air Quality Non-Attainment Areas	B1-B4

Note: Supplementary Information Available:

1. Annual Quality Assurance Report - 1998
2. Annual Air Quality Brochure - 1999

The above supplementary information is available for public inspection.
Please contact Andy Mikula at 609-984-5512 to make arrangements.

LIST OF TABLES

<u>TABLE #</u>	<u>SUBJECT</u>	<u>PAGE(S)</u>
1	Ambient Air Quality Standards	4
2	New Jersey Air Monitoring Program - 1998	6-7
3	Pollutants Monitored According to PSI Region	11
4	Pollutant Standards Index Annual Summary - 1998	12
5	Record of Days When PSI Exceeded the Health Standard - 1998	13-14
6	Sulfur Dioxide -- 3-Hour, 24-Hour, 12-Month Averages	21-22
7	Total Suspended Particulates -- Annual Statistics	25
8	Inhalable Particulates -- Annual Statistics	27
9	Carbon Monoxide -- 1-Hour and 8-Hour Averages	31
10	Ozone -- 1-Hour and 8-Hour Averages	35-36
11	Ozone Precursors - 6-9 a.m. Statistics	38-39
12	Nitrogen Dioxide & Nitric Oxide -- 12 Month Averages	43
13	Lead -- 3-Month Averages	47
14	Smoke Shade -- Daily & Annual Averages	51
15	Acid Precipitation -- Annual & Seasonal Averages	55
16	Acid Precipitation -- Comparison with Meteorology	56
17	Acid Deposition Particulate Matter -- Sulfates and Nitrates	59
18	Meteorological Data -- Northern New Jersey	61
19	Meteorological Data -- Central & Southern New Jersey	62

APPENDIX A -- Annual Air Quality Comparison: 1975-1998

APPENDIX B -- New Jersey Air Quality Non-Attainment Areas

LIST OF FIGURES

<u>FIGURE #</u>	<u>SUBJECT</u>	<u>PAGE(S)</u>
1	Pollutant Standards Index Reporting Regions	10
2	Monitoring Locations for Sulfur Dioxide	20
3a	Sulfur Dioxide -- Trend Analysis 1988-1998	23
3b	Sulfur Dioxide -- Daily Averages	23
4	Monitoring Locations for Total Suspended Particulates	24
5	Monitoring Locations for Inhalable Particulates	26
6a	Inhalable Particulates -- Trend Analysis 1988-1998	28
6b	Inhalable Particulates -- Annual Averages	28
7	Monitoring Locations for Carbon Monoxide	30
8a	Carbon Monoxide -- Trend Analysis 1988-1998	32
8b	Carbon Monoxide -- 8 Hour Averages	32
9	Monitoring Locations for Ozone	34
10a	Ozone -- Trend Analysis 1988-1998	37
10b	Ozone -- 1 Hour Averages	37
11	Non-Methane Organic Compound - Trend Analysis 1988-1998	40
12	Monitoring Locations for Nitrogen Oxides	42
13a	Nitrogen Dioxide -- Trend Analysis 1988-1998	44
13b	Nitrogen Dioxide and Nitric Oxide -- Annual Averages	44
14	Monitoring Locations for Lead	46
15a	Lead -- Trend Analysis 1988-1998	48
15b	Lead -- Quarterly Averages	48
16	Monitoring Locations for Smoke Shade	50
17a	Smoke Shade -- Daily Averages	52
17b	Smoke Shade -- Annual Averages	52
18	Monitoring Locations for Acid Precipitation	54
19	Trend in Sulfate Deposition	57
20	Monitoring Locations for Sulfates and Nitrates	58
21	Meteorological Monitoring Locations	60
Appendix B - New Jersey Air Quality Non-Attainment Area Maps		B2-B4

AIR QUALITY

MONITORING

REPORT

1998

MONITORING AIR QUALITY IN NEW JERSEY

The major objectives of monitoring air pollutant levels are: 1) to provide an early warning system for pollutant levels which may have the potential to endanger public health; 2) to assess air quality in light of established public health and welfare standards; and 3) to track air pollution trends and changes in ambient air quality due to changes in the amount of pollutants emitted.

Continuous air pollution monitoring provides critical information needed in the event of an air pollution episode. When meteorological conditions develop which may lead to an increase in airborne pollutants for extended periods of time, a threat to the public health, welfare, and safety may exist. When an air pollution episode occurs pollutant levels are carefully watched around-the-clock to ascertain if air quality has deteriorated sufficiently to warrant emergency actions. A daily reporting system known as the Pollutant Standards Index (see pages 9-14) has been developed for disseminating air quality information daily and during emergency situations.

An air quality standard defines a limit for the atmospheric concentration of airborne contaminants and is established for the purpose of protecting the public health and welfare. Air quality standards are derived from scientific studies of the effects produced by various exposures to specific pollutants. The New Jersey and National Ambient Air Quality Standards are divided into primary and secondary standards. The primary standards define air quality levels intended to protect the public health with an adequate margin of safety. The secondary standards define levels of air quality intended to protect the public welfare from any known or anticipated adverse effects of a pollutant (e.g. soiling, vegetation damage, material corrosion). Both the State and National Ambient Air Quality Standards are listed in Table 1. This report compares the 1998 air quality with these standards.

Ambient air quality standards cover relatively few air pollutants. For example, no ambient air quality standards exist for acid deposition, nitric oxide, smoke shade or particulate sulfate or nitrate. Yet these pollutants are significant and data on them are included in this report.

Finally, ambient air quality data are used as the baseline for evaluating the effect of the construction of new emission sources or of modifications to existing ones. Tracking ambient air quality is necessary to ensure that air quality standards will be achieved and maintained. Air quality data are also used as a baseline in the development of air pollution control regulations contained in the New Jersey State Implementation Plan.

TABLE 1

AMBIENT AIR QUALITY STANDARDS

<u>Pollutant</u>	<u>Standard</u>	<u>Averaging Period</u>	<u>New Jersey (a)</u>	<u>National (b)</u>
Sulfur Dioxide	Primary	12-month arith. mean	80 ug/m ³ (.03 ppm)	.030 ppm
	Primary	24-hour average	365 ug/m ³ (.14 ppm)	.14 ppm ^c
	Secondary	12-month arith. mean	60 ug/m ³ (.02 ppm)	---
	Secondary	24-hour average	260 ug/m ³ (.10 ppm)	---
	Secondary	3-hour average	1300 ug/m ³ (0.5 ppm)	0.5 ppm ^c
Total Suspended Particulates	Primary	12-month geom. mean	75 ug/m ³	---
	Primary	24-hour average	260 ug/m ³	---
	Secondary	12-month geom. mean (d)	60 ug/m ³	---
	Secondary	24-hour average	150 ug/m ³	---
Inhalable Particulates (PM10)	Prim. & Sec.	Annual arith. mean	---	50 ug/m ³
	Prim. & Sec.	24-hour average	---	150 ug/m ³
Fine Particulates (PM2.5)	Prim. & Sec.	Annual arith. mean	---	15 ug/m ³
	Prim. & Sec.	24-Hour Average	---	65 ug/m ³
Carbon Monoxide	Prim. & Sec.	8-hour average	10 mg/m ³ (9 ppm)	9 ppm (10 mg/m ³) (e)
	Prim. & Sec.	1-hour average	40 mg/m ³ (35 ppm)	35 ppm (40 mg/m ³) (e)
Ozone	Primary	Max. Daily 1-Hr. Avg.	.12 ppm (235 ug/m ³)	.12 ppm (235 ug/m ³) (f)
	Secondary	1-hour average	.08 ppm (160 ug/m ³)	.12 ppm (235 ug/m ³) (f)
	Prim. & Sec.	8-hour average	---	.08 ppm (160 ug/m ³) (g)
Nitrogen Dioxide	Prim. & Sec.	12-month arith. mean	100 ug/m ³ (.05 ppm)	.053 ppm (100 ug/m ³)
Lead	Prim. & Sec.	3-month average	1.5 ug/m ³	---
		Quarterly Mean	---	1.5 ug/m ³

a) New Jersey short-term standards are not to be exceeded more than once in any 12-month period.

b) National short-term standards are not to be exceeded more than once in a calendar year.

c) National standards are block averages rather than moving averages.

d) Intended as a guideline for achieving short-term standard.

e) National secondary standards for carbon monoxide have been dropped.

f) Maximum daily 1-hour averages: averaged over a three year period the expected number of days above the standard must be less than or equal to one. This standard was replaced by an 8-hour average standard on September 18, 1997.

g) Standard is met when the 3-year average of the fourth highest daily maximum 8-hour average is less than or equal to .08 ppm. This new standard became effective September 18, 1997.

NEW JERSEY AIR MONITORING NETWORKS

A listing of monitoring locations in operation during 1998 along with addresses and parameters measured is shown in Table 2. The monitoring results contained in this report were provided by three separate networks: 1) Continuous Air Monitoring, 2) Particulate Sampling and 3) Precipitation Sampling.

The Continuous Air Monitoring Network consisted of 28 automated remote locations which transmitted data around-the-clock to a centralized computer facility located in Trenton. The computer interrogates the field monitors once each minute to retrieve the data. Pollutants monitored by the Continuous Air Monitoring Network include: sulfur dioxide, carbon monoxide, ozone, nitrogen oxides, smoke shade, and meteorological parameters such as wind speed/direction, temperature, relative humidity, solar radiation, and barometric pressure.

The Particulate Sampling Network consisted of 21 remote locations. Each sampler collected a 24-hour sample at least once every six days. Sampling data, however, are not available on a real-time basis. A field technician must retrieve the sample for laboratory work. A total of 5 samplers were operated for total suspended particulates and 22 samplers for inhalable particulates. In addition, 4 continuous monitoring instruments for inhalable particulates were in operation during 1998. Subsequent laboratory analyses for selected samples included determinations of the concentrations of lead.

The Photochemical Assessment Monitoring Stations (PAMS) program is a major new monitoring effort being implemented to measure levels of ozone precursors. This network will provide hourly data on some 60 individual organics known to be important in ozone formation. PAMS sites also measure Nitrogen Oxides, Ozone and specific weather parameters. The first PAMS site in New Jersey went on line on June 1, 1995 at Rider University. A second location at Rutgers University was put into operation in 1996. A third location in Camden was started in 1997. PAMS data are reported separately and are not included in this report.

The Precipitation Sampling Network consisted of three locations. Similar to the Particulate Sampling Network, this network does not provide continuous real-time data. Rain water samples are retrieved either on a weekly basis or after each storm event. Laboratory analyses provide information on the observed pH and conductivity along with the concentrations of sulfate, nitrate, chloride, calcium, magnesium, potassium, sodium and ammonium ions.

Additional information provided in this report includes: 1) 6-9 a.m. non-methane organic compounds and nitrogen oxides from an EPA summer study of ozone precursors at Newark.

For federal reporting purposes some parameters were further subdivided by the following site coding:

1) State and Local Air Monitoring Sites (SLAMS) - These sites fulfill the federal monitoring requirements for the State.

2) National Air Monitoring Sites (NAMS) - These sites are a subset of the SLAMS which must comply with stricter siting criteria and reporting requirements.

3) Special Purpose Monitors (SPM) - These monitors fulfill a specific need or purpose and are not federally required. SPM's are used for a number of reasons: a) to collect data for research projects; b) to monitor around major point sources; or c) to collect data concerning pollutants for which National Ambient Air Quality Standards have not been established.

TABLE 2

NEW JERSEY AIR MONITORING PROGRAM -- 1998

PARAMETER CODING

SO2	-	SULFUR DIOXIDE	PB	-	LEAD
TSP	-	TOTAL SUSPENDED PARTICULATES	IP	-	INHALABLE PARTICULATES
CO	-	CARBON MONOXIDE	AP	-	ACID PRECIPITATION
O3	-	OZONE	MET	-	METEOROLOGICAL PARAMETERS
NOX	-	NITROGEN OXIDES	NMOC	-	NON-METHANE ORGANIC COMPOUNDS
SS	-	SMOKE SHADE	S&N	-	SULFATES AND NITRATES

<u>COUNTY</u>	<u>LOCATION</u>	<u>SAMPLER #</u>	<u>PARAMETERS</u>	<u>ADDRESS</u>
ATLANTIC	Atlantic City	IP36	IP	Trump Plaza Parking Garage, Atlantic Ave. b/w Mississippi and Missouri Avenues
	Nacote Creek R.S. Somers Point		SO2,O3 SO2,NOX	Brigantine Wildlife Refuge Marina, Woodlawn Avenue
BERGEN	Cliffside Park Fort Lee	IP14	NOX CO,IP,S&N	Accomando Place & Cedar St. N. Bridge Plaza near Lemoine Ave.
	Fort Lee Hackensack	IP15	IP SO2,CO,SS	Library, Center Avenue 133 River Street
BURLINGTON	Burlington Lebanon State Forest		SO2,CO,SS AP	1 East Broad Street Route 70
CAMDEN	Ancora State Hospital Camden Lab	IP02	SO2,CO,O3,SS SO2,CO,O3,SS,IP NOX,MET,S&N	N.J. Psychiatric Hospital Institute for Medical Research, Copewood & Davis Streets
	Camden - RRF	IP33, IP34	IP	Camden Resource Recovery Facility
	Camden - Rutgers Pennsauken	IP32 071,IP10	IP IP,TSP,PB	Library, 4 th & Penn Streets Morris-Delair Water Plant
CUMBERLAND	Millville		SO2,O3,NOX	Lincoln Ave. & Highway 55
ESSEX	East Orange		CO,NOX,MET	Main Street & Greenwood Ave.
	Newark	IP29	SS,NOX,SO2 CO,O3,NMOC,IP	St. Charles & Berlin Sts.
	Newark-Police Booth	IP31	IP	Broad and Market Sts.
GLOUCESTER	Clarksboro Westville	IP27	SO2,O3 IP	Shady Lane Rest Home Birch & High Sts.

TABLE 2 (CONT.)

<u>COUNTY</u>	<u>LOCATION</u>	<u>SAMPLER #</u>	<u>PARAMETERS</u>	<u>ADDRESS</u>
HUDSON	Bayonne		SO ₂ ,O ₃ ,NOX	Veteran's Park
	Jersey City		SO ₂ ,CO,SS	2828 Kennedy Blvd.
	Jersey City	IP09	IP	355 Newark Avenue
	Jersey City	IP12,IP22	IP	555 Duncan Avenue
	North Bergen	IP35	CO,IP	3401 Tonnele Avenue
HUNTERDON	Flemington		O ₃ ,SS,MET	Raritan Sewage Plant
MERCER	Rider University		O ₃ ,MET,NOX	Rider University, Route 206
	Trenton-Library	IP06	IP	120 Academy Street
	Washington Crossing State Park		AP	Pennington-Titusville Road
MIDDLESEX	Middlesex New Brunswick	057,068	CO TSP,PB	Route 1 & Georges Road Delco-Remy, 12 th St. & Livingston Ave.
	Perth Amboy Rutgers University		SO ₂ ,CO,SS O ₃ ,NOX	130 Smith Street Horticultural Farm #3 Ryders Lane
	Freehold Monmouth University		CO,SS O ₃	5 W. Main Street Edison Science Building
MORRIS	Chester Morristown		SO ₂ ,O ₃ ,NOX,MET CO,SS	Bell Labs, Route 513 11 Washington Street
OCEAN	Colliers Mills		O ₃	Fish & Wildlife Management Area
	Toms River		CO,SS	201 Main Street
PASSAIC	Clifton	IP13	IP	Route 3
	Ringwood S.P.	IP05	IP,S&N	Skylands Manor
SALEM	Deepwater	062	TSP	Pump Station, Chester Ave.
UNION	Elizabeth		SO ₂ ,CO,SS	7 Broad Street
	Elizabeth Lab	IP28	SO ₂ ,CO,SS NOX,MET,IP,S&N	New Jersey Turnpike Interchange 13
	Linden	IP18	IP	5001 S. Wood Avenue
WARREN	Phillipsburg	IP30,070	IP,TSP	Walter's Park Swimming Pool, Meyner Road

DAILY AIR QUALITY REPORTING

A daily air quality summary for the previous day and a forecast, known as the Pollutant Standards Index (PSI), is provided each morning to the Associated Press wire service, the New York Times, and to various radio and television stations. Each afternoon an air quality update which includes current air quality information and a forecast is issued to various newspapers. The State is divided into 9 PSI reporting regions as illustrated in Figure 1. Each pollutant monitored in the reporting region (Table 3) is given a numerical PSI rating based on the concentration recorded for the previous day. The daily numerical PSI rating for the reporting region is equal to the highest rating achieved by any pollutant within that region. A PSI rating of 100 (or greater) indicates that at least one pollutant in the reporting region has reached (or exceeded) a primary ambient air quality standard. A descriptive rating based on the numerical rating is also reported with a PSI of 0-50 being rated good; 51-80 moderate; 81-100 approaching unhealthy, 101-200 unhealthy and 201-300 very unhealthy. A summary of the number of days with each descriptor rating is listed in Table 4. Table 5 lists the dates when the Pollutant Standards Index exceeded the unhealthy threshold at any individual continuous monitoring location. A forecast consisting of the expected descriptor ratings over the next 72-hour period is also provided for each reporting region on weekdays. A telephone recording of the PSI forecast is taped by 11 a.m., Monday through Friday, and can be heard by dialing **1-800-782-0160**. Along with the forecast, cautionary statements are provided for days when the air quality is expected to be unhealthful.

In July 1987, procedures were initiated in cooperation with the New Jersey Department of Health to disseminate information about the health effects of ozone and to notify the public on high ozone days. If high ozone levels are anticipated, an ozone forecast press release, which includes precautionary statements, is issued to the New Jersey Health Department, Associated Press, United Press International, and to various newspapers, radio and television stations. An hourly watch of ozone levels is also initiated. If levels above the primary ozone standard (PSI = 100) are observed, a subsequent ozone health advisory press release is issued. In March 1988, the watch procedures were expanded to include sulfur dioxide, particulates, carbon monoxide, and nitrogen dioxide.

A weekday "ozone forecast map" introduced during the 1996 ozone season was televised on the New Jersey Network's (NJN) TV News Broadcast. After the ozone season an air quality forecast map was substituted. A worldwide web page was also created in 1996 to show current air quality levels. This web page can be accessed at the following internet address:
<http://www.state.nj.us/dep/airmon>.

Figure 1. State of New Jersey
Pollutant Standards Index Reporting Regions




TABLE 3

POLLUTANTS MONITORED ACCORDING TO POLLUTANT STANDARD INDEX REGION

<u>REPORTING REGION</u>	<u>MONITORING SITE</u>	<u>POLLUTANTS MONITORED</u>				
		<u>CO</u>	<u>SO2</u>	<u>SS</u>	<u>O3</u>	<u>NO2</u>
NORTHERN METROPOLITAN	Cliffside Park	-	-	-	-	X
	Fort Lee	X	-	X	-	-
	Hackensack	X	X	X	-	-
	Ramapo	-	-	-	X	-
SOUTHERN METROPOLITAN	Bayonne	-	X	-	X	X
	East Orange	X	-	-	-	X
	Elizabeth	X	X	X	-	-
	Elizabeth Lab	X	X	X	-	X
	Jersey City	X	X	X	-	-
	Newark	X	X	X	X	X
	North Bergen	X	-	-	-	-
SUBURBAN	Chester	-	X	-	X	X
	Middlesex	X	-	-	-	-
	Morristown	X	-	X	-	-
	Rutgers University	-	-	-	X	X
	Perth Amboy	X	X	X	-	-
NORTHERN DELAWARE VALLEY	Flemington	-	-	X	X	-
CENTRAL DELAWARE VALLEY	Burlington	X	X	X	-	-
	Colliers Mills	-	-	-	X	-
	Rider University	-	-	-	X	X
NORTHERN COASTAL	Freehold	X	-	X	-	-
	Monmouth University	-	-	-	X	-
	Toms River	X	-	X	-	-
SOUTHERN COASTAL	Nacote Creek R.S.	-	X	-	X	-
	Somers Point	-	X	-	-	X
SOUTHERN DELAWARE VALLEY	Ancora S.H.	X	X	X	X	-
	Camden Lab	X	X	X	X	X
	Clarksboro	-	X	-	X	-
DELAWARE	Millville	-	X	-	X	X

POLLUTANT CODING

CO - Carbon Monoxide

SO2 - Sulfur Dioxide

SS - Smoke Shade

O3 - Ozone

NO2 - Nitrogen Dioxide

TABLE 4

POLLUTANT STANDARDS INDEX (PSI)
ANNUAL SUMMARY - 1998

NUMBER OF DAYS

NOTE: NEW, MORE STRINGENT HEALTH STANDARDS USED

PSI REPORTING REGION	DESCRIPTOR RATINGS				
	GOOD	MODERATE	APPROACHING UNHEALTHY	UNHEALTHY	NOT AVAILABLE
Northern Metropolitan	188	143	26	8	0
Southern Metropolitan	86	239	30	10	0
Suburban	172	125	45	23	0
Northern Delaware Valley	208	100	34	21	2
Central Delaware Valley	207	100	41	17	0
Northern Coastal	177	128	29	31	0
Southern Coastal	176	134	31	24	0
Southern Coastal Valley	148	145	40	32	0
Delaware Bay	198	122	28	17	0
-----	-----	-----	-----	-----	-----
Statewide	56	214	46	49	0

TABLE 5

RECORD OF DAYS WHEN THE POLLUTANT STANDARDS INDEX (PSI)EXCEEDED THE HEALTH STANDARD - 1998

*THE HIGHEST PSI VALUE, RATING, POLLUTANT, AND LOCATION
ARE SHOWN FOR THE PARTICULAR DAY

<u>DATE</u>	<u>PSI*</u>	<u>RATING*</u>	<u>POLLUTANT*</u>	<u>LOCATION(S)*</u>
January 6	111	UH	PM	Jersey City
May 16	130	UH	O3	Clarksboro
May 19	113	UH	O3	Nacote Cr. R.S.
May 20	119	UH	O3	Millville
May 21	105	UH	O3	Nacote Cr. R.S.
May 27	141	UH	PM	Jersey City
May 28	105	UH	O3	Rutgers University
May 29	109	UH	O3	Rutgers University
May 30	114	UH	O3	Ancora S.H. & Clarksboro
May 31	103	UH	O3	Chester
June 2	104	UH	O3	Nacote Cr. R.S.
June 20	120	UH	O3	Monmouth University
June 21	118	UH	O3	Colliers Mills
June 25	132	UH	O3	Colliers Mills
June 26	107	UH	O3	Ancora S.H. & Monmouth University
July 3	105	UH	O3	Ancora S.H.
July 4	127	UH	O3	Bayonne
July 13	118	UH	O3	Rutgers University
July 14	105	UH	O3	Chester
July 16	114	UH	O3	Flemington
July 19	104	UH	O3	Colliers Mills & Rider University
July 20	107	UH	O3	Ancora S.H.
July 21	123	UH	O3	Colliers Mills
July 22	107	UH	O3	Nacote Cr. R.S.
July 23	109	UH	O3	Monmouth University
July 24	108	UH	O3	Monmouth University
July 27	107	UH	O3	Flemington
July 28	109	UH	O3	Flemington
July 29	117	UH	O3	Colliers Mills
July 30	117	UH	O3	Camden
August 3	103	UH	O3	Clarksboro
August 4	118	UH	O3	Chester
August 5	103	UH	O3	Chester & Ramapo
August 16	109	UH	O3	Ramapo

TABLE 5 (CONT.)

RECORD OF DAYS WHEN THE POLLUTANT STANDARDS INDEX (PSI)EXCEEDED THE HEALTH STANDARD - 1998

*THE HIGHEST PSI VALUE, RATING, POLLUTANT, AND LOCATION
ARE SHOWN FOR THE PARTICULAR DAY

<u>DATE</u>	<u>PSI*</u>	<u>RATINGS*</u>	<u>POLLUTANT*</u>	<u>LOCATION(S)*</u>
August 21	116	UH	O3	Colliers Mills
August 22	119	UH	O3	Millville
August 23	122	UH	O3	Colliers Mills
August 24	129	UH	O3	Monmouth University
August 25	116	UH	O3	Ancora S.H.
August 29	116	UH	O3	Colliers Mills
August 30	103	UH	O3	Colliers Mills
August 31	102	UH	O3	Nacote Cr. R.S.
September 4	102	UH	O3	Chester & Rider University
September 6	111	UH	O3	Chester
September 12	121	UH	O3	Nacote Cr. R.S.
September 14	107	UH	O3	Flemington
September 15	105	UH	O3	Chester
September 16	103	UH	O3	Monmouth Univ.
September 17	111	UH	O3	Colliers Mills

AIR QUALITY SUMMARY
AND TREND ANALYSIS
REPORT
1998

Air Quality Summary 1998

In 1998, 2 of 14 monitoring locations for ozone recorded violations of the New Jersey (NJ) primary (health) ambient air quality standard (AAQS) as compared to 7 of 15 locations in 1997. None of the 16 monitoring locations for carbon monoxide recorded violations of the NJ 8-hour primary AAQS in 1998. In 1998, one of the 20 sampling locations recorded an exceedance of 24-hour national AAQS for inhalable particulates (PM-10). Also, in 1998 no contraventions of the New Jersey primary AAQS for nitrogen dioxide, total suspended particulates, lead, or sulfur dioxide were recorded at any monitoring locations for those pollutants. The following sections provide a brief summary of the monitoring information collected along with comparisons to the applicable AAQS:

Sulfur Dioxide (SO₂) - Sulfur dioxide was continuously monitored at 15 locations (see Figure 2) during 1998. Monitoring results for SO₂ are listed in Table 6. Neither the primary nor the secondary (public welfare) AAQS were violated in 1998. The maximum 24-hour average recorded in 1998 was 0.031 parts per million (ppm) at the Elizabeth lab, Jersey City and Newark monitoring sites. The maximum 3-hour average recorded at Jersey City was 0.090 ppm. The highest annual average of 0.009 ppm was calculated for the Jersey City location. Trends in SO₂ levels from 1988-1998 are illustrated in Figure 3a. SO₂ emissions primarily result from the combustion of fossil fuels containing sulfur.

Total Suspended Particulates (TSP) - Total Suspended Particulates were sampled at 4 locations (see Figure 4) during 1998. Sampling results for TSP for 1998 are listed in Table 7. The highest annual geometric mean was calculated at 44.8 micrograms per cubic meter (ug/m³) for the New Brunswick-068 sampling location. The maximum 24-hour average of 401 ug/m³ was recorded at the New Brunswick-068 sampling location.

Inhalable Particulates (PM-10) - Inhalable particulates were collected by 22 samplers operating at 20 locations (see Figure 5) during 1998. Two samplers were co-located at Jersey City-Duncan Avenue and the Camden Resource Recovery Facility (RRF) to provide data for precision calculations. At this time, New Jersey has not adopted AAQS for inhalable particulates, however, the federal Environmental Protection Agency (EPA) promulgated AAQS for PM-10 in July, 1987. No sampling locations violated the national primary and secondary annual arithmetic mean AAQS during 1998. Although one location (Fort Lee-IP14) recorded an exceedance of the 24-hour primary and secondary standard. Sampling results for PM-10 are listed in Table 8. The highest annual arithmetic mean of 36.2 ug/m³ was calculated for the North Bergen sampler and the maximum 24-hour average of 237 ug/m³ was recorded at the Fort Lee-IP14 location. Trends in inhalable particulate levels from 1988-1998 are illustrated in Figure 6a. A continuous monitoring methodology known as tapered element oscillating microbalance (TEOM) was utilized at 4 locations in 1998. These TEOM units provide data for even smaller particles known as PM-2.5. Results are shown on Table 8.

Carbon Monoxide (CO) - Carbon monoxide was measured at 16 locations (see Figure 7) during 1998. Monitoring results for carbon monoxide are listed in Table 9. No monitoring locations violated the 1-hour or 8-hour primary and secondary AAQS during 1998. The maximum observed 8-hour average of 6.0 ppm was recorded at the North Bergen monitoring location. The maximum observed 1-hour average of 12.0 ppm was recorded by the Morristown monitoring location. Trends in CO levels from 1988-1998 are illustrated in Figure 8a. The predominant source of CO emissions is gasoline fueled automobiles and trucks.

Ozone (O3) - Ozone was monitored at 14 locations (see Figure 9) during 1998 and monitoring results are listed in Table 10. Two of fourteen monitoring locations violated the New Jersey primary 1-hour average AAQS during 1998. The maximum 1-hour average for ozone of 0.139 ppm was recorded at the Colliers Mills monitoring location. All fourteen monitoring locations in operation during the summer violated New Jersey's secondary 1-hour average AAQS in 1998 with Ancora S.H. having the most occurrences (239 hours) above the secondary 1-hour average AAQS. Trends in 1-hour ozone levels from 1988-1998 are illustrated in Figure 10a. Ozone is caused by various photochemical reactions of volatile organics substances (hydrocarbons) with oxides of nitrogen on days with bright sunshine and warm temperatures. Thus ozone is only a potential problem in the late spring, summer, and early fall months. The national 8-hour ozone primary and secondary standards were exceeded at all 14 monitoring locations. The maximum 8-hour average of 0.113 occurred at Colliers Mills. A special study to determine concentrations of ozone reactants at the Newark continuous monitoring site measured non-methane organic compound (NMOC) concentrations during the 6-9 a.m. period on weekdays from June through September. Results of this study are listed in Table 11. The ratio of NMOC to nitrogen oxide from 6-9 a.m. is believed to be an important factor in ozone formation and build-up during the afternoon hours. Trends in NMOC levels from 1988-1998 are illustrated in Figure 11.

Nitrogen Oxides (NOX) - Nitrogen oxides were monitored at 11 locations (see Figure 12) during 1998. Monitoring results for the two major constituents of NOX, namely nitric oxide (NO) and nitrogen dioxide (NO₂), are listed in Table 12. Nitrogen dioxide primary and secondary AAQS were not violated at any of the monitoring sites in 1998. No ambient air quality standards have been promulgated for nitric oxide. The highest NO₂ 12-month average of 0.043 ppm was calculated for the Elizabeth Lab monitoring location. The highest annual average for nitric oxide (0.049 ppm) was also recorded by the Elizabeth Lab monitoring instrument. Trends in NO₂ levels from 1988-1998 are illustrated in Figure 13a. Nitrogen oxides are products of combustion which are emitted in approximately equal amounts from industrial boilers and motor vehicles.

Lead (Pb) - Lead levels were determined by analysis of filters obtained from 3 samplers in 2 cities (see Figure 14). Results of the laboratory analyses for lead are listed in Table 13. The highest 3-month average of 0.082 ug/m³ was calculated for samples from the New Brunswick-068 sampling location for the 3 months ending June, 1998. Trends for lead from 1988-1998 are illustrated in Figure 15a. Lead as well as other trace metals are emitted in various proportions from motor vehicles, certain metal processing industries, and incinerators.

Smoke Shade (SS) - Smoke shade was monitored at 13 locations (see Figure 16) during 1998. Monitoring results for smoke shade are listed in Table 14. No AAQS have been established for this parameter although a rough correlation exists with 2.1 COHS (Coefficient of Haze) for a daily average approximately

equivalent to the New Jersey primary 24-hour TSP AAQS of 260 ug/m³. The highest daily average of 2.45 COHS was recorded by the Jersey City monitoring location. The highest annual average of 0.86 COHS was also calculated for the Jersey City location. Figures 17a & 17b show by monitoring location the highest and 2nd highest 24-hour daily averages and annual averages respectively.

Acid Precipitation (AP) - The New Jersey Precipitation Sampling Network consisted of three locations in 1998 (see Figure 18). Acid precipitation, more accurately described as acid deposition, has been implicated in the destruction of vegetation and aquatic life, the contamination of potable water supplies due to leaching of heavy metals, the accelerated weathering of materials, the aggravation of respiratory ailments, and the reduction of visibility.

Acid deposition results mainly from various chemical reactions involving sulfur dioxide and nitrogen oxide gases released into the atmosphere during fuel combustion. The compounds formed by these reactions can be deposited as dry particulate matter or wet precipitation.

When acidity is reported on the pH scale, neutral is considered as 7 with decreasing pH values corresponding to increasing acidity. Normal rainfall has a pH of approximately 5.6 due to the natural presence of carbonic acid in the atmosphere. The mean pH value recorded by the Washington Crossing Park weekly sampler was 4.33. The Ancora State Hospital sampler reported a mean pH of 4.39 and the Lebanon State Forest sampler recorded a mean pH of 4.41 during 1998. In addition to pH, analyses for conductivity and various anions and cations were performed. Analytical results for 1998 are presented in Table 15. Acid precipitation results from the Washington Crossing State Park event sampler are segregated by season, precipitation amounts, and meteorological regimes in Table 16. Figure 19 illustrates the recent trend in wet sulfate deposition.

Filters from 4 inhalable particulate (PM-10) samplers were analyzed for sulfates and nitrates (see Figure 20). Sulfates and nitrates are pollutants which form in the atmosphere and react with water to form acids which reduce the pH of rainfall. These sulfates and nitrates can travel long distances and reduce visibility. Some of these particles which settle out from the atmosphere (dry deposition) can later react with water to form acids on the ground. Results of the sulfate and nitrate analyses are listed in Table 17.

Meteorological Parameters (MET) - Meteorological parameters monitored on a continuous basis during 1998 were wind direction/speed, temperature, relative humidity, barometric pressure, and solar radiation (see Figure 21). Tables 18 and 19 summarize the 1998 meteorological monitoring results on a monthly basis.

Figure 2. State of New Jersey
Sulfur Dioxide Monitoring Network, 1998




TABLE 6

AIR QUALITY IN NEW JERSEY COMPARED WITH AIR QUALITY STANDARDS - 1998

SULFUR DIOXIDE

3-HOUR AND ANNUAL AVERAGES
PARTS PER MILLION (PPM)

AMBIENT AIR QUALITY STANDARDS FOR SULFUR DIOXIDE
 3-HOUR AVERAGE SECONDARY STANDARD: 1300 ug/m³ (0.5 ppm)^a
 12-MONTH AVERAGE PRIMARY STANDARD: 80 ug/m³ (0.03 ppm)
 12-MONTH AVERAGE SECONDARY STANDARD: 60 ug/m³ (0.02 ppm)^b

SITE CODES: N = NAMS, S = SLAMS, SPM = SPECIAL PURPOSE MONITORING

VIOLATION CODES: XXX = NEW JERSEY & NATIONAL (PS) = PRIMARY STANDARD
 XX = NEW JERSEY (SS) = SECONDARY STANDARD
 -- = NO VIOLATION

<u>Monitoring Site</u>	<u>Site Code</u>	<u>3-Hour Avg. Maximum</u>	<u>Avg. 2nd Highest</u>	<u>(ppm)^c</u>	<u># Above 0.5 ppm</u>	<u>Viol. Code</u>	<u>12-Month Average Maximum</u>	<u>Year</u>	<u>Viol. Code</u>
Ancora S.H.	S	.029	.027		0	--	.004	.004	--
Bayonne	N	.041	.033		0	--	.006	.006	--
Burlington	S	.041	.039		0	--	.005	.005	--
Camden Lab	N	.057	.041		0	--	.006	.006	--
Chester	S	.062	.040		0	--	.005	.004	--
Clarksboro	S	.076	.046		0	--	.005	.005	--
Elizabeth	S	.040	.037		0	--	.006	.006	--
Elizabeth Lab	N	.048	.039		0	--	.007	.007	--
Hackensack	S	.034	.030		0	--	.004	.004	--
Jersey City	N	.090	.040		0	--	.009	.008	--
Millville	S	.031	.030		0	--	.004	.004	--
Nacote Creek R.S.	S	.028	.026		0	--	.003	.003	--
Newark	S	.060	.059		0	--	.007	.007	--
Perth Amboy	N	.034	.032		0	--	.005	.005	--
Somers Point	SPM	.060	.060		0	--	.003	.003	--

- a) New Jersey and National Ambient Air Quality Standard not be exceeded more than once in any 12-month period.
- b) New Jersey Ambient Air Quality Standard.
- c) Based on non-overlapping 3-hour moving averages.

TABLE 6 (Cont.)

AIR QUALITY IN NEW JERSEY COMPARED WITH AIR QUALITY STANDARDS - 1998

SULFUR DIOXIDE

3-HOUR AND ANNUAL AVERAGES

PARTS PER MILLION (PPM)

AMBIENT AIR QUALITY STANDARDS FOR SULFUR DIOXIDE

24-HOUR AVERAGE PRIMARY STANDARD: 365 ug/m³ (0.14 ppm)^a24-HOUR AVERAGE SECONDARY STANDARD: 260 ug/m³ (0.10 ppm)^aDAILY AVERAGE PRIMARY STANDARD: 0.14 ppm (365 ug/m³)^b

SITE CODES: N = NAMS, S = SLAMS, SPM = SPECIAL PURPOSE MONITORING

VIOLATION CODES: XXX = NEW JERSEY & NATIONAL (PS) = PRIMARY STANDARD
 XX = NEW JERSEY (SS) = SECONDARY STANDARD
 -- = NO VIOLATION

Monitoring Site	Site Code	24-Hour Avg. (ppm) ^c		# Above		Viol. Code	Daily Average		Viol. Code
		Maximum	2 nd Highest	0.14	0.10		Maximum	2 nd Highest	
Ancora S.H.	S	.018	.013	0	0	--	.018	.011	--
Bayonne	N	.024	.021	0	0	--	.023	.019	--
Burlington	S	.025	.024	0	0	--	.025	.023	--
Camden Lab	N	.028	.026	0	0	--	.026	.023	--
Chester	S	.026	.023	0	0	--	.023	.020	--
Clarksboro	S	.019	.015	0	0	--	.019	.015	--
Elizabeth	S	.030	.024	0	0	--	.028	.017	--
Elizabeth Lab	N	.031	.026	0	0	--	.029	.021	--
Hackensack	S	.022	.020	0	0	--	.021	.018	--
Jersey City	N	.031	.028	0	0	--	.030	.024	--
Millville	S	.019	.014	0	0	--	.019	.012	--
Nacote Creek R.S.	S	.014	.011	0	0	--	.013	.010	--
Newark	S	.031	.027	0	0	--	.030	.025	--
Perth Amboy	N	.024	.020	0	0	--	.022	.018	--
Somers Point	SPM	.019	.016	0	0	--	.018	.015	--

- a) Ambient Air Quality Standard not be exceeded more than once in any 12-month period.
 b) National Ambient Air Quality Standard not to be exceeded more than once a year.
 c) Based on non-overlapping 24-hour moving averages.

Figure 3a. Trend in Sulfur Dioxide Concentrations in New Jersey, 1988 - 1998:
Second Highest Daily Averages




Figure 3b. 1998 Sulfur Dioxide Concentrations in New Jersey:
Highest and Second Highest Daily Averages




Figure 4. State of New Jersey
Total Suspended Particulates Monitoring Network, 1998




TABLE 7

AIR QUALITY IN NEW JERSEY
 COMPARED WITH AIR QUALITY STANDARDS -- 1998

TOTAL SUSPENDED PARTICULATES
 MICROGRAMS PER CUBIC METER (ug/m³)

AMBIENT AIR QUALITY STANDARDS FOR TOTAL SUSPENDED PARTICULATES

12-MONTH GEOMETRIC MEAN PRIMARY STANDARD: 75 ug/m^{3a}

12-MONTH AVERAGE SECONDARY STANDARD: 60 ug/m^{3b}

24-HOUR AVERAGE PRIMARY STANDARD: 260 ug/m^{3c}

24-HOUR AVERAGE SECONDARY STANDARD: 150 ug/m^{3c}

SITE CODE: SPM = SPECIAL PURPOSE MONITORING PB = LEAD MONITORING SITE

VIOLATION CODES: XX = NEW JERSEY (PS) = PRIMARY STANDARD
 -- = NO VIOLATION (SS) = SECONDARY STANDARD
 *** = INSUFFICIENT DATA AVAILABLE FOR VALID GEOMETRIC MEAN

Monitoring Location	Sampler No.	Site Code	# of Samples	Geom.	Mean	Viol Code	24-Hr. Avg. Max.	24-Hr. Avg. 2 nd Hgst.	# Above		Viol. Code
				Max. 12-mon.	Cal. Year				260	150	
<u>Camden County</u>											
Pennsauken	071	PB	61	42.2	40.1	--	111	92	0	0	--
<u>Middlesex County</u>											
New Brunswick	057	PB	56	42.1	42.1	--	234	149	0	1	--
New Brunswick	068	PB	48	48.2	44.8	--	401	106	1	1	--
<u>Salem County</u>											
Deepwater	062	SPM	9	34.3	***	--	53	46	0	0	--
<u>Warren County</u>											
Phillipsburg	070	SPM	9	34.0	***	--	83	40	0	0	--

- a) New Jersey Ambient Air Quality Standard.
- b) Intended as a guideline for achieving short term standard.
- c) Standard not to be exceeded more than once in any 12-month period.

Figure 5. State of New Jersey
Inhalable Particulates Monitoring Network, 1998




TABLE 8
 AIR QUALITY IN NEW JERSEY
 COMPARED WITH AIR QUALITY STANDARDS -- 1998
 INHALABLE PARTICULATES (PM-10)
 ANNUAL STATISTICS
 MICROGRAMS PER CUBIC METER (ug/m³)

NATIONAL AMBIENT AIR QUALITY STANDARDS FOR INHALABLE PARTICULATES:
 ANNUAL ARITHMETIC MEAN PRIMARY & SECONDARY STANDARD: 50 ug/m³
 24-HOUR AVERAGE PRIMARY & SECONDARY STANDARD: 150 ug/m³

SITE CODES: N = NAMS, S = SLAMS, PM = SPECIAL PURPOSE MONITORING
 **** = INSUFFICIENT DATA FOR VALID ANNUAL ARITHMETIC MEAN

Monitoring Site	Sampler No.	Site Code	# of Samples	Annual Arith. Mean	24-Hour Average Maximum	2 nd Highest
Atlantic City	IP36	S	58	25.8	55	54
Camden Lab	IP02	N	60	20.8	56	52
Camden RRF #1	IP33	SPM	60	32.3	76	75
Camden RRF #2	IP34	SPM	58	28.6	71	68
Camden Rutgers	IP32	N	61	20.7	59	56
Clifton	IP13	N	45	25.5	66	63
Elizabeth Lab	IP28	S	51	28.8	88	62
Fort Lee	IP14	N	31	****	237	73
Fort Lee Library	IP15	S	31	****	51	43
Jersey City-Newark Ave.	IP09	N	57	25.2	66	64
Jersey City-Duncan Ave.	IP12	S	59	16.9	51	46
Jersey City-Duncan Ave.	IP22	SPM	57	14.3	40	36
Linden	IP18	S	57	18.4	56	48
Newark-Police Booth	IP31	S	33	--	77	77
Newark	IP29	S	58	29.4	78	76
North Bergen	IP35	S	57	36.2	79	77
Pennsauken-WTP	IP10	S	61	22.5	63	57
Phillipsburg	IP30	S	35	****	67	56
Ramapo	IP37	S	24	****	48	45
Ringwood S.P.	IP05	S	21	****	34	29
Trenton	IP06	S	56	21.6	59	54
Westville	IP27	S	60	15.2	50	46

CONTINUOUS MONITORING METHODOLOGY
 TAPERED ELEMENT OSCILLATING MICROBALANCE (TEOM)
 2.5 MICRON FRACTION

Camden Lab	SPM	53	47
Elizabeth Lab	SPM	67	53
Fort Lee ^a	SPM	72	61
Newark	SPM	57	52

a) Data not available: January-May.

Figure 6a. Trend in Inhalable Particulate Concentrations in New Jersey, 1988 - 1998: Annual Averages




Figure 6b. 1998 Inhalable Particulate Concentrations in New Jersey: Annual Averages




Figure 7. State of New Jersey
Carbon Monoxide Monitoring Network, 1998




TABLE 9
AIR QUALITY IN NEW JERSEY
COMPARED WITH AIR QUALITY STANDARDS -- 1998

CARBON MONOXIDE
PARTS PER MILLION (PPM)

AMBIENT AIR QUALITY STANDARDS FOR CARBON MONOXIDE:
1-HOUR AVERAGE PRIMARY & SECONDARY STANDARD: 40 mg/m³ (35 ppm)^a
1-HOUR AVERAGE NATIONAL PRIMARY STANDARD: 35 ppm
8-HOUR AVERAGE PRIMARY & SECONDARY: 10 mg/m³ (9 ppm)^a
8-HOUR AVERAGE NATIONAL PRIMARY STANDARD: 9 ppm

SITE CODES: N = NAMS, S = SLAMS, SPM = SPECIAL PURPOSE MONITORING
VIOLATION CODES: XXX = NEW JERSEY & NATIONAL, -- = NO VIOLATION
XX = NEW JERSEY

Monitoring Site	Site Code	1-Hour Max.	Avg. (ppm) 2 nd Highest	# Above 35 ppm	Viol. Code	8-Hour Max.	Avg. (ppm) ^b 2 nd Highest	# Above 9.0 ppm	Viol. Code
Ancora S.H.	S	1.6	1.4	0	--	1.1	1.1	0	--
Burlington	S	6.1	6.0	0	--	4.1	3.6	0	--
Camden Lab	S	7.3	6.1	0	--	3.3	3.0	0	--
East Orange	SPM	6.4	4.7	0	--	4.2	3.3	0	--
Elizabeth	S	9.3	7.4	0	--	5.2	5.1	0	--
Elizabeth Lab	SPM	4.8	4.6	0	--	3.2	2.9	0	--
Fort Lee ^c	S	4.9	4.9	0	--	4.0	3.7	0	--
Freehold	S	7.2	6.1	0	--	3.4	2.8	0	--
Hackensack	N	7.0	6.6	0	--	5.1	3.7	0	--
Jersey City	N	6.6	6.4	0	--	4.3	4.1	0	--
Middlesex	SPM	6.9	6.0	0	--	3.3	3.2	0	--
Morristown	S	12.0	6.3	0	--	3.4	3.3	0	--
Newark	S	5.6	4.5	0	--	3.0	2.6	0	--
North Bergen	S	11.5	10.3	0	--	6.0	5.6	0	--
Perth Amboy	S	4.8	4.6	0	--	3.0	3.0	0	--
Toms River	S	5.7	5.3	0	--	3.3	3.2	0	--

mg/m³ - milligrams per cubic meter

- a) New Jersey Ambient Air Quality Standard not to be exceeded more than once in any 12-month period.
- b) Based on non-overlapping 8-hour moving averages.
- c) Data not available: January-May.

Figure 8a. Trend in Carbon Monoxide Concentrations in New Jersey, 1988 - 1998:
Second Highest 8-Hour Averages




Figure 8b. 1998 Carbon Monoxide Concentrations in New Jersey:
Highest and Second Highest 8-Hour Averages




Figure 9. State of New Jersey
Ozone Monitoring Network, 1998




TABLE 10

AIR QUALITY IN NEW JERSEY
COMPARED WITH AIR QUALITY STANDARDS -- 1998

OZONE
1-HOUR AVERAGES
PARTS PER MILLION (ppm)

AMBIENT AIR QUALITY STANDARDS FOR OZONE
MAXIMUM DAILY 1-HOUR AVG. PRIMARY STANDARD: 0.12 ppm (235 ug/m³)^{ab}
1-HOUR AVERAGE SECONDARY STANDARD: 0.08 ppm (160 ug/m³)^b

SITE CODES: N = NAMS, S = SLAMS, SPM = SPECIAL PURPOSE MONITORING

VIOLATION CODES: XXX = NEW JERSEY AND NATIONAL (PS) = PRIMARY STANDARD
XX = NEW JERSEY (SS) = SECONDARY STANDARD
X = NATIONAL -- = NO VIOLATION

Monitoring Site	Site Code	Daily Max.		# of Days with Hrs. Above .12	Viol. Code	1-Hour Averages		# of Hrs. Above .08	Viol. Code
		1-Hour Avg. Hgst.	2 nd Hgst.			1-Hour Max.	2 nd Hgst.		
Ancora S.H.	S	.121	.117	0	---	.121	.120	239	XX(SS)
Bayonne	N	.129	.118	1	---	.129	.125	80	XX(SS)
Camden Lab	N	.124	.113	0	---	.124	.121	135	XX(SS)
Chester	S	.123	.118	0	---	.123	.118	198	XX(SS)
Clarksboro	N	.121	.120	0	---	.121	.120	192	XX(SS)
Colliers Mills	S	.139	.135	3	XXX(PS)	.139	.135	221	XX(SS)
Flemington	S	.122	.118	0	---	.122	.118	163	XX(SS)
Millville	S	.119	.117	0	---	.119	.117	152	XX(SS)
Monmouth University	S	.132	.129	2	XXX(PS)	.132	.129	162	XX(SS)
Nacote Creek R.S.	S	.120	.118	0	---	.120	.118	182	XX(SS)
Newark	S	.129	.112	1	---	.129	.114	48	XX(SS)
Ramapo ^c	S	.120	.102	0	---	.120	.107	75	XX(SS)
Rider University	N	.116	.112	0	---	.116	.115	165	XX(SS)
Rutgers University	S	.120	.117	0	---	.120	.118	156	XX(SS)
Statewide	-	.139	.135	4					

ug/m³ - micrograms per cubic meter

- a) National Ambient Air Quality Standard - averaged over a three period the expected number of days above the standards must be less than or equal to one.
b) New Jersey Ambient Air Quality Standard not to be exceeded more than once in any 12-month period.
c) Data not available: January-May.

Table 10 (Cont.)
 AIR QUALITY IN NEW JERSEY COMPARED WITH AIR QUALITY STANDARDS -- 1998

OZONE
 8-HOUR AVERAGES
 PARTS PER MILLION (PPM)

AMBIENT AIR QUALITY STANDARD FOR OZONE:
 8-HOUR AVERAGE PRIMARY & SECONDARY STANDARD: 0.08 PPM^a

SITE CODES: N= NAMS, S = SLAMS, SPM = SPECIAL PURPOSE MONITORING

VIOLATION CODES: X = NATIONAL (PS) = PRIMARY STANDARD
 --- = NO VIOLATION

Monitoring Site	Site Code	Daily Maximum 8-hour Average Highest (PPM)				Average of 4 th Highest 8- Hour Average 1996 - 1998	Viol. Code	# of Days with 8-Hour Averages Above .08 (PPM)
		1 st	2 nd	3 rd	4 th			
Ancora S.H.	S	.107	.105	.102	.098	.104	X(PS)	29
Bayonne	N	.108	.095	.091	.089	.093	X(PS)	7
Camden Lab	N	.110	.099	.095	.093	.094	X(PS)	15
Chester	N	.104	.100	.099	.097	.095	X(PS)	22
Clarksboro	N	.111	.100	.100	.098	.100	X(PS)	22
Colliers Mills	S	.113	.109	.105	.104	.104	X(PS)	28
Flemington	S	.099	.099	.097	.096	.096	X(PS)	21
Millville	S	.101	.101	.101	.098	.096	X(PS)	17
Monmouth Univ.	S	.110	.105	.102	.093	.094	X(PS)	20
Nacote Creek R.S.	S	.103	.099	.096	.092	.097	X(PS)	24
Newark	S	.097	.091	.090	.088	.088	X(PS)	5
Ramapo ^b	S	.096	.092	.090	.089	----	(c)	8
Rider University	N	.102	.102	.096	.095	.097	X(PS)	17
Rutgers University	S	.104	.102	.100	.099	.099	X(PS)	15
Statewide		.113	.111	.110	.108	.111		47

- a) National Ambient Air Quality Standard - The average of the 4th highest daily maximum 8-hour average over a 3 year period must be less than or equal to 0.08 ppm.
- b) Data not available: January-May.
- c) Three years of data must be available before a determination of violation.

Figure 10a. Trend in Ozone Concentrations in New Jersey, 1988 - 1998: Second Highest 1-Hour Averages




Figure 10b. 1998 Ozone Concentrations in New Jersey: Highest and Second Highest Daily 1-Hour Averages




TABLE 11

AIR QUALITY IN NEW JERSEY COMPARED WITH AIR QUALITY STANDARDS - 1998

OZONE PRECURSORS
NON-METHANE ORGANIC COMPOUNDS AND NITROGEN OXIDES
6-9 AM STATISTICS
ON SELECTED SAMPLING DATES

NON-METHANE ORGANIC COMPOUNDS (NMOC)
PARTS PER MILLION

Newark				
<u>Month</u>	<u># of Samples</u>	<u>Mean</u>	<u>Minimum</u>	<u>Maximum</u>
June	13	.388	.226	1.208
July	21	.291	.180	.563
August	18	.298	.091	.655
<u>September</u>	<u>20</u>	<u>.657</u>	<u>.128</u>	<u>6.941</u>
Season	72	.412	.091	6.941

NITROGEN OXIDES (NOX)^a
PARTS PER MILLION

Newark				
<u>Month</u>	<u># of Samples</u>	<u>Mean</u>	<u>Minimum</u>	<u>Maximum</u>
June	13	.094	.041	.198
July	21	.081	.030	.182
August	18	.074	.020	.134
<u>September</u>	<u>20</u>	<u>.095</u>	<u>.024</u>	<u>.244</u>
Season	72	.086	.020	.244

a) Nitrogen Oxides concentrations were estimated by summing the nitric oxide and nitrogen dioxide observed levels.

NMOC/NOX RATIOS

Newark				
<u>Month</u>	<u># of Samples</u>	<u>Mean</u>	<u>Minimum</u>	<u>Maximum</u>
June	13	4.69	2.03	10.49
July	21	4.18	1.33	6.98
August	18	4.14	2.77	6.74
<u>September</u>	<u>20</u>	<u>5.20</u>	<u>1.57</u>	<u>28.45</u>
Season	72	4.54	1.33	28.45

TABLE 11 (CONT.)
 AIR QUALITY IN NEW JERSEY COMPARED WITH AIR QUALITY STANDARDS - 1998

OZONE PRECURSORS
 NON-METHANE ORGANIC COMPOUNDS (NMOC) AND NITROGEN OXIDES (NOX)

6-9 A.M. STATISTICS
 PARTS PER MILLION

NEWARK

1998 Date	NMOC PPMC	NOX PPM	NMOC/ NOX	1998 Date	NMOC PPMC	NOX PPM	NMOC/ NOX	1998 Date	NMOC PPMC	NOX PPM	NMOC/ NOX
6/12	.226	.080	2.83	7/23	.492	.182	2.70	9/3	.332	.076	4.37
6/15	.360	.177	2.03	7/24	.283	.043	6.58	9/4	.261	.120	2.18
6/16	.427	.158	2.70	7/27	.244	.088	2.77	9/8	.165	.034	4.85
6/17	.325	.049	6.63	7/28	.259	.052	4.98	9/9	.141	.033	4.27
6/18	.430	.041	10.49	7/29	.292	.059	4.95	9/10	.148	.044	3.36
6/19	.320	.053	6.04	7/30	.270	.058	4.66	9/11	.349	.133	2.62
6/22	.321	.061	5.26	7/31	.197	.048	4.10	9/14	.307	.109	2.82
6/23	.252	.072	3.50	8/5	.655	.134	4.89	9/15	.366	.101	3.62
6/24	.320	.080	4.00	8/6	.438	.101	4.34	9/16	.473	.093	5.09
6/25	1.208	.198	6.10	8/7	.502	.117	4.29	9/17	.128	.038	3.37
6/26	.280	.049	5.71	8/11	.303	.061	4.97	9/18	.253	.064	3.95
6/29	.253	.080	3.16	8/12	.159	.028	5.68	9/21	.176	.112	1.57
6/30	.326	.127	2.57	8/13	.189	.044	4.30	9/22	.654	.117	5.59
7/1	.244	.040	6.10	8/14	.269	.085	3.16	9/23	.131	.024	5.46
7/2	.200	.030	6.67	8/17	.324	.090	3.60	9/24	.542	.157	3.45
7/6	.220	.051	4.31	8/18	.167	.053	3.15	9/25	6.941	.244	28.45
7/7	.180	.135	1.33	8/19	.091	.020	4.55	9/28	.200	.033	6.06
7/8	.274	.089	3.08	8/20	.183	.066	2.77	9/29	.396	.111	3.57
7/9	.368	.064	5.75	8/21	.334	.116	2.88				
7/10	.181	.096	1.89	8/24	.208	.066	3.15				
7/13	.202	.143	1.41	8/25	.301	.051	5.90				
7/14	.259	.076	3.41	8/26	.391	.130	3.01				
7/15	.255	.069	3.70	8/27	.170	.057	2.98				
7/16	.391	.097	4.03	8/28	.211	.050	4.22				
7/17	.461	.066	6.98	8/31	.465	.069	6.74				
7/21	.563	.152	3.70	9/1	.380	.077	4.94				
7/22	.282	.061	4.62	9/2	.803	.186	4.32				

Figure 11. Trend in Nonmethane Organic Compounds in New Jersey, 1988 - 1998:
Seasonal Average 6 a.m. - 9 a.m. Concentrations




Figure 12. State of New Jersey
Nitrogen Oxides Monitoring Network, 1998




TABLE 12

AIR QUALITY IN NEW JERSEY
 COMPARED WITH AIR QUALITY STANDARDS -- 1998

NITROGEN DIOXIDE & NITRIC OXIDE
 PARTS PER MILLION

AMBIENT AIR QUALITY STANDARDS FOR NITROGEN DIOXIDE:
 12-MONTH AVERAGE PRIMARY STANDARD: 100 ug/m³ (.05 ppm)^a
 ANNUAL AVERAGE PRIMARY STANDARD: .053 ppm (100 ug/m³)^b
 12-MONTH AVERAGE SECONDARY STANDARD: 100 ug/m³ (.05 ppm)^a
 ANNUAL AVERAGE SECONDARY STANDARD: .053 ppm (100 ug/m³)^b
 1-HOUR AVERAGE GUIDELINE: 470 ug/m³ (.25 ppm)^c

NO AMBIENT AIR QUALITY STANDARDS HAVE
 BEEN ESTABLISHED FOR NITRIC OXIDE

SITE CODES: N = NAMS, S = SLAMS, SPM = SPECIAL PURPOSE MONITORING

VIOLATION CODES: XXX = NEW JERSEY AND NATIONAL, XX = NEW JERSEY
 -- = NO VIOLATION

Monitoring Site	Site Code	Nitrogen Dioxide		Nitrogen Dioxide		Viol. Code	Nitric Oxide Annual Avg. (ppm)
		1-Hour Average (ppm) Maximum	2 nd Highest	12-Month Average (ppm) Maximum	Cal. Year		
Bayonne	N	.101	.092	.027	.027	--	.019
Camden Lab	S	.077	.077	.022	.022	--	.016
Chester	S	.069	.068	.012	.011	--	.003
Cliffside Park ^d	S	.100	.098	.030	----	--	----
East Orange	N	.101	.099	.030	.029	--	.033
Elizabeth Lab	S	.225	.131	.043	.042	--	.049
Millville	SPM	.063	.063	.017	.017	--	.017
Newark	S	.110	.109	.033	.033	--	.032
Rider Univ.	SPM	.066	.066	.017	.015	--	.015
Rutgers Univ.	S	.080	.078	.019	.019	--	.014
Somers Point	SPM	.055	.055	.008	.008	--	.003

a) New Jersey Ambient Air Quality Standard.

b) National Ambient Air Quality Standard.

c) California State Primary Standard used by New Jersey for analysis of short-term impacts in dispersion modeling studies.

d) Data not available: June-December.

Figure 13a. Trend in Nitrogen Dioxide Concentrations in New Jersey, 1988 - 1998:
Annual Averages




Figure 13b. 1998 Nitrogen Dioxide and Nitric Oxide Concentrations in New Jersey:
Annual Averages




Figure 14. State of New Jersey
Lead Monitoring Network, 1998




TABLE 13

AIR QUALITY IN NEW JERSEY
COMPARED WITH AIR QUALITY STANDARDS -- 1998

LEAD
3-MONTH AVERAGES
MICROGRAMS PER CUBIC METER
HIGH VOLUME PARTICULATE SAMPLERS

AMBIENT AIR QUALITY STANDARDS FOR LEAD:
3-MONTH ARITH. MEAN PRIMARY & SECONDARY STANDARDS: 1.5 ug/m^{3a}
CALENDAR QUARTER ARITH. MEAN PRIMARY & SECONDARY STANDARD: 1.5 ug/m^{3b}

SITE CODES: N = NAMS, S = SLAMS, SPM = SPECIAL PURPOSE MONITORING IND = INDUSTRIAL FACILITY

VIOLATION CODES: XXX = NEW JERSEY AND NATIONAL, XX = NEW JERSEY, -- = NO VIOLATION

Monitoring Site	Sampler No.	Site Code	3-Month Average Maximum	Average Month	Viol. Code	Arithmetic Means				Viol. Code
						1 st Qtr	2 nd Qtr	3 rd Qtr	4 th Qtr	
New Brunswick	057	S	.080	Jun.	--	.027	.080	.043	.050	--
New Brunswick	068	SPM	.082	Jun.	--	.032	.082	.029	.054	--
Pennsauken ^c	071	S	.014	Feb.	--	.013	.011	.011	.011	--

a) New Jersey Ambient Air Quality Standard

b) National Ambient Air Quality Standard

c) Less than 50 percent of samples above minimum detection limits

Figure 15a. Trend in Lead Concentrations in New Jersey, 1988 - 1998:
Maximum Quarterly Averages




Figure 15b. 1998 Lead Concentrations in New Jersey:
Maximum Quarterly Averages




Figure 16. State of New Jersey
Smoke Shade Monitoring Network, 1998




TABLE 14

AIR QUALITY IN NEW JERSEY
 COMPARED WITH AIR QUALITY STANDARDS -- 1998

SMOKE SHADE
 DAILY AND ANNUAL AVERAGES
 COEFFICIENT OF HAZE (COHS)

NO AMBIENT AIR QUALITY STANDARDS HAVE
 BEEN ESTABLISHED FOR SMOKE SHADE

SITE CODES: N = NAMS, S = SLAMS, SPM = SPECIAL PURPOSE MONITORING

<u>Monitoring Site</u>	<u>Site Code</u>	<u>Daily Average (COHS)</u>		<u>Annual</u>
		<u>Maximum</u>	<u>2nd Highest</u>	<u>Average (COHS)</u>
Ancora S.H.	SPM	0.35	0.31	0.12
Burlington	SPM	0.73	0.71	0.24
Camden Lab	SPM	0.56	0.56	0.19
Elizabeth	SPM	1.32	1.28	0.46
Elizabeth Lab	SPM	0.84	0.71	0.29
Flemington	SPM	0.49	0.46	0.18
Freehold	SPM	0.97	0.69	0.30
Hackensack	SPM	1.00	0.83	0.31
Jersey City	SPM	2.45	2.18	0.86
Morristown	SPM	0.89	0.88	0.35
Newark	SPM	1.39	1.28	0.36
Perth Amboy	SPM	0.78	0.78	0.27
Toms River	SPM	0.67	0.63	0.24

Figure 17a. 1998 Smoke Shade Measurements in New Jersey Highest and Second Highest Daily Averages




Figure 17b. 1998 Smoke Shade Measurements in New Jersey Annual Averages




Figure 18. State of New Jersey
Acid Precipitation Monitoring Network, 1998




Table 15

1998 ACID PRECIPITATION MONITORING NETWORK
ANNUAL AND SEASONAL AVERAGES
WEIGHTED BY PRECIPITATION AMOUNT

Ancora State Hospital - Weekly

	Precip. Inches	pH	Cond. us/cm	Ca ²⁺ mg/l	Mg ⁺ mg/l	K ⁺ mg/l	Na ⁺ mg/l	NH ₄ ⁻ mg/l	NO ₃ ⁻ mg/l	Cl ⁻ mg/l	SO ₄ ²⁻ mg/l	PO ₄ ³⁻ mg/l
Winter	14.65	4.74	13.0	0.129	0.093	0.017	0.475	0.151	0.919	0.705	0.920	0.002
Spring	12.90	4.41	23.7	0.121	0.034	0.028	0.159	0.426	1.785	0.255	2.075	0.002
Summer	6.58	4.03	48.8	0.169	0.029	0.018	0.072	0.597	2.908	0.173	4.250	0.002
Fall	3.72	4.32	26.6	0.094	0.044	0.019	0.323	0.273	1.950	0.549	1.765	0.002
Annual	37.85	4.39	24.2	0.130	0.057	0.020	0.284	0.333	1.659	0.444	1.973	0.002

Lebanon State Forest - Weekly

	Precip. Inches	pH	Cond. us/cm	Ca ²⁺ mg/l	Mg ⁺ mg/l	K ⁺ mg/l	Na ⁺ mg/l	NH ₄ ⁻ mg/l	NO ₃ ⁻ mg/l	Cl ⁻ mg/l	SO ₄ ²⁻ mg/l	PO ₄ ³⁻ mg/l
Winter	21.10	4.73	13.1	0.074	0.067	0.028	0.527	0.076	0.889	0.845	0.796	0.002
Spring	17.54	4.43	21.9	0.112	0.033	0.027	0.144	0.358	1.676	0.253	1.674	0.002
Summer	6.90	4.01	51.4	0.184	0.035	0.028	0.090	0.609	2.556	0.222	4.258	0.002
Fall	4.04	4.27	27.6	0.110	0.055	0.034	0.405	0.242	1.747	0.623	1.804	0.002
Annual	49.58	4.41	22.7	0.103	0.051	0.028	0.321	0.263	1.467	0.531	1.665	0.002

Washington Crossing State Park - Weekly

	Precip. Inches	pH	Cond. us/cm	Ca ²⁺ mg/l	Mg ⁺ mg/l	K ⁺ mg/l	Na ⁺ mg/l	NH ₄ ⁻ mg/l	NO ₃ ⁻ mg/l	Cl ⁻ mg/l	SO ₄ ²⁻ mg/l	PO ₄ ³⁻ mg/l
Winter	12.35	4.55	15.7	0.051	0.027	0.011	0.207	0.068	0.955	0.373	1.008	0.001
Spring	16.17	4.37	26.2	0.114	0.022	0.065	0.095	0.488	1.791	0.223	2.373	0.002
Summer	6.65	4.03	48.5	0.184	0.037	0.019	0.062	0.473	2.918	0.204	4.266	0.002
Fall	4.12	4.39	22.1	0.063	0.033	0.017	0.230	0.188	1.555	0.440	1.494	0.002
Annual	39.29	4.33	26.2	0.101	0.027	0.035	0.139	0.322	1.694	0.290	2.172	0.002

Washington Crossing State Park - Event

	Precip. Inches	pH	Cond. us/cm	Ca ²⁺ mg/l	Mg ⁺ mg/l	K ⁺ mg/l	Na ⁺ mg/l	NH ₄ ⁻ mg/l	NO ₃ ⁻ mg/l	Cl ⁻ mg/l	SO ₄ ²⁻ mg/l	PO ₄ ³⁻ mg/l
Winter	11.90	4.57	15.1	0.080	0.028	0.013	0.228	0.123	0.984	0.383	0.943	0.002
Spring	15.88	4.36	25.1	0.172	0.028	0.027	0.123	0.511	1.797	0.215	2.215	0.002
Summer	5.08	4.09	46.7	0.265	0.057	0.041	0.103	0.506	2.957	0.255	4.072	0.007
Fall	3.89	4.44	20.4	0.199	0.042	0.032	0.308	0.228	1.504	0.460	1.417	0.002
Annual	36.75	4.37	24.4	0.168	0.035	0.026	0.174	0.355	1.663	0.301	2.976	0.002

LEGEND: Cond. = Specific conductance, Ca²⁺ = Calcium, Mg⁺ = Magnesium, K⁺ = Potassium,
Na⁺ = Sodium, NH₄ = Ammonium, NO₃⁻ = Nitrate, Cl⁻ = Chloride, SO₄²⁻ = Sulfate,
PO₄³⁻ = Phosphate.
us/cm = microSiemens per centimeter, mg/l = milligrams per liter.
Winter = Jan. - Mar.; Spring = Apr. - June; Summer = Jul. - Sept.; Fall = Oct. - Dec.

TABLE 16

ACID PRECIPITATION - COMPARISON WITH METEOROLOGY
SUMMARY OF 1998 ACID PRECIPITATION MONITORING BY THE
WASHINGTON CROSSING STATE PARK PRECIPITATION EVENT SAMPLER

ACID PRECIPITATION EVENTS BY SEASON¹

	Winter	Spring	Summer	Fall
Number of storm events	13	12	13	12
Total precipitation (inches)	11.9	15.88	5.08	3.89
Average acidity (pH)	4.57	4.36	4.09	4.44

ACID PRECIPITATION EVENTS BY PRECIPITATION AMOUNT

	Trace-.5"	0.51-1.0"	1.0-1.5"	1.51-2.0"	>2.0"
Number of storm events	25	14	1	2	6
Total precip. (inches)	4.39	11.06	1.04	3.72	16.54
Average acidity (pH)	4.04	4.28	4.59	4.43	4.60


ACID PRECIPITATION EVENTS BY METEOROLOGICAL REGIME²

	Midwest	South Central	Coastal	Local	Combination
Number of storm events	13	9	6	8	12
Average inches of Precip. per storm	0.50	0.71	0.69	0.36	1.40
Total precip. (inches)	6.50	6.41	4.16	2.90	16.78
Average acidity (pH)	4.23	4.45	4.70	4.11	4.41

Notes: ¹Seasons correspond to the following months: Winter = January through March; Spring = April through June; Summer = July through September; Fall = October through December.

²Meteorological regimes refer to general storm type and the direction from which storms originate or pass over before reaching New Jersey. The "Combination" regime refers to those events that could not be clearly classified and are considered to fall into one or more of the other categories.

Figure 19. Trend in Sulfate Deposition in Precipitation at Washington Crossing State Park, New Jersey, 1988 - 1998: Annual Loading



This figure shows the change in the amount of sulfate ion deposited over the last sixteen years at the acid precipitation monitoring site in Washington Crossing State Park, New Jersey. The figure shows "wet deposition" only; that is, it does not include dry particulate sulfate that was deposited when no precipitation was occurring. Therefore, total deposition is higher than what is shown.

The factors controlling the trend are the sulfate concentration in air and cloud droplets, and the total amount of precipitation in a given year. In particular, in 1991 and 1992, both the sulfate concentrations and the total precipitation were below normal, while these values rebounded in 1993 and 1994. Since the values shown here are annual totals, they are sensitive to exclusion or loss of samples due to contamination.

Sulfate can alter soil and water chemistry, and a deposition level of 20 kilograms per hectare per year has been generally accepted as the limit above which damage to sensitive natural resources is likely to occur. However, there are no national or New Jersey standards for sulfate deposition.

Sulfate deposition in rain and snow is expressed as mass per unit land area. To convert the values shown above to pounds per acre per year, multiply by 0.89 (since one kilogram equals 2.21 pounds and one hectare equals 2.47 acres; a hectare has an area equivalent to a square that is 100 meters on a side).

Figure 20. State of New Jersey
Sulfates and Nitrates Monitoring Network, 1998




Table 17

AIR QUALITY IN NEW JERSEY COMPARED WITH AIR QUALITY STANDARDS - 1998
 ACID DEPOSITION PARTICULATE MATTER
 SULFATES AND NITRATES
 ANNUAL STATISTICS
 MICROGRAMS PER CUBIC METER
 NO AMBIENT AIR QUALITY STANDARDS HAVE BEEN ESTABLISHED FOR SULFATES AND NITRATES

SAMPLING LOCATIONS	SITE #	N	PARTICULATES			SULFATES (SO ₄)			NITRATES (NO ₃)			SO ₄ & NO ₃ % OF PARTICULATES
			MEAN	MIN	MAX	MEAN	MIN	MAX	MEAN	MIN	MAX	
Camden Lab	IP02	60	23.1	9	56	5.76	1.08	30.64	0.26	0.01	2.44	26.1
Elizabeth	IP28	51	31.9	11	88	5.84	0.83	15.84	0.43	0.02	2.64	19.7
Fort Lee	IP14	31	46.5	15	237	5.25	1.01	15.21	0.69	0.10	3.72	12.8
Ringwood S.P.	IP05	21	13.6	5	34	3.50	1.17	9.78	0.07	0.02	0.24	26.3

N - Number of samples

Min - Minimum

Max - Maximum

Figure 21. State of New Jersey
Meteorological Monitoring Network, 1998




TABLE 18

SUMMARY OF METEOROLOGICAL MONITORING DATA - 1998
NORTHERN NEW JERSEY

MONITORING SITES		JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	YEAR
<u>East Orange/Elizabeth Lab And Chester</u>														
Temperature: (°F)	Mean ¹	40/31	40/33	45/41	54/52	65/63	70/72	78/77	77/76	70/66	57/57	47/47	42/36	57/54
	Min	12	17	17	35	40	49	60	53	41	38	30	15	12
	Max	66	67	91	76	94	100	99	95	95	80	67	77	100
Mean Wind: (mph, deg)	Speed	3.0	3.2	3.1	2.1	1.8	1.3	0.7	0.8	2.4	2.7	2.9	3.0	2.3
	Direction	187	173	189	194	148	197	192	182	200	220	238	233	196
Relative Humidity: (%)	Mean	70	65	66	59	70	73	66	67	70	69	64	61	67
	Min	24	17	26	16	21	31	32	31	28	26	26	26	16
	Max	96	96	96	96	96	96	96	96	96	96	96	95	96
Solar Radiation: (Langleys)	Mean	0.1	0.1	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.2
	Max	0.7	1.0	1.2	1.4	1.5	1.5	1.5	1.4	1.3	1.1	0.9	0.6	1.5
<u>Flemington</u>														
Temperature: (°F)	Mean ²	38/27	39/29	44/38	52/50	64/60	69/69	75/74	75/72	67/65	54/53	44/46	39/32	55/51
	Min	11	13	16	28	37	44	54	47	35	33	21	8	11
	Max	69	64	88	76	92	95	94	93	91	78	67	75	95
Mean Wind: (mph, deg)	Speed	2.9	3.3	4.1	2.7	2.3	2.8	2.2	2.0	2.1	2.7	3.0	2.9	2.8
	Direction	192	186	189	214	154	198	226	199	224	220	232	222	205
Relative Humidity: (%)	Mean	76	71	72	68	79	80	76	77	80	77	71	71	75
	Min	33	19	26	24	28	35	36	38	34	28	33	29	19
	Max	99	99	99	99	99	99	99	99	99	99	99	99	99
Solar Radiation: (Langleys)	Mean	0.1	0.1	0.2	0.3	0.3	0.3	0.4	0.3	0.3	0.2	0.1	0.1	0.2
	Max	0.8	1.0	1.2	1.4	1.4	1.4	1.4	1.3	1.2	1.0	0.9	0.7	1.4
Barometric Pressure (in of Hg)	Mean	30.17	30.04	30.10	30.01	29.97	29.94	30.06	30.17	30.04	30.23	30.17	30.24	30.10
	Min	29.60	29.40	29.40	29.40	29.60	29.50	29.60	29.87	29.60	29.70	29.70	29.50	29.40
	Max	30.66	30.70	30.70	30.47	30.30	30.30	30.40	30.50	30.40	30.60	30.50	30.80	30.80

- 1) Newark Airport 30-year mean shown to the right of the slash.
2) Allentown, PA 30-year mean shown to the right of the slash.

TABLE 19

SUMMARY OF METEOROLOGICAL MONITORING DATA - 1998
CENTRAL AND SOUTHERN NEW JERSEY

MONITORING SITES		JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	YEAR
<u>Trenton (Rider University)</u>														
Temperature: (°F)	Mean ³	39/31	40/33	44/42	53/53	63/63	68/72	74/77	74/75	68/68	55/57	46/46	40/36	55/54
	Min	14	18	19	32	42	45	59	51	39	36	26	11	11
	Max	69	61	88	74	88	91	91	90	91	76	67	76	91
Mean Wind: (mph, deg)	Speed	3.7	4.4	4.2	3.1	2.6	2.6	2.1	2.0	2.5	3.7	3.0	3.0	3.1
	Direction	195	180	205	218	168	221	239	207	234	240	253	240	217
Relative Humidity: (%)	Mean	80	75	75	69	80	82	77	78	79	79	74	74	77
	Min	40	25	28	25	29	36	40	39	35	29	30	30	25
	Max	99	99	99	99	99	99	99	99	99	99	99	99	99
Barometric Pressure: (in of Hg)	Mean	30.19	30.05	30.13	30.02	29.99	29.97	30.07	30.19	30.04	30.23	30.18	30.24	30.11
	Min	29.60	29.40	29.40	29.35	29.60	29.50	29.57	29.90	29.50	29.80	29.70	29.54	29.35
	Max	30.70	30.70	30.71	30.50	30.30	30.30	30.30	30.50	30.40	30.60	30.60	30.73	30.73
Solar Radiation (Langleys)	Mean	0.1	0.1	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.1	0.2
	Max	0.8	1.0	1.2	1.3	1.4	1.4	1.4	1.3	1.2	1.0	0.8	0.7	1.4
<hr/>														
<u>Camden Lab</u>														
Temperature: (°F)	Mean ³	42/31	43/33	48/42	56/53	66/63	71/72	77/77	77/75	72/68	58/57	49/46	43/36	59/54
	Min	20	21	21	40	44	55	63	59	49	43	35	20	20
	Max	70	65	89	80	90	91	90	91	90	78	68	73	91
Mean Wind: (mph, deg)	Speed	4.5	5.4	5.5	4.2	3.9	3.8	3.4	3.2	3.3	3.0	3.7	3.9	4.0
	Direction	154	137	151	207	161	210	200	161	195	212	235	215	187
Relative Humidity (%)	Mean	80	74	73	66	77	77	72	75	74	75	69	73	74
	Min	44	18	25	24	29	39	38	37	36	26	30	36	18
	Max	99	99	99	99	99	99	99	99	99	99	99	99	99
Barometric Pressure: (in of Hg)	Mean	30.33	30.19	30.28	30.20	30.14	30.13	30.25	30.35	30.22	30.39	30.35	30.41	30.27
	Min	29.80	29.50	29.60	29.50	29.80	29.70	29.80	30.08	29.80	29.90	29.90	29.70	29.50
	Max	30.80	30.80	30.90	30.70	30.47	30.50	30.50	30.70	30.50	30.80	30.70	30.94	30.94
Solar Radiation: (Langleys)	Mean	0.1	0.1	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.1	0.2
	Max	0.8	1.0	1.2	1.3	1.3	1.3	1.4	1.3	1.1	1.0	0.8	0.7	1.4

3) Philadelphia 30 year mean shown to the right of the slash.

APPENDIX A

ANNUAL AIR QUALITY COMPARISON

1975 - 1998

SUMMARY OF 1975 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 5

Bayonne (14) Somerville (10)
Camden Lab (14) Asbury Park (8)
Ancora S.H. (12)

* No. of sites in compliance with the 1-hour standard: 0

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 16

Morristown (267) Somerville (19)
Jersey City (172) Newark (16)
Elizabeth (126) Camden Lab (14)
Toms River (73) Paterson (12)
Burlington (48) Paulsboro (7)
Freehold (40) Asbury Park (3)
Atlantic City (30) Camden Lab (2)
Perth Amboy (30) Hackensack (2)

* No. of sites in compliance with the 8-hour standard: 6

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 5^b

Carteret (8) Roselle (3)
014 Jersey City (4) Middlesex (2)
Hackensack (3)

* No. of sites in compliance with the 24-hour standard: 64^a 59^b

* No. of sites not in compliance with the annual standard: 2

Carteret
014 Jersey City

* No. of sites in compliance with the annual standard: 62

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 4

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 0

* No. of sites in compliance with the quarterly standard: 0

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 22

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 22

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) In violation of a New Jersey standard (if different)
Number in parentheses () indicates number of violations

SUMMARY OF 1976 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 6

Camden Lab (31)	Somerville (11)
Bayonne (25)	Asbury Park (10)
Ancora S.H. (15)	Trenton (6)

* No. of sites in compliance with the 1-hour standard: 0

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 15

Jersey City (195)	Burlington (15)
Morristown (136)	Newark (12)
Elizabeth (100)	Paterson (11)
Toms River (73)	Camden Lab (7)
Perth Amboy (40)	Asbury Park (4)
Freehold (36)	Hackensack (4)
Atlantic City (24)	Elizabeth Lab (2)
Somerville (20)	

* No. of sites in compliance with the 8-hour standard: 7

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 7^b

014 Jersey City (4)	Hoboken (2)
South Brunswick (3)	Jersey City (2)
Bayonne (2)	Roselle (2)
Carteret (2)	

* No. of sites in compliance with the 24-hour standard: 73^a 66^b

* No. of sites not in compliance with the annual standard: 1

014 Jersey City

* No. of sites in compliance with the annual standard: 72

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 5

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 0

* No. of sites in compliance with the quarterly standard: 0

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 22

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 22

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) In violation of a New Jersey standard (if different)
 Number in parentheses () indicates number of violations

SUMMARY OF 1977 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 7

Sandy Hook (13)	Bayonne (6)
Somerville (13)	Chester (6)
Ancora S.H. (12)	Asbury Park (5)
Camden Lab (9)	

* No. of sites in compliance with the 1-hour standard: 2

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 14

Morristown (102)	Paterson (7)
Elizabeth (78)	Perth Amboy (7)
Jersey City (72)	Newark (4)
Toms River (34)	Camden Lab (3)
Burlington (17)	Hackensack (3)
Freehold (12)	Asbury Park (2)
Somerville (9)	Atlantic City (2)

* No. of sites in compliance with the 8-hour standard: 8

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 2^b

Camden (2)
Sayreville (2)

* No. of sites in compliance with the 24-hour standard: 85^a 83^b

* No. of sites not in compliance with the annual standard: 2

014 Jersey City
Camden

* No. of sites in compliance with the annual standard: 83

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 5

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 3

S57 Pedricktown (3)
N08 Paterson (2)
N04 Elizabeth (1)

* No. of sites in compliance with the quarterly standard: 9

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 22

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 22

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) In violation of a New Jersey standard (if different)
 Number in parentheses () indicates number of violations

SUMMARY OF 1978 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 8

Sandy Hook (21)	Ancora S.H. (7)
Camden Lab (13)	Trenton (6)
Bayonne (12)	Chester (5)
Bivalve (11)	Somerville (4)

* No. of sites in compliance with the 1-hour standard: 0

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 11

Morristown (81)	Freehold (6)
Jersey City (36)	Paterson (6)
Elizabeth (35)	Paulsboro (3)
Toms River (29)	Somerville (3)
Atlantic City (10)	Hackensack (2)
Burlington (8)	

* No. of sites in compliance with the 8-hour standard: 11

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 11^b

014 Jersey City (3)	015 Jersey City (2)
Newark (3)	Kean College (2)
Bayonne (2)	Perth Amboy (2)
Camden (2)	Sayreville (2)
Carteret (2)	Sewaren (2)
Hoboken (2)	

* No. of sites in compliance with the 24-hour standard: 89^a 78^b

* No. of sites not in compliance with the annual standard: 1

014 Jersey City

* No. of sites in compliance with the annual standard: 88

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 5

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 4

S57 Pedricktown (4)
014 Jersey City (1)
S41 Newark (1)
S45 Trenton (1)

* No. of sites in compliance with the quarterly standard: 6

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 22

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 20

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) In violation of a New Jersey standard (if different)
Number in parentheses () indicates number of violations

SUMMARY OF 1979 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 10

Sandy Hook (14)	Nacote Creek (4)
Camden Lab (8)	Somerville (4)
Bayonne (6)	Trenton (4)
Ancora S.H. (4)	Chester (3)
Asbury Park (4)	Vineland (3)

* No. of sites in compliance with the 1-hour standard: 0

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 14

Morristown (81)	Perth Amboy (8)
Jersey City (34)	Hackensack (7)
Elizabeth (29)	Toms River (7)
Freehold (13)	Atlantic City (6)
Paterson (13)	Camden Lab (5)
Somerville (10)	Asbury Park (3)
Burlington (9)	Newark (3)

* No. of sites in compliance with the 8-hour standard: 10

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 8^b

Bridgeton (4)	Sewaren (3)
Carteret (3)	West Orange (3)
023 Perth Amboy (3)	Bayonne (2)
N09 Perth Amboy (3)	Camden (2)

* No. of sites in compliance with the 24-hour standard: 92^a 84^b

* No. of sites not in compliance with the annual standard: 2

N08 Paterson
023 Perth Amboy

* No. of sites in compliance with the annual standard: 90

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 5

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 3

S57 Pedricktown (4)
S58 Pedricktown (1)
S41 Newark (1)

* No. of sites in compliance with the quarterly standard: 9

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 22

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 22

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) In violation of a New Jersey standard (if different)
 Number in parentheses () indicates number of violations

SUMMARY OF 1980 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 16

McGuire AFB (23)	Plainfield (11)
Trenton (19)	Bayonne (8)
Camden Lab (16)	East Orange (7)
Dumont (13)	Nacote Creek (6)
Sandy Hook (13)	Ancora S.H. (5)
New Brunswick (12)	Newark (5)
Chester (11)	Cape May (3)
Flemington (11)	Somerville (2)

* No. of sites in compliance with the 1-hour standard: 1

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 5^b

Jersey City - Newark Ave. (9)^b
 Bordentown (2)^b
 Fieldsboro (2)^b
 Camden - Riverview Towers (2)^b
 Jersey City - Collocated (2)^b

* No. of sites in compliance with the 24-hour standard: 96

* No. of sites not in compliance with the annual standard: 4

Jersey City - Newark Ave.	Linden
Paterson - Broadway	Carteret

* No. of sites in compliance with the annual standard: 81

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 1

S57 Pedricktown

* No. of sites in compliance with the quarterly standard: 10

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 10

Morristown (40)	Paterson (4)
Jersey City (12)	Burlington (2)
Atlantic City (10)	Freehold (2)
Elizabeth (8)	Perth Amboy (2)
Hackensack (4)	Toms River (2)

* No. of sites in compliance with the 8-hour standard: 12

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 10

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 31

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 27

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) In violation of a New Jersey standard (if different)
 Number in parentheses () indicates number of violations

SUMMARY OF 1981 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 13

Nacote Creek (10)	Dumont (4)
Cape May (7)	Newark (4)
McGuire AFB (7)	Ancora S.H. (3)
Trenton (7)	Plainfield (3)
Camden Lab (6)	Chester (2)
Bayonne (5)	New Brunswick (2)
Flemington (5)	

* No. of sites in compliance with the 1-hour standard: 2

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 4

Morristown (25)
 Jersey City (5)
 Camden Lab (2)
 Freehold (2)

* No. of sites in compliance with the 8-hour standard: 19

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 4^b

Newark - Doremus Ave. (8)^b
 Camden - Riverview Towers (4)^b
 Bayonne - Hudson Co. Park (2)^b
 Sewaren (2)^b

* No. of sites in compliance with the 24-hour standard: 93

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 83

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 11

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 1

Pedricktown (1)

* No. of sites in compliance with the quarterly standard: 10

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 29

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 25

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) In violation of a New Jersey standard (if different)
 Number in parentheses () indicates number of violations

SUMMARY OF 1982 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 13

Trenton (10)	Plainfield (7)
Flemington (9)	Bayonne (5)
New Brunswick (9)	Camden Lab (4)
Chester (8)	Nacote Creek (4)
Clarksboro (8)	Newark (4)
Dumont (8)	East Orange (2)
McGuire AFB (7)	

* No. of sites in compliance with the 1-hour standard: 3

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 6

Jersey City (15)
Elizabeth (9)
Morristown (9)
Camden Lab (3)
East Orange (3)
Newark (3)

* No. of sites in compliance with the 8-hour standard: 17

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 3^b

Jersey City - Liberty Park (3)^b
Newark - Boy's Club (3)^b
Newark - Military Park (2)^b

* No. of sites in compliance with the 24-hour standard: 88

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 56

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 10

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 0

* No. of sites in compliance with the quarterly standard: 12

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 29

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 29

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) In violation of a New Jersey standard (if different)
Number in parentheses () indicates number of violations

SUMMARY OF 1983 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 15

McGuire AFB (20)	Newark (13)
Camden Lab (19)	Chester (11)
Trenton (16)	Bayonne (10)
Clarksboro (15)	Flemington (9)
Nacote Creek (15)	Ancora S.H. (8)
Plainfield (15)	East Orange (7)
Cliffside Park (13)	Millville (6)
New Brunswick (13)	

* No. of sites in compliance with the 1-hour standard: 0

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 1^b

Jersey City - Duncan Ave. (3)^{bc}

* No. of sites in compliance with the 24-hour standard: 48

* No. of sites not in compliance with the annual standard: 1

Jersey City - Duncan Ave.^c

* No. of sites in compliance with the annual standard: 48

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 2

New Brunswick (1)
S57 Pedricktown (1)

* No. of sites in compliance with the quarterly standard: 9

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 4

Elizabeth (14)
Jersey City (11)
Morristown (10)
Hackensack (3)

* No. of sites in compliance with the 8-hour standard: 12

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 12

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 22

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 22

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) In violation of a New Jersey standard (if different)
 Number in parentheses () indicates number of violations

SUMMARY OF 1984 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

- * No. of sites not in compliance with the 1-hour standard: 13

McGuire AFB (11)	Trenton (5)
Camden Lab (10)	Ancora S.H. (4)
Nacote Creek (9)	Plainfield (4)
New Brunswick (8)	Cliffside Park (3)
Bayonne (6)	Flemington (2)
Clarksboro (6)	Millville (2)
Newark (6)	

- * No. of sites in compliance with the 1-hour standard: 2

Carbon Monoxide (CO)

- * No. of sites not in compliance with the 8-hour standard: 7

Jersey City (43)
Elizabeth (16)
East Orange (6)
Hackensack (6)
Morristown (5)
Elizabeth (3)
Trenton (2)

- * No. of sites in compliance with the 8-hour standard: 10

Total Suspended Particulates (TSP)

- * No. of sites not in compliance with the 24-hour standard: 1^a 5^b

Pennsauken (3)^{ab}
Linden (4)^{bc}
015 Jersey City (3)^{bd}
044 Newark (2)^b
060 Newark (2)^b

- * No. of sites in compliance with the 24-hour standard: 56^a 52^b

- * No. of sites not in compliance with the annual standard: 1

015 Jersey City^d

- * No. of sites in compliance with the annual standard: 47

Nitrogen Dioxide (NO₂)

- * No. of sites not in compliance with the annual standard: 0

- * No. of sites in compliance with the annual standard: 10

Lead (Pb)

- * No. of sites not in compliance with the quarterly standard: 1

New Brunswick (1)

- * No. of sites in compliance with the quarterly standard: 12

Sulfur Dioxide (SO₂)

- * No. of sites not in compliance with the 3-hour or 24-hour standard: 0

- * No. of sites in compliance with the 3-hour or 24-hour standard: 23

- * No. of sites not in compliance with the annual standard: 0

- * No. of sites in compliance with the annual standard: 21

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) Construction activity in vicinity of sampler
d) Abnormal burning in vicinity of sampler
Number in parentheses () indicates number of violations

SUMMARY OF 1985 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 13

Bayonne (11)	Nacote Creek (6)
Camden Lab (11)	Cliffside Park (5)
Ancora S.H. (10)	Clarksboro (4)
New Brunswick (10)	Newark (4)
Colliers Mills (9)	Plainfield (4)
McGuire AFB (8)	Flemington (3)
Rider College (8)	

* No. of sites in compliance with the 1-hour standard: 2

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 3

Elizabeth (11)
Jersey City (9)
Morristown (2)

* No. of sites in compliance with the 8-hour standard: 13

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 8^b

Linden (6) ^{bc}	Clifton (2) ^b
Newark-Ave.C (4) ^{bd}	Jersey City (2) ^{be}
New Brunswick (3) ^{bd}	Pennsauken (2) ^b
Sewaren (3) ^b	Perth Amboy (2) ^b

* No. of sites in compliance with the 24-hour standard: 45^a 37^b

* No. of sites not in compliance with the annual standard: 3

Jersey City (81.0 ug/m³)^e
Linden (81.2 ug/m³)^c
Newark-Ave.C (82.1 ug/m³)^d

* No. of sites in compliance with the annual standard: 37

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 8

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 0

* No. of sites in compliance with the quarterly standard: 15

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 22

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 20

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) Construction activity in vicinity of sampler
 d) Lead (Pb) monitoring site
 e) Abnormal burning in vicinity of sampler
 Number in parentheses () indicates number of violations

SUMMARY OF 1986 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 11

Ancora S.H. (6)	Flemington (4)
Camden Lab (6)	McGuire AFB (4)
Chester (6)	Plainfield (4)
Rider College (5)	Bayonne (3)
Clarksboro (4)	New Brunswick (3)
Colliers Mills (4)	

* No. of sites in compliance with the 1-hour standard: 3

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 5

Morristown (5)
Elizabeth (4)
Jersey City (4)
Fort Lee (2)
Hackensack (2)

* No. of sites in compliance with the 8-hour standard: 12

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 1^a 4^b

Perth Amboy (8) ^{abc}	Newark (4) ^{bc}
New Brunswick (4) ^{bc}	Pennsauken (2) ^b

* No. of sites in compliance with the 24-hour standard: 46^a 43^b

* No. of sites not in compliance with the annual standard: 2

Newark (83.5 ug/m³)^c
Perth Amboy (77.5 ug/m³)^c

* No. of sites in compliance with the annual standard: 39

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 8

Lead (Pb)

* No. of sites not in compliance with the quarterly standard: 1

USMR-Smelter Dock (2)

* No. of sites in compliance with the quarterly standard: 29

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 18

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 18

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) Lead (Pb) monitoring site
Number in parentheses () indicates number of violations

SUMMARY OF 1987 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 14

Camden Lab (23)	Millville (7)
Rider College (16)	New Brunswick (6)
Plainfield (14)	McGuire AFB (5)
Bayonne (10)	Chester (4)
Clarksboro (10)	Flemington (4)
Ancora S.H. (9)	Nacote Creek (4)
Cliffside Park (9)	Newark (3)

* No. of sites in compliance with the 1-hour standard: 0

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 0

* No. of sites in compliance with the 8-hour standard: 15

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 2^b

Newark (5) ^c	New Brunswick (2) ^c
-------------------------	--------------------------------

* No. of sites in compliance with the 24-hour standard: 28^a 26^b

* No. of sites not in compliance with the 12-month standard: 2^a

Newark (92.7 ug/m ³) ^c
Perth Amboy (77.0 ug/m ³) ^c

* No. of sites in compliance with the 12-month standard: 26

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the annual standard: 0

* No. of sites in compliance with the annual standard: 8

Lead (Pb)

* No. of sites not in compliance with the 3-month standard: 0

* No. of sites in compliance with the 3-month standard: 30

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 17

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 17

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) Lead (Pb) monitoring site
 Number in parentheses () indicates number of violations

SUMMARY OF 1988 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 14

Ancora S.H. (23)	Plainfield (15)
Camden Lab (20)	Bayonne (14)
Clarksboro (20)	Flemington (14)
Chester (18)	McGuire AFB (13)
Rider College (18)	Millville (11)
Cliffside Park (16)	Newark (8)
New Brunswick (15)	Nacote Creek (6)

* No. of sites in compliance with the 1-hour standard: 0

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 1

Elizabeth (2)

* No. of sites in compliance with the 8-hour standard: 14

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 7^b

060 Newark (8)	061 Atlantic City (2)
063 Perth Amboy (4)	014 Jersey City (2)
005 Carteret (3)	052 Union City (2)
044 Newark (3)	

* No. of sites in compliance with the 24-hour standard: 28^a 21^b

* No. of sites not in compliance with the 12-month standard: 1

060 Newark (96.4 ug/m³)^c

* No. of sites in compliance with the 12-month standard: 27

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 9

Lead (Pb)

* No. of sites not in compliance with the 3-month standard: 0

* No. of sites in compliance with the 3-month standard: 30

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 17

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 17

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) Lead (Pb) monitoring site
 Number in parentheses () indicates number of violations

SUMMARY OF 1989 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

- * No. of sites not in compliance with the 1-hour standard: 9
 - Monmouth College (10)
 - Ancora S.H. (5)
 - McGuire AFB (4)
 - Camden Lab (3)
 - Clarksboro (3)
- Flemington (3)
- Rider College (3)
- Chester (2)
- Millville (2)
- * No. of sites in compliance with the 1-hour standard: 6

Carbon Monoxide (CO)

- * No. of sites not in compliance with the 8-hour standard: 2
 - Camden Lab (2)
 - East Orange (2)
- * No. of sites in compliance with the 8-hour standard: 13

Total Suspended Particulates (TSP)

- * No. of sites not in compliance with the 24-hour standard: 0^a 1^b
 - 060 Newark (4)
- * No. of sites in compliance with the 24-hour standard: 15^a 14^b
- * No. of sites not in compliance with the 12-month standard: 1
 - 060 Newark (80.0 ug/m³)^c
- * No. of sites in compliance with the 12-month standard: 14

Nitrogen Dioxide (NO₂)

- * No. of sites not in compliance with the 12-month standard: 0
- * No. of sites in compliance with the 12-month standard: 9

Lead (Pb)

- * No. of sites not in compliance with the 3-month standard: 0
- * No. of sites in compliance with the 3-month standard: 16

Sulfur Dioxide (SO₂)

- * No. of sites not in compliance with the 3-hour or 24-hour standard: 0
- * No. of sites in compliance with the 3-hour or 24-hour standard: 17
- * No. of sites not in compliance with the 12-month standard: 0
- * No. of sites in compliance with the 12-month standard: 17

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) Lead (Pb) monitoring site
 Number in parentheses () indicates number of violations

SUMMARY OF 1990 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 14

New Brunswick (7)	Clarksboro (4)
Flemington (6)	McGuire AFB (4)
Monmouth Coll. (6)	Chester (3)
Ancora S.H. (5)	Camden Lab (2)
Bayonne (5)	Cliffside Park (2)
Nacote Creek (5)	Millville (2)
Rider College (5)	Newark (2)

* No. of sites in compliance with the 1-hour standard: 1

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 0

* No. of sites in compliance with the 8-hour standard: 16

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 1^b

060 Newark (2)

* No. of sites in compliance with the 24-hour standard: 15^a 14^b

* No. of sites not in compliance with the 12-month standard: 1^a 5^b

060 Newark (80.2 ug/m³)^c

* No. of sites in compliance with the 12-month standard: 13^a 9^b

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 9

Lead (Pb)

* No. of sites not in compliance with the 3-month standard: 0

* No. of sites in compliance with the 3-month standard: 15

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 17

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 17

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) Lead (Pb) monitoring site
Number in parentheses () indicates number of violations

SUMMARY OF 1991 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 11

Rider College (16) Bayonne (5)
 Clarksboro (12) Chester (5)
 McGuire AFB (10) New Brunswick (3)
 Camden Lab (6) Cliffside Park (2)
 Monmouth Coll. (6) Nacote Creek (2)
 Ancora S.H. (5)

* No. of sites in compliance with the 1-hour standard: 4

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 1

Elizabeth (2)

* No. of sites in compliance with the 8-hour standard: 16

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 2^b

057 New Brunswick (3)
 068 New Brunswick (7)

* No. of sites in compliance with the 24-hour standard: 14^a 12^b

* No. of sites not in compliance with the 12-month standard: 0^a 3^b

060 Newark (73.5 ug/m³)^c
 069 Newark (72.0 ug/m³)^c
 068 New Brunswick (67.3 ug/m³)^c

* No. of sites in compliance with the 12-month standard: 14^a 11^b

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 8

Lead (Pb)

* No. of sites not in compliance with the 3-month standard: 0

* No. of sites in compliance with the 3-month standard: 19

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 17

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 17

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
 b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
 c) Lead (Pb) monitoring site
 Number in parentheses () indicates number of violations

SUMMARY OF 1992 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

- * No. of sites not in compliance with the 1-hour standard: 6

Rider College (4)
Clarksboro (2)
Colliers Mills (2)
Monmouth College (2)
New Brunswick (2)
Plainfield (2)

- * No. of sites in compliance with the 1-hour standard: 9

Carbon Monoxide (CO)

- * No. of sites not in compliance with the 8-hour standard: 1

North Bergen (2)

- * No. of sites in compliance with the 8-hour standard: 15

Total Suspended Particulates (TSP)

- * No. of sites not in compliance with the 24-hour standard: 0^a 1^b

- * No. of sites in compliance with the 24-hour standard: 12^a 11^b

- * No. of sites not in compliance with the 12-month standard: 0^a 3^b

060 Newark (73.5 ug/m³)^c
069 Newark (72.0 ug/m³)^c
068 New Brunswick (66.0 ug/m³)^c

- * No. of sites in compliance with the 12-month standard: 11^a 8^b

Nitrogen Dioxide (NO₂)

- * No. of sites not in compliance with the 12-month standard: 0

- * No. of sites in compliance with the 12-month standard: 8

Lead (Pb)

- * No. of sites not in compliance with the 3-month standard: 3

057 New Brunswick
068 New Brunswick
1DR New Brunswick

- * No. of sites in compliance with the 3-month standard: 8

Sulfur Dioxide (SO₂)

- * No. of sites not in compliance with the 3-hour or 24-hour standard: 0

- * No. of sites in compliance with the 3-hour or 24-hour standard: 16

- * No. of sites not in compliance with the 12-month standard: 0

- * No. of sites in compliance with the 12-month standard: 16

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) Lead (Pb) monitoring site
Number in parentheses () indicates number of violations

SUMMARY OF 1993 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

- * No. of sites not in compliance with the 1-hour standard: 5

Ancora S.H. (9)
Monmouth College (5)
Bayonne (3)
Clarksboro (3)
Rider University (3)

- * No. of sites in compliance with the 1-hour standard: 10

Carbon Monoxide (CO)

- * No. of sites not in compliance with the 8-hour standard: 0

- * No. of sites in compliance with the 8-hour standard: 16

Total Suspended Particulates (TSP)

- * No. of sites not in compliance with the 24-hour standard: 0^a 0^b

- * No. of sites in compliance with the 24-hour standard: 13^a 13^b

- * No. of sites not in compliance with the 12-month standard: 0^a 2^b

060 Newark (61.1 ug/m³)^c
069 Newark (60.5 ug/m³)^c

- * No. of sites in compliance with the 12-month standard: 13^a 11^b

Nitrogen Dioxide (NO₂)

- * No. of sites not in compliance with the 12-month standard: 0

- * No. of sites in compliance with the 12-month standard: 8

Lead (Pb)

- * No. of sites not in compliance with the 3-month standard: 0

- * No. of sites in compliance with the 3-month standard: 12

Sulfur Dioxide (SO₂)

- * No. of sites not in compliance with the 3-hour or 24-hour standard: 0

- * No. of sites in compliance with the 3-hour or 24-hour standard: 16

- * No. of sites not in compliance with the 12-month standard: 0

- * No. of sites in compliance with the 12-month standard: 16

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) Lead (Pb) monitoring site
Number in parentheses () indicates number of violations

SUMMARY OF 1994 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

- * No. of sites not in compliance with the 1-hour standard: 3

New Brunswick (4)
Rider University (4)
Plainfield (2)

- * No. of sites in compliance with the 1-hour standard: 12

Carbon Monoxide (CO)

- * No. of sites not in compliance with the 8-hour standard: 3

North Bergen (4)
East Orange (3)
Elizabeth (2)

- * No. of sites in compliance with the 8-hour standard: 13

Total Suspended Particulates (TSP)

- * No. of sites not in compliance with the 24-hour standard: 0^a 2^b

057 New Brunswick (3)
068 New Brunswick (3)

- * No. of sites in compliance with the 24-hour standard: 13^a 11^b

- * No. of sites not in compliance with the 12-month standard: 0^a 2^b

060 Newark (71.0 ug/m³)^c
069 Newark (69.1 ug/m³)^c

- * No. of sites in compliance with the 12-month standard: 13^a 11^b

Nitrogen Dioxide (NO₂)

- * No. of sites not in compliance with the 12-month standard: 0

- * No. of sites in compliance with the 12-month standard: 9

Lead (Pb)

- * No. of sites not in compliance with the 3-month standard: 0

- * No. of sites in compliance with the 3-month standard: 12

Sulfur Dioxide (SO₂)

- * No. of sites not in compliance with the 3-hour or 24-hour standard: 0

- * No. of sites in compliance with the 3-hour or 24-hour standard: 16

- * No. of sites not in compliance with the 12-month standard: 0

- * No. of sites in compliance with the 12-month standard: 16

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) Lead (Pb) monitoring site
Number in parentheses () indicates number of violations

SUMMARY OF 1995 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 11

Colliers Mills (6) Camden (3)
Monmouth Univ. (5) Ancora S.H. (2)
New Brunswick (5) Bayonne (2)
Rider Univ. (5) Chester (2)
Rutgers Univ. (5) Millville (2)
Clarksboro (4)

* No. of sites in compliance with the 1-hour standard: 5

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 0

* No. of sites in compliance with the 8-hour standard: 16

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 2^a 2^b

057 New Brunswick^c (2)^a (8)^b
068 New Brunswick^c (5)^a (12)^b

* No. of sites in compliance with the 24-hour standard: 11^a 11^b

* No. of sites not in compliance with the 12-month standard: 0^a 2^b

060 Newark (69.1 ug/m³)^c
069 Newark (68.9 ug/m³)^c

* No. of sites in compliance with the 12-month standard: 13^a 11^b

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 10

Lead (Pb)

* No. of sites not in compliance with the 3-month standard: 0

* No. of sites in compliance with the 3-month standard: 12

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 16

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 16

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
c) Lead (Pb) monitoring site
Number in parentheses () indicates number of violations

SUMMARY OF 1996 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

- * No. of sites not in compliance with the 1-hour standard: 1

Camden (2)
- * No. of sites in compliance with the 1-hour standard: 14

Carbon Monoxide (CO)

- * No. of sites not in compliance with the 8-hour standard: 0
- * No. of sites in compliance with the 8-hour standard: 16

Total Suspended Particulates (TSP)

- * No. of sites not in compliance with the 24-hour standard: 0^a 2^b

057 New Brunswick (2)^c
068 New Brunswick^c (2)^c
- * No. of sites in compliance with the 24-hour standard: 14^a 12^b
- * No. of sites not in compliance with the 12-month standard: 0^a 2^b

060 Newark (67.8 ug/m³)^c
069 Newark (68.1 ug/m³)^c
- * No. of sites in compliance with the 12-month standard: 13^a 11^b

Nitrogen Dioxide (NO₂)

- * No. of sites not in compliance with the 12-month standard: 0
- * No. of sites in compliance with the 12-month standard: 11

Lead (Pb)

- * No. of sites not in compliance with the 3-month standard: 0
- * No. of sites in compliance with the 3-month standard: 13

Sulfur Dioxide (SO₂)

- * No. of sites not in compliance with the 3-hour or 24-hour standard: 0
- * No. of sites in compliance with the 3-hour or 24-hour standard: 16
- * No. of sites not in compliance with the 12-month standard: 0
- * No. of sites in compliance with the 12-month standard: 16

- a) In violation of a primary National Ambient Air Quality Standard (Health Standard)
- b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
- c) Lead (Pb) monitoring site
Number in parentheses () indicates number of violations

SUMMARY OF 1997 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 7

Ancora S.H. (4) Nacote Creek (3)
Colliers Mills (4) Monmouth Univ. (2)
Rutgers Univ. (4) Rider Univ. (2)
Clarksboro (3)

* No. of sites in compliance with the 1-hour standard: 8

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 0

* No. of sites in compliance with the 8-hour standard: 17

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 2^b

057 New Brunswick (2)^c
068 New Brunswick (5)^c

* No. of sites in compliance with the 24-hour standard: 5^a 3^b

* No. of sites not in compliance with the annual TSP standard: 0^a 0^b

* No. of sites in compliance with the 12-month standard: 5^a 5^b

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 11

Lead (Pb)

* No. of sites not in compliance with the 3-month standard: 0

* No. of sites in compliance with the 3-month standard: 6

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 16

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 16

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)

b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)

c) Lead (Pb) monitoring site

Number in parentheses () indicates number of violations

SUMMARY OF 1998 AIR QUALITY IN NEW JERSEY

Criteria Pollutants

Ozone (O₃)

* No. of sites not in compliance with the 1-hour standard: 2

Colliers Mills (3) Monmouth Univ. (2)

* No. of sites in compliance with the 1-hour standard: 12

Carbon Monoxide (CO)

* No. of sites not in compliance with the 8-hour standard: 0

* No. of sites in compliance with the 8-hour standard: 16

Total Suspended Particulates (TSP)

* No. of sites not in compliance with the 24-hour standard: 0^a 0^b

* No. of sites in compliance with the 24-hour standard: 3^a 3^b

* No. of sites not in compliance with the annual TSP standard: 0^a 0^b

* No. of sites in compliance with the 12-month standard: 3^a 3^b

Nitrogen Dioxide (NO₂)

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 11

Lead (Pb)

* No. of sites not in compliance with the 3-month standard: 0

* No. of sites in compliance with the 3-month standard: 3

Sulfur Dioxide (SO₂)

* No. of sites not in compliance with the 3-hour or 24-hour standard: 0

* No. of sites in compliance with the 3-hour or 24-hour standard: 15

* No. of sites not in compliance with the 12-month standard: 0

* No. of sites in compliance with the 12-month standard: 15

a) In violation of a primary National Ambient Air Quality Standard (Health Standard)

b) In violation of a secondary National Ambient Air Quality Standard (Welfare Standard)
Number in parentheses () indicates number of violations

APPENDIX B
NEW JERSEY AIR QUALITY
NON-ATTAINMENT AREAS

NEW JERSEY AIR QUALITY NON-ATTAINMENT AREAS

Sulfur Dioxide^a

Warren County:

The Town of Belvidere
The Township of Harmony
Portion of Liberty Township (South of UTM coordinates N4522
and West of coordinate E505)
Portion of Mansfield Township (West of coordinate E505)
The Township of Oxford
The Township of White

Carbon Monoxide^b

Bergen County
Essex County
Hudson County
Union County

Passaic County:

The City of Clifton
The City of Paterson
The City of Passaic

Nitrogen Dioxide

No areas in the State are designated as non-attainment

Lead

No areas in the State are designated as non-attainment

PM-10

No areas in the State are designated as non-attainment


Ozone^b

The entire State of New Jersey

a) Non-attainment of National Primary (Health) and Secondary (Welfare) Standards

b) Non-attainment of National Primary (Health) Standard

Sulfur Dioxide Non-Attainment Areas* in New Jersey




Legend

- Sulfur Dioxide Nonattainment Area
(includes Belvidere Town; Harmony Township; Oxford Township;
White Township; the portion of Liberty Township south of
UTM northing 4,255,000 and west of UTM easting 505,000;
and the portion of Mansfield Township west of UTM easting 505,000).

*Nonattainment of the National Primary (Health) and Secondary (Welfare) Standards


Carbon Monoxide Non-Attainment Areas* in New Jersey







Legend		
Designation	Design Value	Attainment Date
■ Moderate 2	12.8 - 16.4 ppm	Dec. 31, 1995

*Nonattainment of the National Primary (Health) Standard

Ozone Non-Attainment Areas* in New Jersey



Legend		
Designation	Design Value	Attainment Date
	Marginal .121 - .137 ppm	Nov. 15, 1993
	Moderate .138 - .159 ppm	Nov. 15, 1996
	Severe 1 .180 - .190 ppm	Nov. 15, 2005
	Severe 2 .191 - .279 ppm	Nov. 15, 2007

*Nonattainment of the National Primary (Health) Standard