

APPENDIX D
SUPPLEMENTAL LITERATURE

Appendix D-1

Marine Mammal Literature

- Accidental tourist: Manatee cruises Hudson River. Accessed 15 August 2006. <http://www.cnn.com/2006/US/08/07/manatee.hudson.river.ap/index.html>.
- Adams, L.D. and P.E. Rosel. 2006. Population differentiation of the Atlantic spotted dolphin (*Stenella frontalis*) in the western North Atlantic, including the Gulf of Mexico. *Marine Biology* 148:671-681.
- Allen, J.A. 1880. History of North American pinnipeds: A monograph of the walruses, sea-lions, sea-bears and seals of North America. U.S. Geological and Geographical Survey of the Territories, Miscellaneous Publications 12:1-785.
- Amaral, K., K. Fullard, G.A. Early, and B. Amos. 2001. Atlantic white-sided dolphin social structure based on stranding trends and genetics. Page 6 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Andrews, J.C. and P.R. Mott. 1967. Gray seals at Nantucket, Massachusetts. *Journal of Mammalogy* 48(4):657-658.
- Anonymous. 1908a. A manatee in a net. *Forest and Stream* 71:532.
- Anonymous. 1908b. Live sea cow captured: Manatee caught in seine of fishermen off Ocean View, Va. *Washington Post* (23 September 1908):2.
- Anonymous. 2002. Manatee spotted in Richmond waters. *Daily Press* (23 June).
- Anonymous. 2004a. Right whale is spotted in Gulf of Mexico. *News Herald* (Tuesday, 6 July, 2004).
- Anonymous. 2004b. Whale I never! Divers rescue a 15 foot monster. *Royal Gazette* (Apr 29, 2004).
- Anonymous. 2008. Whales heard off New York City. *Marine Pollution Bulletin* 56(11):1818.
- Antunes, R., L. Rendell, P. Hammond, and J. Gordon. 2007. Geographical variation of sperm whale coda repertoires in the North Atlantic. Page 19 in Abstracts, Twenty-first Conference of the European Cetacean Society. 22-25 April 2007. Donostia-San Sebastián, Spain.
- Armstrong, P., C. Arthur, and C. Murray. 2005. Migratory bottlenose dolphin movements and numbers along the mid-Atlantic coast and their correlation with remotely sensed chlorophyll-a and sea surface temperatures. Prepared for the Undergraduate Research Experience in Ocean and Marine Science Program, Elizabeth City State University, Elizabeth City, North Carolina.
- ASRG (Atlantic Scientific Review Group). 2005. Minutes of the Atlantic Scientific Review Group meeting held in Hollings Marine Laboratory, Charleston, South Carolina.
- AUTEC (Atlantic Undersea Test and Evaluation Center). 2000. Marine mammals of the Bahamas: A field guide for aerial and shipboard observers. Andros Island, The Bahamas: Atlantic Undersea Test and Evaluation Center.
- Bailey, J.W. 1948. The finback whale in Virginia waters. *Journal of Mammalogy* 29(2):183-184.
- Bajzak, C.E., M.O. Hammill, G. Stenson, and S.D. Côté. 2005. Sex differences in diving behaviour of hooded seals (*Cystophora cristata*) in the Gulf of St. Lawrence. Page 22 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Ballard, K.A. and K.M. Kovacs. 1995. The acoustic repertoire of hooded seals (*Cystophora cristata*). *Canadian Journal of Zoology* 73:1362-1374.
- Baraff, L.S. and R.A. Asmutis-Silvia. 1998. Long-term association of an individual long-finned pilot whale and Atlantic white-sided dolphins. *Marine Mammal Science* 14(1):155-161.
- Baraff, L.S., P.J. Clapham, D.K. Mattila, and R.S. Bowman. 1991. Feeding behavior of a humpback whale in low-latitude waters. *Marine Mammal Science* 7(2):197-202.
- Barco, S.G. 1995. Population patterns of bottlenose dolphins (*Tursiops truncatus*) in the nearshore waters of Virginia Beach, Virginia. Master's thesis, James Madison University.
- Barco, S.G. and W.M. Swingle. 1996. Sighting patterns of coastal migratory bottlenose dolphins (*Tursiops truncatus*) in the near shore waters of Virginia and North Carolina. Scientific Report 1996 Series 001. Virginia Beach, Virginia: Virginia Marine Science Museum.
- Barco, S.G., N.I. Bowles, K.A. Rittmaster, W.M. Swingle, and V.G. Thayer. 1997. The Virginia/North Carolina coastal dolphin interstate. Abstracts, Fifth Annual Coastal Dolphin Conference. 2-4 April 1997. Wilmington, North Carolina.
- Barco, S.G., W.M. Swingle, and H.C. Morrisette. 2004. Final report: MONAH mid-Atlantic survey effort Feb-March 2004. Virginia Aquarium Foundation Scientific Report 2004-02. Prepared for National

- Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, Massachusetts by Virginia Aquarium and Marine Science Center, Virginia Beach, Virginia.
- Barco, S.G., W.M. Swingle, W.A. McLellan, and D.A. Pabst. 1999. Using photo-identification to characterize seasonally occurring bottlenose dolphins in Virginia Beach, VA. Page 11 in Abstracts, Thirteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 1999. Wailea, Hawaii.
- Barco, S.G., W.M. Swingle, W.A. McLellan, R.N. Harris, and D.A. Pabst. 1999. Local abundance and distribution of bottlenose dolphins (*Tursiops truncatus*) in the nearshore waters of Virginia Beach, Virginia. *Marine Mammal Science* 15(2):394-408.
- Barros, N.B. and A.A. Myrberg, Jr. 1987. Prey detection by means of passive listening in bottlenose dolphins (*Tursiops truncatus*). *Journal of the Acoustical Society of America* 82(Supplement 1):S65.
- Barros, N.B., D.K. Odell, and G.W. Patton. 1990. Ingestion of plastic debris by stranded marine mammals from Florida. Page 247 in Shomura, R.S. and M.L. Godfrey, eds. Proceedings of the Second International Conference on Marine Debris, 2-7 April 1989, Honolulu, Hawaii. NOAA Technical Memorandum NMFS-SWFC-154.
- Baumgartner, M.F. 1997. The distribution of Risso's dolphin (*Grampus griseus*) with respect to the physiography of the northern Gulf of Mexico. *Marine Mammal Science* 13(4):614-638.
- Baumgartner, M.F. and B.R. Mate. 2003. Summertime foraging ecology of North Atlantic right whales. *Marine Ecology Progress Series* 264:123-135.
- Baumgartner, M.F., D.M. Fratantoni, and C.W. Clark. 2005. Advancing marine mammal ecology research with simultaneous oceanographic and acoustic observations from autonomous underwater vehicles. Pages 27-28 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Beardsley, R.C., A.W. Epstein, C. Chen, K.F. Wishner, M.C. Macaulay, and R.D. Kenney. 1996. Spatial variability in zooplankton abundance near feeding right whales in the Great South Channel. *Deep-Sea Research* 43(7-8):1601-1625.
- Beck, C. 2006. Florida manatee travels to Cape Cod, Massachusetts. *SireNews* 46:15-16.
- 'Behemoths in the Bay': A whale of a change in attitude was needed for species to stay afloat. Accessed 23 June 2009. <http://www.bayjournal.com/article.cfm?article=2090&print=yes>.
- Benjaminsen, T. and I. Christensen. 1979. The natural history of the bottlenose whale, *Hyperoodon ampullatus* (Forster). Pages 143-164 in Winn, H.E. and B.L. Olla, eds. Behavior of marine animals: Current perspectives in research. Volume 3: Cetaceans. New York, New York: Plenum Press.
- Bermuda dolphin tracking project 2004. Accessed 18 August 2005. <http://dolphinsquest.org/learningquest/researchquest/bermudatracking/bertrack2004.php>.
- Bermuda dolphin tracking project 2005. Accessed 18 August 2005. <http://dolphinsquest.org/learningquest/researchquest/bermudatracking/bertrack2005.php>.
- Bernard, H.J. and S.B. Reilly. 1999. Pilot whales *Globicephala* Lesson, 1828. Pages 245-279 in Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Volume 6: The second book of dolphins and the porpoises. San Diego, California: Academic Press.
- Blaylock, R.A. 1985. The marine mammals of Virginia with notes on identification and natural history. VIMS Education Series No. 35 (VSG-85-05). Gloucester Point, Virginia: Sea Grant Program, Virginia Institute of Marine Science.
- Blaylock, R.A. 1988. Distribution and abundance of the bottlenose dolphin, *Tursiops truncatus* (Montagu, 1821), in Virginia. *Fishery Bulletin* 86(4):797-805.
- Blaylock, R.A., W. Hoggard, and K.D. Mullin. 1995. Abundance of bottlenose dolphins in the coastal U.S. mid-Atlantic in 1995. Pascagoula, Mississippi: National Marine Fisheries Sciences, Southeast Fisheries Science Center
- BLM (Bureau of Land Management). 1974. Socio-economic and environmental inventory of the North Atlantic region, including the outer continental shelf and adjacent waters from Sandy Hook, New Jersey, to Bay of Fundy. Volume I through III. [CD-ROM]. South Portland, Maine: The Research Institute of the Gulf of Maine.
- Bonde, R.K., A.A. Aguirre, and J. Powell. 2004. Manatees as sentinels of marine ecosystem health: Are they the 2000-pound canaries? *EcoHealth* 1:255-262.

- Boness, D.J., W.D. Bowen, B.M. Buhleier, and G.J. Marshall. 2006. Mating tactics and mating system of an aquatic-mating pinniped: The harbor seal, *Phoca vitulina*. Behavioral Ecology and Sociobiology 61:119-130.
- Bonner, W.N. 1981. Grey seal: *Halichoerus grypus* Fabricius, 1791. Pages 111-144 in Ridgway, S.H. and R.J. Harrison, eds. Handbook of marine mammals. Volume 2: Seals. London, England: Academic Press.
- Borggaard, D., J. Lien, and P. Stevick. 1999. Assessing the effects of industrial activity on large cetaceans in Trinity Bay, Newfoundland (1992-1995). Aquatic Mammals 25(3):149-161.
- Boskovic, R., K.M. Kovacs, M.O. Hammill, and B.N. White. 1996. Geographic distribution of mitochondrial DNA haplotypes in grey seals (*Halichoerus grypus*). Canadian Journal of Zoology 74:1787-1796.
- Bossart, G.D., J.D. Goldstein, M.E. Murdoch, P.A. Fair, and S.D. McCulloch. 2006. Health assessment of bottlenose dolphins in the Indian River Lagoon, Florida and Charleston, South Carolina. Harbor Branch Oceanographic Institution Technical Report 93. Fort Pierce, Florida: Harbor Branch Oceanographic Institution.
- Bossart, G.D., L. Hansen, J.D. Goldstein, D. Kilpatrick, S. Bechdel, E. Howells, K. Kroell, M. De Siewes, M.K. Stolen, W.K. Durden, J.S. Reif, R.H. Defran, and S.D. McCulloch. 2007. Pathological findings in a rare mass stranding of melon-headed whales (*Peponocephala electra*) in Florida. Aquatic Mammals 33(2):235-240.
- Bossart, G.D., R. Meisner, R. Varela, M. Mazzoil, S.D. McCulloch, D. Kilpatrick, R. Friday, E. Murdoch, B. Mase, and R.H. Defran. 2003. Pathologic findings in stranded Atlantic bottlenose dolphins (*Tursiops truncatus*) from the Indian River Lagoon, Florida. Florida Scientist 66(3):226-238.
- Bottomley, J. and J.A. Theriault. 2002. DRDC Atlantic Q-271 SEA TRIAL - Marine Mammal Impact Mitigation Plan. Defence R&D Canada Technical Memorandum DRDC Atlantic TM 2002-174:1-15.
- Boulva, J. and I.A. McLaren. 1979. Biology of the harbor seal, *Phoca vitulina*, in eastern Canada. Bulletin of the Fisheries Research Board of Canada 200:1-24.
- Bowen, W.D. and D.B. Siniff. 1999. Distribution, population biology, and feeding ecology of marine mammals. Pages 423-484 in Reynolds III, J.E. and S.A. Rommel, eds. Biology of marine mammals. Washington, D.C.: Smithsonian Institution Press.
- Bowen, W.D., C.A. Beck, S.J. Iverson, D. Austin, and J.I. McMillan. 2006. Linking predator foraging behaviour and diet with variability in continental shelf ecosystems: Grey seals of eastern Canada. Pages 63-81 in Boyd, I.L., S. Wanless, and C.J. Camphuysen, eds. Top predators in marine ecosystems: Their role in monitoring and management. New York, New York: Cambridge University Press.
- Bowen, W.D., D.J. Boness, and S.J. Iverson. 1999. Diving behaviour of lactating harbour seals and their pups during maternal foraging trips. Canadian Journal of Zoology 77:978-988.
- Bowen, W.D., J. McMillan, and R. Mohn. 2003. Sustained exponential population growth of grey seals at Sable Island, Nova Scotia. ICES Journal of Marine Science 60:1265-1274.
- Bowles, N.I., S.G. Barco, K.A. Rittmaster, V.G. Thayer, R. Mallon-Day, and C. Jones. 1995. Resights of bottlenose dolphins between three states along the east coast of the U.S. Page 15 in Abstracts, Eleventh Biennial Conference on the Biology of Marine Mammals. 14-18 December 1995. Orlando, Florida.
- Brimley, H.H. 1937. The false killer whale on the North Carolina coast. Journal of Mammalogy 18(1):71-73.
- Brinkley, E.S. and J.B. Patteson. 2005. Observations on Blainville's beaked whales, *Mesoplodon densirostris* (Blainville, 1817), at Poor Man's Canyon, Virginia. Banisteria 25:45-49.
- Brown, J.T. 2007. Aspects of the ecology of bottlenose dolphins (*Tursiops truncatus*) in New Jersey. Master's Thesis, Rutgers University.
- Brown, M.W., O.C. Nichols, and M.K. Marx. 2003. Surveillance of North Atlantic right whales in Cape Cod Bay and adjacent waters -- 2003. Pages 7-31 in Center for Coastal Studies, ed. Surveillance, monitoring and management of North Atlantic right whales in Cape Cod Bay and adjacent waters -- 2003. Provincetown, Massachusetts: Center for Coastal Studies.
- Brown, M.W., O.C. Nichols, M.K. Marx, and J.N. Ciano. 2002. Surveillance of North Atlantic right whales in Cape Cod Bay and adjacent waters -- 2002. Pages 3-28 in Center for Coastal Studies, ed. Surveillance, monitoring and management of North Atlantic right whales in Cape Cod Bay and adjacent waters -- 2002. Provincetown, Massachusetts: Center for Coastal Studies.

- Brown, M.W., S.D. Kraus, D.E. Gaskin, and B. White. 1994. Sexual composition and analysis of reproductive females in the North Atlantic right whale, *Eubalaena glacialis*, population. *Marine Mammal Science* 10(3):253-265.
- Bullis Jr., H.R. and J.C. Moore. 1956. Two occurrences of false killer whales, and a summary of American records. *American Museum Novitates* 1756:1-5.
- Bullock, T.H., T.J. O'Shea, and M.C. McClune. 1982. Auditory evoked potentials in the West Indian manatee (*Sirenia: Trichechus manatus*). *Journal of Comparative Physiology* 148:547-554.
- Burdett, L.G. and W.E. McFee. 2004. Bycatch of bottlenose dolphins in South Carolina, USA, and an evaluation of the Atlantic blue crab fishery categorisation. *Journal of Cetacean Research and Management* 6(3):231-240.
- Burn, D.M. and G.P. Scott. 1988. Synopsis of available information on marine mammal-fisheries interactions in the southeastern United States: Preliminary report. Contribution No. CRD-87/88-26. Miami, Florida: National Marine Fisheries Service.
- Caldwell, D.K. and F.B. Golley. 1965. Marine mammals from the coast of Georgia to Cape Hatteras. *Journal of the Elisha Mitchell Scientific Society* 81(1):24-32.
- Caldwell, D.K. and M.C. Caldwell. 1966. Observations on the distribution, coloration, behavior and audible sound production of the spotted dolphin, *Stenella plagiodon* (Cope). *Los Angeles County Museum Contributions in Science* 104:1-28.
- Caldwell, D.K. and M.C. Caldwell. 1972. The world of the bottlenosed dolphin. Philadelphia, Pennsylvania: J.B. Lippincott Company.
- Caldwell, D.K. and M.C. Caldwell. 1974. Marine mammals from the southeastern United States coast: Cape Hatteras to Cape Canaveral. Pages 704-772 in Virginia Institute of Marine Science, ed. A socioeconomic environmental baseline summary for the South Atlantic region between Cape Hatteras, North Carolina, and Cape Canaveral, Florida. Volume 3. Washington, D.C.: Bureau of Land Management.
- Caldwell, D.K., H. Neuhauser, M.C. Caldwell, and H.W. Coolidge. 1971. Recent records of marine mammals from the coasts of Georgia and South Carolina. *Cetology* 5:1-12.
- Campbell, R.R. 1987. Status of the hooded seal, *Cystophora cristata*, in Canada. *Canadian Field-Naturalist* 101:253-265.
- Cape Wind Associates LLC. 2007. Cape Wind energy project: Final environmental impact report/development of regional impact. Prepared for Cape Wind Associates, LLC., Boston, Massachusetts by ESS Group, Inc., Wellesley, Massachusetts.
- Clancy, P. 2007. A whale of a winter weather and more food have increased sightings of younger whales, from Hatteras north to Cape Henry. *The Virginian Pilot* (02 February):B1.
- Clapham, P.J. 1992. Age at attainment of sexual maturity in humpback whales, *Megaptera novaeangliae*. *Canadian Journal of Zoology* 70:1470-1472.
- Clapham, P.J. and D.K. Mattila. 1990. Humpback whale songs as indicators of migration routes. *Marine Mammal Science* 6(2):155-160.
- Clapham, P.J. and I.E. Seipt. 1991. Resightings of independent fin whales, *Balaenoptera*
- Claridge, D. 1998. Whales of the Bahamas. Pages 311-312 in Wilson, M., ed. *The Bahamas Cruising Guide*. Camden, Maine: International Marine.
- Clark, C.W. and P.J. Clapham. 2004. Acoustic monitoring on a humpback whale (*Megaptera novaeangliae*) feeding ground shows continual singing into late spring. *Proceedings of the Royal Society B: Biological Sciences* 271:1051-1057.
- Clark, C.W., C. Tremblay, J. Kemp, and K. Newhal. 2007. Acoustic monitoring and near real-time reporting of northern right whales (*Eubalaena glacialis*) to mitigate ship strikes in the Boston shipping lanes. Page 5 in Abstracts, 2007 North Atlantic Right Whale Consortium Annual Meeting. 7-8 November 2007. New Bedford, Massachusetts.
- Clark, C.W., M. Brown, S. Mayo, M. Bessinger, O. Nichols, and R. Kenney. 2003. The seasonal occurrence of northern right whales, *Eubalaena glacialis*, in a critical habitat: When, why and how many? Page 34 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Cleator, H.J. and I. Stirling. 1990. Winter distribution of bearded seals (*Erignathus barbatus*) in the Penny Strait area, Northwest Territories, as determined by underwater vocalizations. *Canadian Journal of Fisheries and Aquatic Sciences* 47:1071-1076.

- Colborn, K.E. 1999. Interactions between humans and bottlenose dolphins near Panama City, FL. Wild Dolphin Swim Program Workshop. A workshop held in conjunction with the Thirteenth Biennial Conference on the Biology of Marine Mammals. 28 November 1999. Maui, Hawaii.
- Cole, T. and M. Nelson. 2004. Cruise report: *Delaware II* Large Whale Survey DE 04-11. July 26 - August 19, 2004. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Cole, T., D. Hartley, and M. Garron. 2006. Mortality and serious injury determinations for baleen whale stocks along the eastern seaboard of the United States, 2000-2004. Northeast Fisheries Science Center Reference Document 06-04. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Cole, T., P. Duley, N. Lysiak, J. Nicolas, M. Niemeyer, and C. Tremblay. 2005. Cruise report: *Delaware II* Large Whale Survey DE05-10. July 28 - August 16, 2005. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Cole, T.V.N., P. Gerrior, and R.L. Merrick. 2007. Methodologies of the NOAA National Marine Fisheries Service aerial survey program for right whales (*Eubalaena glacialis*) in the Northeast U.S., 1998-2006. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Coltman, D.W., G. Stenson, M.O. Hammill, T. Haug, C.S. Davis, and T.L. Fulton. 2007. Panmictic population structure in the hooded seal (*Cystophora cristata*). *Molecular Ecology* 16:1639-1648.
- Connor, P.F. 1971. The mammals of Long Island, New York. *New York State Museum Bulletin* 416:1-78.
- Cope, E.D. 1865. Note on a species of whale occurring on the coasts of the United States. *Proceedings of the Academy of Natural Sciences of Philadelphia* 15:168-169.
- Corkeron, P.J. 2009. Reconsidering the science of scientific whaling. *Marine Ecology Progress Series* 375:305-309.
- Cornejo, C., W.M. Swingle, and S. Barco. 2000. A new database for whale sightings in Virginia and North Carolina. Page 2 in Abstracts, Eighth Annual Atlantic Coastal Dolphin Conference. 24-26 March 2000. Wilmington, North Carolina.
- Cortese, N.A. 2000. Delineation of bottlenose dolphin populations in the western Atlantic Ocean using stable isotopes. Master's thesis, University of Virginia.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 1996. COSEWIC assessment and update status report on the northern bottlenose whale *Hyperoodon ampullatus* (Scotian shelf population) in Canada. Ottawa, Ontario: Committee on the Status of Endangered Wildlife in Canada.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2004. COSEWIC assessment and update status report on the beluga whale *Delphinapterus leucas* in Canada. Ottawa, Ontario: Committee on the Status of Endangered Wildlife in Canada.
- Cottingham, D. 2003. From David Cottingham, Marine Mammal Commission, Bethesda, MD, to Mary Colligan, National Fisheries Service, Gloucester, MA, regarding critical habitat boundaries of northern right whales off the northeastern and southeastern US. 27 February.
- Cresswell, G. and D. Walker. 2002. Using visual clues to assess group composition of Cuvier's beaked whale (*Ziphius cavirostris*) in the North Atlantic. Page 75 in Abstracts, Sixteenth Annual Conference of the European Cetacean Society. 7-11 April 2002. Liege, Belgium.
- CSN (Caribbean Stranding Network). 1994. Moises the manatee released. *SireNews* 22:10.
- Curry, B.E. 1997. Phylogenetic relationships among bottlenose dolphins (genus *Tursiops*) in a worldwide context. Ph.D. diss., Texas A&M University.
- D'Agrosa, C., A.A. Hohn, and P.N. Halpin. 2001. Spatial analysis of dolphin and gillnet distribution along the Mid-Atlantic coast. Pages 51-52 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Dahlheim, M.E. and J.E. Heyning. 1999. Killer whale *Orcinus orca* (Linnaeus, 1758). Pages 281-322 in Ridgway, S.H. and R. Harrison, eds. *Handbook of marine mammals. Volume 6: The second book of dolphins and the porpoises*. San Diego, California: Academic Press.
- Dalebout, M.L., D.E. Ruzzante, H. Whitehead, and N.I. Øien. 2006. Nuclear and mitochondrial markers reveal distinctiveness of a small population of bottlenose whales (*Hyperoodon ampullatus*) in the western North Atlantic. *Molecular Ecology* 15:3115-3129.
- De Kay, J.E. 1842. *Zoology of New York or the New-York fauna; comprising detailed descriptions of all the animals hitherto observed within the state of New-York. Part I: Mammalia*. Albany, New York: White & Visscher.

- Dead whale retrieved from Brooklyn Bay. Accessed 3 July 2007. <http://www.cbsnews.com/stories/2007/04/19/tech/main2704951.shtml>.
- Degregory, L. 1995. Several harbor seals seen along Outer Banks. *The Virginian-Pilot* (24 January):B1.
- DeLorenzo Costa, A., E.G. Durbin, and C.A. Mayo. 2006. Variability in the nutritional value of the major copepods in Cape Cod Bay (Massachusetts, USA) with implications for right whales. *Marine Ecology* 27:109-123.
- Deutsch, C.J., J.P. Reid, R.K. Bonde, D.E. Easton, H.I. Kochman, and T.J. O'Shea. 2003. Seasonal movements, migratory behavior, and site fidelity of West Indian manatees along the Atlantic coast of the United States. *Wildlife Monographs* 151:1-77.
- DFO (Department of Fisheries and Oceans Canada) and CSAS (Canadian Science Advisory Secretariat). 2001. Proceedings of the International Harbour Porpoise Workshop, 26-28 March, 2001, Bedford Institute of Oceanography, Dartmouth, Nova Scotia, Canada. Canadian Science Advisory Secretariat Proceedings Series 2001/042. Ottawa, Ontario: Department of Fisheries and Oceans.
- DFO (Department of Fisheries and Oceans). 2003. Atlantic sea hunt 2003-2004 management plan. Ottawa, Ontario: Fisheries and Oceans Canada.
- DFO (Department of Fisheries and Oceans). 2003. Notices to mariners: General guidelines for marine mammal critical areas. Ottawa, Ontario: Department of Fisheries and Oceans.
- DFO (Department of Fisheries and Oceans). 2005. Stock assessment of northwest Atlantic harp seals (*Pagophilus groenlandicus*). Canadian Science Advisory Secretariat Research Document 2005/037. Ottawa, Ontario: Department of Fisheries and Oceans.
- Di Iorio, L., M. Castellote, A.M. Warde, and C.W. Clark. 2005. Broadband sound production by feeding blue whales (*Balaenoptera musculus*). Page 74 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- DiGiovanni, R.A., Jr., K.F. Durham, J.N. Wocial, R.P. Pisciotta, R. Hanusch, A.M. Chaillet, A.D. Hallett, A.M. Sabrosky, and R.A. Scott. 2005. Rehabilitation and post release monitoring of a male Risso's dolphin (*Grampus griseus*) released in New York waters. Page 76 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Dixon, M., N. Iammatteo, J. Johnson, S. Collinetti, and S.C. Jones III. 1997. An analysis of sentry behavior in bottlenose dolphins in the lower Chesapeake Bay. Abstracts, Fifth Annual Atlantic Coastal Dolphin Conference. 4-6 April 1997. Wilmington, North Carolina.
- Domning, D.P., ed. 1994. *SireNews*, Number 22.
- Domning, D.P., ed. 1995. *SireNews*, Number 23-24.
- Domning, D.P., ed. 2001. *SireNews*, Number 36.
- Domning, D.P., ed. 2006. *SireNews*, Number 45.
- DoN (Department of the Navy). 1995. Environmental documentation for candidate site analysis for SEAWOLF shock test program, Mayport, Florida and Norfolk, Virginia.
- DoN (Department of the Navy). 1997. Final environmental review: Adoption of a range management plan for the Atlantic Undersea Test and Evaluation Center (AUTECE), Andros Island, Bahamas.
- DoN (Department of the Navy). 2002. Biological assessment for explosive ordnance disposal (EOD) mine warfare exercises in the East coast operating areas: Endangered Species Act Section 7 compliance. Prepared by Commander, Atlantic Division, Naval Facilities Engineering Command Norfolk, VA.
- DoN (Department of the Navy). 2004. Virtual at-sea training/integrated maritime portable acoustic scoring and simulator (VAST/IMPASS) system. Final IHA/LOA. Silver Spring, Maryland.
- DoN (Department of the Navy). 2005. Draft overseas environmental impact statement/environmental impact statement: Undersea warfare training range. Prepared for the Naval Facilities Engineering Command, Atlantic, Norfolk, Virginia by Earth Tech, Inc., New York, New York.
- DoN (Department of the Navy). 2005. Marine resources assessment for the Northeast operating areas: Atlantic City, Narragansett Bay, and Boston--Report PDF. Final Report. Norfolk, Virginia: Department of the Navy, U.S. Fleet Forces Command.
- DoN (Department of the Navy). 2006. Final biological assessment for USS Truman CSG COMPTUEX/JTFEX. Prepared for National Marine Fisheries Service, Office of Protected Resources, Silver Spring, Maryland by Commander, U.S. Fleet Forces Command, Norfolk, Virginia.

- DoN (Department of the Navy). 2006. Final comprehensive overseas environmental assessment for major Atlantic Fleet training exercises. Prepared for United States Fleet Forces Command, Norfolk, Virginia by Naval Facilities Engineering Command, Atlantic, Norfolk, Virginia.
- DoN (Department of the Navy). 2006. Final environmental assessment, operations at the Bloodsworth Island Range. Prepared for Department of the Navy, Naval Air Systems Command, Patuxent River, Maryland.
- DoN (Department of the Navy). 2007. Marine resources assessment for the Southeastern Florida and the AUTEK-Andros operating area. Norfolk, Virginia: Atlantic Division, Naval Facilities Engineering Command.
- DoN (Department of the Navy). 2007. Shock trial of the MESA VERDE. Draft environmental impact statement/overseas environmental impact statement (EIS/OEIS). Norfolk, Virginia: Department of the Navy.
- Donahue, M.A. and E.F. Edwards. 1996. An annotated bibliography of available literature regarding cetacean interactions with tuna purse-seine fisheries outside of the eastern tropical Pacific Ocean. NMFS-SWFSC Administrative Report LJ-96-20:1-45.
- Doniol-Valcroze, T. 2008. Habitat selection and niche characteristics of orqual whales in the northern Gulf of St. Lawrence (Canada). Doctoral Thesis, McGill University.
- Doniol-Valcroze, T., D. Berteaux, P. Larouche, and R. Sears. 2007. Influence of thermal fronts on habitat selection by four orqual whale species in the Gulf of St. Lawrence. *Marine Ecology Progress Series* 335:207-216.
- Donovan, G.P., C.H. Lockyer, and A.R. Martin, eds. 1993. *Biology of northern hemisphere pilot whales*. Cambridge, England: International Whaling Commission. Reports of the International Whaling Commission (Special Issue 14).
- Doucette, G.J., A.D. Cembella, J.L. Martin, J. Michaud, T.V.N. Cole, and R.M. Rolland. 2006. Paralytic shellfish poisoning (PSP) toxins in North Atlantic right whales *Eubalaena glacialis* and their zooplankton prey in the Bay of Fundy, Canada. *Marine Ecology Progress Series* 306:303-313.
- Dudzinski, K.M. 1996. Communication and behavior in the Atlantic spotted dolphins (*Stenella frontalis*): Relationships between vocal and behavioral activities. Ph.D. diss., Texas A&M University.
- Duffield, D.A. and R.S. Wells. 2002. The molecular profile of a resident community of bottlenose dolphins, *Tursiops truncatus*. Pages 3-11 in Pfeiffer, C.J., ed. *Molecular and cell biology of marine mammals*. Malabar, Florida: Krieger Publishing Company.
- Duignan, P.J., S. Sadove, J.T. Saliki, and J.R. Geraci. 1993. Phocine distemper in harbor seals (*Phoca vitulina*) from Long Island, New York. *Journal of Wildlife Diseases* 29(3):465-469.
- Duncan, J.F. 1908. Capt. Parkinson's manatee. *Forest and Stream* 71:611-612.
- Dunn, C.A., D.E. Claridge, and T.L. Pusser. 2007. Killer whale (*Orcinus orca*) occurrence and predation in the Bahamas. Abstracts, 17th Biennial Conference on the Biology of Marine Mammals. 29 November - 3 December 2007. Cape Town, South Africa.
- Dunn, D.G., S.G. Barco, D.A. Pabst, and W.A. McLellan. 2002. Evidence for infanticide in bottlenose dolphins of the western North Atlantic. *Journal of Wildlife Diseases* 38(3):505-510.
- Early, G., A.J. Read, D. Gannon, K. Matassa, and C. Merigo. 1995. An unusual stranding of whitesided dolphins (*Lagenorhynchus acutus*). Page 6 in Kopelman, A.H. and S.S. Sadove, eds. *Proceedings of the 1995 Northeast Regional Marine Mammal and Sea Turtle Stranding Network Conference*. 28-30 April 1995. Riverhead, New York.
- Edds, P.L. and A.J. MacFarlane. 1987. Occurrence and general behavior of balaenopterid cetaceans summering in the St. Lawrence Estuary, Canada. *Canadian Journal of Zoology* 65:1363-1376.
- Elvin, S.S. and C.T. Taggart. 2008. Right whales and vessels in Canadian waters. *Marine Policy* 32:379-386.
- Endangered manatee spotted off R.I. Accessed 28 August 2006. <http://apnews.excite.com/article/20060821/D8JKRFU01.html>.
- Essapian, F.S. 1954. A common dolphin - uncommonly marked. *Everglades Natural History* 2(4):220-222.
- Estrada, E.L. and A. Hohn. 2003. Satellite monitored movements of bottlenose dolphins along the Atlantic coast of the US. Page 48 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Features: Research on distribution and biology. Accessed 19 April 2006. http://research.myfwc.com/features/view_article.asp?id=7511.

- Fischer, P.A., ed. 2003. Regulating seismic acquisition for marine mammal protection: Competing interests or mutual goal? *WorldOil* 224(12):34-37.
- Fisk, A.T., M.A. Recks, and P.A. Fair. 2005. Influence of season and habitat on the foraging ecology of bottlenose dolphins (*Tursiops truncatus*) from the Charleston SC region as indicated by stable isotope and fatty acid analyses. Page 92 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals, 12-16 December. 12-16 December 2005. San Diego, California.
- FMRI (Florida Marine Research Institute). 2004. More than 2,500 manatees counted during synoptic survey. Press Release. 27 February. St. Petersburg, Florida. Florida Marine Research Institute.
- Fonnesbeck, C.J., L.P. Garrison, L.I. Ward-Geiger, and R.D. Baumstark. 2008. Bayesian hierarchical model for evaluating the risk of vessel strikes on North Atlantic right whales in the SE United States. *Endangered Species Research* 6:87-94.
- Foss, K.M. and J.R. Reed. 2003. Temporal and spatial distribution of bottlenose dolphins (*Tursiops truncatus*) in an urbanized estuary. *Virginia Journal of Science* 54(2):60-61.
- Frasier, T.R., P.K. Hamilton, M.W. Brown, L.A. Conger, A.R. Knowlton, M.K. Marx, C.K. Slay, S.D. Kraus, and B.N. White. 2007. Patterns of male reproductive success in a highly promiscuous whale species: The endangered North Atlantic right whale. *Molecular Ecology* 16:5277-5293.
- Gambell, R. 1985. Fin whale *Balaenoptera physalus* (Linnaeus, 1758). Pages 171-192 in Ridgway, S.H. and R. Harrison, eds. *Handbook of marine mammals*. Volume 3: The sirenians and baleen whales. San Diego, California: Academic Press.
- Gambell, R. 1985. Sei whale *Balaenoptera borealis* Lesson, 1828. Pages 155-170 in Ridgway, S.H. and R. Harrison, eds. *Handbook of marine mammals*. Volume 3: The sirenians and baleen whales. San Diego, California: Academic Press.
- Gannon, D. 2003. Behavioral ecology of an acoustically mediated predator-prey system: Bottlenose dolphins and sciaenid fishes. Ph.D. diss., Duke University.
- Garcia-Rodriguez, A.I., D. Moraga-Amador, W. Farmerie, P. McGuire, and T.L. King. 2000. Isolation and characterization of microsatellite DNA markers in the Florida manatee (*Trichechus manatus latirostris*) and their application in selected sirenian species. *Molecular Ecology* 9:2161-2163.
- Garrison, L. 2001. Seeking a hiatus in sightings for bottlenose dolphin during summer and winter aerial surveys. Unpublished document prepared for the Take Reduction Team on Coastal Bottlenose Dolphins in the Western Atlantic.
- Garrison, L. and A. Hohn. 2001. Abundance estimates for Atlantic bottlenose dolphin: Combining strip transect data and line transect abundance estimation. Unpublished document prepared for the Take Reduction Team on Coastal Bottlenose Dolphins in the Western Atlantic.
- Garrison, L. and W. Hoggard. 2003. Abundance and spatial distribution of bottlenose dolphins, *Tursiops truncatus*, in near shore U.S. continental shelf waters during winter and summer 2002. Page 58 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Garrison, L.P. 2005. Applying a spatial model to evaluate the risk of interactions between vessels and right whales in the southeast U.S. critical habitat. Miami, Florida: Southeast Fisheries Science Center.
- Garrison, L.P. 2007. Interactions between marine mammals and pelagic longline fishing gear in the U.S. Atlantic Ocean between 1992 and 2004. *Fishery Bulletin* 105:408-417
- Garrison, L.P., R.D. Baumstark, C. Keller, and L.I. Ward-Geiger. 2005. A spatial model of the North Atlantic right whale calving habitat in the southeastern United States. Page 102 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Garrison, L.P., S.L. Swartz, A. Martinez, C. Burks, and J. Stamates. 2003b. A marine mammal assessment survey of the southeast US continental shelf: February - April 2002. NOAA Technical Memorandum NMFS-SEFSC-492. Miami, Florida: NMFS-SEFSC.
- Gaskin, D.E. 1992a. Status of the harbour porpoise, *Phocoena phocoena*, in Canada. *Canadian Field-Naturalist* 106(1):36-54.
- Gaskin, D.E. 1992c. Status of the Atlantic white-sided dolphin, *Lagenorhynchus acutus*, in Canada. *Canadian Field-Naturalist* 106(1):64-72.
- Genevieve, H., S. Laela, A.S. Frankel, C. Powell, A. Bocconcelli, and R. Herman. 2001. Mapping total environmental sound exposure of bottlenose dolphins, *Tursiops truncatus*, in the Wilmington,

- North Carolina Intracoastal Waterway. Page 95 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Geraci, J.R. and D.J. St. Aubin. 1977. Mass stranding of the long-finned pilot whale, *Globicephala melaena*, on Sable Island, Nova Scotia. *Journal of the Fisheries Research Board of Canada* 34(11):2196-2199.
- Geraci, J.R., D.J. St. Aubin, I.K. Barker, R.G. Webster, V.S. Hinshaw, W.J. Bean, H.L. Ruhnke, J.H. Prescott, G. Early, A.S. Baker, S. Madoff, and R.T. Schooley. 1982. Mass mortality of harbor seals: Pneumonia associated with Influenza A virus. *Science* 215:1129-1131.
- Geraci, J.R., D.M. Anderson, R.J. Timperi, D.J. St. Aubin, G.A. Early, and J.H. Prescott. 1989. Humpback whales (*Megaptera novaeangliae*) fatally poisoned by dinoflagellate toxin. *Canadian Journal of Fisheries and Aquatic Sciences* 46:1895-1898.
- Geraci, J.R., P.J. Duignan, and G. Early. 1994. Survey for morbillivirus in pinnipeds along the northeastern coast. Final report to the National Oceanic and Atmospheric Administration and National Marine Fisheries Service. Boston, Massachusetts: New England Aquarium.
- Gero, S. and H. Whitehead. 2006. Opportunistic sightings of small cetaceans off the leeward shore of the Commonwealth of Dominica. Report to the Small Cetacean Subcommittee at the 58th annual meeting of the International Whaling Commission. SC/58/SM1. 16-20 June 2006. St. Kitts and Nevis
- Gerrior, P. and R. Bruce. 2001. Vessel traffic management measures for the protection of northern right whales off the US East Coast. Pages 81-82 in Abstract, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Gilbert, J.R., G.T. Waring, K.M. Wynne, and N. Guldager. 2005. Changes in abundance of harbor seals in Maine, 1981-2001. *Marine Mammal Science* 21(3):519-535.
- Gill, W. 1981. Manatee found in Chesapeake Bay Virginia. *Endangered Species Technical Bulletin* 5:6-7.
- Glass, A., M. Weinrich, K.A. Sardi, S.G. Barco, W.A. McLellan, and D. Taylor. 2001. Prolonged extreme coastal residency of a juvenile humpback whale (*Megaptera novaeangliae*) in New England: A successful development strategy? Page 83 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Glass, A.H., C.R. Taylor, and D. Cupka. 2005. Monitoring North Atlantic right whale (*Eubalaena glacialis*) distribution north of the Southeastern U.S. calving ground critical habitat Pages 106-107 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Good, C.P., A.J. Reed, P. Halpin, S.S. Qian, C. Taylor, M. Zani, and L.I. Ward-Geiger. 2007. Predictive modeling of North Atlantic right whale (*Eubalaena glacialis*) calving habitat in the North Atlantic. Page 7 in Abstracts, 2007 North Atlantic Right Whale Consortium Annual Meeting. 7-8 November 2007. New Bedford, Massachusetts.
- Goodman, M.A., J. Braun-McNeill, E. Davenport, and A.A. Hohn. 2007. Protected species aerial survey data collection and analysis in waters underlying the R-5306A Airspace. Final report submitted to U.S. Marine Corps, MCAS Cherry Point. NOAA Technical Memorandum NMFS-SEFSC-551:1-26.
- Goodwin, G.G. 1933. Occurrence of a gray seal at Atlantic City, N.J. *Journal of Mammalogy* 14(1):73.
- Goodwin, G.G. 1935. The mammals of Connecticut. Hartford, Connecticut: Connecticut State Geological and Natural History Survey.
- Goodwin, G.G. 1954. Southern records for Arctic mammals and a northern record for Alfaro's rice rat. *Journal of Mammalogy* 35(2):258.
- Gordon, J.C.D., L. Steiner, and H.R. Martins. 1995. Observations of fin whales (*Balaenoptera physalus* L., 1758) around the central north Atlantic islands of the Azores and Madeira. *Arquipélago. Life and Marine Sciences* 13A:79-84.
- Gordon, J.C.D., L. Steiner, and J.M. Gonçalves. 1990. Sei whales (*Balaenoptera borealis*) encountered in the Azores: A new record for the region. *Arquipélago. Life and Marine Sciences* 8:97-100.
- Gormley, G. 1990. Orcas of the Gulf. San Francisco, California: Sierra Club Books.
- Götz, T., U.K. Verfuß, and H.-U. Schnitzler. 2006. 'Eavesdropping' in wild rough-toothed dolphins (*Steno bredanensis*)? *Biology Letters* 2:5-7.
- Goulet, A., M.O. Hammill, and C. Barrette. 2001. Movements and diving of grey seal females (*Halichoerus grypus*) in the Gulf of St. Lawrence, Canada. *Polar Biology* 24:432-439.

- GREEM (Le Groupe de Recherche et d'Education sur les Mammifères Marins). 2005. Héris : A wayward St. Lawrence beluga...in the Delaware River, near Philadelphia! Tadoussac, Québec: Le Groupe de Recherche et d'Education sur les Mammifères Marins.
- Griffin, R.B., C. Hu, and N.J. Griffin. 2005. Movement patterns of Atlantic spotted dolphins (*Stenella frontalis*) and bottlenose dolphins (*Tursiops truncatus*) in relation to oceanographic fronts. Page 112 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals, 12-16 December 2005. San Diego, California.
- Griselda, V., G.V. Garaffo, S.L. Dans, S.N. Pedraza, E.A. Crespo, and M. Degradi. 2007. Habitat use by dusky dolphin in Patagonia: How predictable is their location? *Marine Biology* 152:165-177.
- Hain, J.H.W. and R.D. Kenney. 2001. Distribution and abundance of marine mammals at two proposed East Coast shallow-water training range locations: Wallops Island, Virginia and Onslow Bay, North Carolina. Newport, Rhode Island: Naval Undersea Warfare Division.
- Hain, J.H.W., S.L. Ellis, R.D. Kenney, P.J. Clapham, B.K. Gray, M.T. Weinrich, and I.G. Babb. 1995. Apparent bottom feeding by humpback whales on Stellwagen Bank. *Marine Mammal Science* 11(4):464-479.
- Hamilton, H. and C. Puckett. 2006. Manatee traveler in northeastern waters not Chessie. *Sound Waves* FY 2006(87):6-7.
- Hamilton, P.K., G.S. Stone, and S.M. Martin. 1997. Note on a deep humpback whale *Megaptera novaeangliae* dive near Bermuda. *Bulletin of Marine Science* 61(2):491-494.
- Hammill, M.O. and G. Stenson. 2005. Abundance of northwest Atlantic harp seals (1960-2005). Ottawa, Ontario: Department of Fisheries and Oceans
- Hammill, M.O. and J.F. Gosselin. 1995. Grey seal (*Halichoerus grypus*) from the Northwest Atlantic: Female reproductive rates, age at first birth, and age of maturity in males. *Canadian Journal of Fisheries and Aquatic Sciences* 52:2757-2761.
- Hammill, M.O., G.B. Stenson, R.A. Myers, and W.T. Stobo. 1998. Pup production and population trends of the grey seal (*Halichoerus grypus*) in the Gulf of St. Lawrence. *Canadian Journal of Fisheries and Aquatic Sciences* 55:423-430.
- Harley, H.E., E.A. Putman, and H.L. Roitblat. 2003. Bottlenose dolphins perceive object features through echolocation. *Nature* 424:667-669.
- Harris, D.E. and S. Gupta. 2006. GIS-based analysis of ice-breeding seal strandings in the Gulf of Maine. *Northwestern Naturalist* 13(3):403-420.
- Harris, D.E., B. Lelli, and G. Jakush. 2002. Harp seal records from the southern Gulf of Maine: 1997-2001. *Northeastern Naturalist* 9(3):331-340.
- Harris, D.E., B. Lelli, G. Jakush, and G. Early. 2001. Hooded seal (*Cystophora cristata*) records from the southern Gulf of Maine. *Northeastern Naturalist* 8(4):427-434.
- Harry, C.T., R.A. DiGiovanni Jr., W.J. Walton, and S.G. Barco. 2005. Characterizing stranding trends in Virginia and North Carolina from 2000-2005. Page 122 in Abstracts, Sixteenth Biennial Conference of the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Hartley, D. 1998. 1997 NMFS Northeast Region marine mammal strandings. Pages 30-31 in Barco, S.G., ed. Proceedings of the 1997 Northeast Region Stranding Conference. VMSM Scientific Report 1998-002. Virginia Beach: Virginia Marine Science Museum.
- Hartley, D. and F. Wenzel. 2001. 25 years of harbor porpoise (*Phocoena phocoena*) strandings on the U.S. Atlantic coast. Page 93 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Hatch, L.T. and A.J. Wright. 2007. A brief review of anthropogenic sound in the oceans. *International Journal of Comparative Psychology* 20:121-133.
- Haubold, E.M., C. Deutsch, and C. Fannesbeck. 2006. Final biological status review of the Florida manatee (*Trichechus manatus latirostris*). St. Petersburg, Florida: Florida Fish and Wildlife Conservation Commission.
- Hayden, L. 2007. Coastal ocean observations correlation between AVHRR SST and presence of marine mammals. Prepared for Office of Naval Research, Arlington, Virginia by Woods Hole Oceanographic Institution, Woods Hole, Massachusetts.
- Hays, H.E., H.E. Winn, and R. Petricig. 1985. Anomalous feeding behavior of a humpback whale. *Journal of Mammalogy* 66(4):819-821.

- Hazevoet, C.J. and F.W. Wenzel. 2000. Whales and dolphins (Mammalia, Cetacea) of the Cape Verde Islands, with special reference to the humpback whale *Megaptera novaeangliae* (Borowski, 1781). Contributions to Zoology 69(3):197-211.
- HBOI (Harbor Branch Oceanographic Institution). 2006. Seals swim south, fly north. Harbor Branch Oceanographic rescues, stabilizes two hooded seals and receives critical help enabling return of one animal to its home range. Press Release. Ft. Pierce, Florida: Harbor Branch Oceanographic Institution - 8 August.
- Heide-Jørgensen, M.P., L. Witting, and M.V. Jensen. 2003. Inshore-offshore movements of two fin whales (*Balaenoptera physalus*) tracked by satellite off West Greenland. Journal of Cetacean Research and Management 5(3):241-245.
- Heide-Jørgensen, M.P., N. Hammeken, R. Dietz, J. Orr, and P.R. Richard. 2001. Surfacing times and dive rates for narwhals (*Monodon monoceros*) and belugas (*Delphinapterus leucas*). Arctic 54(3):284-298.
- Heide-Jørgensen, M.P., P.R. Richard, and A. Rosing-Asvid. 1998. Dive patterns of belugas (*Delphinapterus leucas*) in waters near eastern Devon Island. Arctic 51(1):17-26.
- Hersh, S.L. 1987. Stock structure of bottlenose dolphins (Genus *Tursiops*) in the southeastern U.S.: A review and management considerations. Contract number 40GENF700715. Prepared for the National Marine Fisheries Service, Southeast Fisheries Science Center, Miami, Florida.
- Hoagland, P. and A.E. Meeks. 2000. II. The demand for whalewatching at Stellwagen Bank National Marine Sanctuary. Pages 53-89 in The economic contribution of whalewatching to regional economies: Perspectives from two National Marine Sanctuaries. Silver Spring, Maryland: Marine Sanctuaries Conservation Series MSD-00-2.
- Hodgson, A.J., H. Marsh, S. Delean, and L. Marcus. 2007. Is attempting to change marine mammal behaviour a generic solution to the bycatch problem? A dugong case study. Animal Conservation 10:263-273.
- Hoelzel, A.R., A. Natoli, M.E. Dahlheim, C. Olavarria, R.W. Baird, and N.A. Black. 2002. Low worldwide genetic diversity in the killer whale (*Orcinus orca*): Implications for demographic history. Proceedings of the Royal Society B: Biological Sciences 269:1467-1473.
- Hohn, A.A. 1997. Design for a multiple-method approach to determine stock structure of bottlenose dolphins in the mid-Atlantic. NOAA Technical Memorandum NMFS-SEFSC-401:1-22.
- Hohn, A.A., L.J. Hansen, F. Townsend, and M.D. Scott. 2000. The use of telemetry to study bottlenose dolphin stock structure along the U.S. Atlantic Coast. European Research on Cetaceans 14:334.
- Huang, T. 1993. The manatee's back in Hampton Roads - A scientist is trying to figure out why the sea animal is in the area. Virginian Pilot (October 10):B1.
- Hui, C.A. 1985. Undersea topography and the comparative distributions of two pelagic cetaceans. Fishery Bulletin 83(3):472-475.
- ICES (International Council for the Exploration of the Sea). 2006. Report of the ICES/NAFO Working Group on Harp and Hooded Seals (WGHARP), 12-16 June 2006, ICES Headquarters. Copenhagen, Denmark: International Council for the Exploration of the Sea.
- Iliff, M.J. and E.S. Brinkley. 2001. Observation of a yearling hooded seal (*Cystophora cristata*) at Back Bay National Wildlife Refuge, Virginia Beach. Banisteria 18:38-40.
- Ingram, S.N., L. Walshe, D. Johnston, and E. Rogan. 2007. Habitat partitioning and the influence of benthic topography and oceanography on the distribution of fin and minke whales in the Bay of Fundy, Canada. Journal of the Marine Biological Association of the United Kingdom 87:149-156.
- Innes, S., M.P. Heide-Jørgensen, J.L. Laake, K.L. Laidre, H.J. Cleator, P. Richard, and R.E.A. Stewart. 2002. Surveys of belugas and narwhals in the Canadian High Arctic in 1996. NAMMCO Scientific Publication 4:169-190.
- Irvine, A.B. and H.W. Campbell. 1978. Aerial census of the West Indian manatee, *Trichechus manatus*, in the southeastern United States. Journal of Mammalogy 59(3):613-617.
- Irvine, A.B., M.D. Scott, R.S. Wells, and J.G. Mead. 1979. Stranding of the pilot whale, *Globicephala macrorhynchus*, in Florida and South Carolina. Fishery Bulletin 77(2):511-513.
- Jakush, G. 2004. Woolly makes waves in Maine. Lifelines (A Marine Animal Lifeline Publication) Spring:1.
- Jann, B., J. Allen, M. Carrillo, S. Hanquet, S.K. Katona, A.R. Martin, R.R. Reeves, R. Seton, P.T. Stevick, and F.W. Wenzel. 2003. Migration of a humpback whale (*Megaptera novaeangliae*) between the Cape Verde Islands and Iceland. Journal of Cetacean Research and Management 5(2):125-129.

- Jaquet, N., C.A. Mayo, O.C. Nichols, M.K. Bessinger, D. Osterberg, M.K. Marx, and C.L. Browning. 2005. Surveillance, monitoring and management of North Atlantic right whales in Cape Cod Bay and adjacent waters - 2005. Provincetown, Massachusetts: Provincetown Center for Coastal Studies.
- Jaquet, N., J. Gordon, and B. Würsig. 2004. Cruise report for *Summer Breeze* cruise 2004: Sperm Whale Seismic Study, PHOTO-ID/mesoscale population study cruise (20 June - 15 August 2004). Unpublished cruise report. College Station, Texas: Texas A&M University.
- Jaquet, N., T. Webster, and S.M. Van Parijs. 2007. Acoustic behavior of individual North Atlantic right whales in Cape Cod Bay. Page 8 in Abstracts, 2007 North Atlantic Right Whale Consortium Annual Meeting. 7-8 November 2007. New Bedford, Massachusetts.
- Jarvis, S. and D. Moretti. 2002. Passive detection and localization of transient signals from marine mammals using widely spaced bottom mounted hydrophones in open ocean environments. Pages 109-121 in *Listening to fish: Proceedings of the International Workshop on the Applications of Passive Acoustics in Fisheries*. 8-10 April 2002. Cambridge, Massachusetts: Massachusetts Institute of Technology.
- Jefferson, T.A. and A.J. Schiro. 1997. Distribution of cetaceans in the offshore Gulf of Mexico. *Mammal Review* 27(1):27-50.
- Jefferson, T.A., D. Fertl, J. Bolaños-Jiménez, and A.N. Zerbini. 2009. Distribution of common dolphins (*Delphinus* spp.) in the western Atlantic Ocean: A critical re-examination. *Marine Biology* 156:1109-1124.
- Jérémie, S. 2005. Synthesis of cetaceans off the island of Martinique, French West Indies. Reference paper presented at the United Nations Environment Programme Regional Workshop of Experts on the Development of the Marine Mammal Action Plan for the Wider Caribbean Region, Barbados, 18-21 July 2005. UNEP(DEC)/CAR WG.27/REF.7. Nairobi, Kenya: United Nations Environment Programme.
- Jochens, A., D. Biggs, D. Engelhaupt, J. Gordon, N. Jaquet, M. Johnson, R. Leben, B. Mate, P. Miller, J. Ortega-Ortiz, A. Thode, P. Tyack, J. Wormuth, and B. Würsig. 2006. Sperm whale seismic study in the Gulf of Mexico. Summary report, 2002-2004. OCS Study MMS 2006-034. New Orleans, Louisiana: Minerals Management Service.
- Jochens, A., D. Biggs, K. Benoit-Bird, D. Engelhardt, J. Gordon, C. Hu, N. Jaquet, M. Johnson, R. Leben, B. Mate, P. Miller, J. Ortega-Ortiz, A. Thode, P. Tyack, and B. Würsig. 2008. Sperm whale seismic study in the Gulf of Mexico: Synthesis report. Prepared for U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, Louisiana by Texas A&M University, Department of Oceanography, College Station, Texas.
- Johnson, M. and P. Tyack. 2004. Sperm whales in the North Atlantic - DTAG effort. NOAA Progress Report. Woods Hole, Massachusetts: Woods Hole Oceanographic Institution.
- Johnston, D.W. 2004. Fine scale oceanographic features and foraging marine predators: The ecology and conservation of an island wake in the Bay of Fundy Canada. Ph.D. diss., Duke University.
- Johnston, D.W., A.J. Westgate, and A.J. Read. 2005b. Effects of fine-scale oceanographic features on the distribution and movements of harbour porpoises *Phocoena phocoena* in the Bay of Fundy. *Marine Ecology Progress Series* 295:279-293.
- Johnston, D.W., A.S. Friedlaender, L.G. Torres, and D.M. Lavigne. 2005c. Variation in sea ice cover on the east coast of Canada from 1969 to 2002: Climate variability and implications for harp and hooded seals. *Climate Research* 29:209-222.
- Johnston, D.W., L.H. Thorne, and A.J. Read. 2005a. Fin whales *Balaenoptera physalus* and minke whales *Balaenoptera acutorostrata* exploit a tidally driven island wake ecosystem in the Bay of Fundy. *Marine Ecology Progress Series* 305:287-295.
- Jones, G.J. and L.S. Sayigh. 2002. Geographic variation in rates of vocal production of free-ranging bottlenose dolphins. *Marine Mammal Science* 18(2):374-393.
- Jones, S.C. 1995. Where are Virginia's dolphin nurseries? Page 4 in Abstracts, Third Annual Atlantic Coastal Dolphin Conference. 24-26 March 1995. Beaufort, North Carolina.
- Jonsgård, Å. 1966. Biology of the North Atlantic fin whale, *Balaenoptera physalus* (L): Taxonomy, distribution, migration and food. *Hvalrådets Skrifter* 49:1-62.
- Katona, S.K. and J.A. Beard. 1991. Humpback whales (*Megaptera novaeangliae*) in the western North Atlantic Ocean. *Memoirs of the Queensland Museum* 30(2):307-321.

- Katona, S.K., J.A. Beard, P.E. Girton, and F. Wenzel. 1988. Killer whales (*Orcinus orca*) from the Bay of Fundy to the Equator, including the Gulf of Mexico. Rit Fiskideildar (Journal of the Marine Research Institute Reykjavik) XI:205-224.
- Kaufman, M. 2005. Whale stranding in N.C. followed Navy sonar use--Military says connection to death of 37 animals is 'unlikely'. Washington Post (Friday, January 28):A03.
- Keinath, J.A. and J.A. Musick. 1988. Population trends of the bottlenose dolphin (*Tursiops truncatus*) in Virginia, 1980-1987. Contract No. 40-GENF-800564. Prepared for the National Marine Fisheries Service, Southeast Fisheries Science Center, Miami, Florida by Virginia Institute of Marine Science, Gloucester Point, Virginia.
- Keller, C.A., L.I. Ward-Geiger, W.B. Brooks, C.K. Slay, C.R. Taylor, and B.J. Zoodsma. 2006. North Atlantic right whale distribution in relation to sea-surface temperature in the southeastern United States calving grounds. Marine Mammal Science 22(2):426-445.
- Kenney, M.K. 1994. Harbor seal population trends and habitat use in Maine. Master's thesis, University of Maine.
- Kenney, R.D. 1994. Anomalous 1992 spring and summer distributions of right whales (*Eubalaena glacialis*) and other cetaceans in continental shelf waters off the northeastern United States and adjacent Canada. Final Report, Contract Number T94070648. Prepared for the U.S. Marine Mammal Commission, Washington, D.C.
- Kenney, R.D. 2001. Anomalous 1992 spring and summer right whale (*Eubalaena glacialis*) distributions in the Gulf of Maine. Journal of Cetacean Research and Management (Special Issue 2):209-223.
- Kenney, R.D. 2002a. Quality-control issues for data submissions to the North Atlantic Right Whale Consortium database. Right Whale Consortium Reference Document 2002-02. Narragansett, Rhode Island: University of Rhode Island.
- Kenney, R.D. 2002b. Seals: Marine mammals in our front yard. Audubon Report 36(3):1, 7-8.
- Kenney, R.D. 2005b. Freezer paleostratigraphy: Re-discovery of an early gray seal stranding from Block Island, Rhode Island, USA. Rhode Island Naturalist 12(2):5-9.
- Kenney, R.D. 2007b. A different sort of invader: The second manatee visit to Rhode Island. Rhode Island Naturalist 14(1):8-10.
- Kenney, R.D. and M.R. Petrician. 2004. A visitor from the North: Harp seal sighted in the Narrow River. Narrow River Notes (Newsletter of Narrow River Preservation Association) Spring 2004:3-4.
- Kenney, R.D., C.H. Greene, A.J. Pershing, and J.W. Jossi. 2001b. North Atlantic right whale calving success: Linkages to the North Atlantic Oscillation, oceanographic patterns, and prey availability. Page 113 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Kenney, R.D., M.A.M. Hyman, R.E. Owen, G.P. Scott, and H.E. Winn. 1986. Estimation of prey densities required by western North Atlantic right whales. Marine Mammal Science 2(1):1-13.
- Kenny, R.D. 2003. Modifications and clarifications of data formats for the North Atlantic Right Whale Consortium database. North Atlantic Right Whale Consortium Reference Document 2003-02. Narragansett, Rhode Island: University of Rhode Island.
- Kerr, K.A., R.H. Defran, and G.S. Campbell. 2005. Bottlenose dolphins (*Tursiops truncatus*) in the Drowned Cayes, Belize: Group size, site fidelity and abundance. Caribbean Journal of Science 41(1):172-177.
- Khan, C., T.V.N. Cole, P. Duley, A. Glass, M. Niemeyer, and C. Christman. 2009. North Atlantic Right Whale Sighting Survey (NARWSS) and Right Whale Sighting Advisory System (RWSAS) 2008 results summary. Northeast Fisheries Science Center Reference Document 09-05. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Klatsky, L.J., R.S. Wells, and J.C. Sweeney. 2007. Offshore bottlenose dolphins (*Tursiops truncatus*) movement and dive behavior near the Bermuda Pedestal. Journal of Mammalogy 88(1):59-66.
- Klyver, R.Z., S.K. Todd, J.K. Allen, T.A. Stephenson, and E.L. Summers. 2007. Northern right whales (*Eubalaena glacialis*) in the northeast Gulf of Maine: Are they found within state waters? Pages 8-9 in Abstracts, 2007 North Atlantic Right Whale Consortium Annual Meeting. 7-8 November 2007. New Bedford, Massachusetts.
- Knowlton, A., C.W. Clark, and S. Kraus. 1991. Sounds recorded in the presence of sei whale, *Balaenoptera borealis*. Journal of the Acoustical Society of America 89(4B):1968.
- Knowlton, A.R. 1997. The regulation of shipping to protect North Atlantic right whales: Need and feasibility. Major paper, University of Rhode Island.

- Kovacs, K.M. 2002a. Hooded seal *Cystophora cristata*. Pages 580-582 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. Encyclopedia of marine mammals. San Diego, California: Academic Press.
- Kovacs, K.M. 2002b. Bearded seal (*Erignathus barbatus*). Pages 84-87 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. Encyclopedia of marine mammals. San Diego, California: Academic Press.
- Kovacs, K.M., K.M. Jonas, and S.E. Welke. 1990. Sex and age segregation by *Phoca vitulina concolor* at haul-out sites during the breeding season in the Passamaquoddy Bay region, New Brunswick. Marine Mammal Science 6:204-214.
- Kraus, S. and G. Early. 1995. Population trends in southern New England as reflected in survey and stranding data. Pages 9-20 in Mooney-Sues, M.L. and G.S. Stone, eds. Pinniped populations in the Gulf of Maine: Status, issues and management. New England Aquarium Aquatic Forum Series Report 95-1. Boston, Massachusetts: New England Aquarium.
- Kraus, S.D., M.W. Brown, H. Caswell, C.W. Clark, M. Fujiwara, P.K. Hamilton, R.D. Kenney, A.R. Knowlton, S. Landry, C.A. Mayo, W.A. McLellan, M.J. Moore, D.P. Nowacek, D.A. Pabst, A.J. Read, and R.M. Rolland. 2005. North Atlantic right whales in crisis. Science 309:561-562.
- Kraus, S.D., R.D. Kenney, A.R. Knowlton, and J.N. Ciano. 1993. Endangered right whales of the southwestern North Atlantic. OCS Study MMS 93-0024. Herndon, Virginia: Minerals Management Service.
- Kruse, S., D.K. Caldwell, and M.C. Caldwell. 1999. Risso's dolphin *Grampus griseus* (G. Cuvier, 1812). Pages 183-212 in Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Volume 6: The second book of dolphins and the porpoises. San Diego, California: Academic Press.
- LaCommare, K.S., C. Self-Sullivan, and S. Brault. 2008. Distribution and habitat use of Antillean manatees (*Trichechus manatus manatus*) in the Drowned Cayes area of Belize, Central America. Aquatic Mammals 34(1):35-43.
- Legendijk, P. 1984. Report of a study of the present status of humpback whales around the Cape Verde Islands. International Whaling Commission, Scientific Committee, Document SC/36/PS16.
- Laist, D.W. and C. Shaw. 2006. Preliminary evidence that boat speed restrictions reduce deaths of Florida manatees. Marine Mammal Science 22(2):472-479.
- Laist, D.W. and J.E. Reynolds III. 2005. Influence of power plants and other warm-water refuges on Florida manatees. Marine Mammal Science 21(4):739-764.
- Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet, and M. Podesta. 2001. Collisions between ships and whales. Marine Mammal Science 17(1):35-75.
- Larsen, F. and P.S. Hammond. 2004. Distribution and abundance of West Greenland humpback whales (*Megaptera novaeangliae*). Journal of Zoology, London 263:343-358.
- Lawson, J.W. and G.B. Stenson. 1997. Diet of northwest Atlantic harp seals (*Phoca groenlandica*) in offshore areas. Canadian Journal of Zoology 75:2095-2106.
- Leatherwood, S. 1979. Aerial survey of the bottlenosed dolphin, *Tursiops truncatus*, and the West Indian manatee, *Trichechus manatus*, in the Indian and Banana rivers, Florida. Fishery Bulletin 77(1):47-59.
- Leatherwood, S., D.K. Caldwell, and H.E. Winn. 1976. Whales, dolphins, and porpoises of the western North Atlantic: A guide to their identification. NOAA Technical Report NMFS CIRC-396.
- Leatherwood, S., M.W. Deerman, and C.W. Potter. 1978. Food and reproductive status of nine *Tursiops truncatus* from the northeastern United States coast. Cetology 28:1-6.
- Lee, D.S. 1986. Marine mammals off the North Carolina coast with particular reference to possible impact of proposed *Empress II*. In: U.S. Department of the Navy. EMPRESS II: Supplemental draft environmental impact statement for the proposed operation of the Navy electromagnetic pulse radiation environment simulator for ships (*Empress II*) in the Chesapeake Bay and Atlantic Ocean. Norfolk, Virginia: Atlantic Division, Naval Facilities Engineering and Command.
- Lesage, V. and M.C.S. Kingsley. 1998. Updated status of the St. Lawrence River population of the beluga, *Delphinapterus leucas*. Canadian Field-Naturalist 112:98-113.
- Lesage, V. and M.O. Hammill. 2001. The status of the grey seal, *Halichoerus grypus*, in the Northwest Atlantic. Canadian Field-Naturalist 115(4):653-662.
- Lien, J., D. Nelson, and D.J. Hai. 2001. Status of the white-beaked dolphin, *Lagenorhynchus albirostris*, in Canada. Canadian Field-Naturalist 115(1):118-126.

- Lien, J., G.B. Stenson, and P.W. Jones. 1988. Killer whales (*Orcinus orca*) in waters off Newfoundland and Labrador, 1978-1986. *Rit Fiskideildar (Journal of the Marine Research Institute Reykjavik)* XI:194-201.
- Lipscomb, T.P., M.G. Mense, P.L. Habecker, J.K. Taubenberger, and R. Schoelkopf. 2001. Morbilliviral dermatitis in seals. *Veterinary Pathology* 38:724-726.
- Little is known about Bay's bottlenose dolphins. *Bay Journal (Alliance for the Chesapeake Bay)*. Accessed 23 June 2009. <http://www.bayjournal.com/article.cfm?article=467&print=yes>.
- Litwiler, T.L. 2001. Conservation plan for sea turtles, marine mammals, and the shortnose sturgeon in Maryland. Technical Report FS-SCOL-01-2. Oxford, Maryland: Maryland Department of Natural Resources
- Lucas, Z.N. and D.F. McAlpine. 2002. Extralimital occurrences of ringed seals, *Phoca hispida*, on Sable Island, Nova Scotia. *Canadian Field-Naturalist* 116:607-610.
- Luczkovich, J.J., H.J. Daniel III, M. Hutchinson, T. Jenkins, S.E. Johnson, R.C. Pullinger, and M.W. Sprague. 2000. Sounds of sex and death in the sea: Bottlenose dolphin whistles suppress mating choruses of silver perch. *Bioacoustics* 10:323-334.
- Lydersen, C. and K.M. Kovacs. 1993. Diving behaviour of lactating harp seal, *Phoca groenlandica*, females from the Gulf of St Lawrence, Canada. *Animal Behaviour* 46:1213-1221.
- Lydersen, C., M.O. Hammill, and K.M. Kovacs. 1994. Activity of lactating ice-breeding grey seals, *Halichoerus grypus*, from the Gulf of St Lawrence, Canada. *Animal Behaviour* 48:1417-1425.
- MacLeod, C., A. Williams, and P. Tyack, compilers. 2001. Summary of the Workshop on the Biology and Conservation of Beaked Whales. 28 November 2001. Vancouver, British Columbia.
- MacLeod, C.D. and A.F. Zuur. 2005. Habitat utilization by Blainville's beaked whales off Great Abaco, northern Bahamas, in relation to seabed topography. *Marine Biology* 147:1-11.
- MacLeod, C.D. and G. Mitchell. 2006. Key areas for beaked whales worldwide. *Journal of Cetacean Research and Management* 7(3):309-322.
- MacLeod, R., C.D. MacLeod, J.A. Learmonth, P.D. Jepson, R.J. Reid, R. Deaville, and G.J. Pierce. 2007. Mass-dependent predation risk and lethal dolphin-porpoise interactions. *Proceedings of the Royal Society B: Biological Sciences* 274:2587-2593.
- Maher, J. 2003. Characterization of bottlenose dolphin (*Tursiops truncatus*) use of restricted areas in the Pamlico Sound, NC. Master's thesis, Nicholas School of the Environment of Duke University.
- Malik, S., M.W. Brown, S.D. Kraus, A.R. Knowlton, P.K. Hamilton, and B.N. White. 1999. Assessment of mitochondrial DNA structuring and nursery use in the North Atlantic right whale (*Eubalaena glacialis*). *Canadian Journal of Zoology* 77:1217-1222.
- Manatee synoptic surveys. Accessed 20 October 2006. http://research.myfwc.com/features/print_article.asp?id=15246.
- Manville, R.H. and R.P. Shanahan. 1961. *Kogia* stranded in Maryland. *Journal of Mammalogy* 42(2):269-270.
- Maratea, J., D.R. Ewalt, S. Frasca, Jr., J.L. Dunn, S. De Guise, L. Szkudlarek, D.J. St. Aubin, and R.A. French. 2003. Evidence of *Brucella* sp. infection in marine mammals stranded along the coast of southern New England. *Journal of Zoo and Wildlife Medicine* 34(3):256-261.
- Marmontel, M. 1995. Age and reproduction in female Florida manatees. Pages 98-119 in O'Shea, T.J., B.B. Ackerman, and H.F. Percival, eds. Population biology of the Florida manatee. Information and Technology Report 1. Washington, D.C.: National Biological Service.
- Mate, B.R., B.A. Lagerquist, M. Winsor, J. Geraci, and J.H. Prescott. 2005. Movements and dive habits of a satellite-monitored longfinned pilot whale (*Globicephala melas*) in the northwest Atlantic. *Marine Mammal Science* 21(1):136-144.
- Mate, B.R., K.M. Stafford, R. Nawojchik, and J.L. Dunn. 1994. Movements and dive behavior of a satellite-monitored Atlantic white-sided dolphin (*Lagenorhynchus acutus*) in the Gulf of Maine. *Marine Mammal Science* 10(1):116-121.
- Mate, B.R., S.L. Nieukirk, and S.D. Kraus. 1997. Satellite-monitored movements of the northern right whale. *Journal of Wildlife Management* 61(4):1393-1405.
- Mayo, C., M. Bessinger, and M.W. Brown. 2002. Right whale occurrence and habitat measures in Cape Cod Bay: During a year of change 2002. Pages 29-50 in Center for Coastal Studies, ed. Surveillance, monitoring and management of North Atlantic right whales in Cape Cod Bay and adjacent waters – 2002. Provincetown, Massachusetts: Center for Coastal Studies.

- Mayo, C., M. Page, D. Osterberg, and A. Pershing. 2007. A foraging model for predicting the risk of vessel strike to North Atlantic right whales. Pages 11-12 in Abstracts, 2007 North Atlantic Right Whale Consortium Annual Meeting. 7-8 November 2007. New Bedford, Massachusetts.
- McAlear Baker, S.L. 2000a. Population biology, residency status, and management of bottlenose dolphins, *Tursiops truncatus*, in the Eastern Bay and Choptank River areas of Chesapeake Bay. Ph.D. diss, University of Maryland.
- McAlear Baker, S.L. 2000b. Environmental influences and residency status of bottlenose dolphins, *Tursiops truncatus*, in Maryland waters of Chesapeake Bay. Abstracts, Eighth Annual Atlantic Coastal Dolphin Conference. 24-26 March 2000. Wilmington, North Carolina.
- McAllister, R. 2002. Jimmy is spotted on his way out. Richmond Times-Dispatch (28 June):B-1.
- McAlpine, D.F. and R.H. Walker. 1990. Extralimital records of the harp seal, *Phoca groenlandica*, from the western North Atlantic: A review. Marine Mammal Science 6(3):248-252.
- McAlpine, D.F., M.C.S. Kingsley, and P.-Y. Daoust. 1999b. A lactating record-age St. Lawrence beluga (*Delphinapterus leucas*). Marine Mammal Science 15(3):854-859.
- McAlpine, D.F., P.T. Stevick, and L.D. Murison. 1999a. Increase in extralimital occurrences of ice-breeding seals in the northern Gulf of Maine region: More seals or fewer fish? Marine Mammal Science 15(3):906-911.
- McAlpine, D.F., P.T. Stevick, L.D. Murison, and S.D. Turnbull. 1999c. Extralimital records of hooded seals (*Cystophora cristata*) from the Bay of Fundy and northern Gulf of Maine. Northeastern Naturalist 6(3):225-230.
- McAtee, W.L. 1950. Possible early record of a manatee in Virginia. Journal of Mammalogy 31(1):98-99.
- McDonald, M.A. and C.G. Fox. 1999. Passive acoustic methods applied to fin whale population density estimation. Journal of the Acoustical Society of America 105(5):2643-2651.
- McFee, W.E. 1990. An analysis of mass strandings of the long-finned pilot whale, *Globicephala melaena*, on Cape Cod. Master's thesis, Northeastern University.
- McFee, W.E. and E.S. Zolman. n.d. Sightings and strandings of seals in South Carolina. Poster presentation.
- McFee, W.E., S.R. Hopkins-Murphy, and L.H. Schwacke. 2006. Trends in bottlenose dolphin (*Tursiops truncatus*) strandings in South Carolina, USA, 1997-2003: Implications for the Southern North Carolina and South Carolina management units. Journal of Cetacean Research and Management 8(2):195-201.
- McGrath, G. 2006a. Deal on the seal: Hungry and feisty. Press Release. Wilmington, North Carolina: Star-News.
- McGrath, G. 2006b. Arctic seal's long journey comes to sad end. Press Release. Wilmington, North Carolina: Star-News.
- McGurk, J. 1997. Stomach content analysis of stranded bottlenose dolphins, *Tursiops truncatus*, in Virginia, 1987-1996. Master's thesis, Old Dominion University.
- McKenzie, T.P. and J.R. Nicolas. 1988. Cetaceans, sea turtles, and pinnipeds of the Mid-Atlantic Water Management Unit. Pages 263-304 in Pacheco, A.L., ed. Characterization of the Middle Atlantic Water Management Unit of the Northeast Regional Action Plan. NOAA Technical Memorandum NMFS-F/NEC-56.
- McLellan, B. 2006. Mid-Atlantic surveys. Right Whale News 13(2):8.
- McLellan, W.A., E.A. Meagher, L.G. Torres, G.G. Lovewell, and D.A. Pabst. 2002. Winter right whale surveys, Savannah, Georgia to Chesapeake Bay, Virginia, January 22, 2002-March 19, 2002.
- McLellan, W.A., K.M. Lefler, G. Jones, K. Hardcastle, and D.A. Pabst. 2001. Winter right whale surveys from Savannah, Georgia to Chesapeake Bay, Virginia -- February-March 2001. Prepared for NMFS-SEFSC, Miami, Florida by Biological Sciences Center for Marine Science Research, University of North Carolina, Wilmington, North Carolina.
- McLellan, W.A., V.G. Thayer, and D.A. Pabst. 1996. Stingray spine mortality in a bottlenose dolphin, *Tursiops truncatus*, from North Carolina waters. Journal of the Elisha Mitchell Scientific Society 112(2):98-101.
- McLeod, L.A. 1999. Summary of marine mammal observations during 1998 surveys. Report ENQUAD 99-01. Boston, Massachusetts: Massachusetts Water Resources Authority.
- McLeod, L.A. 2001. Summary of marine mammal observations during 2000 surveys. Report ENQUAD 2001-01. Boston, Massachusetts: Massachusetts Water Resources Authority.

- McLeod, L.A. 2002. Summary of marine mammal observations during 2001 surveys. Report ENQUAD 2002-01. Boston, Massachusetts: Massachusetts Water Resources Authority.
- McLeod, L.A., L.M. Short, and J. Smith. 2003. Summary of marine mammal observations during 2002 surveys. Report ENQUAD 2003-01. Boston, Massachusetts: Massachusetts Water Resources Authority.
- McLeod, L.A., T.E. Hunt, and R.A. Asmutis-Silvia. 2000. Summary of marine mammal observations during 1999 surveys. Report ENQUAD 00-01. Boston, Massachusetts: Massachusetts Water Resources Authority.
- Mead, J.G. 1975a. Preliminary report on the former net fisheries for *Tursiops truncatus* in the western North Atlantic. Journal of the Fisheries Research Board of Canada 32:1155-1162.
- Mead, J.G. 1977. Records of sei and Bryde's whales from the Atlantic coast of the United States, the Gulf of Mexico, and the Caribbean. Reports of the International Whaling Commission (Special Issue 1):113-116.
- Mead, J.G. 1986. Twentieth-century records of right whales (*Eubalaena glacialis*) in the northwestern Atlantic Ocean. Reports of the International Whaling Commission (Special Issue 10):109-119.
- Mead, J.G., W.A. Walker, C.W. Potter, and W.A. McLellan. 1986. Further observations on the life history of the melon-headed whale, *Peponocephala electra*. Unpublished manuscript. Washington, D.C.: National Museum of Natural History.
- Mearns, E.A. 1900. The native mammals of Rhode Island. Newport Natural History Society (1):1-4.
- Measures, L., B. Roberge, and R. Sears. 2004. Stranding of a pygmy sperm whale, *Kogia breviceps*, in the northern Gulf of St. Lawrence, Canada. Canadian Field-Naturalist 118(4):495-498.
- Medic, H. 2005. Wandering hooded seals. Rhode Island Naturalist 12(2):9-10.
- Mellinger, D.K. 2004. A comparison of methods for detecting right whale calls. Canadian Acoustics 32(2):55-65.
- Mellinger, D.K., S.L. Nieukirk, H. Matsumoto, S.L. Heimlich, R.P. Dziak, J. Haxel, M. Fowler, C. Meinig, and H.V. Miller. 2007. Seasonal occurrence of North Atlantic right whale (*Eubalaena glacialis*) vocalizations at two sites on the Scotian Shelf. Marine Mammal Science 23(4):856-867.
- Merigo, C., K. Patchett, B. Rubinstein, J. Rice, and G. Early. 1998. An overview of an unusual mass stranding. Page 49 in Barco, S.G., ed. Proceedings of the 1997 Northeast Region Stranding Conference. VMSM Scientific Report 1998-002. Virginia Beach, Virginia: Virginia Marine Science Museum.
- Merrick, R.L. 2005. Seasonal management areas to reduce ship strikes of northern right whales in the Gulf of Maine. Northeast Fisheries Science Center Reference Document 05-19. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Merrick, R.L. and T.V.N. Cole. 2007. Evaluation of northern right whale ship strike reduction measures in the Great South Channel of Massachusetts. . NOAA Technical Memorandum NMFS-NE-202:1-12.
- Messina, D. 1996. Volunteers nurse sick hooded seal found on shore. The Virginian-Pilot (29 February):B3.
- Michelson, B. 2004. Baby beluga whale visits Boston Harbor. Alert Diver September/October:16-18.
- Mid-Atlantic bottlenose dolphin aerial surveys. Accessed 2 February 2006. http://www.aoc.noaa.gov/article_midatlantic.htm.
- Mignucci-Giannoni, A.A. 1998. Zoogeography of cetaceans off Puerto Rico and the Virgin Islands. Caribbean Journal of Science 34(3-4):173-190.
- Mignucci-Giannoni, A.A. and D.K. Odell. 2001. Tropical and subtropical records of hooded seals (*Cystophora cristata*) dispel the myth of extant Caribbean monk seals (*Monachus tropicalis*). Bulletin of Marine Science 68(1):47-58.
- Mignucci-Giannoni, A.A. and P. Haddow. 2002. Wandering hooded seals. Science 295:627-628.
- Miller, G.S., Jr. 1927. A pollack whale on the coast of Virginia. Proceedings of the Biological Society of Washington 40:111-112.
- Mirimin, L., A. Westgate, E. Rogan, P. Rosel, A. Read, J. Coughlan, and T. Cross. 2009. Population structure of short-beaked common dolphins (*Delphinus delphis*) in the North Atlantic Ocean as revealed by mitochondrial and nuclear genetic markers. Marine Biology 156(5):821-834.
- Mitchell, E. and R.R. Reeves. 1988. Records of killer whales in the western North Atlantic, with emphasis on eastern Canadian waters. Rit Fiskideildar (Journal of the Marine Research Institute Reykjavik) 11:161-193.

- Mitchell, E. and V.M. Kozicki. 1975a. Autumn stranding of a northern bottlenose whale (*Hyperoodon ampullatus*) in the Bay of Fundy, Nova Scotia. *Journal of the Fisheries Research Board of Canada* 32(7):1019-1040.
- Mitchell, E. and V.M. Kozicki. 1975b. Supplementary information on minke whale (*Balaenoptera acutorostrata*) from Newfoundland fishery. *Journal of the Fisheries Research Board of Canada* 32(7):985-994.
- MMC (Marine Mammal Commission). 2004. Annual report to Congress 2003. Bethesda, Maryland: Marine Mammal Commission.
- MMC (Marine Mammal Commission). 2005. Annual report to Congress 2004. Bethesda, Maryland: Marine Mammal Commission.
- MMC (Marine Mammal Commission). 2007a. Report of the Workshop on Assessing the Population Viability of Endangered Marine Mammals in U.S. Waters, 13-15 September 2005, Savannah, Georgia. Bethesda, Maryland: Marine Mammal Commission.
- MMC (Marine Mammal Commission). 2007b. Report of the North Atlantic Right Whale Program review. Prepared for the Marine Mammal Commission, Bethesda, Maryland by R.R. Reeves, A.J. Read, L. Lowry, S.K. Katona, and D.J. Boness.
- MMC (Marine Mammal Commission). 2007c. Endangered, threatened, and depleted marine mammals in U.S. waters: A review of species classification systems and listed species. Prepared for the Marine Mammal Commission, Bethesda, Maryland by Lloyd Lowry, David W. Laist, and Elizabeth Taylor.
- MMC (Marine Mammal Commission). 2008. The biological viability of the most endangered marine mammals and the cost-effectiveness of protection programs. Prepared for the United States Congress, Washington, D.C. by Marine Mammal Commission, Bethesda, Maryland.
- Mohn, R. and W.D. Bowen. 1996. Grey seal predation on the eastern Scotian Shelf: Modelling the impact on Atlantic cod. *Canadian Journal of Fisheries and Aquatic Sciences* 53:2722-2738.
- Mooney-Seus, M.L. and G.S. Stone, eds. 1995. Pinniped populations in Gulf of Maine: Status, issues, and management. Forum at the New England Aquarium June 14-15, 1995. Forum Proceedings 95-1. Boston, Massachusetts: New England Aquarium.
- Moore, M.J., A.R. Knowlton, S.D. Kraus, W.A. McLellan, and R.K. Bonde. 2004b. Morphometry, gross morphology and available histopathology in North Atlantic right whale (*Eubalaena glacialis*) mortalities (1970-2002). *Journal of Cetacean Research and Management* 6(3):199-214.
- Moore, M.J., B. Rubinstein, S.A. Norman, and T. Lipscomb. 2004a. A note on the most northerly record of Gervais' beaked whale from the western North Atlantic Ocean. *Journal of Cetacean Research and Management* 6(3):279-281.
- Moore, S.E. and J.T. Clarke. 1998. Summary of marine mammal occurrence and population estimates in U.S. coastal waters subject to military aircraft overflights. Prepared for the U.S. Airforce, Air Force Research Laboratory, AFRL/HECB, Wright-Patterson AFB, Ohio by SAIC, San Diego, CA.
- Morgan, L.W., J.A. Musick, and C.W. Potter. 2002. Temporal and geographic occurrences of cetacean strandings and manatee sightings in Virginia, with notes on adverse human-cetacean interactions, from 1983-1989. *Journal of the North Carolina Academy of Science* 118(1):12-26.
- Morgan, M.A. and G.W. Patton. 1990. Human dolphin interactions on the west coast of Florida: Documentation from MML's Marine Mammal Response Program. Mote Marine Laboratory Technical Report No. 191. Sarasota, Florida: Mote Marine Laboratory.
- Mörzner Bruyns, W.F.J. 1969. Sight records and notes on the false killer whale, *Pseudorca crassidens* (Owen, 1846). *Säugetierkundliche Mitteilungen* 17(4):351-356.
- Mueller, M., E. Hines, and L. Ward. 2007. Systematic collection and analysis of Automatic Identification System (AIS) data for right whale conservation efforts in the southeastern U.S. (SEUS). Page 13 in Abstracts, 2007 North Atlantic Right Whale Consortium Annual Meeting. 7-8 November 2007. New Bedford, Massachusetts.
- Mullin, K.D. and G.L. Fulling. 2003. Abundance of cetaceans in the southern U.S. North Atlantic Ocean during summer 1998. *Fishery Bulletin* 101:603-613.
- Murison, L.D. and D.E. Gaskin. 1989. The distribution of right whales and zooplankton in the Bay of Fundy, Canada. *Canadian Journal of Zoology* 67:1411-1420.
- Musick, J.A., J.A. Keinath, and D.E. Bernard. 1988. Aerial surveys of the Currituck EMPRESS area. Submitted by the Virginia Institute of Marine Science, College of William and Mary to the

- Department of the Navy, Theater Nuclear Warfare Program Office, Naval Sea Systems Command.
- NAMMCO (North Atlantic Marine Mammal Commission). 1995. Report of the third meeting of the Scientific Committee. Pages 67-171 in NAMMCO annual report 1995. Tromsø, Norway: North Atlantic Marine Mammal Commission.
- NARWC (North Atlantic Right Whale Consortium). 2006. North Atlantic right whale report card: November 2005 - October 2006. Prepared for the National Marine Fisheries Service, Silver Spring, Maryland.
- NARWC (North Atlantic Right Whale Consortium). 2007. North Atlantic right whale report card: November 2006 - October 2007. Prepared for the National Marine Fisheries Service, Silver Spring, Maryland.
- Natoli, A., V.M. Peddemors, and A.R. Hoelzel. 2004. Population structure and speciation in the genus *Tursiops* based on microsatellite and mitochondrial DNA analyses. *Journal of Evolutionary Biology* 17:363-375.
- Naud, M.J., B. Long, J.-C. Brêthes, and R. Sears. 2003. Influences of underwater bottom topography and geomorphology on minke whale (*Balaenoptera acutorostrata*) distribution in the Mingan Islands (Canada). *Journal of the Marine Biological Association of the United Kingdom* 83:889-896.
- Nawojchik, R. 1994. First record of *Mesoplodon densirostris* (Cetacea: Ziphiidae) from Rhode Island. *Marine Mammal Science* 10(4):477-480.
- Nawojchik, R. 1998. 1997 strandings in Connecticut and Rhode Island. Page 24 in Barco, S.G., ed. *Proceedings of the 1997 Northeast Region Stranding Conference*. VMSM Scientific Report 1998-002. Virginia Beach, Virginia: Virginia Marine Science Museum.
- Nemiroff, L. and H. Whitehead. 2008. Pulses calls from long-finned pilot whales (*Globicephala melas*) off Cape Breton, Nova Scotia. Pages 87-88 in *Abstracts, Marine Mammals in Time: Past, Present, and Future, Twenty-second Annual Conference of the European Cetacean Society*. 10-12 March 2008. Egmond aan Zee, The Netherlands.
- Neuhauser, H., ed. 2002. *Right Whale News*, Volume 9, Number 1-4.
- Neuhauser, H., ed. 2003a. *Right Whale News*, Volume 10, Number 4.
- Neuhauser, H., ed. 2003b. *Right Whale News*, Volume 10, Number 2.
- Neuhauser, H., ed. 2004. *Right Whale News*, Volume 11, Number 2.
- Neuhauser, H., ed. 2005a. *Right Whale News*, Volume 13, Number 2.
- Neuhauser, H., ed. 2005b. *Right Whale News*, Volume 12, Number 3.
- Neuhauser, H., ed. 2007. *Right Whale News*, Volume 14, Number 4.
- Nichols, O., R. Kenney, and M. Brown. 2003. Spatial and temporal distribution of North Atlantic right whales (*Eubalaena glacialis*) in Cape Cod Bay, USA, 1998-2002 and implications for management of fishing practices. Page 117 in *Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals*. 14-19 December 2003. Greensboro, North Carolina.
- Nichols, O.C. and H.L. Kite-Powell. 2005. Analysis of risk to North Atlantic right whales (*Eubalaena glacialis*) from shipping traffic in Cape Cod Bay. Prepared for NOAA Fisheries, Northeast Fisheries Science Center, Woods Hole, Massachusetts by Center for Coastal Studies, Provincetown, Massachusetts.
- Nicolas, J., D.C. Potter, C.W. Potter, and P.E. Rosel. 2001. Results of a field collection of biopsy samples from coastal bottlenose dolphin in the mid-Atlantic. 1-4. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Niemeyer, M., compiler. 2007. North Atlantic Right Whale Sighting Survey (NARWSS) and Right Whale Sighting Advisory System (RWSAS) 2002 results summary. Northeast Fisheries Science Center Reference Document 07-18a, 07-18b, 07-18c, 07-18d, & 07-18e. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 1991a. Northeast cetacean aerial survey and interplatform study. Prepared by the Southeast Fisheries Science Center, Pascagoula, Mississippi and the Northeast Fisheries Science Center, Woods Hole, Massachusetts.
- NMFS (National Marine Fisheries Service). 1991b. Final recovery plan for the northern right whale (*Eubalaena glacialis*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2000. Conservation plan for the Atlantic coastal stock complex of bottlenose dolphins, *Tursiops truncatus*.

- NMFS (National Marine Fisheries Service). 2001a. Final review of the biological status of the Gulf of Maine/Bay of Fundy harbor porpoise (*Phocoena phocoena*) pursuant to the Endangered Species Act. Silver Spring, Maryland.
- NMFS (National Marine Fisheries Service). 2001b. North Atlantic right whale death reported: Second confirmed right whale death this year. NMFS Northeast Region News NR01-09(20 March):3.
- NMFS (National Marine Fisheries Service). 2002a. Biological opinion: Consultation on dredging in the Thimble Shoal Federal Navigation Channel and Atlantic Ocean Channel. Gloucester, Massachusetts: Northeast Regional Office, National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2002b. Marine mammals; notice of intent to prepare an environmental impact statement for a take reduction plan for the western North Atlantic coastal stock of bottlenose dolphins--Notice of intent to prepare an Environmental Impact Statement (EIS); request for comments. Federal Register 67(140):47772-47773.
- NMFS (National Marine Fisheries Service). 2002c. Endangered and threatened wildlife and plants: Finding for a petition to revise critical habitat for northern right whales. Federal Register 67(223):69708-69710.
- NMFS (National Marine Fisheries Service). 2002d. Taking of marine mammals incidental to commercial fishing operations; Atlantic large whale take reduction plan--Temporary rule. Federal Register 67(126):44092-44093.
- NMFS (National Marine Fisheries Service). 2004c. Report to Congress: Review of commercial fisheries' progress toward reducing mortality and serious injury of marine mammals incidental to commercial fishing operations. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2004d. Final environmental assessment and regulatory impact review Regulatory Flexibility Act analysis on sea turtle conservation measures for the pound net fishery in Virginia waters of the Chesapeake Bay. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2005. Taking of marine mammals incidental to commercial fishing operations; Atlantic large whale take reduction plan regulations; Proposed rule. Federal Register 70(118):35894-35944.
- NMFS (National Marine Fisheries Service). 2006b. Environmental assessment, regulatory impact review, and final Regulatory Flexibility Act analysis for a final rule to implement the bottlenose dolphin take reduction plan and revise the large mesh size restriction under the mid-Atlantic large mesh gillnet rule. St. Petersburg, Florida: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2006d. Environmental impact statement to implement the operational measures of the North Atlantic right whale Ship Strike Reduction Strategy. Draft environmental impact statement. Prepared by National Marine Fisheries Service, Office of Protected Resources, Silver Spring, Maryland.
- NMFS (National Marine Fisheries Service). 2006f. Endangered fish and wildlife; Proposed rule to implement speed restrictions to reduce the threat of ship collisions with North Atlantic right whales. Federal Register 71(122):36299-36313.
- NMFS (National Marine Fisheries Service). 2006g. List of fisheries for 2006--Proposed rule. Federal Register 71(78):20941-20965.
- NMFS (National Marine Fisheries Service). 2008a. Small takes of marine mammals incidental to specified activities; naval explosive ordnance disposal school training operations at Eglin Air Force Base, Florida. Federal Register 73(155):46592-46596.
- NMFS (National Marine Fisheries Service). 2008b. Draft U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2008. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2008c. Taking of marine mammals incidental to commercial fishing operations; Atlantic pelagic longline take reduction plan. Federal Register 73(122):35623-35631.
- NMFS (National Marine Fisheries Service). 2008d. Endangered fish and wildlife; Final rule to implement speed restrictions to reduce the threat of ship collisions with North Atlantic right whales. Federal Register 73(198):60173-60191.
- NMFS (National Marine Fisheries Service). 2008e. Endangered and threatened species; Endangered status for North Pacific and North Atlantic right whales. Federal Register 73(45):120212030.

- NMFS (National Marine Fisheries Service). 2008f. Small takes of marine mammals incidental to specified activities; Marine geophysical survey off Central America, February-April 2008. Federal Register 73(35):9526-9535.
- NMFS (National Marine Fisheries Service). 2008g. Endangered and threatened wildlife; Notice of 90-day finding on a petition to list the three ice seal species as threatened or endangered species. Federal Register 73(172):51615-51617.
- NMFS (National Marine Fisheries Service). 2008h. Final environmental impact statement to implement vessel operational measures to reduce ship strikes to North Atlantic right whales. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 1999. Cruise results, R/V *ABEL-J* cruise no. AJ 99-02, Gulf of Maine/Bay of Fundy harbor porpoise abundance survey. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2000a. Cruise results, R/V *Delaware II* cruise no. DE-00-07, right whale tagging survey. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2000b. FY 2000 right whale photogrammetry flight report. 5 August - 27 August 2000. Unpublished survey report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2001a. Cruise results, NOAA FRV *Albatross IV* cruise no. AL 01-08, northern right whale habitat survey. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2001b. Cruise results, NOAA FRV *Delaware II* cruise no. DE 01-08, northern right whale survey and tagging. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2001c. Cruise results, NOAA FRV *Delaware II* cruise no. DE 01-07, marine mammal survey calibration study. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2002a. Cruise report, R/V *Delaware II* cruise no. DE 02-07, large whale survey. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2002b. Cruise results, NOAA Fisheries Research Vessel *Albatross IV* cruise no. AL-02-05, northern right whale survey. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2002c. Aerial survey results, NOAA twin otter aircraft, circle-back method experimental abundance survey. Unpublished survey report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2004a. Cruise results, R/V *Endeavor* cruise no. EN 04-395: Mid-Atlantic marine mammal abundance survey. Unpublished survey report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2004b. Aerial survey results, NOAA twin otter aircraft, circle-back abundance survey. Unpublished survey report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2005. Beluga whale returns to Delaware River. Press Release. 29 April. Gloucester, Massachusetts: National Marine Fisheries Service, Northeast Fisheries Science Center.
- NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center). 2000. Cruise results: Windwards humpback survey: NOAA Ship *Gordon Gunter* Cruise GU-00-01 (06), 9 February - 3 April 2000. Unpublished cruise report. Pascagoula, Mississippi: National Marine Fisheries Service.
- NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center). 2004a. Cruise results, NOAA Ship *Gordon Gunter* cruise GU-04-03 (028), 22 June - 19 August: A survey for abundance and distribution of cetaceans in the U.S. mid-Atlantic with an emphasis on pilot whales. Unpublished cruise report. Pascagoula, Mississippi: National Marine Fisheries Service.

- NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center). 2004b. Mid-Atlantic Aerial *Tursiops* Survey (MATS). Unpublished aerial survey plan. Miami, Florida: National Marine Fisheries Service.
- NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center). 2005. Cruise results, NOAA Ship *Gordon Gunter* cruise GU-05-03, 14 June - 16 August, 2005: A survey of the U.S. mid-Atlantic to collect biopsy samples for analysis of population structure in bottlenose dolphins and pilot whales. Unpublished cruise report. Pascagoula, Mississippi: National Marine Fisheries Service.
- NOAA (National Oceanic and Atmospheric Administration) and USCG (U.S. Coast Guard). 2007. News from NOAA: NOAA & Coast Guard help shift Boston ship traffic lane to reduce risk of collisions with whales. Press Release. 28 June 2007. Gloucester, Massachusetts: National Oceanic and Atmospheric Administration.
- NOAA (National Oceanic and Atmospheric Administration). 2004. Analysis of dead dolphins in Florida. Marine Pollution Bulletin 48:816.
- NOAA (National Oceanic and Atmospheric Administration). 2006b. NOAA proposes regulations to reduce risk of whale collisions. Marine Pollution Bulletin 52:837.
- NOAA Fisheries Service. 2007. Important sighting of mother and calf right whales confirmed off northeast Florida: NOAA asks mariners to keep a lookout and report future sightings. Press Release. 19 July. St. Petersburg, Florida: Southeast Regional Office.
- Norris, K.S. and B. Møhl. 1983. Can odontocetes debilitate prey with sound? American Naturalist 122(1):85-104.
- Northridge, S., M. Tasker, A. Webb, K. Camphuysen, and M. Leopold. 1997. White-beaked *Lagenorhynchus albirostris* and Atlantic white-sided dolphin *L. acutus* distributions in northwest European and US North Atlantic waters. Reports of the International Whaling Commission 47:797-805.
- NOS (National Ocean Service). 2002. Environmental Sensitivity Index (ESI) atlas: Massachusetts. Volumes 1 and 2. [2 CD-ROMs]. Seattle, Washington: National Oceanic and Atmospheric Administration.
- Nowacek, D., A. McGregor, M. Johnson, and P. Tyack. 2007. Comparing and quantifying stereotyped dive profiles to explore right whale behavior. Pages 13-14 in Abstracts, 2007 North Atlantic Right Whale Consortium Annual Meeting. 7-8 November 2007. New Bedford, Massachusetts.
- Odell, D.K. and C. Chapman. 1976. A striped dolphin, *Stenella coeruleoalba*, from Florida. Cetology 20:1-6.
- Olson, P.A. and S.B. Reilly. 2002. Pilot whales *Globicephala melas* and *G. macrorhynchus*. Pages 898-903 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. Encyclopedia of marine mammals. San Diego, California: Academic Press.
- Orphanides, C.D. and D.L. Palka. 2008. Bycatch of harbor porpoises in three U.S. gillnet management areas: Southern mid-Atlantic, offshore, and western Gulf of Maine. Northeast Fisheries Science Center Reference Document 08-09. Prepared by National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, Massachusetts.
- Overholtz, W.J. and J.S. Link. 2007. Consumption impacts by marine mammals, fish, and seabirds on the Gulf of Maine-Georges Bank Atlantic herring (*Clupea harengus*) complex during the years 1977-2002. ICES Journal of Marine Science 64:83-96.
- Overstrom, N.A., S. Spotte, J.L. Dunn, A.D. Goren, and H.W. Kaufman. 1991. A resident belukha whale (*Delphinapterus leucas*) in Long Island Sound. Pages 143-149 in Reynolds, J.E. and D.K. Odell, eds. Marine mammal strandings in the United States: Proceedings of the second marine mammal stranding workshop, Miami, Florida, December 3-5, 1987. NOAA Technical Report NMFS 98.
- Pace III, R.M. and R.L. Merrick. 2008. Northwest Atlantic Ocean habitats important to the conservation of North Atlantic right whales (*Eubalaena glacialis*). Northeast Fisheries Science Center Reference Doc. 08-07. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Palka, D. 2005a. Density estimates of cetaceans in strata defined by the Navy. Unpublished report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Palka, D. 2005b. Shipboard surveys in the northwest Atlantic: Estimation of $g(0)$. European Cetacean Society Newsletter 44(Special Issue):32-37.
- Palka, D. 2007. Summary of harbor porpoise bycatch in waters off New Jersey. Woodshole, Massachusetts: National Marine Fisheries Service.

- Palka, D. and J. Pollard. 1999. Adaptive line transect survey for harbor porpoises. Pages 3-11 in Garner, G.W., S.C. Amstrup, J.L. Laake, B.F.J. Manly, L.L. McDonald, and D.G. Robertson, eds. Marine Mammal Survey and Assessment Methods. Rotterdam, Netherlands: A.A. Balkema.
- Palka, D., A. Read, and C. Potter. 1997. Summary of knowledge of white-sided dolphins (*Lagenorhynchus acutus*) from US and Canadian Atlantic waters. Reports of the International Whaling Commission 47:729-734.
- Palka, D.L. 2006. Summer abundance estimates of cetaceans in US North Atlantic Navy operating areas. Northeast Fisheries Science Center Reference Document 06-03. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Palka, D.L. and P.S. Hammond. 2001. Accounting for responsive movement in line transect estimates of abundance. Canadian Journal of Fisheries and Aquatic Sciences 58:777-787.
- Paradiso, J.L. 1958. The common blackfish in Virginia coastal waters. Journal of Mammalogy 39(3):440-441.
- Paradiso, J.L. and C.O. Handley, Jr. 1965. Checklist of mammals of Assateague Island. Chesapeake Science 6(3):167-171.
- Parks, S.E. and P.L. Tyack. 2005. Sound production by North Atlantic right whales (*Eubalaena glacialis*) in surface active groups. Journal of the Acoustical Society of America 117(5):3297-3306.
- Parks, S.E., C.W. Clark, and P.L. Tyack. 2007a. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. The Journal of the Acoustical Society of America 122(6):3725-3731.
- Parks, S.E., M.W. Brown, L.A. Conger, P.K. Hamilton, A.R. Knowlton, S.D. Kraus, C.K. Slay, and P.L. Tyack. 2007b. Occurrence, composition, and potential functions of North Atlantic right whale (*Eubalaena glacialis*) surface active groups. Marine Mammal Science 23(4):868-887.
- Parks, S.E., P.K. Hamilton, S.D. Kraus, and P.L. Tyack. 2005. The gunshot sound produced by male North Atlantic right whales (*Eubalaena glacialis*) and its potential function in reproductive advertisement. Marine Mammal Science 21(3):458-475.
- Patchett, K., C. Merigo, B. Rubinstein, and J. Rice. 1998. New England Aquarium 1997 accession report. Pages 25-27 in Barco, S.G., ed. Proceedings of the 1997 Northeast Region Stranding Conference. VMSM Scientific Report 1998-002. Virginia Beach, Virginia: Virginia Marine Science Museum.
- Patterson, B. 1964. Repetitive 20 cycle per second biological hydroacoustic signals at Bermuda. Pages 125-145 in Tavalga, W.N., ed. Marine Bio-Acoustics--Proceedings of a symposium held at Bimini, Bahamas, April 1963. Oxford, Great Britain: Pergamon Press.
- Patterson, B. 2007. Personal communication via letter between Mr. Brian Patterson, Seabirding Pelagic Trips, Hatteras, North Carolina and USWTR DOEIS/DEIS Project Manager, NAVFAC Atlantic, Washington, D.C. 19 October 2007.
- Payne, P.M. and D.W. Heinemann. 1993. The distribution of pilot whales (*Globicephala* spp.) in shelf/shelf-edge and slope waters of the Northeastern United States, 1978-1988. Reports of the International Whaling Commission (Special Issue 14):51-68.
- Payne, P.M., D.N. Wiley, S.B. Young, S. Pittman, P.J. Clapham, and J.W. Jossi. 1990b. Recent fluctuations in the abundance of baleen whales in the southern Gulf of Maine in relation to changes in selected prey. Fishery Bulletin 88:687-696.
- Payne, P.M., D.W. Heinemann, and L.A. Selzer. 1990a. A distributional assessment of cetaceans in shelf/shelf-edge and adjacent slope waters of the northeastern United States based on aerial and shipboard surveys, 1978-1988. Woods Hole, Massachusetts: National Marine Fisheries Service, Northeast Fisheries Science Center.
- Payne, P.M., J.R. Nicolas, L. O'Brien, and K.D. Powers. 1986. The distribution of the humpback whale, *Megaptera novaeangliae*, on Georges Bank and in the Gulf of Maine in relation to densities of the sand eel, *Ammodytes americanus*. Fishery Bulletin 84:271-277.
- Payne, R.S. and S. McVay. 1971. Songs of humpback whales. Science 173:585-597.
- Pendleton, D.E., A.J. Pershing, M.W. Brown, C.A. Mayo, R.D. Kenney, N.R. Record, and T.V.N. Cole. 2009. Regional-scale mean copepod concentration indicates relative abundance of North Atlantic right whales. Marine Ecology Progress Series 378:211-225.
- Perkins, J.S. and P.C. Beamish. 1979. Net entanglements of baleen whales in the inshore fishery of Newfoundland. Journal of the Fisheries Research Board of Canada 36:521-528.

- Pershing, A.J., N.R. Record, B.C. Monger, C.A. Mayo, M.W. Brown, T.V.N. Cole, R.D. Kenney, D.E. Pendleton, and L.A. Woodard. 2009. Model-based estimates of right whale habitat use in the Gulf of Maine. *Marine Ecology Progress Series* 378:245-257.
- Pfeiffer, C.J., ed. 2002. *Molecular and cell biology of marine mammals*. Malabar, Florida: Krieger Publishing Company.
- Potter, C.W. 1991. Marine mammals. Pages 603-616 in Terwilliger, K., ed. *Virginia's endangered species: Proceedings of a symposium*. Blacksburg, Virginia: The McDonald and Woodward Publishing Company.
- Prescott, J.H. and P.M. Fiorelli. 1980. Review of the harbor porpoise (*Phocoena phocoena*) in the U.S. Northwest Atlantic. Washington, D.C.: Marine Mammal Commission.
- Prescott, J.H., P. Fiorelli, G. Early, and P.J. Boyle. 1990. Marine mammal strandings: The New England Aquarium Stranding Network. Prepared for the U.S. Marine Mammal Commission, Washington, D.C.
- Prescott, R. 1982. Harbor seals: Mysterious lords of the winter beach. *Cape Cod Life* 3(4):24-29.
- Ramp, C., M. Berube, W. Hagen, and R. Sears. 2006. Survival of adult blue whales *Balaenoptera musculus* in the Gulf of St. Lawrence, Canada. *Marine Ecology Progress Series* 319:287-295.
- Rankin, J.J. 1956. The structure of the skull of the beaked whale, *Mesoplodon gervaisi* Deslongchamps. *Journal of Morphology* 99(2):329-357.
- Rathbun, G.B., R.K. Bonde, and D. Clay. 1982. The status of the West Indian manatee on the Atlantic coast north of Florida. Pages 152-165 in Odom, R.R. and J.W. Guthrie, eds. *Proceedings of the Nongame and Endangered Wildlife Symposium*. 13-14 August 1981. Athens, Georgia.
- Read, A., J. Durban, K. Urjan, D. Waples, and B. Foster. 2003. Abundance and stock structure of bottlenose dolphins along the Outer Banks, North Carolina. Draft Final Report. Project 02-EP-02. Raleigh, North Carolina: North Carolina Sea Grant Fishery Resource Grant Program.
- Read, A.J., D.M. Waples, K.W. Urjan, and D. Swanner. 2003. Fine-scale behaviour of bottlenose dolphins around gillnets. *Proceedings of the Royal Society B: Biological Sciences* 270:90-92.
- Read, A.J., J.E. Craddock, and D. Gannon. 1994. Life history of harbour porpoises and pilot whales taken in commercial fishing operations off the northeastern United States. Final report to the National Marine Fisheries Service. Woods Hole, Massachusetts: Woods Hole Oceanographic Institution.
- Reeves, R.R. 1990. An overview of the distribution, exploitation and conservation status of belugas, worldwide. Pages 47-58 in Prescott, J. and M. Gauquelin, eds. *For the future of the beluga: Proceedings of the International Forum for the Future of the Beluga*. Sillery, Quebec: University of Quebec Press.
- Reeves, R.R. and E. Mitchell. 1988. History of whaling in and near North Carolina. NOAA Technical Report NMFS 65:1-28.
- Reeves, R.R. and S.K. Katona. 1980. Extralimital records of white whales (*Delphinapterus leucas*) in eastern North American waters. *Canadian Field-Naturalist* 94(3):239-247.
- Reeves, R.R., B.S. Stewart, P.J. Clapham, and J.A. Powell. 2002a. National Audubon Society guide to marine mammals of the world. New York, New York: Alfred A. Knopf, Inc.
- Reeves, R.R., E. Josephson, and T.D. Smith. 2004a. Putative historical occurrence of North Atlantic right whales in mid-latitude offshore waters: 'Maury's smear' is likely apocryphal. *Marine Ecology Progress Series* 282:295-305.
- Reeves, R.R., J.M. Breiwick, and E.D. Mitchell. 1999. History of whaling and estimated kill of right whales, *Balaena glacialis*, in the northeastern United States, 1620-1924. *Marine Fisheries Review* 61(3):1-36.
- Reeves, R.R., T.D. Smith, and E.A. Josephson. 2007. Near-annihilation of a species: Right whaling in the North Atlantic. Pages 39-74 in Kraus, S.D. and R.M. Rolland, eds. *The urban whale: North Atlantic right whales at the crossroads*. Cambridge, Massachusetts: Harvard University Press.
- Reeves, R.R., T.D. Smith, E.A. Josephson, P.J. Clapham, and G. Woolmer. 2004b. Historical observations of humpback and blue whales in the North Atlantic Ocean: Clues to migratory routes and possibly additional feeding grounds. *Marine Mammal Science* 20(4):774-786.
- Reeves, R.R., T.D. Smith, R.L. Webb, J. Robbins, and P.J. Clapham. 2002b. Humpback and fin whaling in the Gulf of Maine from 1800 to 1918. *Marine Fisheries Review* 64(1):1-12.
- Reich, K.J. and G.A.J. Worthy. 2006. An isotopic assessment of the feeding habits of free-ranging manatees. *Marine Ecology Progress Series* 322:303-309.
- Reid, J. 2001. Manatee birth in the Bahamas. *SireNews* 36:16.

- Reid, J., A. Spellman, and S. Tyson. 1999. Another captive-released manatee rescued at sea. *Sirenews* 31:8.
- Remington, N., R.D. Stevens, R.S. Wells, A. Holn [sic], S. Dhungana, C.H. Taboy, A.L. Crumbliss, R. Henkens, and C. Bonaventura. 2007. Genetic diversity of coastal bottlenose dolphins revealed by structurally and functionally diverse hemoglobins. *Gene* 398:123–131.
- Reynolds III., J.E. 1981. Behavior patterns in the West Indian manatee with emphasis on feeding and diving. *Florida Scientist* 44:233-242.
- Ridoux, V., A.J. Hall, G. Steingrimsson, and G. Olafsson. 1998. An inadvertent homing experiment with a young ringed seal, *Phoca hispida*. *Marine Mammal Science* 14(4):883-888.
- Right whale aerial survey track. Accessed 3 May 2004. http://whale.wheelock.edu/whalenet-stuff/reportsRW_NE/rw_aerialsurvey98.html.
- Robbins, J. 2007. Structure and dynamics of the Gulf of Maine humpback whale population. Master's thesis, University of St. Andrews.
- Rogers, C.A., B.J. Brunnick, D.L. Herzing, and J.D. Baldwin. 2004. The social structure of bottlenose dolphins, *Tursiops truncatus*, in the Bahamas. *Marine Mammal Science* 20(4):688-708.
- Ronald, K. and B.L. Gots. 2003. Seals: Phocidae, Otariidae, and Odobenidae. Pages 789-854 in Feldhamer, G.A., B.C. Thompson, and J.A. Chapman, eds. *Wild mammals of North America: Biology, management, and conservation*, 2d ed. Baltimore, Maryland: Johns Hopkins University Press.
- Ronald, K. and J.L. Dougan. 1982. The ice lover: Biology of the harp seal (*Phoca groenlandica*). *Science* 215:928-933.
- Ronald, K. and P.J. Healey. 1981. Harp seal, *Phoca groenlandica* Erxleben, 1777. Pages 55-87 in Ridgway, S.H. and R.J. Harrison, eds. *Handbook of marine mammals*. Volume 2: Seals. London, England: Academic Press.
- Rosel, P., A. Hohn, L. Hansen, A. Sellas, and R. Wells. 2003. Genetic analysis reveals complicated population structure for coastal bottlenose dolphins in the western North Atlantic and Gulf of Mexico. Page 140 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Rosenbaum, H.C., M.G. Egan, P.J. Clapham, R.L. Brownell Jr., S. Malik, M.W. Brown, B.N. White, P. Walsh, and R. Desalle. 2000. Utility of North Atlantic right whale museum specimens for assessing changes in genetic diversity. *Conservation Biology* 14(6):1837-1842.
- Rough, V. 1995. Gray seals in Nantucket Sound, Massachusetts: Winter and spring, 1994. Prepared for the U.S. Marine Mammal Commission, Washington, D.C.
- Rowles, T.K., A.A. Hohn, R.S. Wells, L.J. Hansen, F. Townsend, H.L. Rhinehart, and J.T. Saliki. 2003. Evidence of susceptibility to morbillivirus in free ranging populations of bottlenose dolphins from the United States Atlantic and Gulf of Mexico coasts. Page 141 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Rubinstein, B.L. 1994. An apparent shift in distribution of ice seals, *Phoca groenlandica*, *Cystophora cristata*, and *Phoca hispida*, toward the east coast of the United States. Master's thesis, Boston University.
- Runge, M.C., C.A. Sanders-Reed, and C.J. Fonnesebeck. 2007. A core stochastic population projection model for Florida manatees (*Trichechus manatus latirostris*). U.S. Geological Survey Open-File Report 2007-1082. Laurel, Maryland: U.S. Geological Survey.
- Ryan, W.L. and T.D. Schofield. 1998. A preliminary analysis of habitat usage from a survey of migratory bottlenose dolphins (*Tursiops truncatus*) off Assateague and Wallops islands, VA. *Integrative and Comparative Biology* 38:49A.
- Sardi, K.A. and C. Merigo. 2006. *Erignathus barbatus* (bearded seal) vagrant in Massachusetts. *Northeastern Naturalist* 13(1):39-42.
- Sardi, K.A., M.T. Weinrich, and R.C. Connor. 2005. Social interactions of humpback whale (*Megaptera novaeangliae*) mother/calf pairs on a North Atlantic feeding ground. *Behaviour* 142:731-750.
- Sassu, R. and B. Cozzi. 2007. The external and middle ear of the striped dolphin *Stenella coerulealba* (Meyen 1833). *Anatomy, Histology, and Embryology* 36:197-201.
- Sayigh, L., K. Urian, A. Bocconcelli, G. Jones, D. Koster, K. Halbrook, and A. Read. 1997. Photo-identification of dolphins near Wilmington, NC. Abstracts, Fifth Annual Atlantic Coastal Dolphin Conference. 4-6 April 1997. Wilmington, North Carolina.

- Sayigh, L.S., H.C. Esch, R.S. Wells, and V.M. Janik. 2007. Facts about signature whistles of bottlenose dolphins, *Tursiops truncatus*. *Animal Behaviour* 74:1631-1642.
- Scheifele, P.M., S. Andrew, R.A. Cooper, M. Darre, F.E. Musiek, and L. Max. 2005. Indication of a Lombard vocal response in the St. Lawrence River beluga. *Journal of the Acoustical Society of America* 117(3, Part 1):1486-1492.
- Schevill, W.E. 1954. Sight records of the gray grampus, *Grampus griseus* (Cuvier). *Journal of Mammalogy* 35(1):123-124.
- Schick, R.S., J.S. Clark, B.R. Mate, M.F. Baumgartner, C.S. Slay, S.D. Kraus, P.N. Halpin, A.J. Read, D.L. Urban, F.E. Werner, and B.D. Best. 2007. Estimating movement forces in NW Atlantic right whales with hierarchical Bayes. Pages 16-17 in Abstracts, 2007 North Atlantic Right Whale Consortium Annual Meeting, 7-8 November 2007. New Bedford, Massachusetts.
- Schofield, D. and G. Page. 1998. A year in review for the marine animal rescue program of the National Aquarium in Baltimore. Pages 16-18 in Barco, S.G., ed. Proceedings of the 1997 Northeast Region Stranding Conference. VMSM Scientific Report 1998-002. Virginia Beach, Virginia: Virginia Marine Science Museum.
- Schofield, T.D., G. Early, F.W. Wenzel, K. Matassa, C. Perry, G. Beekman, B. Whitaker, E. Gebhard, W. Walton, and M. Swingle. 2008. Rehabilitation and homing behavior of a satellite-tracked harbor porpoise (*Phocoena phocoena*). *Aquatic Mammals* 34(1):1-8.
- Scott, G.P., D.M. Burn, and L.J. Hansen. 1988. The dolphin die-off: Long-term effects and recovery of the population. Pages 818-823 in Proceedings, Oceans '88 Conference. 31 October-2 November 1988. Baltimore, Maryland.
- Sears, R., F.W. Wenzel, and J.M. Williamson. 1987. The blue whale: A catalogue of individuals from the western North Atlantic (Gulf of St. Lawrence) [Le rorqual bleu: Catalogue des individus répertoriés dans l'Atlantique nord-ouest (Golfe du Saint-Laurent)]. Saint Lambert, Quebec: Report of the Mingan Island Cetacean Study.
- Seeley, R.H. and J.E. Bell. 1994. Adult harbor seal retrieves dead pup from bald eagles. *Maine Naturalist* 2(1):31-32.
- Seipt, I.E., P.J. Clapham, C.A. Mayo, and M.P. Hawvermale. 1990. Population characteristics of individually identified fin whales *Balaenoptera physalus* in Massachusetts Bay. *Fishery Bulletin* 88:271-278.
- Selzer, L.A., G. Early, P.M. Fiorelli, P.M. Payne, and R. Prescott. 1986. Stranded animals as indicators of prey utilization by harbor seals, *Phoca vitulina concolor*, in southern New England. *Fishery Bulletin* 84(1):217-220.
- Sergeant, D.E. 1962. The biology of the pilot or pothead whale *Globicephala melaena* (Traill) in Newfoundland waters. *Bulletin of the Fisheries Research Board of Canada* 132:1-84.
- Sergeant, D.E., D.J. St. Aubin, and J.R. Geraci. 1980. Life history and northwest Atlantic status of the Atlantic white-sided dolphin, *Lagenorhynchus acutus*. *Cetology* 37:1-12.
- Seton, R.E., J.M. Allen, and S.K. Todd. 2002. Curation of the North Atlantic humpback whale catalogue and associated databases. Progress report to Northeast Fisheries Science Center. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Shippee, S.F. and A.A. Hohn. 2003. Sleepless in New Jersey: Overnight behavioral observations of radio-tagged dolphins. Page 150 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Shoemaker, M. 2004. Estimating the lower temperature limit of bottlenose dolphins along the North Carolina coast. Master's thesis, Duke University.
- Silber, G.K., L.I. Ward, R. Clarke, K.L. Schumacher, and A.J. Smith. 2002. Ship traffic patterns in right whale critical habitat: Year one of the Mandatory Ship Reporting System. NOAA Technical Memorandum NMFS-OPR-20:1-10.
- Silva, M.A., R. Prieto, S. Magalhães, M.I. Seabra, R.S. Santos, and P.S. Hammond. 2008. Ranging patterns of bottlenose dolphins living in oceanic waters: Implications for population structure. *Marine Biology* 156:179-192.
- Singer, L.T. and L. Ludwig, eds. 2005. Proceedings from a workshop on right whale foraging in the nearshore waters of the northern Gulf of Maine. 15 April 2005. Saco, Maine.
- Slay, C., M. Zani, C. Emmons, E. LaBrecque, B. Pike, S. Kraus, and R. Kenney. 2002. Early Warning System 1994-2002: Aerial surveys to reduce ship/whale collisions in the North Atlantic right whale calving ground. Charleston, South Carolina: National Ocean Service.

- Slay, C.K., S.L. Swartz, A. Knowlton, S. Martin, J. Roman, and J. Martinez. 2002. VHF-radio tracking of a North Atlantic right whale (*Eubalaena glacialis*) female and calf in the calving ground: Preliminary results - January 1999. NOAA Technical Memorandum NMFS-SEFSC-476:1-27.
- Slocum, C., R. Schoelkopf, and N. Furina. 2003. Patterns of seasonal stranding in the true seal populations in the western mid-Atlantic region (USA): Abundance, diversity, location, seasonality, age and gender. Page 152 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Slocum, C.J., R. Schoelkopf, and S. Tulevech. 1995. Population changes in seals overwintering in New Jersey: A pilot study. Page 107 in Abstracts, Eleventh Biennial Conference on the Biology of Marine Mammals. 14-18 December. Orlando, Florida.
- Smultea, M.A., M. Hoist, W.R. Koski, and S. Stoltz. 2004. Marine mammal monitoring during Lamont-Doherty Earth Observatory's seismic program in the southeast Caribbean Sea and adjacent Atlantic Ocean, April-June 2004. LGL Report TA2822-26. Prepared for Lamont-Doherty Earth Observatory of Columbia University, Palisades, New York and National Marine Fisheries Service, Silver Spring, Maryland by LGL Ltd., King City, Ontario
- Sorensen, P.W., R.J. Medved, M.A.M. Hyman, and H.E. Winn. 1984. Distribution and abundance of cetaceans in the vicinity of human activities along the continental shelf of the northwestern Atlantic. *Marine Environmental Research* 12:69-81.
- Southall, B., J. Berkson, D. Bowen, R. Brake, J. Eckman, J. Field, R. Gisiner, S. Gregerson, W. Lang, J. Lewandoski, J. Wilson, and R. Winokur. 2009. Addressing the effects of human-generated sound on marine life: An integrated research plan for U.S. federal agencies. Washington, D.C.: Joint Subcommittee on Ocean Science and Technology, Interagency Task Force on Anthropogenic Sound and the Marine Environment.
- Spangler, D. and S. Sadove. 1995. The satellite tracking of a juvenile male hooded seal (*Cystophora cristata*). Page 38 in Kopelman, A.H. and S.S. Sadove, eds. Proceedings of the 1995 Northeast Regional Marine Mammal and Sea Turtle Stranding Network Conference. 28-30 April 1995. Riverhead, New York.
- Speakman, T., E. Zolman, J. Adams, R.H. Defran, D. Laska, L. Schwacke, J. Craigie, and P. Fair. 2006. Temporal and spatial aspects of bottlenose dolphin occurrence in coastal and estuarine waters near Charleston, South Carolina. NOAA Technical Memorandum NOS NCCOS 37. Charleston, South Carolina: NOAA/NOS/NCCOS Center for Coastal Environmental Health and Biomolecular Research.
- Spence, L. 1998. 1997 Delaware strandings. Pages 19-20 in Barco, S.G., ed. Proceedings of the 1997 Northeast Region Stranding Conference. VMSM Scientific Report 1998-002. Virginia Beach, Virginia: Virginia Marine Science Museum.
- St. Aubin, D.J. and J.R. Geraci. 1988. Capture and handling stress suppresses circulating levels of thyroxine (T4) and triiodothyronine (T3) in beluga whales *Delphinapterus leucas*. *Physiological Zoology* 61(2):170-175.
- Stacey, P.J. and R.W. Baird. 1993. Status of the short-finned pilot whale, *Globicephala macrorhynchus*, in Canada. *Canadian Field-Naturalist* 107(4):481-489.
- Stamper, M.A., B.R. Whitaker, and T.D. Schofield. 2006. Case study: Morbidity in a pygmy sperm whale *Kogia breviceps* due to ocean-borne plastic. *Marine Mammal Science* 22(3):719-722.
- Stanley, H.F., S. Casey, J.M. Carnahan, S. Goodman, J. Harwood, and R.K. Wayne. 1996. Worldwide patterns of mitochondrial DNA differentiation in the harbor seal (*Phoca vitulina*). *Molecular Biology and Evolution* 13(2):368-382.
- Steimle, F.W. and C. Zetlin. 2000. Reef habitats in the Middle Atlantic Bight: Abundance, distribution, associated biological communities, and fishery resource use. *Marine Fisheries Review* 62(2):24-42.
- Stenson, G.B., R.A. Myers, W.G. Warren, and I.-H. Ni. 1996. Pup production of hooded seals (*Cystophora cristata*) in the northwest Atlantic. *NAFO Scientific Council Studies* 26:105-114.
- Stevick, P.T. and T.W. Fernald. 1998. Increase in extralimital records of harp seals in Maine. *Northeastern Naturalist* 5(1):75-82.
- Stimpert, A.K., D.N. Wiley, W.W.L. Au, M.P. Johnson, and R. Arsenault. 2007. 'Megapclicks': Acoustic click trains and buzzes produced during night-time foraging of humpback whales (*Megaptera novaeangliae*). *Biology Letters* 3:467-470.

- Stimpert, A.K., T.V.N. Cole, R.M. Pace, III, and P.J. Clapham. 2003. Distributions of four baleen whale species in the northwest Atlantic Ocean based on large-scale aerial survey data. Page 157 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Stolen, M.K., W. Noke Durden, and D.K. Odell. 2007. Historical synthesis of bottlenose dolphin (*Tursiops truncatus*) stranding data in the Indian River Lagoon System, Florida, from 1977–2005. *Florida Scientist* 70(1):45–54.
- Sundaram, B., A.C. Poje, R.R. Veit, and H. Nganguia. 2006. Acoustical dead zones and the spatial aggregation of whale strandings. *Journal of Theoretical Biology* 238:764-770.
- Swingle, W.M., C.M. Trapani, S.G. Barco, and G.G. Lockhart. 2007. Marine mammal and sea turtle stranding response 2006 grant report. NOAA CZM Grant #NA05NOS4191180. VAQF Scientific Report 2007-01. Prepared for the Virginia Coastal Zone Management Program by Virginia Aquarium Foundation Stranding Response Program, Virginia Beach, Virginia.
- Swingle, W.M., S.G. Barco, and W.A. McLellan. 1995a. Characterizing a migratory population of coastal bottlenose dolphins (*Tursiops truncatus*) in Virginia. Abstracts, Third Annual Atlantic Coastal Dolphin Conference. 24-26 March 1995. Beaufort, North Carolina.
- Swingle, W.M., S.G. Barco, W.A. McLellan, and D.A. Pabst. 1995b. Virginia's shore-based bottlenose dolphin surveys. Page 112 in Abstracts, Eleventh Biennial Conference on the Biology of Marine Mammals. 14-18 December 1995. Orlando, Florida.
- Swingle, W.M., S.G. Barco, W.A. McLellan, and D.A. Pabst. 1995c. Strandings of bottlenose dolphins and harbor porpoises in Virginia (1990-1994). Pages 40-49 in Kopelman, A.H. and S.S. Sadove, eds. Proceedings of the 1995 Northeast Regional Marine Mammal and Sea Turtle Stranding Network Conference. 28-30 April 1995. Riverhead, New York.
- Tavolga, W.N., ed. 1964. Marine bio-acoustics: Proceedings of a symposium held at the Lerner Marine Laboratory, Bimini, Bahamas, 11-13 April 1963.
- Taylor, C.R., W.A. McLellan, A.H. Glass, M. Zani, and D.A. Pabst. 2007. Right whale sightings in the mid-Atlantic and southeast Atlantic Bight from 2001-2007. Pages 17-18 in Abstracts, 2007 North Atlantic Right Whale Consortium Annual Meeting. Pages 7-8 November 2007. New Bedford, Massachusetts.
- Taylor, D. 2002. A beluga sighting - Massachusetts Bay. Whalenet. Electronic data. Access date: 12 March 2004. <http://whale.wheelock.edu/whalenet-stuff/BelugaMay02/>.
- Terwilliger, K. 1991. Virginia's endangered species: Proceedings of a symposium. Blacksburg, Virginia: The McDonald and Woodward Publishing Company.
- Testaverde, S.A. and J.G. Mead. 1980. Southern distribution of the Atlantic whitesided dolphin, *Lagenorhynchus acutus*, in the western North Atlantic. *Fishery Bulletin* 78(1):167-169.
- Thomas, C.T. 1996. Aerial survey of coastal bottlenose dolphins, *Tursiops truncatus*, along the east coast of Florida. Master's thesis, University of North Carolina at Wilmington.
- Thomas, C.T., W.B. Brooks, and W.D. Webster. 1997. Aerial surveys of bottlenose dolphins (*Tursiops truncatus*) along the east coast of Florida. Page 9 in Abstracts, Fifth Annual Atlantic Coastal Dolphin Conference. 4-6 April 1997. Wilmington, North Carolina.
- Thomas, G. 1995. Sea secrets. *Sea Frontiers* 41(1):22-24.
- Tiemann, C.O., S.W. Martin, and J.R. Mobley, Jr. 2006. Aerial and acoustic marine mammal detection and localization on Navy ranges. *IEEE Journal of Oceanic Engineering* 31(1):107-119.
- Torres, L.G., A.J. Read, and P. Halpin. 2008. Fine-scale habitat modeling of a top marine predator: Do prey data improve predictive capacity? *Ecological Applications* 18(7):1702-1717.
- Torres, L.G., W.A. McLellan, E. Meagher, and D.A. Pabst. 2005. Seasonal distribution and relative abundance of bottlenose dolphins, *Tursiops truncatus*, along the US mid-Atlantic Coast. *Journal of Cetacean Research and Management* 7(2):153-161.
- Toth, J.L., A. Hohn, A. Gorgone, and K.W. Able. 2005. Sighting patterns of bottlenose dolphins (*Tursiops truncatus*) in their northern range along the US Atlantic Coast. Page 282 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Toth-Brown, J., A.A. Hohn, and K.W. Able. In review b. Occurrence of two bottlenose dolphin (*Tursiops truncatus*) population units in southern New Jersey, U.S.A.

- Tougaard, J. and J. Teilmann. 2007. Rodsand 2 offshore wind farm. Environmental impact assessment: Marine mammals. NERI Report. Roskilde, Denmark: Ministry of Environment and Energy, National Environmental Research Institute.
- Tougaard, J., O.D. Henriksen, and L.A. Miller. 2009. Underwater noise from three types of offshore wind turbines: Estimation of impact zones for harbor porpoises and harbor seals. *Journal of the Acoustical Society of America* 125(6): 3766-3773.
- True, F.W. 1909. Occurrence of the killer whale (*Orcinus orca*) on the New Jersey coast. *Science* 29(750):790-791.
- Trzcinski, M.K., R. Mohn, and W.D. Bowen. 2005. Estimation of grey seal population size and trends at Sable Island. Canadian Science Advisory Secretariat Research Document 2005/067. Ottawa, Ontario: Department of Fisheries and Oceans.
- Tyack, P. and H. Whitehead. 1983. Male competition in large groups of wintering humpback whales. *Behaviour* 83:132-153.
- Urazghildiiev, I.R. and C.W. Clark. 2006. Acoustic detection of North Atlantic right whale contact calls using the generalized likelihood ratio test. *Journal of the Acoustical Society of America* 120(4):1956-1963.
- Urian, K., A. Hohn, L. Hansen, S. Baker, S. Barco, N. Bowles, M. Caldwell, C. Gubbins, F. Lapolla, R. Mallon-Day, K. Mazzarella, T. Murphy, R. Petricig, A. Read, K. Rittmaster, G. Rountree, W. Ryan, L. Sayigh, D. Scholfield, J. Tapia, V. Thayer, R. Young, and E. Zolman. 1999. The mid-Atlantic bottlenose dolphin photo-id catalog: A cooperative approach to examine stock structure. Page 191 in Abstracts, Thirteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 1999. Wailea, Hawaii.
- Urian, K.W. and R.S. Wells. 1996. Bottlenose Dolphin Photo-Identification Workshop: March 21-22, 1996, Charleston, South Carolina. NOAA Technical Memorandum NMFS-SEFSC-393:1-91.
- USFWS (U.S. Fish and Wildlife Service). 2004. Monomoy National Wildlife Refuge: Eastern Massachusetts National Wildlife Refuge Complex Fact Sheet.:1 pp. Clatham, Massachusetts: Monomoy National Wildlife Refuge.
- USFWS (U.S. Fish and Wildlife Service). 2007. West Indian manatee. 5-year review: Summary and evaluation. Jacksonville, Florida and Boqueron, Puerto Rico: U.S. Fish and Wildlife Service, Southeast Region.
- USFWS (U.S. Fish and Wildlife Service). Undated. FWS critical habitat for threatened and endangered species. Electronic data. Download date: various. <http://criticalhabitat.fws.gov/>.
- USGS (U.S. Geological Survey). 2004. Manatee population rising in some regions, likely stalled or declining in others. Press Release. 6 August. U.S. Geological Survey. Reston, Virginia
- USMC (U.S. Marine Corps). 2007. Compliance for the Marine Mammal Protection Act at Bombing Targets BT-9 and BT-11 Marine Corps Air Station Cherry Point. Final Report. Cherry Point, North Carolina: Marine Corps Air Station Cherry Point, U.S. Marine Corps, Marine Corps Air Station Cherry Point, Environmental Affairs Department.
- Wade, P., S.B. Reilly, and T. Gerrodette. 2003. Dynamics of the eastern spinner dolphin and the northeastern offshore spotted dolphin populations: Are they recovering? Page 171 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Walker, J.L., C.W. Potter, and S.A. Macko. 1999. The diets of modern and historic bottlenose dolphin populations reflected through stable isotopes. *Marine Mammal Science* 15(2):335-350.
- Walker, M.M., J.L. Kirschvink, G. Ahmen, and A.E. Diction. 1992. Evidence that fin whales respond to the geomagnetic field during migration. *Journal of Experimental Biology* 171:67-78.
- Walker, R.J., E.O. Keith, A.E. Yankovsky, and D.K. Odell. 2005. Environmental correlates of cetacean mass stranding sites in Florida. *Marine Mammal Science* 21(2):327-335.
- Wandering hooded seals puzzle and challenge NOAA's stranding network. Accessed 22 June 2009. <http://www.noaanews.noaa.gov/stories2006/s2705.htm>.
- Ward, J.A. 1999. Right whale (*Balaena glacialis*) South Atlantic Bight habitat characterization and prediction using remotely sensed oceanographic data. Master's thesis, University of Rhode Island.
- Ward, J.A. 2002. Sperm whale bioacoustic characterization in the Tongue of the Ocean, Bahamas. NUWC-NTP Technical Report 11,398. Newport, Rhode Island: Naval Undersea Warfare Center Division.

- Ward, J.A., D. Moretti, and N.A. DiMarzio. 2001. Long-term sperm whale bioacoustic characterization at the Tongue of the Ocean, Bahamas. Page 229 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November - 3 December 2001. Vancouver, British Columbia.
- Ward, J.A., G.H. Mitchell, A.M. Farak, and E.P. Keane. 2005. Beaked whale habitat characterization and prediction. NUWC-NPT Technical Report 11,548. Newport, Rhode Island: Naval Undersea Warfare Center Division.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam, and M. Sano. 1992. Cetaceans associated with Gulf Stream features off the northeastern USA Shelf. Copenhagen, Denmark: International Council for the Exploration of the Sea.
- Waring, G.T., E. Josephson, C.P. Fairfield, and K. Maze-Foley, eds. 2007. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments -- 2006. NOAA Technical Memorandum NMFS-NE-201:1-378.
- Waring, G.T., E. Josephson, C.P. Fairfield-Walsh, and K. Maze-Foley, eds. 2008. Final U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2007. NOAA Technical Memorandum NMFS-NE-205:1-415.
- Waring, G.T., E. Josephson, C.P. Fairfield-Walsh, and K. Maze-Foley eds. 2009. US Atlantic and Gulf of Mexico marine mammal stock assessments 2008. NOAA Technical Memorandum NMFS-NE-210: 1-429.
- Waring, G.T., J.R. Gilbert, J. Loftin, and N. Cabana. 2006a. Short-term movements of radio-tagged harbor seals in New England. *Northeastern Naturalist* 13(1):1-14.
- Waring, G.T., P. Gerrior, P.M. Payne, B.L. Parry, and J.R. Nicolas. 1990. Incidental take of marine mammals in foreign fishery activities off the northeast United States, 1977-88. *Fishery Bulletin* 88(2):347-360.
- Waring, G.T., R.M. Pace, J.M. Quintal, C.P. Fairfield, and K. Maze-Foley, eds. 2004. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments -- 2003. NOAA Technical Memorandum NMFS-NE-182:1-287.
- Waters, J.H. 1967. Gray seal remains from southern New England archeological sites. *Journal of Mammalogy* 48(1):139-141.
- Watkins, W.A. 1986. Whale reactions to human activities in Cape Cod waters. *Marine Mammal Science* 2(4):251-262.
- Watkins, W.A. and W.E. Schevill. 1982. Observations of right whales, *Eubalaena glacialis*, in Cape Cod waters. *Fishery Bulletin* 80(4):875-880.
- Watts, P. and D.E. Gaskin. 1985. Habitat index analysis of the harbor porpoise (*Phocoena phocoena*) in the southern coastal Bay of Fundy, Canada. *Journal of Mammalogy* 66:733-744.
- Watwood, S.L., E.C.G. Owen, P.L. Tyack, and R.S. Wells. 2005. Signature whistle use by temporarily restrained and free-swimming bottlenose dolphins, *Tursiops truncatus*. *Animal Behaviour* 69:1373-1386.
- Watwood, S.L., P.J.O. Miller, M. Johnson, P.T. Madsen, and P.L. Tyack. 2006. Deep-diving foraging behaviour of sperm whales (*Physeter macrocephalus*). *Journal of Animal Ecology* 75:814-825.
- Watwood, S.L., P.L. Tyack, and R.S. Wells. 2004. Whistle sharing in paired male bottlenose dolphins, *Tursiops truncatus*. *Behavioral Ecology and Sociobiology* 55:531-543.
- Webster, W.D., J.F. Parnell, and W.C. Biggs, Jr. 1985. *Mammals of the Carolinas, Virginia, and Maryland*. Chapel Hill, North Carolina: University of North Carolina Press.
- Weinrich, M. 1995. Humpback whale competitive groups observed on a high-latitude feeding ground. *Marine Mammal Science* 11(2):251-254.
- Weinrich, M. 1998. Early experience in habitat choice by humpback whales (*Megaptera novaeangliae*). *Journal of Mammalogy* 79(1):163-170.
- Weinrich, M.T., C.R. Belt, M.R. Schilling, and M. Marcy. 1986. Behavior of sei whales in the southern Gulf of Maine, summer 1986. *Whalewatcher (Journal of the American Cetacean Society)* 20(4):4-7.
- Weinrich, M.T., R.D. Kenney, and P.K. Hamilton. 2000. Right whales (*Eubalaena glacialis*) on Jeffreys Ledge: A habitat of unrecognized importance? *Marine Mammal Science* 16(2):326-337.
- Weiß, B.M., F. Ladich, P. Spong, and H. Symonds. 2006. Vocal behavior of resident killer whale matriline with newborn calves: The role of family signatures. *Journal of the Acoustical Society of America* 119(1):627-635.

- Wells, R.S., C.A. Manire, L. Byrd, D.R. Smith, J.G. Gannon, D. Fauquier, and K.D. Mullin. 2009. Movements and dive patterns of a rehabilitated Risso's dolphin, *Grampus griseus*, in the Gulf of Mexico and Atlantic Ocean. *Marine Mammal Science* 25(2):420-429.
- Wells, R.S., G.A. Early, J.G. Gannon, R.G. Lingenfelter, and P. Sweeney. 2008. Tagging and tracking of rough-toothed dolphins (*Steno bredanensis*) from the March 2005 mass stranding in the Florida Keys. NOAA Technical Memorandum NMFS-SEFSC-574. Miami, Florida: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southeast Fisheries Science Center.
- Wells, R.S., H.L. Rhinehart, P. Cunningham, J. Whaley, M. Baran, C. Koberna, and D.P. Costa. 1999. Long distance offshore movements of bottlenose dolphins. *Marine Mammal Science* 15(4):1098-1114.
- Wenzel, F. 1999. Strandings of harbor porpoise (*Phocoena phocoena*) in Massachusetts waters: 1978-1998. Page 199 in Abstracts, Thirteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 1999. Wailea, Hawaii.
- Wenzel, F. and G. Early. 2001. Strandings of harbor porpoise (*Phocoena phocoena*) in Massachusetts waters: 1976-2000. Page 231 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Wenzel, F.W., J.R. Nicolas, A. Abend, and B. Hayward. 2009. A bibliography of the long-finned pilot whale, *Globicephala melas*, and the short-finned pilot whale, *Globicephala macrorhynchus*, in the North Atlantic Ocean. Northeast Fisheries Science Center Reference Document 09-06. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Westgate, A.J. 2005. Population structure and life history of short-beaked common dolphins (*Delphinus delphis*) in the North Atlantic. Ph.D. diss., Duke University.
- Westgate, A.J. 2007. Geographic variation in cranial morphology of short-beaked common dolphins (*Delphinus delphis*) from the North Atlantic. *Journal of Mammalogy* 88(3):678-688.
- Westgate, A.J. and A.J. Read. 2007. Reproduction in short-beaked common dolphins (*Delphinus delphis*) from the western North Atlantic. *Marine Biology* 150:1011-1024.
- WhaleNet. 2003. Sighting data: Gray seals "Tom" and "Nikkie". Electronic data. Download date: April 2007. <http://whale.wheelock.edu/whalenet-stuff/StopUNE03/reportsUNE.html>.
- WhaleNet. 2004. Sighting data: "Gus". Electronic data. Download date: 10 October 2006. http://whale.wheelock.edu/whalenet-stuff/StopUNE04Hp/data_Gus.html.
- WhaleNet. 2005. Sighting data: "Rocky". Electronic data. Download date: 11 October 2006. <http://whale.wheelock.edu/whalenet-stuff/Stop47826/data47826.html>.
- WhaleNet. 2007a. Sighting data: "Jaws" & "Chewbacca". Electronic data. Download date: 20 June 2007. <http://whale.wheelock.edu/whalenet-stuff/Stop73227/>.
- WhaleNet. 2007b. Sighting data: "Assateague". Electronic data. Download date: 18 July 2007. <http://whale.wheelock.edu/whalenet-stuff/StopNAq/ReportsAssateague.html>.
- Whitehead, H., B. McGill, and B. Worm. 2008. Diversity of deep-water cetaceans in relation to temperature: Implications for ocean warming. *Ecology Letters* 11:1198-1207.
- Wiley, D.N., G. Early, C.A. Mayo, and M.J. Moore. 2001. Rescue and release of mass stranded cetaceans from beaches on Cape Cod, Massachusetts, USA; 1990-1999: A review of some response actions. *Aquatic Mammals* 27(2):162-171.
- Wiley, D.N., J.C. Moller, and K.A. Zilinskas. 2003. The distribution and density of commercial fisheries and baleen whales within the Stellwagen Bank National Marine Sanctuary: July 2001-July 2002. *Marine Technology Society Journal* 37(1):35-53.
- Wilson, C.E., W.F. Perrin, J.W. Gilpatrick, Jr., and S. Leatherwood. 1987. Summary of worldwide locality records of the striped dolphin, *Stenella coeruleoalba*. NOAA Technical Memorandum NMFS-SWFC-90:1-65.
- Wilson, S.C. 1978. Social organization and behavior of harbor seals, *Phoca vitulina concolor*, in Maine. Contract MM6ACO13. Prepared for the U.S. Marine Mammal Commission, Washington, D.C.
- Wimmer, T. and H. Whitehead. 2004. Movements and distribution of northern bottlenose whales, *Hyperoodon ampullatus*, on the Scotian Slope and in adjacent waters. *Canadian Journal of Zoology* 82:1782-1794.
- Winn, H.E. and N.E. Reichley. 1985. Humpback whale *Megaptera novaeangliae* (Borowski, 1781). Pages 241-274 in Ridgway, S.H. and R. Harrison, eds. *Handbook of marine mammals*. Volume 3: The sirenians and baleen whales. San Diego, California: Academic Press.

- Wishner, K., E. Durbin, A. Durbin, M. Macaulay, H. Winn, and R. Kenney. 1988. Copepod patches and right whales in the Great South Channel off New England. *Bulletin of Marine Science* 43(3):825-844.
- Wolf, S., B. Cummings, and K. Siegel. 2008. Before the secretary of commerce: Petition to list three seal species under the Endangered Species Act: Ringed seal (*Pusa hispida*), bearded seal (*Erignathus barbatus*), and spotted seal (*Phoca largha*). San Francisco, California: Center for Biological Diversity.
- Wood, P. 2006. Dead whale hitchhikes up bay after hit by ship. *The Capital* (19 April):A1.
- Wood, S., A. Ferland, G.T. Waring, L. Sette, and S. Shaw. 2001. Harbor seal (*Phoca vitulina*) food habits along the New England coast. Pages 236-237 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Wood, S., V. Rough, J. Gilbert, G. Waring, and S. Brault. 2003. The current status of gray seals (*Halichoerus grypus*) in the United States. Page 180 in Abstracts, Fifteenth Biennial Conference on the Biology of Marine Mammals. 14-19 December 2003. Greensboro, North Carolina.
- Wright, A.J., N.A. Soto, A.L. Baldwin, M. Bateson, C.M. Beale, C. Clark, T. Deak, E.F. Edwards, A. Fernandez, A. Godinho, L. Hatch, A. Kakuschke, D. Lusseau, D. Martineau, L.M. Romero, L.S. Weilgart, B. Wintle, G. Notarbartolo-di-Sciara, and V. Martin. 2007. Do marine mammals experience stress related to anthropogenic noise? *International Journal of Comparative Psychology* 20:274-316.
- Wynne, K. and M. Schwartz. 1999. Guide to marine mammals & turtles of the U.S. Atlantic and Gulf of Mexico. Narragansett, Rhode Island: Rhode Island Sea Grant.
- Yeung, C., S.P. Epperly, and C.A. Brown. 2000. Preliminary revised estimates of marine mammal and marine turtle bycatch by the U.S. Atlantic pelagic longline fleet, 1992-1999. PRD Contribution Number 99/00-13. Miami, Florida: National Marine Fisheries Service.
- Zaretsky, S.C., A. Martinez, L.P. Garrison, and E.O. Keith. 2005. Differences in acoustic signals from marine mammals in the western North Atlantic and northern Gulf of Mexico. Page 314 in Abstracts, Sixteenth Biennial Conference on the Biology of Marine Mammals. 12-16 December 2005. San Diego, California.
- Zollet, E.A. and A.J. Read. 2006. Depredation of catch by bottlenose dolphins (*Tursiops truncatus*) in the Florida king mackerel (*Scomberomorus cavalla*) troll fishery. *Fishery Bulletin* 104:343-349.

Appendix D-2

Sea Turtle Literature

- Aero-Marine Surveys Inc. 1984. Final report - Southeast Turtle Survey (SETS): Pelagic aerial surveys V through VII including time of day / sea state special experiment. Inclusive dates of survey report: April 1983 - March 1984. Prepared for the Southeast Fisheries Science Center, Miami, Florida by Aero-Marine Surveys Inc., Groton, Connecticut.
- Allman, P.E. 2000. The phenomenon of cold-stunned sea turtles along the northeast Atlantic coast. Pages 265-266 in Abreu-Grobois, F.A., R. Briseño-Dueñas, R. Márquez-Millán, and L. Sarti-Martínez, eds. Proceedings of the Eighteenth International Sea Turtle Symposium. NOAA Technical Memorandum NMFS-SEFSC-436.
- Andre, J.B. and L. West. 1981. Nesting and management of the Atlantic loggerhead, *Caretta caretta* (Linnaeus) (Testudines: Cheloniidae) on Cape Island, South Carolina, in 1979. *Brimleyana* 6:73-82.
- Avens, L. and K.J. Lohmann. 2004. Navigation and seasonal migratory orientation in juvenile sea turtles. *Journal of Experimental Biology* 207:1771-1778.
- Babcock, H.L. 1930. *Caretta kempii* from Massachusetts. *Copeia* 1930(1):21.
- Babcock, H.L. 1945. Further records of the leatherback turtle from New England waters. *Copeia* 1945(1):46.
- Barbour, T. 1942. New records for ridleys. *Copeia* 1942(4):257-258.
- Barnard, D.E., J.A. Keinath, and J.A. Musick. 1989. Distribution of ridley, green, and leatherback turtles in Chesapeake Bay and adjacent waters. Pages 201-203 in Eckert, S.A., K.L. Eckert, and T.H. Richardson, eds. Proceedings of the Ninth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum NMFS-SEFC-232.
- BBNWR (Back Bay National Wildlife Refuge). 1993. Sea turtle nesting summary: 1970-1993. Virginia Beach, Virginia: Back Bay National Wildlife Refuge.
- Bellmund, S.A. 1986. The role of habitat partitioning in Chesapeake Bay by the loggerhead (*Caretta caretta*) and Kemp's ridley (*Lepidochelys kempii*) sea turtles. *Virginia Journal of Science* 37(2):60.
- Bellmund, S.A. 1988. Assessing environmental stress on the loggerhead sea turtle (*Caretta caretta*) in Virginia waters. Master's thesis, College of William and Mary in Virginia.
- Berry, K.A., M.E. Peixoto, and S.S. Sadove. 2000. Occurrence, distribution and abundance of green turtles, *Chelonia mydas*, in Long Island, New York: 1986-1987. Page 149 in Abreu-Grobois, F.A., R. Briseño-Dueñas, R. Márquez-Millán, and L. Sarti-Martínez, eds. Proceedings of the Eighteenth International Sea Turtle Symposium. NOAA Technical Memorandum NMFS-SEFSC-436.
- Bjorndal, K.A. 1985. Nutritional ecology of sea turtles. *Copeia* 1985(3):736-751.
- Bowen, B.W., A.L. Bass, L. Soares, and J. Toonen. 2005. Conservation implications of complex population structure: Lessons from the loggerhead turtle (*Caretta caretta*). *Molecular Ecology* 14:2389-2402.
- Bowen, B.W., J.C. Avise, J.I. Richardson, A.B. Meylan, D. Margaritoulis, and S.R. Hopkins-Murphy. 1993. Population structure of loggerhead turtles (*Caretta caretta*) in the northwestern Atlantic Ocean and Mediterranean Sea. *Conservation Biology* 7(4):834-844.
- Brandner, R.L. 1983. A sea turtle nesting at Island Beach State Park, Ocean County, New Jersey. *Herpetological Review* 14(4):110.
- Burke, V.J., E.A. Standora, and S.J. Morreale. 1993. Diet of juvenile Kemp's ridley and loggerhead sea turtles from Long Island, New York. *Copeia* 1993(4):1176-1180.
- Burke, V.J., S.J. Morreale, P. Logan, and E.A. Standora. 1992. Diet of green turtles (*Chelonia mydas*) in the waters of Long Island, N.Y. Pages 140-142 in Salmon, M. and J. Wyneken, eds. Proceedings of the Eleventh Annual Workshop on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-302.
- Butler, R.W., W.A. Nelson, and T.A. Henwood. 1987. A trawl survey method for estimating loggerhead turtle, *Caretta caretta*, abundance in five eastern Florida channels and inlets. *Fishery Bulletin* 85(3):447-453.
- Byles, R. 1986. Comparison of the life histories of immature loggerhead and ridley sea turtles in the Chesapeake Bay, Virginia. *Virginia Journal of Science* 37(2):60.

- Byles, R.A. 1988. Behavior and ecology of sea turtles from Chesapeake Bay, Virginia. Ph.D. diss., College of William and Mary in Virginia.
- Cape Wind Associates LLC. 2007. Cape Wind energy project: Final environmental impact report/development of regional impact. Prepared for Cape Wind Associates, LLC., Boston, Massachusetts by ESS Group, Inc., Wellesley, Massachusetts.
- Carr, A. 1986. Rips, FADS, and little loggerheads. *BioScience* 36(2):92-100.
- Chan, V.A. 2004. Spatial and temporal trends in sea turtle strandings in North Carolina, 1980-2003. Master's thesis, Nicholas School of the Environment of Duke University.
- Chester, A.J., J. Braun, F.A. Cross, S.P. Epperly, J.V. Merriner, and P.A. Tester. 1994. AVHRR imagery and the near real-time conservation of endangered sea turtles in the western North Atlantic. Pages 184-189 in Proceedings of the WMO/IOC Technical Conference on Space-Based Ocean Observations. WMO/TD 649.
- Coles, W.C. 1999. Aspects of the biology of sea turtles in the mid-Atlantic region. Ph.D. diss., College of William and Mary in Virginia.
- Coston-Clements, L. and D.E. Hoss. 1983. Synopsis of data on the impact of habitat alteration on sea turtles around the southeastern United States. NOAA Technical Memorandum NMFS-SEFC-117. Beaufort, North Carolina: Southeast Fisheries Science Center.
- Coyne, M.S., M.E. Monaco, and A.M. Landry, Jr. 1998. Kemp's ridley habitat suitability index model. Slide Presentation, Eighteenth International Sea Turtle Symposium. 3-7 March 1998. Mazatlán, Sinaloa.
- Cross, C.L., J.B. Gallegos, and F.G. James. 2001. Loggerhead sea turtle late nesting ecology in Virginia Beach, Virginia. *Banisteria* 17:52-55.
- Danton, C. and R. Prescott. 1988. Kemp's ridley in Cape Cod Bay, Massachusetts - 1987 field research. Pages 17-18 in Schroeder, B.A., ed. Proceedings of the Eighth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum NMFS-SEFC-214.
- DeAlteris Associates Inc. 2006. Sea turtle-pot fishery interaction survey: Chesapeake Bay and coastal waters of Virginia. Prepared for the National Marine Fisheries Service, Woods Hole, Massachusetts by DeAlteris Associates Inc., Jamestown, Rhode Island.
- DeGroot, K.A. and J.H. Shaw. 1993. Nesting activities by the loggerhead (*Caretta caretta*) at Back Bay National Wildlife Refuge, Virginia. *Proceedings of the Oklahoma Academy of Sciences* 73:15-17.
- Desjardin, N.A. 2005. Spatial, temporal, and dietary overlap of leatherback sea turtles (*Dermochelys coriacea*) and ocean sunfishes (Family Molidae). Master's thesis, Florida Atlantic University.
- Dickerson, D.D. and D.A. Nelson. 1995. Assessment of sea turtle abundance in six South Atlantic U.S. channels. Miscellaneous Paper EL-95-5. Prepared for U.S. Army Engineering Division, South Atlantic and U.S. Naval Submarine Base, Kings Bay.
- Dodge, E.S. 1944. Status of the ridley turtle in Massachusetts waters. *Copeia* 1944(2):120-121.
- DoN (Department Of Navy). 2002. Marine mammal and sea turtle mitigation and take report for the shock trial of *USS Winston S. Churchill* (DDG81). United States Department of the Navy.
- DoN (Department of Navy). 2007. Overseas environmental assessment surface routine training exercises in East and Gulf Coast Operation Areas and seaward. Prepared by Naval Facilities Engineering Command, Atlantic Headquarters, Norfolk, Virginia.
- DoN (Department of the Navy). 1989. Supplemental draft environmental impact statement for the proposed operation of the Navy electromagnetic pulse radiation environment simulator for ships (*Empress II*) in the Chesapeake Bay and Atlantic Ocean. Norfolk, Virginia: Naval Facilities Engineering Command, Atlantic Division.
- DoN (Department of the Navy). 1995. Environmental documentation for candidate site analysis for SEAWOLF shock test program, Mayport, Florida and Norfolk, Virginia.
- DoN (Department of the Navy). 1997. Final environmental review: Adoption of a range management plan for the Atlantic Undersea Test and Evaluation Center (AUTEC), Andros Island, Bahamas.
- DoN (Department of the Navy). 2002. Biological assessment for explosive ordnance disposal (EOD) mine warfare exercises in the East coast operating areas: Endangered Species Act section 7 compliance.
- DoN (Department of the Navy). 2003. Biological assessment for Virtual At-Sea Training Deployable Prototype/Integrated Maritime Portable Acoustic Scoring & Simulator (VAST-DP/IMPASS) System. Prepared by Commander, U.S. Atlantic Fleet, Norfolk, Virginia.

- DoN (Department of the Navy). 2005. Draft overseas environmental impact statement/environmental impact statement: Undersea warfare training range. Prepared for the Naval Facilities Engineering Command, Atlantic, Norfolk, Virginia by Earth Tech, Inc., New York, New York.
- DoN (Department of the Navy). 2006. Final biological assessment for *USS Truman* CSG COMPTUEX/JTFEX. Prepared for National Marine Fisheries Service, Office of Protected Resources, Silver Spring, Maryland by Commander, U.S. Fleet Forces Command, Norfolk, Virginia.
- DoN (Department of the Navy). 2006a. Final comprehensive overseas environmental assessment for major Atlantic Fleet training exercises. Prepared for United States Fleet Forces Command, Norfolk, Virginia by Naval Facilities Engineering Command, Atlantic, Norfolk, Virginia.
- DoN (Department of the Navy). 2006b. Final environmental assessment, operations at the Bloodsworth Island Range. Prepared for Department of the Navy, Naval Air Systems Command, Patuxent River, Maryland.
- DoN (Department of the Navy). 2007a. Shock trial of the MESA VERDE. Draft Environmental Impact Statement (EIS)/Overseas Environmental Impact Statement (OEIS). Norfolk, Virginia: Department of the Navy.
- DoN (Department of the Navy). 2007b. Marine resources assessment for the Southeastern Florida and the AUTECH-Andros operating area. Norfolk, Virginia: Atlantic Division, Naval Facilities Engineering Command.
- DoN (Department of the Navy). 2007c. Navy OPAREA density estimates (NODE) for the Southeast OPAREAs: VACAPES, CHPT, JAX/CHASN, and Southeastern Florida & AUTECH-Andros. Final report. Contract number N62470-02-D-9997, CTO 0045. Norfolk, Virginia: Naval Facilities Engineering Command, Atlantic. Prepared by Geo-Marine, Inc., Hampton, Virginia.
- Dwyer, K.L., C.E. Ryder, and R. Prescott. 2003. Anthropogenic mortality of leatherback turtles in Massachusetts waters. Page 260 in Seminoff, J.A., ed. Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503.
- Eckert, S., D.A. Bagley, and L.M. Ehrhart. 2005. Following China Girl, satellite tracking a leatherback sea turtle from the Archie Carr National Wildlife Refuge. Page 160 in Coyne, M.S. and R.D. Clark, eds. Proceedings of the 21st Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-528.
- Eckert, S.A., D. Bagley, S. Kubis, L. Ehrhart, C. Johnson, K. Stewart, and D. DeFreese. 2006. Interesting and postnesting movements and foraging habitats of leatherback sea turtles (*Dermochelys coriacea*) nesting in Florida. *Chelonian Conservation and Biology* 5(2):239-248.
- Eggers, J.M., M.W. Haberland, and J.C. Griffin. 1992. Growth of juvenile loggerhead sea turtles near PSE&G's Salem Generating Station, Delaware Bay, New Jersey. *Marine Turtle Newsletter* 59:5-7.
- Epperly, S.P., M.L. Snover, J. Braun-McNeill, W.N. Witzell, C.A. Brown, L.A. Csuzdi, W.G. Teas, L.B. Crowder, and R.A. Myers. 2001. Stock assessment of loggerhead sea turtles of the western North Atlantic. Pages 3-66 in NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center), ed. Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-455.
- Ernst, C.H., J.E. Lovich, and R.W. Barbour. 1994. *Turtles of the United States and Canada*. Washington, D.C.: Smithsonian Institution Press.
- Evans, D., C. Ordoñez, S. Troëng, and C. Drews. 2007. Satellite tracking of leatherback turtles from Caribbean Central America reveals unexpected foraging grounds. Pages 70-71 in Abstracts, Twenty-seventh Annual Symposium on Sea Turtle Biology and Conservation. 22-28 February 2007. Myrtle Beach, South Carolina.
- Evans, J., A. Norden, F. Cresswell, K. Insley, and S. Knowles. 1997. Sea turtle strandings in Maryland, 1991 through 1995. *Maryland Naturalist* 41(1-2):23-34.
- Fairfield-Walsh, C.F. and L.P. Garrison. 2007. Estimated bycatch of marine mammals and turtles in the U.S. Atlantic pelagic longline fleet during 2006. NOAA Technical Memorandum NMFS-SEFSC-560:1-54.
- Fletemeyer, J.R. 1978. Underwater tracking evidence of neonate loggerhead sea turtles seeking shelter in drifting sargassum. *Copeia* 1978(1):148-149.

- Ford, J. 1879. The leather turtle. *American Naturalist* 13(10):633-637.
- Frick, M.G., C.A. Quinn, and C.K. Slay. 1999. *Dermochelys coriacea* (leatherback sea turtle), *Lepidochelys kempi* (Kemp's ridley sea turtle), and *Caretta caretta* (loggerhead sea turtle). Pelagic feeding. *Herpetological Review* 30(3):165.
- Frick, M.G., C.K. Slay, and C.A. Quinn. 2000. Aerial observations of courtship behavior in loggerhead sea turtles (*Caretta caretta*) from southeastern Georgia and northeastern Florida. *Journal of Herpetology* 34(1):153-158.
- FWRI (Florida Wildlife Research Institute). 2007a. Statewide Nesting Beach Survey Program: Loggerhead (*Caretta caretta*) nesting data, 1990-2006. Electronic data. Download date: 16 August 2007. http://research.myfwc.com/features/view_article.asp?id=2411
- FWRI (Florida Wildlife Research Institute). 2007b. Florida statewide nesting beach survey data – 2006 season. Electronic data. Download date: 13 August 2007. http://research.myfwc.com/features/view_article.asp?id=11812.
- FWRI (Florida Wildlife Research Institute). 2007c. Marine Turtle Program: Statewide nesting totals, 1979-2006. Electronic data. Download date: 16 August 2007. http://research.myfwc.com/features/view_article.asp?id=11812.
- FWRI (Florida Wildlife Research Institute). 2007d. Statewide Nesting Beach Survey Program: Leatherback (*Dermochelys coriacea*) nesting data, 1990-2006. Electronic data. Download date: 15 August 2007. http://research.myfwc.com/features/view_article.asp?id=2479.
- Garrison, L.P. and P.M. Richards. 2004. Estimated bycatch of marine mammals and turtles in the U.S. Atlantic pelagic longline fleet during 2003. NOAA Technical Memorandum NMFS-SEFSC-527:1-57.
- Geanacopoulos, D.P. 2001. Rescue season follows vacation season for rare turtle. *New York Times* (27 November).
- Gerle, E. and R. DiGiovanni. 1998. An evaluation of human impacts and natural versus human induced mortality in sea turtles in the New York Bight. Pages 187-189 in Epperly, S.P. and J. Braun, eds. *Proceedings of the Seventeenth Annual Sea Turtle Symposium*. NOAA Technical Memorandum NMFS-SEFSC-415.
- Gerle, E., R. DiGiovanni, and R.P. Pisciotta. 2000. A fifteen year review of cold-stunned sea turtles in New York waters. Pages 222-224 in Abreu-Grobois, F.A., R. Briseño-Dueñas, R. Márquez-Millán, and L. Sarti-Martínez, eds. *Proceedings of the Eighteenth International Sea Turtle Symposium*. NOAA Technical Memorandum NMFS-SEFSC-436.
- Godley, B.J., A. Almeida, C. Barbosa, A.C. Broderick, P.X. Catry, G.C. Hays, and B. Indjai. 2003. Using satellite telemetry to determine post-nesting migratory corridors and foraging grounds of green turtles nesting at Poiláo, Guinea Bissau: Report to project donors. Poiláo, Guinea Bissau: Marine Turtle Research Group, University of Wales.
- Goff, G.P. and J. Lien. 1988. Atlantic leatherback turtles, *Dermochelys coriacea*, in cold water off Newfoundland and Labrador. *Canadian Field-Naturalist* 102(1):1-5.
- Goodman, M.A., J. Braun-McNeill, E. Davenport, and A.A. Hohn. 2007. Protected species aerial survey data collection and analysis in waters underlying the R-5306A Airspace. Final report submitted to U.S. Marine Corps, MCAS Cherry Point. NOAA Technical Memorandum NMFS-SEFSC-551:1-26.
- Graham, S. 1973. The first record of *Caretta caretta caretta* nesting on a Maryland beach. *Bulletin Maryland Herpetological Society* 9(2):24-26.
- Hardy, J.D. 1969. Records of the leatherback turtle, *Dermochelys coriacea coriacea* (Linnaeus), from the Chesapeake Bay. *Bulletin of the Maryland Herpetological Society* 5(3):92-96.
- Hardy, J.D., Jr. 1962. Comments on the Atlantic ridley turtle, *Lepidochelys olivacea kempi*, in the Chesapeake Bay. *Chesapeake Science* 3(3):217-220.
- Hardy, J.D., Jr. 1972. Reptiles of the Chesapeake Bay region. *Chesapeake Science* 13(Supplement):S128-S134.
- Hart, K.M., P. Mooreside, and L.B. Crowder. 2006. Interpreting the spatio-temporal patterns of sea turtle strandings: Going with the flow. *Biological Conservation* 129:283-290.
- Hawkes, L.A., A.C. Broderick, M.H. Godfrey, and B.J. Godley. 2005. Status of nesting loggerhead turtles *Caretta caretta* at Bald Head Island (North Carolina, USA) after 24 years of intensive monitoring and conservation. *Oryx* 39(1):65-72.

- Hawkes, L.A., A.C. Broderick, M.S. Coyne, M.H. Godfrey, and B.J. Godley. 2007. Only some like it hot-- Quantifying the environmental niche of the loggerhead sea turtle. *Diversity and Distributions* 13:447-457.
- Henwood, T.A. and W.E. Stuntz. 1987. Analysis of sea turtle captures and mortalities during commercial shrimp trawling. *Fishery Bulletin* 85(4):813-817.
- Holloway-Adkins, K. and J. Provancha. 2005. Abundance and foraging activity of marine turtles using nearshore rock resources along the mid reach of Brevard County, Florida. Prepared for Olsen Associates, Inc., Jacksonville, Florida by Dynamac Corporation, Cape Canaveral, Florida.
- Holloway-Adkins, K.G. 2006. Juvenile green turtles (*Chelonia mydas*) foraging on a high-energy, shallow reef on the east coast of Florida, USA. Page 193 in Abstracts, Twenty-sixth Annual Symposium on Sea Turtle Biology and Conservation. 3-8 April 2006. Island of Crete, Greece.
- Hopkins-Murphy, S.R., D.W. Owens, and T.M. Murphy. 2003. Ecology of immature loggerheads on foraging grounds and adults in interesting habitat in the eastern United States. Pages 79-92 in Bolten, A.B. and B.E. Witherington, eds. *Loggerhead sea turtles*. Washington, D.C.: Smithsonian Institution Press.
- Humphrey, B. 1991. N.J. loggerhead rescue. *Underwater USA* 8(8):11.
- James, M.C. 2004. *Dermochelys coriacea* (leatherback sea turtle). Migration and dispersal. *Herpetological Review* 35(3):264.
- James, M.C., C.A. Ottensmeyer, and R.A. Myers. 2005. Identification of high-use habitat and threats to leatherback sea turtles in northern waters: New directions for conservation. *Ecology Letters* 8:195-201.
- James, M.C., C.A. Ottensmeyer, S.A. Eckert, and R.A. Myers. 2006b. Changes in diel diving patterns accompany shifts between northern foraging and southward migration in leatherback turtles. *Canadian Journal of Zoology* 84:754-765.
- James, M.C., K. Martin, and P.H. Dutton. 2004. Hybridization between a green turtle, *Chelonia mydas*, and loggerhead turtle, *Caretta caretta*, and the first record of a green turtle in Atlantic Canada. *Canadian Field-Naturalist* 118(4):579-582.
- James, M.C., S.A. Sherrill-Mix, and R.A. Myers. 2007. Population characteristics and seasonal migrations of leatherback sea turtles at high latitudes. *Marine Ecology Progress Series* 337:245-254.
- Johnson, S.A., A.L. Bass, B. Libert, M. Marshall, and D. Fulk. 1999. Kemp's ridley (*Lepidochelys kempii*) nesting in Florida. *Florida Scientist* 62(3-4):194-204.
- Jones III, W.M. 1998. Physical parameters affecting incubating temperatures in loggerhead sea turtles, *Caretta caretta*, in Virginia. Master's thesis, College of William and Mary in Virginia.
- Jonsen, I.D., R.A. Myers, and M.C. James. 2006. Robust hierarchical state-space models reveal diel variation in travel rates of migrating leatherback turtles. *Journal of Animal Ecology* 75:1046-1057.
- Keinath, J.A. 1993. Movements and behavior of wild and head-started sea turtles. Ph.D. diss, College of William and Mary in Virginia.
- Keinath, J.A. and J.A. Musick. 1990. *Dermochelys coriacea* (leatherback sea turtle). Migration. *Herpetological Review* 21:92.
- Keinath, J.A. and J.A. Musick. 1993. Movements and diving behavior of a leatherback turtle, *Dermochelys coriacea*. *Copeia* 1993(4):1010-1017.
- Keinath, J.A., D.E. Barnard, and J.A. Musick. 1995. Behavior of loggerhead sea turtles in Savannah, Georgia and Charleston, South Carolina shipping channels. Prepared for the U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, Mississippi by Virginia Institute of Marine Science, Gloucester Pt., Virginia.
- Keinath, J.A., D.E. Barnard, J.A. Musick, and B.A. Bell. 1994b. Kemp's ridley sea turtles from Virginia waters. Pages 70-73 in Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. *Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-351.
- Keinath, J.A., J. Musick, and D.E. Barnard. 1994a. Final report on movements of head-started and nesting loggerhead sea turtles. Prepared for Back Bay National Wildlife Refuge, Virginia Beach, Virginia by Virginia Institute of Marine Sciences, Gloucester Pt., Virginia.
- Keinath, J.A., J.A. Musick, and R.A. Byles. 1987. Aspects of the biology of Virginia's sea turtles: 1979-1986. *Virginia Journal of Science* 38(2):81.
- Keinath, J.A., J.A. Musick, and W.M. Swingle. 1991. First verified record of the hawksbill sea turtle (*Eretmochelys imbricata*) in Virginia waters. *Catesbeiana* 11(2):35-38.

- Kenney, R.D. 1996. Preliminary assessment of competition for prey between leatherback turtles and ocean sunfish in northeast shelf waters. Pages 144-147 in Keinath, J.A., D.E. Barnard, J.A. Musick, and B.A. Bell, eds. Proceedings of the Fifteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-387.
- Klinger, R.C. 1995. Age and growth of loggerhead turtles (*Caretta caretta*) from Chesapeake Bay. *Copeia* 1995(1):204-209.
- Lawson, J.W. and J.-F. Gosselin. 2007. The first large-scale aerial survey of the Canadian east coast; a component of the 2007 TNASS. In Abstracts, 17th Biennial Conference on the Biology of Marine Mammals, 29 November-3 December 2007. Cape Town, South Africa.
- Lazell, J.D., Jr. 1980. New England waters: Critical habitat for marine turtles. *Copeia* 1980(2):290-295.
- Ledwell, W. 2007. Live loggerhead observed in Newfoundland, Canada in late autumn. *Marine Turtle Newsletter* 115(17).
- Lee, D.S. 1989. Supplementary information concerning the proposed VACAPES *Empress II* 1989 testing area off the North Carolina coast. Raleigh, North Carolina: North Carolina State Museum of Natural History.
- Luschi, P., J.R.E. Lutjeharms, P. Lambardi, R. Mencacci, G.R. Hughes, and G.C. Hays. 2006. A review of migratory behaviour of sea turtles off southeastern Africa. *South African Journal of Science* 102:51-58.
- Maier, P.P., A.L. Segars, M.D. Arendt, and J.D. Whitaker. 2005. Examination of local movement and migratory behavior of sea turtles during spring and summer along the Atlantic coast off the southeastern United States. Prepared for the Office of Protected Resources, Silver Spring, Maryland by the South Carolina Department of Natural Resources, Charleston, South Carolina.
- Maier, P.P., A.L. Segars, M.D. Arendt, J.D. Whitaker, B.W. Stender, L. Parker, R. Vendetti, D.W. Owens, J. Quattro, and S.R. Murphy. 2004. Development of an index of sea turtle abundance based upon in-water sampling with trawl gear. Prepared for National Marine Fisheries Service, Washington, D.C. by South Carolina Department of Natural Resources, Charleston, South Carolina.
- Makowski, C., J.A. Seminoff, and M. Salmon. 2006. Home range and habitat use of juvenile Atlantic green turtles (*Chelonia mydas* L.) on shallow reef habitats in Palm Beach, Florida, USA. *Marine Biology* 148:1167-1179.
- Mansfield, K.L. 2003. Surfacing for science. *Virginia Marine Resource Bulletin* 35(2):2-8.
- Mansfield, K.L. 2006. Sources of mortality, movements and behavior of sea turtles in Virginia. Ph.D. diss, College of William and Mary in Virginia.
- Mansfield, K.L. and J.A. Musick. 2003. Loggerhead sea turtle diving behavior. Submitted to the U.S. Army Corps of Engineers, Norfolk, Virginia by the Virginia Institute of Marine Science, Gloucester Point, Virginia.
- Mansfield, K.L. and J.A. Musick. 2004. Sea turtle diving behavior in Virginia. Final report submitted to the U.S. Army Corps of Engineers, Norfolk, Virginia by the Virginia Institute of Marine Science, Gloucester Point, Virginia.
- Mansfield, K.L. and J.A. Musick. 2005. Foraging behavior and incidental capture of loggerhead sea turtles (*Caretta caretta*) within the Chesapeake Bay, Virginia, USA. Pages 231-234 in Coyne, M.S. and R.D. Clark, eds. Proceedings of the Twenty-First Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-528.
- Mansfield, K.L. and J.A. Musick. 2006a. Sea turtle diving behavior in Virginia. Final report submitted to the U.S. Army Corps of Engineers, Norfolk, Virginia by the Virginia Institute of Marine Science, Gloucester Point, Virginia.
- Mansfield, K.L. and J.A. Musick. 2006b. Northwest Atlantic loggerheads: Addressing data gaps in sub-adult abundance estimates. Pages 304-305 in Abstracts, 26th Annual Symposium on Sea Turtle Biology and Conservation. 3-8 March 2006. Island of Crete, Greece.
- Mansfield, K.L., E.E. Seney, and J.A. Musick. 2002a. An evaluation of sea turtle abundances, mortalities and fisheries interactions in the Chesapeake Bay, Virginia 2001. Prepared for National Marine Fisheries Service, Gloucester, Massachusetts and Commercial Fishing Advisory Board, Virginia Marine Resources Commission, Newport News, Virginia by Virginia Institute of Marine Science, Gloucester Point, Virginia.
- Mansfield, K.L., E.E. Seney, M.A. Fagan, J.A. Musick, K.L. Frisch, and A.E. Knowles. 2002b. An evaluation of interactions between sea turtles and poundnet leaders in the Chesapeake Bay,

- Virginia. Prepared for National Marine Fisheries Service, Gloucester, Massachusetts by Virginia Institute of Marine Science, Gloucester Point, Virginia.
- Mansfield, K.L., J.A. Musick, and S.M. Bartol. 2001. Internesting movements of loggerhead sea turtles in Virginia, USA. Marine Resources Report 2001-4. Gloucester Point, Virginia: Virginia Sea Grant Program.
- Marquez-M., R., compiler. 1994. Synopsis of biological data on the Kemp's ridley turtle, *Lepidochelys kempi* (Garman, 1880). NOAA Technical Memorandum NMFS-SEFSC-343:1-91.
- Martin, R.E. 1996. Storm impacts on loggerhead turtle reproductive success. Marine Turtle Newsletter 73:10-12.
- McAlpine, D.F., M.C. James, J. Lien, and S.A. Orchard. 2007. Status and conservation of marine turtles in Canadian waters. Pages 85-112 in Seburn, C.N.L. and C.A. Bishop, eds. Ecology, conservation and status of reptiles in Canada. Herpetological Conservation Special Publication No. 2. Salt Lake City, Utah: Society for the Study of Amphibians and Reptiles and Ottawa, Ontario: Canadian Amphibian and Reptile Conservation Network.
- McClellan, C.M., C.G. Hudson, and A.J. Read. 2007. Use of oceanic habitats by loggerhead sea turtles (*Caretta caretta*). Pages 77-78 in Abstracts, Twenty-seventh Annual Symposium on Sea Turtle Biology and Conservation. 22-28 February 2007. Myrtle Beach, South Carolina.
- Meylan, A. and A. Redlow. 2006. *Eretmochelys imbricata* - hawksbill turtle. Pages 105-127 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Meylan, P.A. 2006a. Introduction to the sea turtles: Family Dermochelyidae. Pages 142-143 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Meylan, P.A. 2006b. Introduction to the sea turtles: Family Cheloniidae. Pages 72-73 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Meylan, P.A. 2006c. Habitats and ecosystems utilized by Florida turtles. Pages 37-41 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Milton, S.L., S. Leone-Kabler, A.A. Schulman, and P.L. Lutz. 1994. Effects of Hurricane Andrew on the sea turtle nesting beaches of South Florida. Bulletin of Marine Science 54:974-981.
- Mitchell, J.C. 1991. Amphibians and reptiles. Pages 411-476 in Terwilliger, K., ed. Virginia's endangered species: Proceedings of a symposium. Blacksburg, Virginia: The McDonald and Woodward Publishing Company.
- Mitchell, J.C. 1994. The reptiles of Virginia. Washington, D.C.: Smithsonian Institution Press.
- Moein Bartol, S. and J.A. Musick. 1998. Movements of adult female loggerhead sea turtles found nesting in Virginia. Prepared for the U.S. Army Corps of Engineers, Norfolk, Virginia by Virginia Institute of Marine Sciences, Gloucester Point, Virginia.
- Morreale, S.J. 2005. Assessing health, status, and trends in northeastern sea turtle populations. Interim report: Sept 2002 - Nov 2004. Prepared for the Northeast Regional Office, National Marine Fisheries Service, Gloucester, Massachusetts by the Department of Natural Resources, Cornell University, Ithaca, New York.
- Morreale, S.J. and E.A. Standora. 1998. Early life stage ecology of sea turtles in northeastern U.S. waters. NOAA Technical Memorandum NMFS-SEFSC-413:1-49.
- Morreale, S.J. and E.A. Standora. 2005. Western North Atlantic waters: Crucial developmental habitat for Kemp's ridley and loggerhead sea turtles. Chelonian Conservation and Biology 4(4):872-882.
- Morreale, S.J., A.B. Meylan, S.S. Sadove, and E.A. Standora. 1992. Annual occurrence and winter mortality of marine turtles in New York waters. Journal of Herpetology 26:301-308.
- Murphy, T.M., S.R. Murphy, D.B. Griffin, and C.P. Hope. 2006. Recent occurrence, spatial distribution, and temporal variability of leatherback turtles (*Dermochelys coriacea*) in nearshore waters of South Carolina, USA. Chelonian Conservation and Biology 5(2):216-224.
- Murray, K.T. 2004a. Magnitude and distribution of sea turtle bycatch in the sea scallop (*Placopecten magellanicus*) dredge fishery in two areas of the northwestern Atlantic Ocean, 2001-2002. Fishery Bulletin 102:671-681.

- Murray, K.T. 2004b. Bycatch of sea turtles in the Mid-Atlantic sea scallop (*Placopecten magellanicus*) dredge fishery during 2003. Northeast Fisheries Science Center Reference Document 04-11. Woods Hole, Massachusetts: National Marine Fisheries Service.
- Musick, J.A. 1979. The marine turtles of Virginia with notes on identification and natural history. VIMS Education Series No. 24. Gloucester Point, Virginia: Sea Grant Program, Virginia Institute of Marine Science.
- Musick, J.A. 1988. The sea turtles of Virginia, second revised edition. VIMS Education Series No. 24. Gloucester Point, Virginia: Sea Grant Program, Virginia Institute of Marine Science.
- Musick, J.A. 2002. Sea turtles. Pages 2017-2028 in Carpenter, K.E., ed. The living marine resources of the western central Atlantic. Volume 3: Bony fishes part 2 (Opisthognathidae to Molidae), sea turtles and marine mammals. FAO species identification guide for fishery purposes and American Society of Ichthyologists and Herpetologists Special Publication No. 5. Rome, Italy: Food and Agriculture Organization of the United Nations.
- Musick, J.A., J.A. Keinath, and D.E. Bernard. 1988. Aerial surveys of the Currituck EMPRESS area.
- Musick, J.A., R. Byles, R.E. Klinger, and S. Bellmund. 1984. Mortality and behavior of sea turtles in the Chesapeake Bay: Summary report for 1979 through 1983. Prepared for the National Marine Fisheries Service, Northeast Region, Gloucester, Massachusetts by Virginia Institute of Marine Science, Gloucester Point, Virginia.
- Myers, R., L. Gerber, and L. Crowder. 2005. Use of observer data to estimate fishing impacts on loggerhead and leatherback turtles in the northwest Atlantic. Page 259 in Coyne, M.S. and R.D. Clark, eds. Proceedings of the Twenty-first Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-528.
- Nawojchik, R. 1998. 1997 strandings in Connecticut and Rhode Island. Page 24 in Barco, S.G., ed. Proceedings of the 1997 Northeast Region Stranding Conference. VMSM Scientific Report 1998-002. Virginia Beach, Virginia: Virginia Marine Science Museum.
- Nawojchik, R. and D.J. St. Aubin. 2003. Sea turtles in Connecticut and Rhode Island: Information from strandings (1987-2001). Pages 270-271 in Seminoff, J.A., ed. Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503.
- Nelson, D.A. 1996. Subadult loggerhead sea turtle (*Caretta caretta*) behavior in St Mary's Entrance Channel, Georgia, USA. Ph.D. diss, College of William and Mary in Virginia.
- Nester, L.R. 2006. Effects of off-road vehicles on the nesting activity of loggerhead sea turtles in North Carolina. Master's thesis, University of Florida.
- NMFS (National Marine Fisheries Service). 2002a. Biological opinion: Mine warfare exercises (MINEX) and explosive ordnance disposal (EOD) unit level training at several locations along the east coast of the United States. Prepared for the Department of the Navy, Norfolk, Virginia by the Southeast Region, National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2002b. Biological opinion: Consultation on dredging in the Thimble Shoal Federal Navigation Channel and Atlantic Ocean Channel. Gloucester, Massachusetts: Northeast Regional Office, National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2002c. Listing endangered and threatened wildlife and designating critical habitat; 90-day finding for a petition to reclassify the Northern and Florida Panhandle subpopulations of the loggerhead as distinct population segments with endangered status and to designate critical habitat. Federal Register 67(107):38459-38461.
- NMFS (National Marine Fisheries Service). 2004a. Taking of marine mammals incidental to commercial fishing operations; Bottlenose dolphin take reduction plan; Sea turtle conservation; Restrictions to fishing activities--Proposed rule. Federal Register 69(217):65127-65142.
- NMFS (National Marine Fisheries Service). 2004b. Biological opinion: Ambient water quality criteria for dissolved oxygen, water clarity and chlorophyll a for the Chesapeake Bay and its tidal tributaries F/NER/2003/00961. Prepared for the Environmental Protection Agency by National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2004c. Biological opinion: Sea turtle conservation measures for the pound net fishery in Virginia waters of the Chesapeake Bay (F/NER/2003/01596). Woods Hole, Massachusetts: National Marine Fisheries Service, Northeast Regional Office.

- NMFS (National Marine Fisheries Service). 2004d. Final environmental assessment and regulatory impact review Regulatory Flexibility Act analysis on sea turtle conservation measures for the pound net fishery in Virginia waters of the Chesapeake Bay. National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2006a. Final environmental assessment and regulatory impact review, Regulatory Flexibility Act Analysis of sea turtle conservation measures for the mid-Atlantic sea scallop dredge fishery. Gloucester, Massachusetts: Northeast Regional Office, National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2006b. Final environmental assessment and regulatory impact review, Regulatory Flexibility Act analysis of sea turtle conservation measures for the pound net fishery in Virginia waters of the Chesapeake Bay. Gloucester, Massachusetts: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2006d. Taking of marine mammals incidental to commercial fishing operations; Bottlenose Dolphin Take Reduction Plan regulations; Sea turtle conservation; Restrictions to fishing activities--Final rule. Federal Register 71(80):24776-24797.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2000. Cruise results, R/V *Delaware II* cruise no. DE-00-07, right whale tagging survey. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2002a. Aerial survey results, NOAA twin otter aircraft, circle-back method experimental abundance survey. Unpublished survey report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-NEFSC (National Marine Fisheries Service-Northeast Fisheries Science Center). 2002b. Cruise report, R/V *Delaware II* cruise no. DE 02-07, large whale survey. Unpublished cruise report. Woods Hole, Massachusetts: National Marine Fisheries Service.
- NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center). 2006. Geographic coordinates for sea turtle strandings in Maryland, Virginia, North Carolina, South Carolina, and Georgia through 2005. Data received 10 May 2006 from Dr. Wendy Teas, National Marine Fisheries Service, Southeast Fisheries Science Center.
- Norden, A. and D.E. Redman, eds. 1997. The Maryland Naturalist, Volume 41, No.1-2.
- Norem, A.D. 2005. Injury assessment of sea turtles utilizing the neritic zone of the southeastern United States. Master's thesis, University of Florida.
- Ogren, L. and C. McVea, Jr. 1995. Apparent hibernation by sea turtles in North American waters. Pages 127-132 in Bjorndal, K.A., ed. Biology and conservation of sea turtles, Rev ed. Washington, D.C.: Smithsonian Institution Press.
- O'Hara, K., N. Atkins, and S. Iudicello. 1986. Marine wildlife entanglement in North America. Washington, D.C.: Center for Marine Conservation.
- Patchett, K., C. Merigo, B. Rubinstein, and J. Rice. 1998. New England Aquarium 1997 accession report. Pages 25-27 in Barco, S.G., ed. Proceedings of the 1997 Northeast Region Stranding Conference. VMSM Scientific Report 1998-002. Virginia Beach, Virginia: Virginia Marine Science Museum.
- Peña, J. 2007. Plotting Kemp's ridleys, plotting the future of sea turtle conservation. SWOT Report-State of the World's Sea Turtles 2:20.
- Pike, D.A., R.L. Antworth, and J.C. Stiner. 2006. Earlier nesting contributes to shorter nesting seasons for the loggerhead seaturtle [sic], *Caretta caretta*. Journal of Herpetology 40(1):91-94.
- Plotkin, P.T. and J.R. Spotila. 2002. Post-nesting migrations of loggerhead turtles *Caretta caretta* from Georgia, USA: Conservation implications for a genetically distinct subpopulation. Oryx 36(4):396-399.
- Rabon, D.R., Jr., S.A. Johnson, R. Boettcher, M. Dodd, M. Lyons, S. Murphy, S. Ramsey, S. Roff, and K. Stewart. 2003. Confirmed leatherback turtle (*Dermochelys coriacea*) nests from North Carolina, with a summary of leatherback nesting activities north of Florida. Marine Turtle Newsletter 101:4-8.
- Rankin-Baransky, K. 1997. Origin of loggerhead turtles (*Caretta caretta*) in the western North Atlantic Ocean as determined by mtDNA analysis. Master's thesis, Drexel University.
- Rankin-Baransky, K., C.J. Williams, A.L. Bass, B.W. Bowen, and J.R. Spotila. 2001. Origin of loggerhead turtles stranded in the northeastern United States as determined by mitochondrial DNA analysis. Journal of Herpetology 35(4):638-646.

- Read, A., B. Foster, C. McClellan, and D. Waples. 2004. Habitat use of sea turtles in relation to fisheries interactions. North Carolina Sea Grant Fishery Resource Grant Program Project 02-FEG-05.
- Reynolds, D.P. and S.S. Sadove. 2000. Size class of sea turtles in New York from 1986 to 1996. Pages 152-153 in Abreu-Grobois, F.A., R. Briseno-Duenas, R. Marquez, and L. Sarti, eds. Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Dept. of Commerce. NOAA Technical Memorandum NMFS-SEFSC-436.
- Rhodin, A.G.J. and R.C. Schoelkopf. 1982. Reproductive data on a female leatherback turtle, *Dermochelys coriacea*, stranded in New Jersey. *Copeia* 1982(1):181-183.
- Rhodin, A.G.J., P.C.H. Pritchard, J.L. Behler, and R.A. Mittermeier, eds. 2005. Chelonian Conservation and Biology, Vol 4, No. 4.
- Ruckdeschel, C. and G.R. Zug. 1982. Mortality of sea turtles in *Caretta caretta* in coastal waters of Georgia. *Biological Conservation* 22:5-9.
- Ruckdeschel, C., C.R. Shoop, and R.D. Kenney. 2005. On the sex ratio of juvenile *Lepidochelys kempii* in Georgia. *Chelonian Conservation and Biology* 4(4):858-861.
- Rybicki, M.J., R.C. Hale, and J.A. Musick. 1995. Distribution of organochlorine pollutants in Atlantic sea turtles. *Copeia* 1995(2):379-390.
- Sadove, S. and S. Shumway. 2004. Inshore distributions of leatherback sea turtles in the New York Bight. Pages 302-303 in Coyne, M.S. and R.D. Clark, eds. Proceedings of the Twenty-First Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-528.
- Saladin, N. 2007. Using surveys as a tool to assess distribution and habitat use, and to promote public engagement in endangered species research and management. Master's thesis, Duke University.
- Samuel, Y., S.J. Morreale, C.W. Clark, C.H. Greene, and M.E. Richmond. 2005. Underwater, low-frequency noise in a coastal sea turtle habitat. *Journal of the Acoustical Society of America* 117(3, Part 1):1465-1472.
- Sasso, C. and S.P. Epperly. 2007. Survival of pelagic juvenile loggerhead turtles in the open ocean. *Journal of Wildlife Management* 71:1830-1835.
- Sasso, C.R. and S.P. Epperly. 2006. Seasonal sea turtle mortality risk from forced submergence in bottom trawls. *Fisheries Research* 81:86-88.
- Sasso, C.R., J. Braun-McNeill, L. Avens, and S.P. Epperly. 2007. Summer abundance estimates of *Caretta caretta* (loggerhead turtles) in Core Sound, NC. *Southeastern Naturalist* 6(2):365-369.
- Schmid, J.R. and W.J. Barichivich. 2006. *Lepidochelys kempii* - Kemp's ridley. Pages 128-141 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Schofield, D. and G. Page. 1998. A year in review for the marine animal rescue program of the National Aquarium in Baltimore. Pages 16-18 in Barco, S.G., ed. Proceedings of the 1997 Northeast Region Stranding Conference. VMSM Scientific Report 1998-002. Virginia Beach, Virginia: Virginia Marine Science Museum.
- Schroeder, B. 1987. Annual report of the Sea Turtle Stranding and Salvage Network: Atlantic and Gulf coasts of the United States, January - December 1986. Contribution No. CRD-87/88-12. Miami, Florida: National Marine Fisheries Service, Southeast Fisheries Science Center.
- Schwartz, F.J. 1978. Behavioral and tolerance responses to cold water temperatures by three species of sea turtles (Reptilia, Cheloniidae) in North Carolina. Pages 16-18 in Henderson, G.E., ed. Proceedings of the Florida and Interregional Conference on Sea Turtles, 24-25 July 1976, Jensen Beach, Florida. Florida Marine Research Publications No. 33. St. Petersburg, Florida: Florida Department of Natural Resources.
- Seney, E.E. 2003. Historical diet analysis of loggerhead (*Caretta caretta*) and Kemp's ridley (*Lepidochelys kempi*) sea turtles in Virginia. Master's thesis, College of William and Mary in Virginia.
- Seney, E.E. and J.A. Musick. 2005. Diet analysis of Kemp's ridley sea turtles (*Lepidochelys kempii*) in Virginia. *Chelonian Conservation and Biology* 4(4):864-871.
- Seney, E.E. and J.A. Musick. 2007. Historical diet analysis of loggerhead sea turtles (*Caretta caretta*) in Virginia. *Copeia* 2007(2):478-479.
- Shellito, B.A. and K.B. Lockwood. 2005. GIS and 3D analysis applied to sea turtle mortalities and navigation channel dredging. *Virginia Journal of Science* 57(4):167-183.

- Shoop, C.R. 1989. Long-distance movement of a juvenile loggerhead sea turtle. *Marine Turtle Newsletter* 47:15.
- Shoop, C.R. and T.J. Thompson. 1983. Southeast Turtle Survey (SETS). Final report to the National Marine Fisheries Service. Pelagic surveys.
- Snover, M.L., L. Avens, and A.A. Hohn. 2007. Back-calculating length from skeletal growth marks in loggerhead sea turtles *Caretta caretta*. *Endangered Species Research* 3:95–104.
- Spence, L. 1998. 1997 Delaware strandings. Pages 19-20 in Barco, S.G., ed. Proceedings of the 1997 Northeast Region Stranding Conference. VMSM Scientific Report 1998-002. Virginia Beach, Virginia: Virginia Marine Science Museum.
- Steimle, F.W. and C. Zetlin. 2000. Reef habitats in the Middle Atlantic Bight: Abundance, distribution, associated biological communities, and fishery resource use. *Marine Fisheries Review* 62(2):24-42.
- Stewart, K. and C. Johnson. 2006. *Dermochelys coriacea* - Leatherback sea turtle. Pages 144-157 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Still, B., C. Griffin, and R. Prescott. 2003. Factors affecting cold-stunning of juvenile sea turtles in Massachusetts. Page 236 in Seminoff, J.A., ed. Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503.
- Still, B., K. Tuxbury, R. Prescott, C. Ryder, D. Murley, C. Merigo, C. Smith, and B. Turnbill. 2002. A record cold stun season in Cape Cod Bay, Massachusetts. Pages 205-206 in Mosier, A., A. Foley, and B. Brost, eds. Proceedings of the Twentieth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-477.
- Stokes, L., J. Wyneken, L.B. Crowder, and J. Marsh. 2006. The influence of temporal and spatial origin on size and early growth rates in captive loggerhead sea turtles (*Caretta caretta*) in the United States. *Herpetological Conservation and Biology* 1(2):71-80.
- Stokes, L.W. and S.P. Epperly. 2006. *Lepidochelys olivacea* (Olive Ridley seaturtle [sic]). *Herpetological Review* 37(1):105.
- TEI (Tech Environmental Inc.). 2006. Final EIR underwater noise analysis: Cape Wind Energy Project, Nantucket Sound. Waltham, Massachusetts: Tech Environmental, Inc.
- TEWG (Turtle Expert Working Group). 1998. An assessment of the Kemp's ridley (*Lepidochelys kempi*) and loggerhead (*Caretta caretta*) sea turtle populations in the western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-409:1-96.
- TEWG (Turtle Expert Working Group). 2000. Assessment update for the Kemp's ridley and loggerhead sea turtle populations in the western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-444:1-115.
- Thomas, C.A. and S. Dabo. 2005. Determining the correlation between sea surface temperature [sic], chlorophyll concentration, QuikSCAT wind data and the presence of *Caretta caretta* and *Chelonia mydas* in the mid-Atlantic. Report prepared for the Undergraduate Research Experience in Ocean and Marine Science Program. Elizabeth City, North Carolina: Elizabeth City State University.
- Tiwari, M. and K.A. Bjorndal. 2000. Variation in morphology and reproduction in loggerheads, *Caretta caretta*, nesting in the United States, Brazil, and Greece. *Herpetologica* 56(3):343-356.
- USACE (U.S. Army Corps of Engineers). 1997. Sea Turtle Research Program summary report. Prepared for U.S. Army Engineering Division, South Atlantic and U.S. Naval Submarine Base, Kings Bay.
- USACE (U.S. Army Corps of Engineers). 2004. Marine biological assessment for the Cape Wind Project: Nantucket Sound. Appendix 5.5-A.
- USFWS (U.S. Fish and Wildlife Service). 2001. Nesting loggerhead sea turtle activity report 2000 and 1980-2000 nesting summary. Prepared for U.S. Army Corps of Engineers, Department of the Army, Norfolk, Virginia by S. Williams and J. Gallegos, Back Bay National Wildlife Refuge.
- USFWS (U.S. Fish and Wildlife Service). 2005. Refuge Update (Newsletter of the National Wildlife Refuge System) 2(6):1-24.
- Walsh, C.F. and L.P. Garrison. 2006. Estimated bycatch of marine mammals and turtles in the U.S. Atlantic pelagic longline fleet during 2005. NOAA Technical Memorandum NMFS-SEFSC-539:1-51.
- Williams, J.P. 1995. Another Atlantic leatherback turtle observed in the upper Chesapeake Bay. *Maryland Naturalist* 39(1-2):23-24.

- Witherington, B. and S. Hirma. 2006. Sea turtles of the epi-pelagic sargassum drift community. Page 209 in Abstracts, Twenty-sixth Annual Symposium on Sea Turtle Biology and Conservation. 3-8 April 2006. Island of Crete, Greece.
- Witherington, B., M. Bresette, and R. Herren. 2006a. *Chelonia mydas* - green turtle. Pages 90-104 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Witzell, W.N. 1992. The incidental capture of sea turtles in commercial non-shrimping fisheries in southeastern U.S. waters. Contribution Number MIA-91/92-43. Miami, Florida: National Marine Fisheries Service.
- Witzell, W.N. 1996. The incidental capture of sea turtles by the U.S. pelagic longline fleet in the western Atlantic Ocean. Pages 32-38 in Williams, P., P.J. Anninos, P.T. Plotkin, and K.L. Salvini, eds. Pelagic longline fishery-sea turtle interactions: Proceedings of an Industry, Academic and Government Experts, and Stakeholders Workshop, held in Silver Spring, Maryland, 24-25 May 1994. NOAA Technical Memorandum NMFS-OPR-7.
- Witzell, W.N. and T. Azarovitz. 1996. Relative abundance and thermal and geographic distribution of sea turtles off the U.S. Atlantic coast based on aerial surveys (1963-1969). NOAA Technical Memorandum NMFS-SEFSC 381:1-10.
- Zarriello, M.C. and D.W. Steadman. 1987. Historic specimens from Long Island, New York. Marine Turtle Newsletter 40:12.