

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0101702

Program Interest ID: 46026

Facility Name: COIM USA INC PAULSBORO

Billing Address: COIM USA INC
286 MANTUA GROVE RD - BLDG 1
WEST DEPTFORD TWP, NJ 08066

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 675 BILLINGSPO RT RD
GREENWICH TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0067482
Program Interest ID: 46030
Facility Name: PRUDENT PUBLISHING CO

Billing Address: KIKIA ASSOCIATES LLC
65 CHALLENGER RD
C/O PRUDENT PUBLISHING
RIDGEFIELD PARK, NJ 07660

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,879.10 = (125 × 1.0328) + \$2750

Facility Location: 400 NORTH FRONTAGE RD
ROXBURY TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.002	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0101729
Program Interest ID: 46048
Facility Name: BUCKEYE PENNSAUKEN TERMINAL LLC

Billing Address: BUCKEYE PENNSAUKEN TERMINAL LLC
123 DEROUSSE AVE
PENNSAUKEN, NJ 08810

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 123 DEROUSSE AVE
PENNSAUKEN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0055247
Program Interest ID: 46057
Facility Name: ESSEX COUNTY RESOURCE RECOVERY FACILITY

Billing Address: COVANTA ESSEX CO
183 RAYMOND BLVD
NEWARK, NJ 07105

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 183 RAYMOND BLVD
NEWARK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0090069

Program Interest ID: 46069

Facility Name: ANDOVER UTILITY COMPANY

Billing Address: ANDOVER UTILITY CO
525 RIVERSIDE AVE
LYNDHURST, NJ 07071

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$10,005.42 = (7025 × 1.0328) + \$2750

Facility Location: 99 MULFORD RD
ANDOVER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.14	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	280	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	281	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0058246

Program Interest ID: 46074

Facility Name: FAWN RUN DEVELOPMENT

Billing Address: NJ AMERICAN WATER
601 RT 202/206
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,756.98 = (975 × 1.0328) + \$2750

Facility Location: LEHIGH AVE
BLOOMSBURY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.019	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	-------	--

Pollutant Loading Factor:	38	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	39	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0053422
Program Interest ID: 46075
Facility Name: MORRIS CHASE

Billing Address: STATEWIDE SEWER NJAW
601 RT 202/206
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,958.66 = (4075 × 1.0328) + \$2750

Facility Location: LAMERSON CIR
MOUNT OLIVE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.081	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	162	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	163	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0065226
Program Interest ID: 46076
Facility Name: SUEZ WATER ARLINGTON HILLS INC

Billing Address: UNITED WATER CO ARLINGTON HILLS
PO BOX 1190 - 115 BARRY DR N
HIGHLAND LAKES, NJ 07422

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,297.95 = (6340 × 1.0328) + \$2750

Facility Location: VALLEY RD
MOUNT ARLINGTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.158	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	316	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	317	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0067229
Program Interest ID: 46079
Facility Name: ARROW MILL PLAZA

Billing Address: OSJ OF CLINTON NJ LLC
375 COMMERCE PARK RD
NORTH KINGSTON, RI 02852

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,111.48 = (350 × 1.0328) + \$2750

Facility Location: RT 31
CLINTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0066	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	13	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	14	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0077771
Program Interest ID: 46087
Facility Name: B L ENGLAND GENERATING STATION

Billing Address: BL ENGLAND GENERATING STATION
 900 N SHORE RD
 BEESLEYS POINT, NJ 08223

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
 \$3,602.06 = (825 × 1.0328) + \$2750

Facility Location: 900 N SHORE RD
 BEESLEYS POINT, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.016	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	32	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	33	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0109703
Program Interest ID: 46088
Facility Name: ATLANTIC COUNTY UTILITIES AUTH WWTF

Billing Address: ATLANTIC CNTY UTILITIES AUTH
PO BOX 996
PLEASANTVILLE, NJ 082320996

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,882.23 = (4001 × 1.0328) + \$2750

Facility Location: 1801 ABSECON BLVD
ATLANTIC CITY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	40	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4000	Flow is greater than or equal to 5.0 MGD.
Pollution Potential Factor:	4001	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Operating Landfill Fee Detail Sheet**

NJPDES #: NJ0131911
Program Interest ID: 46089
Facility Name: ACUA HOWARD F HANEMAN ENVIRONMENTAL PA

Billing Address: ATLANTIC CNTY UTILITIES AUTH
PO BOX 996
PLEASANTVILLE, NJ 08232

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$40,775.84 = (32800 × 1.0328) + \$6900

Facility Location: 6700 DELILAH RD
EGG HARBOR TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	40	Landfills, unlined and/or partially lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	319441.58	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	800	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	820	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0104060	Billing Address: MCWANE DUCTILE NJ A DIVISION OF MCWANE I 183 SITGREAVES ST PHILLIPSBURG, NJ 08865
Program Interest ID: 46093	
Facility Name: MCWANE DUCTILE - NJ A DIVISION OF MCWANE, IN	
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 183 SITGREAVES ST PHILLIPSBURG, NJ
\$5,332.00 = (2500 × 1.0328) + \$2750	

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 100 Stormwater runoff

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0066907
Program Interest ID: 46096
Facility Name: VILLAGE SQUARE

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,576.24 = (800 × 1.0328) + \$2750

Facility Location: STROTZ & MILLBROOK LN
45 1/2 GRANDIN CT
UNION TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0156	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	31	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	32	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0069884
Program Interest ID: 46098
Facility Name: THE LINKS AT AVALON

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,235.70 = (3375 × 1.0328) + \$2750

Facility Location: 1506 RT 9
MIDDLE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0672	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	134	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	135	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0051098
Program Interest ID: 46105
Facility Name: BALD EAGLE VILLAGE STP

Billing Address: SUEZ WATER NJ BALD EAGLE COMMONS WWTP
PO BOX 1190 - 115 BARRY DR N
HIGHLAND LAKES, NJ 07422

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,901.86 = (4020 × 1.0328) + \$2750

Facility Location: 1480 UNION VALLEY RD
WEST MILFORD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.1	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	200	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	201	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0128571	Billing Address: BEL RAY CO LLC
Program Interest ID: 46115	PO BOX 526
Facility Name: BEL-RAY COMPANY LLC	FARMINGDALE BORO, NJ 07727
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 1201 BOWMAN AVE
\$2,853.28 = (100 × 1.0328) + \$2750	WALL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0101478
Program Interest ID: 46145
Facility Name: BOREALIS COMPOUNDS INC

Billing Address: BOREALIS COMPOUNDS INC
176 THOMAS RD
PORT MURRAY, NJ 07865

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,059.84 = (300 × 1.0328) + \$2750

Facility Location: 176 THOMAS RD
PORT MURRAY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0065196
Program Interest ID: 46148
Facility Name: 390 RT 57

Billing Address: 390 ROUTE 57 LLC
PO BOX 2177 - 16 BLANCKE ST - STE D
LINDEN, NJ 07036

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,904.92 = (150 × 1.0328) + \$2750

Facility Location: RT 57
WASHINGTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0027	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	5	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	6	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0068829

Program Interest ID: 46149

Facility Name: BRASS CASTLE ESTATES

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,911.90 = (1125 × 1.0328) + \$2750

Facility Location: COUNTY RT 579
COOK CROSS & FINN RDS
UNION, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.022	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	-------	--

Pollutant Loading Factor:	44	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	45	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0066117	Billing Address: BRIDGEWATER RESOURCES INC
Program Interest ID: 46151	15 POLHEMUS LN
Facility Name: BRIDGEWATER RESOURCE INC	BRIDGEWATER TWP, NJ 08807
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 15 POLHEMUS LN
\$3,782.80 = (1000 × 1.0328) + \$2750	BRIDGEWATER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
-------------------------------------	--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 100	Stormwater runoff
--	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Operating Landfill Fee Detail Sheet**

NJPDES #: NJ0083798
Program Interest ID: 46157
Facility Name: BURLINGTON CNTY RESOURCE RECOVERY COMPL

Billing Address: BURLINGTON CNTY RESOURCE RECOVERY
COMPLE
PO BOX 429
COLUMBUS, NJ 08022

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$34,909.54 = (27120 × 1.0328) + \$6900

Facility Location: 22000 COLUMBUS RD
MANSFIELD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	30	Landfills, completely lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	353399.12	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	884	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	904	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0051071
Program Interest ID: 46160
Facility Name: C&E CANNERS INC

Billing Address: C&E CANNERS INC
PO BOX 229
HAMMONTON, NJ 08037

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 1249 MAYS LANDING RD
FOLSOM, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Food processing wastewater
------------------------------------	-----	----------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Operating Landfill Fee Detail Sheet**

NJPDES #: NJ0050547
Program Interest ID: 46174
Facility Name: CMCMUA SECURE SANITARY LANDFILL

Billing Address: CAPE MAY CNTY MUA
PO BOX 610
CAPE MAY COURT HOUSE, NJ 08210

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$21,772.32 = (14400 × 1.0328) + \$6900

Facility Location: 2050 RT 610
WOODBINE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	30	Landfills, completely lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	183454.85	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	460	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	480	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0023663
Program Interest ID: 46183
Facility Name: HMH CARRIER CLINIC

Billing Address: HMH CARRIER CLINIC INC
PO BOX 147 - 252 RT 601
BELLE MEAD, NJ 08502

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,854.31 = (101 × 1.0328) + \$2750

Facility Location: EAST MOUNTAIN RD
BELLE MEAD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.05	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	100	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	101	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0062944
Program Interest ID: 46192
Facility Name: CEDAR SQUARE SHOPPING CENTER

Billing Address: RUTH MANAGEMENT LLC
205 W 89TH ST - STE 11S
NEW YORK, NY 10024

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,452.30 = (680 × 1.0328) + \$2750

Facility Location: 2087 S SHORE RD
UPPER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0166	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	33	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	34	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0128996
Program Interest ID: 46195
Facility Name: CARNEYS POINT GENERATING PLANT

Billing Address: CHAMBERS COGENERATION LP
500 SHELL RD
CARNEYS POINT GENERATING PLANT
CARNEYS POINT, NJ 080692926

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 500 SHELL RD
CARNEYS POINT, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0098621
Program Interest ID: 46198
Facility Name: DIAMOND SAND & GRAVEL CO INC

Billing Address: DIAMOND SAND & GRAVEL INC
33 DEMAREST RD
SPARTA, NJ 07871

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 33 DEMAREST RD
SPARTA, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Discharge from quarry operations
------------------------------------	-----	----------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0071013

Program Interest ID: 46201

Facility Name: FOUR SEASONS AT CHESTER

Billing Address: NJ AMERICAN WATER CO
601 ROUTE 202/206
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$4,273.38 = (1475 × 1.0328) + \$2750

Facility Location: RT 206
AKA OLD CHESTER GLADSTONE RD
CHESTER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0291	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	58	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	59	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0054101

Program Interest ID: 46202

Facility Name: CHESTER BOROUGH WTF

Billing Address: CHESTER BORO
50 NORTH RD
CHESTER, NJ 07930

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$6,648.82 = (3775 × 1.0328) + \$2750

Facility Location: OAKDALE RD (TREATMENT PLANT)
CHESTER BORO, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.075	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	-------	--

Pollutant Loading Factor:	150	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	-----	--

Pollution Potential Factor:	151	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	-----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0105244
Program Interest ID: 46207
Facility Name: BASF CORP

Billing Address: BASF CORP
227 OAK RIDGE PKWY
TOMS RIVER, NJ 08755

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,782.80 = (1000 × 1.0328) + \$2750

Facility Location: OAK RIDGE PKWY
TOMS RIVER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
----------------------------------	----	--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0109495
Program Interest ID: 46210
Facility Name: CITGO PETROLEUM - PETTY'S ISLAND TERMINAL

Billing Address: CITGO PETROLEUM CORP
PO BOX 655 - 36TH ST & DELAWARE RIVER
FOOT OF
PENNSAUKEN, NJ 08110

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 36TH ST & DELAWARE RIVER
PENNSAUKEN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0074012
Program Interest ID: 46222
Facility Name: LAKEWOOD COGENERATION LP

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Billing Address: LAKEWOOD COGENERATION LP
123 ENERGY WAY
LAKEWOOD, NJ 08701

Facility Location: 123 ENERGY WAY
LAKEWOOD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0102148
Program Interest ID: 46229
Facility Name: COLONIAL PIPELINE CO WOODBURY JUNCTION

Billing Address: COLONIAL PIPELINE CO WOODBURY JUNCTION
696 MANTUA GROVE RD
WEST DEPTFORD TWP, NJ 08066

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 696 MANTUA GROVE RD
WEST DEPTFORD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0051403
Program Interest ID: 46230
Facility Name: COLONIAL PIPELINE CO ALLENTOWN STATION

Billing Address: COLONIAL PIPELINE CO
696 MANTUA GROVE RD
WEST DEPTFORD TWP, NJ 08066

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 493 WARD AVE
CHESTERFIELD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0101508
Program Interest ID: 46231
Facility Name: BUCKEYE PENNSAUKEN JUNCTION

Billing Address: BUCKEYE PENNSAUKEN JUNCTION LLC
123 DEROUSSE AVE
PENNSAUKEN, NJ 08810

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 10 ELBO LN
MOUNT LAUREL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0051420
Program Interest ID: 46232
Facility Name: COLONIAL PIPELINE CO LINDEN JUNCTION TNK FA

Billing Address: COLONIAL PIPELINE CO LINDEN
696 MANTUA GROVE RD
WEST DEPTFORD TWP, NJ 08066

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,815.60 = (2000 × 1.0328) + \$2750

Facility Location: 400 BLAIR RD
AVENEL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
----------------------------------	----	--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0069060
Program Interest ID: 46237
Facility Name: JER/HERRING ORCHARD LLC

Billing Address: CHESAPEAKE HOLDINGS PARK LLC
300 INTERPACE PKWY - 3RD FLR
PARSIPPANY, NJ 07054

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,369.68 = (600 × 1.0328) + \$2750

Facility Location: 300 INTERPACE PKWY
BLDG C 3RD FLR
PARSIPPANY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0114	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	23	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	24	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0050342
Program Interest ID: 46247
Facility Name: FEDERAL PETROLEUM TERMINAL

Billing Address: FEDERAL PETROLEUM
450 S FRONT ST
ELIZABETH, NJ 07202

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,782.80 = (1000 × 1.0328) + \$2750

Facility Location: 450 S FRONT STREET
ELIZABETH, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
----------------------------------	----	--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Operating Landfill Fee Detail Sheet**

NJPDES #: NJ0102555
Program Interest ID: 46248
Facility Name: CUMBERLAND CNTY SOLID WASTE COMPLEX

Billing Address: CUMBERLAND CNTY IMPROVEMENT AUTH
745 LEBANON RD
DEERFIELD TWP, NJ 08332

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$22,763.81 = (15360 × 1.0328) + \$6900

Facility Location: 169 JESSES BRIDGE RD
DEERFIELD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	30	Landfills, completely lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	196464.32	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	492	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	512	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0102121
Program Interest ID: 46284
Facility Name: DUPONT SPECIALTY PRODUCTS USA, LLC

Billing Address: DUPONT SPECIALTY PRODUCTS USA LLC
250 CHEESEQUAKE RD
PARLIN, NJ 08859

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 250 CHEESEQUAKE RD
PARLIN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Operating Landfill Fee Detail Sheet

NJPDES #: NJ0105872

Program Interest ID: 46287

Facility Name: CHAMBERS WORKS

Billing Address: CHEMOURS CO FC LLC CHAMBERS WORKS
RT 130 & CANAL RD
DEEPWATER, NJ 08023

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$11,279.07 = (4240 × 1.0328) + \$6900

Facility Location: RT 130
DEEPWATER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	40	Landfills, unlined and/or partially lined
----------------------------------	----	---

Pollution Rating Factor: 50 Hazardous Waste Facilities/Landfills

Tons of Solid Waste Disposed: 21867.83 Tons of solid waste deposited during CY2018.

Flow (MGD):

Pollutant Loading Factor: 56 Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.

Pollution Potential Factor:	106	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	-----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0120995
Program Interest ID: 46293
Facility Name: PENN JERSEY BUILDING MATERIALS CO INC

Billing Address: PENN JERSEY BUILDING MATERIALS CO INC
PO BOX 981
PLEASANTVILLE CITY, NJ 082320981

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: FIRE RD & RAIL RD
EGG HARBOR TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0099571	Billing Address: INSPIRA MEDICAL CENTER ELMER
Program Interest ID: 46303	501 W FRONT ST
Facility Name: INSPIRA MEDICAL CENTER ELMER	ELMER, NJ 08312
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 501 FRONT ST
\$10,496.00 = (7500 × 1.0328) + \$2750	ELMER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
-------------------------------------	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 300	Other industrial process wastewater
--	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0029203
Program Interest ID: 46313
Facility Name: KINGS GRANT STP

Billing Address: EVESHAM TWP MUA
100 SHARP RD
MARLTON, NJ 08053

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$27,557.86 = (24020 × 1.0328) + \$2750

Facility Location: 790 BARTON RUN BLVD
MARLTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.6	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	1200	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	1201	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0105104
Program Interest ID: 46318
Facility Name: PHILLIPS 66 CO

Billing Address: PHILLIPS 66 CO
1400 PARK AVE
LINDEN, NJ 07036

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,059.84 = (300 × 1.0328) + \$2750

Facility Location: 1400 PARK AVE
LINDEN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0089338
Program Interest ID: 46323
Facility Name: EXXONMOBIL RESEARCH AND ENGINEERING CO

Billing Address: EXXONMOBIL RESEARCH & ENGINEERING CO
1545 RT 22 E
ANNANDALE, NJ 088013059

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,856.91 = (2040 × 1.0328) + \$2750

Facility Location: 1545 RT 22 E
ANNANDALE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0505	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	101	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	-----	--

Pollution Potential Factor:	102	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	-----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0072559

Program Interest ID: 46342

Facility Name: FAYSON LAKE WATER COMPANY

Billing Address: FAYSON LAKE WATER CO
160 BOONTON AVE
KINNELON, NJ 07405

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 160 BOONTON AVE
KINNELON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Potable water plant filter backwash
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0101486
Program Interest ID: 46346
Facility Name: PRESTONE PRODUCTS CORPORATION

Billing Address: PRESTONE PRODUCTS CORP
250 HALLS MILL RD
FREEHOLD TWP, NJ 077288832

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 250 HALLS MILL RD
FREEHOLD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0109681	Billing Address: TRAVELCENTERS OF AMERICA & PETRO STOPPIN
Program Interest ID: 46375	24601 CENTER RIDGE RD - STE 200
Facility Name: TRAVEL CENTERS OF AMERICA	WESTLAKE, OH 44145
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 975 RT 173
\$2,853.28 = (100 × 1.0328) + \$2750	BLOOMSBURY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0022314
Program Interest ID: 46378
Facility Name: SANDY HOOK WTP

Billing Address: US DEPT OF INTERIOR NATIONAL PARK SERVIC
26 HUDSON RD
HIGHLANDS, NJ 07732

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$12,535.78 = (9475 × 1.0328) + \$2750

Facility Location: 311 ATLANTIC DR
FORT HANCOCK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.189	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	378	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	379	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0064971
Program Interest ID: 46385
Facility Name: GENIE HOUSE

Billing Address: GENIE HOUSE
PO BOX 2478
VINCENTOWN, NJ 08088

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 139 RED LION RD
SOUTHAMPTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Operating Landfill Fee Detail Sheet

NJPDES #: NJ0103420
Program Interest ID: 46393
Facility Name: GLOUCESTER CNTY SOLID WASTE COMPLEX

Billing Address: GLOUCESTER CNTY IMPROVEMENT AUTH
109 BUDD BLVD
WOODBURY, NJ 08096

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$93,366.02 = (83720 × 1.0328) + \$6900

Facility Location: 503 MONROEVILLE RD
SWEDESBORO, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	40	Landfills, unlined and/or partially lined
----------------------------------	----	---

Pollution Rating Factor: 20 Sanitary Landfills

Tons of Solid Waste Disposed: 828694.81 Tons of solid waste deposited during CY2018.

Flow (MGD):

Pollutant Loading Factor: 2073 Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.

Pollution Potential Factor:	2093	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	------	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0061824
Program Interest ID: 46395
Facility Name: ANGLE IN MOBILE HOME PARK

Billing Address: ANGLE IN MOBILE HOME PARK
PO BOX 781
FARMINGDALE, NJ 07727

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: RT 33
HOWELL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Potable water plant filter backwash
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0101966
Program Interest ID: 46400
Facility Name: OYSTER CREEK GENERATING STATION

Billing Address: EXELON GENERATION CO LLC
741 RT 9
FORKED RIVER, NJ 087310388

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: RT 9 S
FORKED RIVER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Potable water plant filter backwash
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0099732
Program Interest ID: 46402
Facility Name: GRASSO FOODS

Billing Address: GRASSO FOODS INC
2111 KINGS HWY
WOOLWICH TWP, NJ 08085

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 2111 KINGS HWY
WOOLWICH TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Food processing wastewater
------------------------------------	-----	----------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0082511
Program Interest ID: 46403
Facility Name: LEGENDS RESORT & COUNTRY CLUB

Billing Address: LEGENDS RESORT & COUNTRY CLUB
PO BOX 1400
MCAFEE, NJ 07428

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$20,849.82 = (17525 × 1.0328) + \$2750

Facility Location: RTE 517
MCAFEE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.35	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	700	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	701	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0065706	Billing Address: GREENWOOD WATERFRONT TOWNHOUSES CONDO AS 170 KINNELON RD KINNELON, NJ 074052349
Program Interest ID: 46405	
Facility Name: GREENWOOD WATERFRONT TOWNHOUSES CONDO	
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 22 LAKESIDE RD WEST MILFORD, NJ
\$2,879.10 = (125 × 1.0328) + \$2750	

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.002	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0102440
Program Interest ID: 46413
Facility Name: HAWORTH WATER TREATMENT PLANT

Billing Address: SUEZ WATER NJ INC
461 FROM RD - BLDG 6 - STE 400
PARAMUS, NJ 07652

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 200 LAKE SHORE DR
HAWORTH, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Potable water plant filter backwash
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0076643
Program Interest ID: 46419
Facility Name: HAMILTON TWP WPCF

Billing Address: HAMILTON TWP DEPT OF WATER POLLUTION CON
300 HOBSON AVE
HAMILTON, NJ 08610

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 300 HOBSON AVE
HAMILTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0099198
Program Interest ID: 46420
Facility Name: BURLINGTON BEEF

Billing Address: HENRY KOHN INC
PO BOX 1004
MONROEVILLE, NJ 08343

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 30 BURLINGTON RD
UPPER PITTSBORO TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Food processing wastewater
------------------------------------	-----	----------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0104990
Program Interest ID: 46421
Facility Name: HAMMONTON WWTP

Billing Address: HAMMONTON TOWN
100 CENTRAL AVE
HAMMONTON TOWN, NJ 08037

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$44,082.66 = (40020 × 1.0328) + \$2750

Facility Location: 100 PLEASANT MILLS RD RT 542
HAMMONTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	1.6	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	2000	Flow is greater than or equal to 1.0 MGD but less than 3.0 MGD.
Pollution Potential Factor:	2001	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0024902
Program Interest ID: 46423
Facility Name: HANOVER SEWERAGE AUTHORITY WTP

Billing Address: HANOVER TWP SEWERAGE AUTH
PO BOX 320
WHIPPANY, NJ 07981

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,849.43 = (3001 × 1.0328) + \$2750

Facility Location: 40 TROY RD
WHIPPANY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	4.61	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	3000	Flow is greater than or equal to 3.0 MGD but less than 5.0 MGD.
Pollution Potential Factor:	3001	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0099678	Billing Address: HARDING WOODS MHC LLC
Program Interest ID: 46425	187 HARDING HWY
Facility Name: HARDING WOODS MHC LLC	PITTS GROVE TWP, NJ 08318
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 187 HARDING HIGHWAY
\$5,869.06 = (3020 × 1.0328) + \$2750	PITTS GROVE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.075	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	150	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	151	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0105252
Program Interest ID: 46443
Facility Name: HOEGANAES CORPORATION

Billing Address: HOEGANAES CORP
1001 TAYLORS LN
CINNAMINSON, NJ 080772017

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 1001 TAYLORS LN
CINNAMINSON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0004952

Program Interest ID: 46444

Facility Name: DSM NUTRITIONAL PRODUCTS INC

Billing Address: DSM NUTRITIONAL PRODUCTS LLC
205 MACKS ISLAND DR
BELVIDERE, NJ 07823

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$5,848.40 = (3000 × 1.0328) + \$2750

Facility Location: 206 MACKS IS DR
BELVIDERE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
----------------------------------	----	--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0090158
Program Interest ID: 46484
Facility Name: JACKSON ACRES

Billing Address: JACKSON ACRES LLC
2 LISA LN S
JACKSON, NJ 085273535

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,583.22 = (1775 × 1.0328) + \$2750

Facility Location: 2 LISA LN S
JACKSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.035	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	70	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	71	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0058050	Billing Address: MENDHAM TWP
Program Interest ID: 46485	PO BOX 520 - CHERRY LN & MAIN ST
Facility Name: MENDHAM EAST WASTE WTP	BROOKSIDE, NJ 07926
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 6 DEVONSHIRE LN
\$5,357.82 = (2525 × 1.0328) + \$2750	MENDHAM TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.05	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	100	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	101	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0062090
Program Interest ID: 46487
Facility Name: JACKSON TOWNSHIP MUA

Billing Address: JACKSON TWP MUA
135 MANHATTAN ST
JACKSON TWP, NJ 08527

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,653.70 = (875 × 1.0328) + \$2750

Facility Location: MAPLE GLEN STP
BOXWOOD DR
JACKSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.017	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	34	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	35	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0073679
Program Interest ID: 46494
Facility Name: SMITHVILLE PROFESSIONAL CENTER

Billing Address: SMITHVILLE PROFESSIONAL CENTER CONDO ASS
7 CAVESSON DR
GALLOWAY, NJ 08205

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,935.90 = (180 × 1.0328) + \$2750

Facility Location: 48 S NEW YORK RD A-1
LOT 29 & 30 BLOCK 126001
SMITHVILLE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.004	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	-------	--

Pollutant Loading Factor:	8	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	---	--

Pollution Potential Factor:	9	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	---	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0005517

Program Interest ID: 46503

Facility Name: GILBERT GENERATING STATION

Billing Address: GILBERT POWER LLC
315 RIEGELSVILLE RD
MILFORD, NJ 08848

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$2,982.38 = (225 × 1.0328) + \$2750

Facility Location: 315 RIEGELSVILLE RD
MILFORD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor: 1 Sanitary Sewage Wastewater

Tons of Solid Waste Disposed: N/A

Flow (MGD): 0.004 NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)

Pollutant Loading Factor: 8 Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.

Pollution Potential Factor:	9	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	---	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0090441
Program Interest ID: 46506
Facility Name: JOHANNA FOODS INC

Billing Address: JOHANNA FOODS INC
20 JOHANNA FARMS RD
RARITAN TWP, NJ 08822

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,008.20 = (250 × 1.0328) + \$2750

Facility Location: 20 JOHANNA FARMS RD
RARITAN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Food processing wastewater
------------------------------------	-----	----------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0026140
Program Interest ID: 46511
Facility Name: JOHNSON & JOHNSON CONSUMER PRODUCT CO INC

Billing Address: JOHNSON & JOHNSON CONSUMER INC
199 GRANDVIEW RD - N0049B
SKILLMAN, NJ 08558

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 199 GRANDVIEW RD
SKILLMAN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0059897
Program Interest ID: 46533
Facility Name: WASHINGTON TWP SHOPPING CENTER

Billing Address: LAKELAND PARKS INC
237 SOUTH ST - BOX 2049
MORRISTOWN, NJ 07960

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,911.90 = (1125 × 1.0328) + \$2750

Facility Location: RT 31 & ASBURY ANDERSON RD
WASHINGTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.022	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	44	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	45	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0025364

Program Interest ID: 46537

Facility Name: LANDIS SEWERAGE AUTHORITY

Billing Address: LANDIS SEWERAGE AUTH
1776 S MILL RD
VINELAND, NJ 08360

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$85,394.66 = (80020 × 1.0328) + \$2750

Facility Location: 1776 S MILL RD
VINELAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor: 1 Sanitary Sewage Wastewater

Tons of Solid Waste Disposed: N/A

Flow (MGD): 8.2 NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)

Pollutant Loading Factor: 4000 Flow is greater than or equal to 5.0 MGD.

Pollution Potential Factor:	4001	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	------	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0004791
Program Interest ID: 46547
Facility Name: BRAEN ROYALTY LLC

Billing Address: BRAEN ROYALTY LLC
217 LIMECREST RD
LAFAYETTE, NJ 07848

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 217 LIMECREST RD
LAFAYETTE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0020079
Program Interest ID: 46569
Facility Name: 66 STATION RD WTP

Billing Address: PROLOGIS
1 MEADOWLANDS PLAZA - STE 100
EAST RUTHERFORD, NJ 07073

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,343.86 = (575 × 1.0328) + \$2750

Facility Location: 66 STATION RD
CRANBURY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.011	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	22	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	23	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0109410
Program Interest ID: 46570
Facility Name: MOLITOR WATER POLLUTION CONTROL FACILITY

Billing Address: MADISON CHATHAM JOINT MEETING
PO BOX 341
CHATHAM, NJ 07928

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$33,744.33 = (30010 × 1.0328) + \$2750

Facility Location: N PASSAIC AVENUE
CHATHAM, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	3.5	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	3000	Flow is greater than or equal to 3.0 MGD but less than 5.0 MGD.
Pollution Potential Factor:	3001	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0065820
Program Interest ID: 46571
Facility Name: SENECA GARDEN APARTMENTS

Permit Fee = (Environmental Value × Rate) + Minimum Fee
\$3,627.88 = (850 × 1.0328) + \$2750

Billing Address: SENECA GARDEN APARTMENTS
50 RT 46 - STE 100
PARSIPPANY, NJ 07054

Facility Location: RT 15 & CELLA ST
JEFFERSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0164	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	33	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	34	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0087301
Program Interest ID: 46582
Facility Name: MARLBORO PSYCHIATRIC HOSPITAL

Billing Address: NJ DEPT OF TREASURY DPMC
PO BOX 034 - 33 W STATE ST
TRENTON, NJ 086250034

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 540 NEWMAN SPRINGS RD - RT 520
MARLBORO, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Potable water plant filter backwash
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0064386
Program Interest ID: 46587
Facility Name: UNITED WATER MATCHAPONIX

Billing Address: UNITED WATER CO MATCHAPONIX
103 WILSON AVE
MANALAPAN, NJ 07726

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,815.60 = (2000 × 1.0328) + \$2750

Facility Location: RT 527 103 WILSON AVE
MANALAPAN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0102806
Program Interest ID: 46594
Facility Name: MENDHAM BORO

Billing Address: MENDHAM BORO
35 IRONIA RD
MENDHAM, NJ 07945

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,680.55 = (901 × 1.0328) + \$2750

Facility Location: 35 IRONIA RD
MENDHAM, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.45	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	900	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	901	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0065528

Program Interest ID: 46604

Facility Name: COOKSTOWN QUALITY INN

Billing Address: QUALITY INN MCGUIRE AFB COOKSTOWN
21 WRIGHTSTOWN COOKSTOWN RD
COOKSTOWN, NJ 08511

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,240.58 = (475 × 1.0328) + \$2750

Facility Location: 21 WRIGHTSTOWN -COOKSTOWN RD
NEW HANOVER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0089	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	18	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	19	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0085502
Program Interest ID: 46618
Facility Name: PAULSBORO REFINING CO

Billing Address: PAULSBORO REFINING CO LLC
800 BILLINGSPOINT RD
PAULSBORO, NJ 08066

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 800 BILLINGSPOINT RD
PAULSBORO BORO, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0101575	Billing Address: BRISTOL MYERS SQUIBB CO
Program Interest ID: 46624	PO BOX 5400
Facility Name: BRISTOL MYERS SQUIBB CO	PRINCETON, NJ 08543
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 311 PENNINGTON-ROCKY HILL RD
\$10,496.00 = (7500 × 1.0328) + \$2750	HOPEWELL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
-------------------------------------	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 300	Other industrial process wastewater
--	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Operating Landfill Fee Detail Sheet

NJPDES #: NJ0108146
Program Interest ID: 46628
Facility Name: MONMOUTH CNTY RECLAMATION CENTER

Billing Address: MONMOUTH CNTY RECLAMATION CENTER
6000 ASBURY AVE
TINTON FALLS BORO, NJ 07753

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$50,029.73 = (41760 × 1.0328) + \$6900

Facility Location: 6000 ASBURY AVE
TINTON FALLS, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	40	Landfills, unlined and/or partially lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	409370.36	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	1024	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	1044	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0067032
Program Interest ID: 46640
Facility Name: MOORINGS @ SWEETWATER

Billing Address: MOORINGS @ SWEETWATER
2710 7TH AVE - STE 14
HAMMONTON, NJ 08037

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,879.10 = (125 × 1.0328) + \$2750

Facility Location: 2710 7TH AVE
SWEETWATER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0018	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0090115
Program Interest ID: 46647
Facility Name: CHESTER SPRINGS SHOPPING CTR

Billing Address: DPF CHESTER LLC
518 17TH ST - STE 1700
DENVER, CO 80202

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,325.02 = (1525 × 1.0328) + \$2750

Facility Location: RT 206 NORTH
CHESTER BORO, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.03	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	60	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	61	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0099538
Program Interest ID: 46657
Facility Name: MT OLIVE VILLAGES SEWER CO STP

Billing Address: MOUNT OLIVE VILLAGES WATER CO
40 WOLFE RD
BUDD LAKE, NJ 07828

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$16,403.62 = (13220 × 1.0328) + \$2750

Facility Location: FORMERLY EAGLE ROCK VILLAGE
40 WOLF RD
MOUNT OLIVE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.33	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	660	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	661	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0101290
Program Interest ID: 46664
Facility Name: TNSA SEWERAGE TREATMENT PLANT

Billing Address: NEPTUNE TWP SEWERAGE AUTH
PO BOX 765 - 634 OLD CORLIES AVE
NEPTUNE TWP, NJ 07753

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,882.23 = (4001 × 1.0328) + \$2750

Facility Location: 634 OLD CORLIES AVE
NEPTUNE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	8.5	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4000	Flow is greater than or equal to 5.0 MGD.
Pollution Potential Factor:	4001	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0105856
Program Interest ID: 46666
Facility Name: NESTLE USA INC

Billing Address: NESTLE USA INC
61 JERSEYVILLE AVE
FREEHOLD, NJ 07728

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 61 JERSEYVILLE AVE
FREEHOLD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0104469
Program Interest ID: 46668
Facility Name: NJ TRANSIT CORP - BAY HEAD RAIL YARD

Billing Address: NJ TRANSIT AUTH ENVIRONMENTAL SERVICES U
1 PENN PLAZA E - 8TH FLR
NEWARK, NJ 07105

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: TWILIGHT RD
BAY HEAD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0053147
Program Interest ID: 46672
Facility Name: DELAWARE & RARITAN CANAL

Billing Address: NJ WATER SUPPLY AUTH
PO BOX 5196 - 1851 RT 31
CLINTON TWP, NJ 08809

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: RT 202 STOCKPILE SITE
RT 29 BLOCK 64 LOTS 3/301
DELAWARE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0099171
Program Interest ID: 46682
Facility Name: TRANQUIL VALLEY RETREAT CENTER

Billing Address: NJ CONFERENCE OF 7TH DAY ADVENTISTS
2303 BRUNSWICK AVE
LAWRENCEVILLE, NJ 08648

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,937.72 = (1150 × 1.0328) + \$2750

Facility Location: RT 517
TRANQUILITY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0225	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	45	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	46	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0064289
Program Interest ID: 46687
Facility Name: WARREN RESIDENTIAL GROUP CTR

Billing Address: NJ JUVENILE JUSTICE COMM
PO BOX 107 - 1001 SPRUCE ST - STE 202
TRENTON, NJ 086250107

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,163.12 = (400 × 1.0328) + \$2750

Facility Location: 509 BRASS CASTLE RD
OXFORD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0075	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	15	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	16	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0091219
Program Interest ID: 46691
Facility Name: MONMOUTH BATTLEFIELD STATE PK

Billing Address: NJDEP STATE PARK SERVICE
PO BOX 404 - 501 E STATE ST - 4TH FLR
STATION PLAZA 5
TRENTON, NJ 086250404

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,808.62 = (1025 × 1.0328) + \$2750

Facility Location: 347 FREEHOLD-ENGLISHTOWN RD
MANALAPAN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.02	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	40	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	41	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0091278

Program Interest ID: 46692

Facility Name: RINGWOOD STATE PARK

Billing Address: NJDEP STATE PARK SERVICE
PO BOX 420 - 501 E STATE ST - 4TH FLR
MAIL CODE 501-04
TRENTON, NJ 086250420

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

Facility Location: 1304 SLOATSBURG RD
RINGWOOD, NJ

\$5,357.82 = (2525 × 1.0328) + \$2750

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.05	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	------	--

Pollutant Loading Factor:	100	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	-----	--

Pollution Potential Factor:	101	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	-----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0069116
Program Interest ID: 46693
Facility Name: NJ SCHOOL OF CONSERVATION

Billing Address: NJ SCHOOL OF CONSERVATION
1 WALPALANNE RD
BRANCHVILLE, NJ 07826

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,287.06 = (520 × 1.0328) + \$2750

Facility Location: 1 WAPALANNE RD
SANDYSTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0125	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	25	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	26	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0021172
Program Interest ID: 46694
Facility Name: WOODBINE DEVELOPMENTAL CENTER

Billing Address: NJDHS WOODBINE DEVELOPMENT CENTER
1175 DEHIRSCH AVE
WOODBINE, NJ 08270

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,380.58 = (6420 × 1.0328) + \$2750

Facility Location: DE HIRSH AVE
WOODBINE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.16	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	320	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	321	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0070955
Program Interest ID: 46695
Facility Name: NEW LISBON DEVELOPMENTAL CTR

Billing Address: NJ DEPT OF HUMAN SERVICES
PO BOX 700 - 222 S WARREN ST
TRENTON, NJ 086250700

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$13,103.82 = (10025 × 1.0328) + \$2750

Facility Location: RT 72
WOODLAND TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.2	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	400	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	401	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0052302
Program Interest ID: 46701
Facility Name: KNOWLTON TOWNSHIP REST AREA

Billing Address: NJDOT BUREAU OF FACILITIES PLNG ENG & CO
PO BOX 600
TRENTON, NJ 086250600

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,066.82 = (1275 × 1.0328) + \$2750

Facility Location: RT 80
KNOWLTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.025	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	50	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	51	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0060682
Program Interest ID: 46720
Facility Name: OAKS OF WEYMOUTH

Billing Address: OAKS OF WEYMOUTH
100 OAKS DR
MAYS LANDING, NJ 08330

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,759.08 = (4850 × 1.0328) + \$2750

Facility Location: 11TH AVE RD #20
WEYMOUTH TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0963	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	193	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	194	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0090051
Program Interest ID: 46721
Facility Name: OAKWOOD VILLAGE WTP

Billing Address: AQUA NJ
10 BLACK FOREST RD
HAMILTON, NJ 08691

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$15,375.98 = (12225 × 1.0328) + \$2750

Facility Location: OAKWOOD DR
RT 206
MOUNT OLIVE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.244	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	488	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	489	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0103349
Program Interest ID: 46723
Facility Name: RIMTEC CORP

Billing Address: RIMTEC MANUFACTURING CORP T/A OR BA
1702 BEVERLY RD
BURLINGTON, NJ 080169998

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,956.56 = (200 × 1.0328) + \$2750

Facility Location: 1702 BEVERLY RD
BURLINGTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0080021	Billing Address: OCEAN CNTY LANDFILL CORP
Program Interest ID: 46724	25 1ST AVE - 2ND FLR
Facility Name: OCEAN CNTY LANDFILL	ATLANTIC HIGHLANDS, NJ 07716
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 2498 RT 70
\$3,059.84 = (300 × 1.0328) + \$2750	MANCHESTER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined
--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 300 Other industrial process wastewater
--

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0080021
Program Interest ID: 46724
Facility Name: OCEAN CNTY LANDFILL

Billing Address: OCEAN CNTY LANDFILL CORP
25 1ST AVE - 2ND FLR
ATLANTIC HIGHLANDS, NJ 07716

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,059.84 = (300 × 1.0328) + \$2750

Facility Location: 2498 RT 70
MANCHESTER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	40	Landfills, unlined and/or partially lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	630178.21	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	1576	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	1596	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0064998
Program Interest ID: 46730
Facility Name: CHATSWORTH RECEIVING STATION

Billing Address: OCEAN SPRAY CRANBERRIES INC
PO BOX 513 - MAIN ST
CHATSWORTH, NJ 08019

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: RT 563
MAIN ST/CHATSWORTH-NEW GRETNA RD
WOODLAND TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0054372
Program Interest ID: 46732
Facility Name: OFFSHORE MANOR TREATMENT PLANT

Billing Address: BASS RIVER TWP
PO BOX 307
NEW GRETN, NJ 08224

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,505.76 = (1700 × 1.0328) + \$2750

Facility Location: RT 9 CEDAR AVE
BASS RIVER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0336	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	67	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	68	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Operating Landfill Fee Detail Sheet**

NJPDES #: NJ0102172
Program Interest ID: 46768
Facility Name: PENNSAUKEN SANITARY LANDFILL

Billing Address: CAMDEN CNTY POLLUTION CONTROL FINANCING
9600 RIVER RD
PENNSAUKEN, NJ 08110

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$13,014.18 = (5920 × 1.0328) + \$6900

Facility Location: 9600 RIVER RD
PENNSAUKEN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	40	Landfills, unlined and/or partially lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	50933.84	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	128	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	148	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0085472
Program Interest ID: 46778
Facility Name: RUNYON WATER TREATMENT PLANT

Billing Address: PERTH AMBOY CITY HALL
260 HIGH ST
PERTH AMBOY, NJ 08861

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,956.56 = (200 × 1.0328) + \$2750

Facility Location: 2 OLD WATER WORKS RD
OLD BRIDGE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Potable water plant filter backwash
------------------------------------	-----	-------------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0075159

Program Interest ID: 46779

Facility Name: HILLARD BLOOM PACKING CO INC

Billing Address: HILLARD BLOOM PACKING CO INC
2601 OGDEN AVE
PORT NORRIS, NJ 08349

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 2601 OGDEN AVE
PORT NORRIS, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Food processing wastewater
------------------------------------	-----	----------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0069698

Program Interest ID: 46784

Facility Name: PHILLIPSBURG MARBLE CO

Billing Address: PHILLIPSBURG MARBLE CO
PO BOX 172 - 1 MARBLE HILL RD
PHILLIPSBURG, NJ 088650172

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 1355 RIVER RD
PHILLIPSBURG, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Discharge from quarry operations
------------------------------------	-----	----------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Operating Landfill Fee Detail Sheet

NJPDES #: NJ0102211
Program Interest ID: 46791
Facility Name: WARREN CNTY DIST LANDFILL

Billing Address: POLLUTION CONTROL FINANCING AUTH
PO BOX 587
OXFORD, NJ 07863

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$14,294.85 = (7160 × 1.0328) + \$6900

Facility Location: 500 MT PISGAH AVE
OXFORD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	40	Landfills, unlined and/or partially lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	63338.53	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	159	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	179	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0089711
Program Interest ID: 46800
Facility Name: SUEZ WATER PRINCETON MEADOWS

Billing Address: SUEZ WATER PRINCETON MEADOWS
PO BOX 336
PLAINSBORO, NJ 08536

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$23,416.33 = (20010 × 1.0328) + \$2750

Facility Location: 31 MAPLE AVE
PLAINSBORO, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	1.5	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	2000	Flow is greater than or equal to 1.0 MGD but less than 3.0 MGD.
Pollution Potential Factor:	2001	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0101338
Program Interest ID: 46806
Facility Name: MACK-CALI HOLMDEL WTP

Billing Address: MACK CALI HOLMDEL LLC
210 HUDSON ST - HARBORSIDE 3 - STE 400
JERSEY CITY, NJ 07311

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,841.42 = (2025 × 1.0328) + \$2750

Facility Location: 23 MAIN ST
HOLMDEL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.04	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	80	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	81	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0074977	Billing Address: KEEM RAJ LLC - D/B/A EXPRESS INN
Program Interest ID: 46823	5309 RT 33 & 34
Facility Name: KEEM RAJ LLC D/B/A EXPRESS INN	WALL, NJ 07727
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 5309 RT 33 & 34
\$3,085.66 = (325 × 1.0328) + \$2750	WALL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0059	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	12	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	13	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0107107
Program Interest ID: 46837
Facility Name: CHEMTRADE SOLUTIONS LLC

Billing Address: CHEMTRADE SOLUTIONS LLC
235 SNYDER AVE
BERKELEY HEIGHTS, NJ 07922

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 235 SNYDER AVE
BERKELEY HEIGHTS, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0005240	Billing Address: BRIDGEPORT DISPOSAL LLC
Program Interest ID: 46855	PO BOX 337
Facility Name: BRIDGEPORT DISPOSAL LLC	BRIDGEPORT, NJ 080140337
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 2858 RT 322
\$3,059.84 = (300 × 1.0328) + \$2750	BRIDGEPORT, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined
--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 300 Other industrial process wastewater
--

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0051322
Program Interest ID: 46864
Facility Name: LINDLEY COOK 4-H CAMP

Billing Address: LINDLEY COOK 4H CAMP
100-A STRUBLE RD
BRANCHVILLE, NJ 078265076

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,266.40 = (500 × 1.0328) + \$2750

Facility Location: 100A STRUBLE RD
SANDYSTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0096	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	19	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	20	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0023132
Program Interest ID: 46866
Facility Name: ST PAUL'S ABBEY STP

Billing Address: ST PAULS ABBEY BENEDICTINE MISSIONARIES
PO BOX 7
NEWTON, NJ 07860

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,808.62 = (1025 × 1.0328) + \$2750

Facility Location: 291 RT 206
ANDOVER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.02	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	40	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	41	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Operating Landfill Fee Detail Sheet**

NJPDES #: NJ0102113
Program Interest ID: 46869
Facility Name: SALEM CNTY SOLID WASTE COMPLEX

Billing Address: SALEM CNTY IMPROVEMENT AUTH
PO BOX 890 - 52 MCKILLIP RD
ALLOWAY, NJ 08001

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$17,393.25 = (10160 × 1.0328) + \$6900

Facility Location: 52 MCKILLIP RD
ALLOWAY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	40	Landfills, unlined and/or partially lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	93057.93	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	234	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	254	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0068756
Program Interest ID: 46871
Facility Name: F&S PRODUCE

Billing Address: F&S PRODUCE CO
500 W ELMER RD
VINELAND, NJ 08360

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 913 BRIDGETON AVE
DEERFIELD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Food processing wastewater
------------------------------------	-----	----------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0051055

Program Interest ID: 46872

Facility Name: F&S PRODUCE PLANT 2

Billing Address: F&S PRODUCE CO INC
PO BOX 489
DEERFIELD TWP, NJ 08352

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 500 WEST ELMER RD
VINELAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Food processing wastewater
------------------------------------	-----	----------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0068331
Program Interest ID: 46875
Facility Name: SANDY POINT MOBILE HOME PARK

Billing Address: SANDY POINT PARK & MARINA LLC
37 WILD WAY
LAKE HOPATCONG, NJ 07849

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,163.12 = (400 × 1.0328) + \$2750

Facility Location: 5 WILD WAY
JEFFERSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0075	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	15	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	16	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0087602	Billing Address: SEABROOK BROTHERS & SONS INC
Program Interest ID: 46882	PO BOX 5103 - 85 FINLEY RD
Facility Name: SEABROOK BROTHERS & SONS	SEABROOK, NJ 08302
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 85 FINLEY RD
\$9,205.00 = (6250 × 1.0328) + \$2750	SEABROOK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
-------------------------------------	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 250	Food processing wastewater
--	----------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0064921
Program Interest ID: 46883
Facility Name: CPI OPERATIONS LLC

Billing Address: CPI OPERATIONS LLC
4 PARADISE RD
WEST DEPTFORD TWP, NJ 08066

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,059.84 = (300 × 1.0328) + \$2750

Facility Location: 4 PARADISE RD
PAULSBORO, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0077488
Program Interest ID: 46892
Facility Name: SEWAREN TERMINAL

Billing Address: SEWAREN TERMINAL CORP
111 STATE ST
SEWAREN, NJ 07077

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 111 STATE ST
SEWAREN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0101389
Program Interest ID: 46901
Facility Name: SIKA CORP

Billing Address: SIKA CORP
201 POLITO AVE
LYNDHURST, NJ 07071

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 201 POLITO AVE
LYNDHURST, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0163945

Program Interest ID: 46925

Facility Name: SPARTAN VILLAGE INC

Billing Address: AQUA NJ INC
10 BLACK FOREST RD
HAMILTON, NJ 08691

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$4,340.51 = (1540 × 1.0328) + \$2750

Facility Location: 511 WRIGHTSTOWN-SYKESVILLE RD
WRIGHTSTOWN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.038	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	-------	--

Pollutant Loading Factor:	76	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	77	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0074004
Program Interest ID: 46929
Facility Name: WILMAD GLASS CO

Billing Address: SP INDUSTRIES INC
935 MEARNES RD
WARMINSTER, PA 18974

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$900.00 = (×) + \$900

Facility Location: RT 40 & OAK RD
BUENA VISTA TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0
----------------------------------	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	0
------------------------------------	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0052281
Program Interest ID: 46933
Facility Name: SPRUCE HILLS

Billing Address: SPRUCE HILLS CONDO ASSOC INC
100 SPRUCE HILLS DR
GLEN GARDNER, NJ 08826

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,770.94 = (2925 × 1.0328) + \$2750

Facility Location: RT 31 & GLEN MANOR DR
GLEN GARDNER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.058	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	116	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	117	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0065625

Program Interest ID: 46934

Facility Name: TALL PINES DAY CAMP

Billing Address: TALL PINES DAY CAMP INC
1349 SYKESVILLE RD
WILLIAMSTOWN, NJ 08094

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,292.22 = (525 × 1.0328) + \$2750

Facility Location: 1349 SYKESVILLE RD
WILLIAMSTOWN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.01	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	------	--

Pollutant Loading Factor:	20	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	21	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0074802
Program Interest ID: 46940
Facility Name: STANTON RIDGE SEWER PLANT

Billing Address: AQUA NJ
10 BLACK FOREST RD
HAMILTON, NJ 08691

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,925.86 = (3075 × 1.0328) + \$2750

Facility Location: RT 523
READINGTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.061	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	122	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	123	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0111201
Program Interest ID: 46944
Facility Name: STAVOLA CONSTRUCTION MATERIALS

Billing Address: STAVOLA CONSTRUCTION MATERIALS INC
PO BOX 482
RED BANK, NJ 07701

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: CHIMNEY ROCK RD & THOMPSON AVE
BOUND BROOK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0001589
Program Interest ID: 46947
Facility Name: STONE INDUSTRIES INC

Billing Address: STONE INDUSTRIES INC
400 CENTRAL AVE
HALEDON, NJ 07538

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 400-402 CENTRAL AVE
HALEDON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Discharge from quarry operations
------------------------------------	-----	----------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0067806
Program Interest ID: 46952
Facility Name: CARRIAGE MOBILE HOMES INC

Billing Address: CARRIAGE MOBILE HOMES INC
1 TESS DR
LAFAYETTE, NJ 07848

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,008.20 = (250 × 1.0328) + \$2750

Facility Location: RT 94
LAFAYETTE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0044	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	9	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	10	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0145688
Program Interest ID: 46965
Facility Name: SUSSEX CNTY MUA UPPER WALLKILL FACILITY

Billing Address: SUSSEX CNTY MUA
34 RT 94
LAFAYETTE, NJ 07848

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$13,718.34 = (10620 × 1.0328) + \$2750

Facility Location: 100-106 RT 94
VERNON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.265	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	530	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	531	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Operating Landfill Fee Detail Sheet

NJPDES #: NJ0107689
Program Interest ID: 46966
Facility Name: SUSSEX CNTY MUA SOLID WASTE FACILITY

Billing Address: SUSSEX CNTY MUA
34 RT 94
LAFAYETTE, NJ 07848

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$15,513.55 = (8340 × 1.0328) + \$6900

Facility Location: 34 S RT 94
LAFAYETTE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	30	Landfills, completely lined
----------------------------------	----	-----------------------------

Pollution Rating Factor: 20 Sanitary Landfills

Tons of Solid Waste Disposed: 102831.9 Tons of solid waste deposited during CY2018.

Flow (MGD):

Pollutant Loading Factor: 258 Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.

Pollution Potential Factor:	278	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	-----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0065544	Billing Address: PASHA HALAL POULTRY D/B/A MARACCI MEATS
Program Interest ID: 46977	1853 VINE RD
Facility Name: MARCACCI MEATS	VINELAND, NJ 08361
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 1853 VINE RD
\$9,205.00 = (6250 × 1.0328) + \$2750	VINELAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
-------------------------------------	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 250	Food processing wastewater
--	----------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0055956
Program Interest ID: 46983
Facility Name: OLDWICK VILLAGE WATER POLLUTION CONTROL P

Billing Address: TEWKSBURY TWP
169 OLD TURNPIKE RD
CALIFON, NJ 07830

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,013.65 = (3160 × 1.0328) + \$2750

Facility Location: CHURCH ST VILLAGE OF OLDWICK
OLDWICK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0783	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	157	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	158	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0102008	Billing Address: TRAP ROCK INDUSTRIES LLC
Program Interest ID: 46995	PO BOX 419
Facility Name: TRAP ROCK INDUSTRIES LLC	KINGSTON, NJ 08528
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 816 RT 27
\$9,205.00 = (6250 × 1.0328) + \$2750	130 LAUREL AVE
	KINGSTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
-------------------------------------	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 250	Discharge from quarry operations
--	----------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0102024

Program Interest ID: 46996

Facility Name: TRAP ROCK INDUSTRIES LLC

Billing Address: TRAP ROCK INDUSTRIES

PO BOX 419

KINGSTON, NJ 08528

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

Facility Location: ROUTE 31

PENNINGTON, NJ

\$5,332.00 = (2500 × 1.0328) + \$2750

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:

10

Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Rating Factor:

Tons of Solid Waste Disposed:

N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:

250

Discharge from quarry operations

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0103179

Program Interest ID: 47000

Facility Name: TRENTON SEWER UTILITY

Billing Address: TRENTON CITY SEWER UTILITY
1502 LAMBERTON RD
TRENTON CITY, NJ 08604

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 1502 LAMBERTON RD
TRENTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0089362
Program Interest ID: 47012
Facility Name: COVIA HOLDINGS CORPORATION - DIVIDING CREE

Billing Address: COVIA HOLDINGS CORP
121 ST ANDREWS CT
MANKATO, MN 56001

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: 1100 WHITEHEAD RD
DIVIDING CREEK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Discharge from quarry operations
------------------------------------	-----	----------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0090344
Program Interest ID: 47021
Facility Name: SOUTH WIND VILLAGE/UNITED MHP

Billing Address: UMH PROPERTIES INC
3499 RT 9 N - STE 3C
FREEHOLD, NJ 07728

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,099.62 = (2275 × 1.0328) + \$2750

Facility Location: 435 E VETERANS HWY
JACKSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.045	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	90	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	91	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0074284	Billing Address: USDOD MCGUIRE AFB 87TH AIR BASE WING ABW 2404 VANDENBERG AVE - 87 CES/SEIEA JB MDL, NJ 086415104
Program Interest ID: 47027	
Facility Name: USDOD JOINT BASE MCGUIRE DIX LAKEHURST WTP	
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 129 SUNRISE RD JB MDL, NJ
\$64,738.66 = (60020 × 1.0328) + \$2750	

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	4.6	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	3000	Flow is greater than or equal to 3.0 MGD but less than 5.0 MGD.
Pollution Potential Factor:	3001	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0081931
Program Interest ID: 47037
Facility Name: MUELLER PROPERTY HOLDINGS LLC

Billing Address: MUELLER PROPERTY HOLDINGS LLC
1101 E PEARL ST
BURLINGTON CITY, NJ 080161999

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 1101 EAST PEARL ST
BURLINGTON CITY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0098914

Program Interest ID: 47047

Facility Name: AUNT KITTY'S FOODS INC

Billing Address: AUNT KITTY'S FOODS INC

270 N MILL RD

VINELAND, NJ 08360

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

Facility Location: 270 N MILL RD

\$9,205.00 = (6250 × 1.0328) + \$2750

VINELAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:

25

Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Rating Factor:

Tons of Solid Waste Disposed:

N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:

250

Food processing wastewater

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0032328
Program Interest ID: 47051
Facility Name: VIANINI PIPE INC

Billing Address: VIANINI PIPE INC
PO BOX 678
SOMERVILLE, NJ 08876

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 81 COUNTY LINE RD
SOMERVILLE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0102016
Program Interest ID: 47054
Facility Name: HOWARD M DOWN GENERATING STATION

Billing Address: VINELAND CITY MUNICIPAL ELECTRIC UTILITY
PO BOX 1508
VINELAND, NJ 083621508

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,059.84 = (300 × 1.0328) + \$2750

Facility Location: 211 N WEST AVE
VINELAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0101818

Program Interest ID: 47064

Facility Name: WARREN STAGE IV STP

Billing Address: WARREN TWP SEWERAGE AUTH
46 MOUNTAIN BLVD
WARREN, NJ 07059

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$19,285.13 = (16010 × 1.0328) + \$2750

Facility Location: 299 KING GEORGE RD
WARREN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.8	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	1600	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	1601	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0102474
Program Interest ID: 47065
Facility Name: WARREN STAGE V STP

Billing Address: WARREN TWP SEWERAGE AUTH
46 MOUNTAIN BLVD
WARREN, NJ 07059

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,535.96 = (761 × 1.0328) + \$2750

Facility Location: LIBERTY CORNER RD
WARREN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.38	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	760	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	761	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0103322
Program Interest ID: 47070
Facility Name: FANWOOD CRUSHED STONE CO

Billing Address: WELDON ASPHALT CO
141 CENTRAL AVE
WESTFIELD, NJ 07090

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,782.80 = (1000 × 1.0328) + \$2750

Facility Location: NEW PROVIDENCE RD
WATCHUNG, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
----------------------------------	----	--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0099520
Program Interest ID: 47071
Facility Name: KESSLER INS FOR REHAB WELKIND FACILITY

Billing Address: KESSLER INSTITUTE FOR REHAB WELKIND FAC
201 PLEASANT HILL RD
CHESTER, NJ 07930

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,472.96 = (700 × 1.0328) + \$2750

Facility Location: 201 PLEASANT HILL RD
CHESTER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.017	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	34	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	35	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0056618
Program Interest ID: 47088
Facility Name: WILLIAMSBURG AT WEST MILFORD

Billing Address: BOULDER POND LLC - MARIA WINTER
13 OLD ARMY POST RD
MORRISTOWN, NJ 07960

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,648.82 = (3775 × 1.0328) + \$2750

Facility Location: PETER RD/RIDGE RD
WEST MILFORD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.075	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	150	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	151	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0061760
Program Interest ID: 47091
Facility Name: WINSLOW TWP WTP

Billing Address: CAMDEN CNTY MUA
1645 FERRY AVE
CAMDEN, NJ 08104

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$54,415.82 = (50025 × 1.0328) + \$2750

Facility Location: MALAGA-NEW BROOKLYN RD &
ERIAL-WILLIAMSTOWN RD
WINSLOW, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	2.25	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	2000	Flow is greater than or equal to 1.0 MGD but less than 3.0 MGD.
Pollution Potential Factor:	2001	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0068811
Program Interest ID: 47100
Facility Name: MENDHAM WEST WWTP

Billing Address: MENDHAM TWP
PO BOX 520
BROOKSIDE, NJ 07926

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,479.94 = (1675 × 1.0328) + \$2750

Facility Location: 331 PLEASANT VALLEY RD
MENDHAM TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0332	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	66	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	67	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0127990
Program Interest ID: 47104
Facility Name: NORTH JERSEY DIST WATER SUPPLY COMM

Billing Address: NORTH JERSEY DIST WATER SUPPLY COMM
1 FRANK A ORECHIO DR
WANAQUE, NJ 07465

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 1 F A ORECHIO DR
WANAQUE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Potable water plant filter backwash
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0129020
Program Interest ID: 47129
Facility Name: LOGAN GENERATING PLANT

Billing Address: LOGAN GENERATING CO LP
76 RT 130
SWEDESBORO, NJ 080859300

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 76 RT 130
SWEDESBORO, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0077127
Program Interest ID: 47135
Facility Name: BLUE HERON PLAZA

Billing Address: DTH 15 LLC
PO BOX 1263
WEST CALDWELL, NJ 07007

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,844.77 = (1060 × 1.0328) + \$2750

Facility Location: 86 BLUE HERON RD
SPARTA, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.026	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	52	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	53	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0077461
Program Interest ID: 47142
Facility Name: DURAND GLASS MANUFACTURING CO

Billing Address: DURAND GLASS MFG CO
901 S WADE BLVD
MILLVILLE, NJ 08332

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 901 S WADE BLVD
MILLVILLE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0077585
Program Interest ID: 47144
Facility Name: NJ 1881 RT 46 LLC

Billing Address: NJ 1881 ROUTE 46 LLC
5901 W SIDE AVE
NORTH BERGEN, NJ 07047

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,245.74 = (480 × 1.0328) + \$2750

Facility Location: 1881 RT 46
ROXBURY TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0115	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	23	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	24	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0078204
Program Interest ID: 47152
Facility Name: SANDY ALEXANDER INC

Billing Address: SANDY ALEXANDER INC
200 ENTIN RD
CLIFTON, NJ 07014

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 200 ENTIN RD
CLIFTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0078565
Program Interest ID: 47154
Facility Name: 111 BAUER DRIVE LLC

Billing Address: 111 BAUER DRIVE LLC
PO BOX 704
HARRIMAN, NY 10926

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,214.76 = (450 × 1.0328) + \$2750

Facility Location: 111 BAUER DR
OAKLAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0085	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	17	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	18	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0080055
Program Interest ID: 47170
Facility Name: NJ AMERICAN WATER CO - DEEP RUN WWTP

Billing Address: NJ AMERICAN WATER STATEWIDE SEWER
601 RT 202
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,844.77 = (1060 × 1.0328) + \$2750

Facility Location: COPPERFIELD DR AND TANGLEWOO DR
PLUMSTED TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.026	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	52	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	53	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0081086

Program Interest ID: 47180

Facility Name: JEFFERSON TWP - WATER'S EDGE

Billing Address: JEFFERSON TWP
1033 WELDON RD
LAKE HOPATCONG, NJ 07849

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$5,683.15 = (2840 × 1.0328) + \$2750

Facility Location: CHAMBERLAIN RD
JEFFERSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0707	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	141	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	142	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0081183

Program Interest ID: 47181

Facility Name: CAPE MAY NATIONAL GOLF CLUB

Billing Address: CAPE COUNTRY CLUB INC

PO BOX 2369

CAPE MAY, NJ 08204

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,343.86 = (575 × 1.0328) + \$2750

Facility Location: US HIGHWAY 9 & FLORENCE AVE

LOWER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0112	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	22	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	23	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0081914
Program Interest ID: 47192
Facility Name: SUEZ WATER-WEST MILFORD (BALD EAGLE COMM)

Billing Address: SUEZ WATER NJ BALD EAGLE COMMONS WWTP
PO BOX 1190 - 115 BARRY DR N
HIGHLAND LAKES, NJ 07422

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,757.26 = (3880 × 1.0328) + \$2750

Facility Location: MORSETOWN & RICHMOND RDS
WEST MILFORD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0965	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	193	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	194	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0083038
Program Interest ID: 47209
Facility Name: CABLEVISION OF OAKLAND

Billing Address: WESTMINSTER MGMT LLC
30-A VREELAND RD - STE 220
FLORHAM PARK, NJ 07932

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$900.00 = (×) + \$900

Facility Location: 40 POTASH RD
OAKLAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 0

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 0

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0070688
Program Interest ID: 47210
Facility Name: QUVA PHARMA INC

Billing Address: QUVA PHARMA INC
1075 W PARK ONE DR - STE 100
SUGAR LAND, TX 77478

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,059.84 = (300 × 1.0328) + \$2750

Facility Location: 519 RT 173 W
GREENWICH TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0053	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	11	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	12	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0083984
Program Interest ID: 47219
Facility Name: BAY COVE RESORT CONDOMINIUM ASSOCIATION I

Billing Address: BAY COVE RESORT CONDOMINIUM ASSOC INC
PO BOX 397
CAPE MAY COURT HOUSE, NJ 08210

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,428.30 = (1625 × 1.0328) + \$2750

Facility Location: 35 RT 47 S
CAPE MAY COURT HOUSE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.032	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	64	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	65	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0084018
Program Interest ID: 47221
Facility Name: FAIRTON OAKS

Billing Address: FAIRTON OAKS VILLAGE LLC
95 PRINCETON AVE
BRICK TWP, NJ 08724

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,879.10 = (125 × 1.0328) + \$2750

Facility Location: CLARKS POND RD
FAIRFIELD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.002	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0086797
Program Interest ID: 47347
Facility Name: PLATINUM PRESS INC

Billing Address: CK BERGEN ASSOC LLC
30-A VREELAND RD - STE 220
FLORHAM PARK, NJ 07932

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$900.00 = (×) + \$900

Facility Location: 5 THORNTON RD
OAKLAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 0

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 0

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0087297
Program Interest ID: 47359
Facility Name: BRUNSWICK COUNTRY LANES

Billing Address: KNOB HILL BOWLING LLC
363 RT 33
MANALAPAN, NJ 07726

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,879.10 = (125 × 1.0328) + \$2750

Facility Location: 363 RT 33
MANALAPAN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.002	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0087335
Program Interest ID: 47363
Facility Name: ROLLING HILLS OF HUNTERDON CARE CENTER

Billing Address: ROLLING HILLS OPERATIONS LLC
16 CRATETOWN RD
CLINTON, NJ 08833

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,472.96 = (700 × 1.0328) + \$2750

Facility Location: 16 CRATETOWN RD
CLINTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0135	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	27	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	28	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0087343
Program Interest ID: 47364
Facility Name: HAMILTON FARM GOLF CLUB & EQUESTRIAN CENT

Billing Address: HAMILTON FARM GOLF CLUB LLC
1040 POTTERSVILLE RD
GLADSTONE, NJ 07934

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,111.48 = (350 × 1.0328) + \$2750

Facility Location: 1040 POTTERSVILLE RD
BEDMINSTER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0067	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	13	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	14	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0087378
Program Interest ID: 47367
Facility Name: US GOLF ASSOCIATION

Billing Address: US GOLF ASSOCIATION
PO BOX 708
FAR HILLS, NJ 079310708

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,059.84 = (300 × 1.0328) + \$2750

Facility Location: 77 LIBERTY CORNER RD
BERNARDS TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0055	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	11	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	12	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0087530
Program Interest ID: 47372
Facility Name: WEST MILFORD SHOPPING PLAZA

Billing Address: WEST MILFORD SHOPPING PLAZA
1 INDIAN RD
DENVERVILLE, NJ 07834

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,447.14 = (675 × 1.0328) + \$2750

Facility Location: 1926 UNION VALLEY RD
WEST MILFORD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.013	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	26	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	27	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0087734

Program Interest ID: 47376

Facility Name: LAKE & SHORE CAMPGROUND

Billing Address: MHC LAKE & SHORE LLC

PO BOX 8000

MONSEY, NY 10952

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$5,977.50 = (3125 × 1.0328) + \$2750

Facility Location: 515 CORSON TAVERN RD

OCEAN VIEW, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0619	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	124	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	-----	--

Pollution Potential Factor:	125	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	-----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0089028
Program Interest ID: 47396
Facility Name: JEFFERSON VILLAGE SQUARE

Billing Address: GOOD KID HOLDING LLC
PO BOX 773
HACKETTSTOWN, NJ 07840

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: RT 15 S & FRANKLIN ST
JEFFERSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.002	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0100145
Program Interest ID: 47418
Facility Name: ARAWAK PAVING CO INC

Billing Address: ARAWAK PAVING CO INC
7503 WEYMOUTH RD
HAMMONTON, NJ 08037

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 7503 WEYMOUTH RD
HAMILTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0100501
Program Interest ID: 47431
Facility Name: PRINCETON MONTESSORI SCHOOL WWTP

Billing Address: PRINCETON MONTESSORI SCHOOL
487 CHERRY VALLEY RD
PRINCETON, NJ 08540

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 487 CHERRY VALLEY RD
MONTGOMERY TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.002	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0100781
Program Interest ID: 47444
Facility Name: PLEASANT ACRES FARM RV LLC

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,836.26 = (2020 × 1.0328) + \$2750

Billing Address: PLEASANT ACRES FARM RV LLC
61 DEWITT RD
SUSSEX, NJ 074610000

Facility Location: 61 DEWITT RD
WANTAGE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.05	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	100	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	101	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0100927

Program Interest ID: 47449

Facility Name: STONE HARBOR GOLF CLUB

Billing Address: FHM PROPERTIES LLC
PO BOX 836 - 905 RT 9
CAPE MAY COURT HOUSE, NJ 08210

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,008.20 = (250 × 1.0328) + \$2750

Facility Location: 905 RT 9 N
CAPE MAY COURT HOUSE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor: 1 Sanitary Sewage Wastewater

Tons of Solid Waste Disposed: N/A

Flow (MGD): 0.0043 NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)

Pollutant Loading Factor: 9 Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.

Pollution Potential Factor:	10	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0101028
Program Interest ID: 47452
Facility Name: PENNYTOWN WWTP

Billing Address: HOPEWELL TWP
201 WASHINGTON CROSSING PENNINGTON RD
TITUSVILLE, NJ 08560

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,349.02 = (580 × 1.0328) + \$2750

Facility Location: 145 RT 31 N
HOPEWELL TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0142	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	28	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	29	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0102920
Program Interest ID: 47481
Facility Name: FOREST MANOR HEALTH CARE CTR

Billing Address: FOREST MANOR HEALTH CARE CTR
PO BOX 283 - STATE PARK RD
HOPE, NJ 07844

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,292.22 = (525 × 1.0328) + \$2750

Facility Location: 145 STATE PARK RD
FRELINGHUYSEN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.01	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	20	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	21	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0103748
Program Interest ID: 47504
Facility Name: SKYLANDS STADIUM LLC

Billing Address: SKYLANDS STADIUM LLC
94 CHAMPIONSHIP PL
FRANKFORD TWP, NJ 07822

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 94 CHAMPIONSHIP PL
FRANKFORD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.002	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0104051
Program Interest ID: 47507
Facility Name: LOGAN TWP DISPOSAL AREA

Billing Address: WEEKS MARINE INC
901 BEACH ST
CAMDEN, NJ 08102

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: FLOODGATE RD
LOGAN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0104396

Program Interest ID: 47517

Facility Name: CROSSROADS @ OLDWICK

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,700.18 = (920 × 1.0328) + \$2750

Facility Location: RT 523 (OLDWICK RD)
TEWKSBURY TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0225	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	45	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	46	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0104655
Program Interest ID: 47528
Facility Name: ACME

Billing Address: ALBERTSONS COMPANIES INC
250 PARK CENTER BLVD
BOISE, ID 83706

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,240.58 = (475 × 1.0328) + \$2750

Facility Location: RT 94 & BUCHANAN RD
BLAIRSTOWN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.009	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	18	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	19	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0105031
Program Interest ID: 47540
Facility Name: NATIONAL AUTO DEALERS EXCHANGE

Billing Address: NATIONAL AUTO DEALERS EXCHANGE
PO BOX 188
BORDENTOWN, NJ 085050188

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,188.94 = (425 × 1.0328) + \$2750

Facility Location: 730 RT 68 NORTH
MANSFIELD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0081	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	16	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	17	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0105228
Program Interest ID: 47550
Facility Name: BEACON HILL WTF

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$8,120.56 = (5200 × 1.0328) + \$2750

Facility Location: ELLISDALE RD
UPPER FREEHOLD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.1037	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	207	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	208	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0105392
Program Interest ID: 47557
Facility Name: OLD YORK COUNTRY CLUB

Billing Address: OLD YORK COUNTRY CLUB
228 OLD YORK RD
CHESTERFIELD, NJ 08515

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,318.04 = (550 × 1.0328) + \$2750

Facility Location: 228 OLD YORK RD
CHESTERFIELD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0105	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	21	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	22	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0105562	Billing Address: ROYCE BROOK GOLF LLC
Program Interest ID: 47566	201 HAMILTON RD
Facility Name: ROYCE BROOK GOLF CLUB LLC	HILLSBOROUGH, NJ 08844
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 201 HAMILTON RD
\$3,085.66 = (325 × 1.0328) + \$2750	HILLSBOROUGH, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0059	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	12	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	13	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0167126	Billing Address: ROBERT MICHAEL SHOPPING CTR PO BOX 600 - 8 FORESTER AVE WARWICK, NY 109900600
Program Interest ID: 47570	
Facility Name: ROBERT MICHAEL SHOPPING CTR	
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: RAMAPO VALLEY RD OAKLAND, NJ
\$3,039.18 = (280 × 1.0328) + \$2750	

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0064	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	13	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	14	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0105759
Program Interest ID: 47579
Facility Name: DUE PROCESS GOLF & HORSE STABLES LLC

Billing Address: DUE PROCESS GOLF & HORSE STABLES LLC
392 RT 537
COLTS NECK, NJ 07722

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,111.48 = (350 × 1.0328) + \$2750

Facility Location: 392 RT 537
COLTS NECK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0065	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	13	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	14	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0106780
Program Interest ID: 47645
Facility Name: VIKING YACHT CO

Billing Address: VIKING YACHT CO
PO BOX 308
NEW GRETN, NJ 08224

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 5738 RTE 9
NEW GRETN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0108120
Program Interest ID: 47714
Facility Name: MANSFIELD FARMS

Billing Address: NJ AMERICAN WATER
601 RT 202/206
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$19,507.18 = (16225 × 1.0328) + \$2750

Facility Location: RT. 68
MANSFIELD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.324	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	648	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	649	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0108243
Program Interest ID: 47719
Facility Name: MEDICAL OFFICE BUILDING

Billing Address: MEDICAL OFFICE BUILDING
757 RT 15
LAKE HOPATCONG, NJ 07849

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,183.78 = (420 × 1.0328) + \$2750

Facility Location: 757 RT 15
LAKE HOPATCONG, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.01	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	20	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	21	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0108294
Program Interest ID: 47723
Facility Name: HUNTERDON COMMONS

Billing Address: HUNTERDON COMMONS
PO BOX 326
MARTINSVILLE, NJ 08836

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 176 HWY 202
RARITAN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0013	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	3	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	4	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0108928

Program Interest ID: 47753

Facility Name: COUNTRY OAKS WWTP

Billing Address: NJ AMERICAN WATER
601 RT 202/206
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$5,383.64 = (2550 × 1.0328) + \$2750

Facility Location: GOLD MINE RD
MOUNT OLIVE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0504	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	101	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	-----	--

Pollution Potential Factor:	102	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	-----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0108936
Program Interest ID: 47754
Facility Name: JACKSON PREMIUM OUTLETS

Permit Fee = (Environmental Value × Rate) + Minimum Fee
\$4,376.66 = (1575 × 1.0328) + \$2750

Billing Address: JACKSON PREMIUM OUTLETS
MONMOUTH RD - STE 168A
AKA RT 537
JACKSON TWP, NJ 08527

Facility Location: RT 537 MONMOUTH RD
JACKSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0312	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	62	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	63	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0109029

Program Interest ID: 47761

Facility Name: G&F REALTY OF RICHMOND

Billing Address: G&F REALTY OF RICHMOND

150 RT 35

KEYPORT, NJ 07735

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,034.02 = (275 × 1.0328) + \$2750

Facility Location: 340 RT 34

COLTS NECK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0052	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	10	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	11	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0109193
Program Interest ID: 47769
Facility Name: METEDECONK NATIONAL GOLF CLUB INC

Billing Address: METEDECONK NATIONAL GOLF CLUB INC
50 HANNAH HILL RD
JACKSON, NJ 08527

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,163.12 = (400 × 1.0328) + \$2750

Facility Location: 50 HANNAH HILL RD
JACKSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0075	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	15	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	16	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0109576
Program Interest ID: 47792
Facility Name: BEAR BROOK GOLF VILLAGE

Billing Address: AQUA NJ INC
10 BLACK FOREST RD
HAMILTON, NJ 08691

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,216.58 = (1420 × 1.0328) + \$2750

Facility Location: 23 PLAYERS BLVD & RT 94
FREDON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0348	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	70	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	71	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0109886
Program Interest ID: 47810
Facility Name: GALLOWAY NATIONAL GOLF COURSE

Billing Address: GALLOWAY NATIONAL GOLF CLUB
270 S NEW YORK RD - RT 9
GALLOWAY TWP, NJ 08205

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,085.66 = (325 × 1.0328) + \$2750

Facility Location: 270 NEW YORK RD
AKA RT 9
GALLOWAY TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0062	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	12	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	13	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0137448
Program Interest ID: 47876
Facility Name: HERMANS TRUCKING INC

Billing Address: HERMANS TRUCKING INC
181 JACOBSTOWN COOKSTOWN RD
WRIGHTSTOWN, NJ 08562

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 181 JACOBSTOWN COOKSTOWN RD
WRIGHTSTOWN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0115487
Program Interest ID: 48251
Facility Name: MAZZA RECYCLING SERVICES LTD

Billing Address: MAZZA RECYCLING SERVICES LLC
3230-A SHAFTO RD
TINTON FALLS, NJ 07753

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 3230 SHAFTO RD
TINTON FALLS, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0116165
Program Interest ID: 48308
Facility Name: FREEHOLD CARTAGE INC

Billing Address: FREEHOLD CARTAGE INC
PO BOX 5010
FREEHOLD, NJ 07728

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 825 RT 33
FREEHOLD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0162370
Program Interest ID: 48421
Facility Name: ALLENTOWN INC

Billing Address: ALLENTOWN INC
165 RT 526
ALLENTOWN, NJ 08501

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,080.50 = (320 × 1.0328) + \$2750

Facility Location: 165 RT 526
ALLENTOWN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0074	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	15	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	16	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0120481	Billing Address: SHAPES LLC - DELAIR LLC
Program Interest ID: 48650	9000 RIVER RD - 8600 RIVER RD
Facility Name: SHAPES LLC/DELAIR LLC	DELAIR, NJ 08110
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 9000 RIVER RD
\$5,332.00 = (2500 × 1.0328) + \$2750	DELAIR, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
-------------------------------------	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 100	Stormwater runoff
--	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0127876
Program Interest ID: 49250
Facility Name: FAR HILLS COUNTRY DAY SCHOOL

Billing Address: FAR HILLS COUNTRY DAY SCHOOL
PO BOX 8 - RT 202
FAR HILLS, NJ 07931

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,121.81 = (360 × 1.0328) + \$2750

Facility Location: RT 202
FAR HILLS, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0087	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	17	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	18	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0128121
Program Interest ID: 49263
Facility Name: CANOE BROOK STATION

Billing Address: NEW JERSEY AMERICAN WATER
167 JFK PKWY
SHORT HILLS, NJ 07078

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,848.40 = (3000 × 1.0328) + \$2750

Facility Location: 167 JFK PKWY
SHORT HILLS, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
----------------------------------	----	--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0128848	Billing Address: MOUNT OLIVE TWP
Program Interest ID: 49319	204 FLANDERS DRAKESTOWN RD
Facility Name: WYNDHAM POINTE WWTP	BUDD LAKE, NJ 07828
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 6 FERNWOOD CT (REAR)
\$4,325.02 = (1525 × 1.0328) + \$2750	MOUNT OLIVE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.03	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	60	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	61	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0128872
Program Interest ID: 49322
Facility Name: 95 WEST MAIN STREET

Billing Address: 95 MAIN STREET LLC
65 PLEASANT HILL RD
CHESTER, NJ 07930

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,904.92 = (150 × 1.0328) + \$2750

Facility Location: 95 WEST MAIN ST
CHESTER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0025	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	5	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	6	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0128911
Program Interest ID: 49324
Facility Name: MEL CHEMICALS

Billing Address: LUXFER MEL TECHNOLOGIES
500 BARBERTOWN POINT BREEZE RD
FLEMINGTON, NJ 08822

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 500 BARBERTOWN POINT BREEZE RD
KINGWOOD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0132225
Program Interest ID: 49592
Facility Name: PINE BARRENS GOLF CLUB

Billing Address: PINE BARRENS GOLF CLUB LLC
540 S HOPE CHAPEL RD
JACKSON, NJ 08527

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,085.66 = (325 × 1.0328) + \$2750

Facility Location: 540 S HOPE CHAPEL RD
JACKSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0061	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	12	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	13	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0132462
Program Interest ID: 49607
Facility Name: SUSSEX TURNPIKE CONDOMINIUM ASSOC

Billing Address: SUSSEX TURNPIKE CONDOMINIUM ASSOC
101 E MAIN ST
LITTLE FALLS, NJ 07424

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,596.90 = (820 × 1.0328) + \$2750

Facility Location: 1578 SUSSEX TNPK
RANDOLPH TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0199	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	40	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	41	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0135542
Program Interest ID: 49623
Facility Name: THE HORIZONS AT FRANKLIN LAKES WTP

Billing Address: MORGAN PROPERTIES
160 CLUBHOUSE RD
KING OF PRUSSIA, PA 19406

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,731.16 = (950 × 1.0328) + \$2750

Facility Location: FRANKLIN AVE
FRANKLIN LAKES, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0184	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	37	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	38	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0133353
Program Interest ID: 49677
Facility Name: CHARLESTON SPRINGS GOLF COURSE

Billing Address: MONMOUTH CNTY PARKS SYSTEM
805 NEWMAN SPRINGS RD
LINCROFT, NJ 07738

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,059.84 = (300 × 1.0328) + \$2750

Facility Location: RT 527 & SWEETMANS LN
MILLSTONE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0053	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	11	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	12	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0133451
Program Interest ID: 49685
Facility Name: BRANDYWINE ASSISTED LIVING AT COLTS NECK

Billing Address: BRANDYWINE ASSISTED LIVING @ COLTS NECK
3 MERIDIAN CIR
COLTS NECK, NJ 07722

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,137.30 = (375 × 1.0328) + \$2750

Facility Location: RT 34 & LELAND RD
COLTS NECK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0072	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	14	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	15	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0133558
Program Interest ID: 49693
Facility Name: JEFFERSON PEAKS WWTP

Billing Address: STATEWIDE SEWER NJAW
601 RT 202/206
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,230.82 = (6275 × 1.0328) + \$2750

Facility Location: EDISON & ESPANONG RDS
JEFFERSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.1251	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	250	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	251	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0133698	Billing Address: CRYSTAL SPRINGS WILDERNESS LODGES & RV R
Program Interest ID: 49704	724 MONMOUTH RD
Facility Name: CRYSTAL SPRINGS WILDERNESS LODGES & RV RES	CREAM RIDGE, NJ 08514
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 724 MONMOUTH RD
\$4,144.28 = (1350 × 1.0328) + \$2750	CREAM RIDGE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0267	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	53	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	54	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0133710

Program Interest ID: 49706

Facility Name: FROGBRIDGE DAY CAMP

Billing Address: FROGBRIDGE INC
7 YELLOW MEETING HOUSE RD
MILLSTONE, NJ 08510

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,602.06 = (825 × 1.0328) + \$2750

Facility Location: 7 YELLOW MEETING HOUSE RD
CREAM RIDGE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.016	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	-------	--

Pollutant Loading Factor:	32	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	33	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0134058

Program Interest ID: 49736

Facility Name: CPP STREETS OF CHESTER, LLC

Billing Address: LINCOLN PROPERTY CO
9 ENTIN RD
PARSIPPANY, NJ 07504

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,343.86 = (575 × 1.0328) + \$2750

Facility Location: 128 RT 206 S
CHESTER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.011	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	-------	--

Pollutant Loading Factor:	22	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	23	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0134210
Program Interest ID: 49750
Facility Name: WALDORF SCH OF PRINCETON

Billing Address: WALDORF SCHOOL OF PRINCETON
1062 CHERRY HILL RD
PRINCETON, NJ 08540

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 1062 CHERRY HILL RD
MONTGOMERY TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.002	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	4	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0134261

Program Interest ID: 49755

Facility Name: LACEY NATURAL SAND LLC

Billing Address: LACEY NATURAL SAND
1467 W BAY AVE
BARNEGAT, NJ 08005

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$8,582.00 = (2500 × 1.0328) + \$6000

Facility Location: 2006 LACEY RD
LACEY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	10	Pass-through wastewater to DSW or POTW, unlined and/or partially lined
----------------------------------	----	--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Discharge from quarry operations
------------------------------------	-----	----------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0134627
Program Interest ID: 49784
Facility Name: A M BEST CO INC

Billing Address: AM BEST CO INC
 1 AMBEST RD
 OLDWICK, NJ 08858

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
 \$2,982.38 = (225 × 1.0328) + \$2750

Facility Location: 1 A M BEST RD
 OLDWICK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0038	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	8	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	9	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0134864
Program Interest ID: 49801
Facility Name: KNOWLTON WWTP

Billing Address: APPLIED WASTEWATER MANAGEMENT INC
2 CLERICO LN
HILLSBOROUGH, NJ 08844

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,005.42 = (7025 × 1.0328) + \$2750

Facility Location: SIMPSON RD RT 657
KNOWLTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.14	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	280	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	281	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0135160	Billing Address: NORTHWEST ENVIRONMENTAL MAINTENANCE SECU PO BOX 158 - 15 RT 206 NEWTON, NJ 07860
Program Interest ID: 49826	
Facility Name: MARTIN PROPERTY	
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 25 RT 206 HAMPTON TWP, NJ
\$3,808.62 = (1025 × 1.0328) + \$2750	

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0198	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	40	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	41	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0136093
Program Interest ID: 50519
Facility Name: CHESTER BREEDING STATION

Billing Address: SEEING EYE INC
PO BOX 375
MORRISTOWN, NJ 07963

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,827.46 = (75 × 1.0328) + \$2750

Facility Location: ROGER RD & RT 206 NORTH
CHESTER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.001	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	2	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	3	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0136212
Program Interest ID: 50537
Facility Name: KRAMER ELECTRONIC HOLDINGS LLC

Billing Address: KRAMER ELECTRONIC HOLDINGS LLC
6 RT 173
CLINTON, NJ 08809

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 6 RT 173
UNION TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0015	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	3	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	4	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Operating Landfill Fee Detail Sheet

NJPDES #: NJ0135976
Program Interest ID: 50555
Facility Name: MIDDLESEX CNTY LANDFILL (PHASE II LANDFILL)

Billing Address: MIDDLESEX CNTY UTILITIES AUTH
PO BOX 159 - 2571 MAIN ST
SAYREVILLE, NJ 08872

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$66,389.28 = (57600 × 1.0328) + \$6900

Facility Location: 53 EDGEBORO RD
EAST BRUNSWICK TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	40	Landfills, unlined and/or partially lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	567416.49	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	1420	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	1440	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0132284

Program Interest ID: 50572

Facility Name: SKYLANDS ICE WORLD

Billing Address: SKYLANDS ICE WORLD
PO BOX 710 - 2765 RT 23
STOCKHOLM, NJ 07460

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,214.76 = (450 × 1.0328) + \$2750

Facility Location: 2765 RT 23
STOCKHOLM, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor: 1 Sanitary Sewage Wastewater

Tons of Solid Waste Disposed: N/A

Flow (MGD): 0.0085 NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)

Pollutant Loading Factor: 17 Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.

Pollution Potential Factor:	18	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0136336
Program Interest ID: 52623
Facility Name: HAWK POINTE GOLF COMMUNITY WWTP

Billing Address: STATEWIDE SEWER NJAW
601 RT 202/206
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,158.24 = (3300 × 1.0328) + \$2750

Facility Location: RT 31 NORTH
WASHINGTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.082	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	164	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	165	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0136441

Program Interest ID: 52824

Facility Name: CAMDEN GRANCEM FACILITY

Billing Address: ESSROC CEMENT CORP
595 CAMDEN BLVD
CAMDEN, NJ 08104

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 595 MORGAN BLVD
CAMDEN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0136573
Program Interest ID: 53038
Facility Name: HOLMES CORNER SHOPPING CENTER

Billing Address: MAGIC PETROLEUM CORP
381 MONMOUTH RD
FREEHOLD, NJ 07728

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,853.28 = (100 × 1.0328) + \$2750

Facility Location: 504 MONMOUTH RD
AKA RT 537
CLARKSBURG, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	0	---
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):		
Pollutant Loading Factor:	4	
Pollution Potential Factor:	4	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0165221	Billing Address: US DEPT OF INTERIOR NATIONAL PARK SERVIC 1 RIVER RD - DELAWARE WATER GAP NRA BUSHKILL, PA 18324
Program Interest ID: 53556	
Facility Name: DELAWARE WATER GAP NRA/NATIONAL PK SERVIC	
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: OLD MINE RD HARDWICK, NJ
\$2,997.87 = (240 × 1.0328) + \$2750	

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0054	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	11	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	12	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0081205	Billing Address: TRAP ROCK INDUSTRIES LLC
Program Interest ID: 53747	PO BOX 419
Facility Name: TRAP ROCK INDUSTRIES LLC	KINGSTON, NJ 08528
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 130 LAUREL AVE
\$3,018.53 = (260 × 1.0328) + \$2750	FRANKLIN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0062	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	12	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	13	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0137031

Program Interest ID: 54307

Facility Name: CLOVE HILL MANOR WTF

Billing Address: CLOVE HILL MANOR
1655 VALLEY RD - STE 300
C/O WILKIN MGMT GROUP
WAYNE, NJ 07470

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,596.90 = (820 × 1.0328) + \$2750

Facility Location: RT 23
WANTAGE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0199	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	40	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	41	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0137201

Program Interest ID: 54484

Facility Name: COLTS NECK GOLF CLUB

Billing Address: COLTS NECK GOLF CLUB
50 FLOCK RD
COLTS NECK, NJ 07722

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$2,956.56 = (200 × 1.0328) + \$2750

Facility Location: 50 FLOCK RD
COLTS NECK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor: 1 Sanitary Sewage Wastewater

Tons of Solid Waste Disposed: N/A

Flow (MGD): 0.0045 NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)

Pollutant Loading Factor: 9 Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.

Pollution Potential Factor:	10	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0137847
Program Interest ID: 87721
Facility Name: OSPREY POINT RESIDENTIAL COMMUNITY

Billing Address: MAR LLC
PO BOX 508
OCEAN CITY, NJ 08226

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,092.64 = (1300 × 1.0328) + \$2750

Facility Location: 1731 RT 9 SOUTH
MARMORA, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0253	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	51	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	52	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0137804	Billing Address: J&K QUALITY RESTAURANTS LLC
Program Interest ID: 87746	1 SHEILA DR
Facility Name: MCDONALD'S RESTAURANT	TINTON FALLS, NJ 07724
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 542 MONMOUTH RD
\$2,977.22 = (220 × 1.0328) + \$2750	MILLSTONE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0052	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	10	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	11	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0137987
Program Interest ID: 87956
Facility Name: SANTA SWEETS

Billing Address: SANTA SWEETS INC AGMART PRODUCE
20 DUFFIELD AVE
CEDARVILLE, NJ 08311

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$9,205.00 = (6250 × 1.0328) + \$2750

Facility Location: FACTORY RD
CEDARVILLE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Food processing wastewater
------------------------------------	-----	----------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0138592
Program Interest ID: 90414
Facility Name: CHRISTY BARTLES WASTEWATER FACILITIES

Billing Address: TEWKSBURY TWP
169 OLD TURNPIKE RD
CALIFON, NJ 07830

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,183.78 = (420 × 1.0328) + \$2750

Facility Location: 159 OLDWICK RD
RT 523
OLDWICK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.01	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	20	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	21	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0139157
Program Interest ID: 93616
Facility Name: RIDGE AT BACK BROOK

Billing Address: RIDGE @ BACK BROOK
211 WERTSVILLE RD
RINGOES, NJ 08551

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,956.56 = (200 × 1.0328) + \$2750

Facility Location: 211 WERTSVILLE RD
RINGOES, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0047	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	9	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	10	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0139653

Program Interest ID: 95232

Facility Name: SAND BARRENS GOLF CLUB

Billing Address: ERM SAND BARRENS LLC
1765 RT 9
SWAINTON, NJ 08210

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,287.06 = (520 × 1.0328) + \$2750

Facility Location: 1765 RT 9 N
MIDDLE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor: 1 Sanitary Sewage Wastewater

Tons of Solid Waste Disposed: N/A

Flow (MGD): 0.0123 NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)

Pollutant Loading Factor: 25 Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.

Pollution Potential Factor:	26	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0140767
Program Interest ID: 95447
Facility Name: WAWA FOOD MARKET #909

Billing Address: WAWA INC
260 W BALTIMORE PK
WAWA, PA 190635699

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,915.25 = (160 × 1.0328) + \$2750

Facility Location: 548 MONMOUTH RD
MILLSTONE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0035	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	7	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	8	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0140287
Program Interest ID: 130296
Facility Name: FALLONE GROUP DEVELOPMENT

Billing Address: FALLONE @ UNION
3322 RT 22 - STE 1401
BRANCBURG TWP, NJ 088764407

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: PERRYVILLE RD
UNION, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0221	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	44	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	45	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0140571
Program Interest ID: 133825
Facility Name: LOOKOUT POINTE

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,431.65 = (660 × 1.0328) + \$2750

Facility Location: RUPELL RD
UNION TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0162	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	32	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	33	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0141097
Program Interest ID: 135072
Facility Name: BELVIDERE SAND & GRAVEL

Permit Fee = (Environmental Value × Rate) + Minimum Fee
\$3,008.20 = (250 × 1.0328) + \$2750

Billing Address: H&K GROUP
2052 LUCON RD
ENGINEERING DIVISION
SKIPPACK, PA 19474

Facility Location: S BRIDGEVILLE RD
487 RT 519
WHITE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	1	Pass-through wastewater to DSW or POTW, lined
----------------------------------	---	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	250	Discharge from quarry operations
------------------------------------	-----	----------------------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0140937

Program Interest ID: 155274

Facility Name: CAROL LYNN RESORTS EAST LLC

Billing Address: CAROL LYNN LLC
3250 W BIG BEAVER RD
TROY, MI 48084

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,555.58 = (780 × 1.0328) + \$2750

Facility Location: 165 FREMONT AVE
WOODBINE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0191	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	38	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	39	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0141208
Program Interest ID: 158237
Facility Name: NESHANIC VALLEY GOLF COURSE

Billing Address: SOMERSET CNTY
20 GROVE ST
SOMERVILLE, NJ 08876

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,034.02 = (275 × 1.0328) + \$2750

Facility Location: 2301 S BRANCH RD
BRANCHBURG TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0049	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	10	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	11	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0141232
Program Interest ID: 159208
Facility Name: PENNINGTON POINT WEST COMMERCIAL

Billing Address: PENNINGTON POINT WEST PROPERTY OWNERS AS
2 EDGEWOOD RD
YARDLEY, PA 19067

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,034.02 = (275 × 1.0328) + \$2750

Facility Location: TREE FARM RD
PENNINGTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0049	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	10	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	11	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0141445
Program Interest ID: 160932
Facility Name: BERKSHIRE VALLEY GOLF COURSE

Billing Address: MORRIS CNTY PARK COMM
 PO BOX 1295
 MORRISTOWN, NJ 079621295

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
 \$2,873.94 = (120 × 1.0328) + \$2750

Facility Location: BERKSHIRE VALLEY & COZY LAKE RDS
 OAK RIDGE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0026	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	5	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	6	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0141569

Program Interest ID: 162042

Facility Name: LITTLE HILL FOUNDATION

Billing Address: LITTLE HILL FOUNDATION ALINA LODGE
61 WARD RD
BLAIRSTOWN, NJ 07825

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,328.37 = (560 × 1.0328) + \$2750

Facility Location: 61 WARD RD
HARDWICK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.0135	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	--------	--

Pollutant Loading Factor:	27	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	28	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0141801
Program Interest ID: 165211
Facility Name: WILLOW SCHOOL

Billing Address: WILLOW SCHOOL
1150 POTTERSVILLE RD
GLADSTONE, NJ 07934

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,956.56 = (200 × 1.0328) + \$2750

Facility Location: 1150 POTTERSVILLE RD
GLADSTONE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.00467	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	9	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	10	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0142115
Program Interest ID: 166312
Facility Name: ORCHARD ESTATES

Billing Address: NJ AMERICAN WATER CO INC
1 WATER ST
CAMDEN, NJ 08102

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,982.38 = (225 × 1.0328) + \$2750

Facility Location: 149 YELLOWBROOK RD
HOWELL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.004	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	8	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	9	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0142026
Program Interest ID: 166779
Facility Name: WOODBINE AIRPORT BUSINESS PARK STP

Billing Address: WOODBINE BORO
501 WASHINGTON AVE
WOODBINE, NJ 08270

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: DEHIRSCH AVE
WOODBINE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.1	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	200	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	201	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0081370
Program Interest ID: 171855
Facility Name: GERRESHEIMER GLASS INC

Billing Address: GERRESHEIMER GLASS INC
1300 WHEATON AVE
MILLVILLE, NJ 08332

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$10,496.00 = (7500 × 1.0328) + \$2750

Facility Location: 1300 WHEATON AVE
MILLVILLE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	300	Other industrial process wastewater
------------------------------------	-----	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0142409
Program Interest ID: 171985
Facility Name: A C MOORE

Billing Address: AC MOORE INC
130 AC MOORE DR
BERLIN, NJ 08009

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,121.81 = (360 × 1.0328) + \$2750

Facility Location: 130 A C MOORE DR
WINSLOW TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0084	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	17	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	18	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0142417	Billing Address: ASPEN ICE OF RANDOLPH
Program Interest ID: 172053	477 RT 10
Facility Name: ASPEN ICE OF RANDOLPH	RANDOLPH TWP, NJ 07869
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: MIDDLEBURY BLVD
\$3,059.84 = (300 × 1.0328) + \$2750	RANDOLPH TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.007	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	14	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	15	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0157074

Program Interest ID: 190654

Facility Name: ELK TWP RECREATIONAL FIELDS

Billing Address: ELK TWP
667 WHIG LANE RD
MONROEVILLE, NJ 083439209

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$2,894.59 = (140 × 1.0328) + \$2750

Facility Location: 667 WHIG LANE RD
MONROEVILLE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.003	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	-------	--

Pollutant Loading Factor:	6	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	---	--

Pollution Potential Factor:	7	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	---	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0142883
Program Interest ID: 191840
Facility Name: LAMINGTON FARM CLUB/TRUMP NATIONAL GOLF

Billing Address: GLADSTONE DESIGN INC
PO BOX 400 - 265 MAIN ST
GLADSTONE, NJ 07934

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,756.98 = (975 × 1.0328) + \$2750

Facility Location: 567 LAMINGTON RD
BEDMINSTER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0188	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	38	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	39	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0145980
Program Interest ID: 192522
Facility Name: MARYVILLE INC

Billing Address: MARYVILLE INC
1903 GRANT AVE
WILLIAMSTOWN, NJ 08094

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,111.48 = (350 × 1.0328) + \$2750

Facility Location: 1903 GRANT AVE
FRANKLIN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor: 1 Sanitary Sewage Wastewater

Tons of Solid Waste Disposed: N/A

Flow (MGD): 0.0063 NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)

Pollutant Loading Factor: 13 Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.

Pollution Potential Factor:	14	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0143391	Billing Address: CLINTON WELLNESS CENTER
Program Interest ID: 194892	1738 RT 31
Facility Name: CLINTON WELLNESS CENTER	CLINTON, NJ 08809
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 1738 RT 31 NORTH
\$3,498.78 = (725 × 1.0328) + \$2750	CLINTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0142	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	28	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	29	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0144177
Program Interest ID: 195951
Facility Name: ROCK AVENUE TRANSFER STATION

Billing Address: PLAINFIELD CITY MUA
127 ROOSEVELT AVE
PLAINFIELD, NJ 07060

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 87-95 ROCK AVE
PLAINFIELD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0145564
Program Interest ID: 203039
Facility Name: MEADOWS AT MANSFIELD THE

Billing Address: MEADOWS @ MANSFIELD
10 PEAPACK RD
FAR HILLS, NJ 07931

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: RT 57
MANSFIELD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0452	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	90	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	91	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0145831
Program Interest ID: 208022
Facility Name: DUKE FARMS

Billing Address: DUKE FARMS FOUNDATION
1112 DUKES PKWY W
HILLSBOROUGH, NJ 08844

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,266.40 = (500 × 1.0328) + \$2750

Facility Location: 80 RT 206 S
HILLSBOROUGH, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.012	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	24	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	25	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0145891
Program Interest ID: 208051
Facility Name: ROUTE 12 BUSINESS PARK

Billing Address: KINGWOOD FLEX LLC
6305 KENNEDY BLVD
NORTH BERGEN, NJ 07047

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,904.92 = (150 × 1.0328) + \$2750

Facility Location: 843 RT 12 W
KINGWOOD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0024	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	5	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	6	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0145971	Billing Address: SOIL SAFE INC
Program Interest ID: 208387	6700 ALEXANDER BELL DR - STE 300
Facility Name: SOIL SAFE LOGAN FACILITY	COLUMBIA, MD 21046
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 378 RT 130 S
\$3,059.84 = (300 × 1.0328) + \$2750	LOGAN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined
--

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 300 Other industrial process wastewater
--

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0134201
Program Interest ID: 208637
Facility Name: CHESTER POOL @ BLACK RIVER MIDDLE SCHOOL

Billing Address: CHESTER BORO
50 N RD
CHESTER, NJ 07930

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,982.38 = (225 × 1.0328) + \$2750

Facility Location: RT 513
CHESTER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0038	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	8	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	9	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0146102
Program Interest ID: 214064
Facility Name: HILLSBOROUGH CHASE

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,738.14 = (1925 × 1.0328) + \$2750

Facility Location: BEEKMAN LN & NEW CENTRE RD
HILLSBOROUGH, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0381	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	76	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	77	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0146200
Program Interest ID: 214447
Facility Name: AJ SEERAT LLC

Billing Address: AJ SEERAT LLC
1222 SHADY CREEK LN
VINELAND, NJ 08360

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,188.94 = (425 × 1.0328) + \$2750

Facility Location: 2205 DELSEA DR
RT 47
FRANKLINVILLE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.008	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	16	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	17	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0146676	Billing Address: PAULINS KILL WATER RECLAMATION OF SUSSEX 34 RT 94 LAFAYETTE, NJ 07848
Program Interest ID: 216237	
Facility Name: BRANCHVILLE WWTP & GROUNDWATER DISPOSAL	
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: RT 206 FRANKFORD TWP, NJ
\$11,033.06 = (8020 × 1.0328) + \$2750	

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.2	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	400	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	401	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0147109
Program Interest ID: 217667
Facility Name: TRUMP NATIONAL GOLF CLUB

Billing Address: TRUMP NATIONAL GOLF CLUB
1 TRUMP NATIONAL BLVD
COLTS NECK, NJ 07722

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,514.27 = (740 × 1.0328) + \$2750

Facility Location: 7C YEARLING PATCH
COLTS NECK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.018	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	36	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	37	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0147133
Program Interest ID: 217742
Facility Name: LAKEWOOD TWP MUA - WELL #2

Permit Fee = (Environmental Value × Rate) + Minimum Fee
\$4,815.60 = (2000 × 1.0328) + \$2750

Billing Address: LAKEWOOD TWP MUA
390 NEW HAMPSHIRE AVE
LAKEWOOD, NJ 08701

Facility Location: OFF BUCKINGHAM DR
LAKEWOOD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0147559	Billing Address: TRADEBE TREATMENT & RECYCLING
Program Interest ID: 220062	50 CROSS ST
Facility Name: PURE EARTH RECYCLING NJ INC	BRIDGEPORT, CT 06610
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 3137 CHAMMINGS CT
\$10,496.00 = (7500 × 1.0328) + \$2750	VINELAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
-------------------------------------	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 300	Other industrial process wastewater
--	-------------------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0147575
Program Interest ID: 220255
Facility Name: MCDONALDS RESTAURANT

Billing Address: JEFFERSON BURGERS LLC
PO BOX 5276
CLINTON, NJ 08809

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,956.56 = (200 × 1.0328) + \$2750

Facility Location: 735 RT 15 S
LAKE HOPATCONG, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0037	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	7	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	8	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0150045
Program Interest ID: 222255
Facility Name: MOUNT LAUREL TWP MUA WELL #7

Billing Address: MOUNT LAUREL TWP MUA
1201 S CHURCH ST
MOUNT LAUREL, NJ 08054

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,815.60 = (2000 × 1.0328) + \$2750

Facility Location: AQUIFER STORAGE & RECOVERY ASR FAC
54 ELBO LN
MOUNT LAUREL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0150711	Billing Address: SUEZ WATER OF TOMS RIVER INC
Program Interest ID: 222472	1451 RT 37 - STE 2
Facility Name: SUEZ WATER TOMS RIVER	TOMS RIVER, NJ 08755
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 2131 WHITESVILLE RD
\$4,815.60 = (2000 × 1.0328) + \$2750	TOMS RIVER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor: 20	Designed for discharge to ground (sanitary with at least secondary treatment)
-------------------------------------	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor: 100	Stormwater runoff
--	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0155276
Program Interest ID: 227554
Facility Name: ATLANTIC CITY MUA WELL TW-1

Permit Fee = (Environmental Value × Rate) + Minimum Fee
\$4,815.60 = (2000 × 1.0328) + \$2750

Billing Address: ATLANTIC CITY MUA
PO BOX 117 - 401 N VIRGINIA AVE
ATLANTIC CITY, NJ 084040117

Facility Location: ALBANY AVE
ATLANTIC CITY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0155691
Program Interest ID: 230312
Facility Name: MONROE MUA ASR WELLS 11 &14

Billing Address: MONROE TWP MUA
372 S MAIN ST
WILLIAMSTOWN, NJ 08094

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,815.60 = (2000 × 1.0328) + \$2750

Facility Location: 1401 BLACK HORSE PK
WILLIAMSTOWN, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0157058
Program Interest ID: 238929
Facility Name: MANOR HOMES @ COLTS NECK THE

Billing Address: COLTS NECK BUILDING ASSOC LLC
666 5TH AVE
NEW YORK, NY 10103

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: RT 537
COLTS NECK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.014	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	28	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	29	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0157091
Program Interest ID: 239387
Facility Name: WAWA CONVENIENCE STORE #974

Billing Address: WAWA INC
260 W BALTIMORE PK
WAWA, PA 190635699

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,873.94 = (120 × 1.0328) + \$2750

Facility Location: RT 322 & SWEDESBORO-PAULSBORO RD
WOOLWICH TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0026	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	5	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	6	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0157716

Program Interest ID: 247339

Facility Name: DAYTOP VILLAGE OF NJ

Billing Address: DAYTOP VILLAGE OF NJ
9 HARDING HWY
PITTSBORO, NJ 08318

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$3,266.40 = (500 × 1.0328) + \$2750

Facility Location: 4 HARDING HWY
PITTSBORO TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:	1	Sanitary Sewage Wastewater
---------------------------------	---	----------------------------

Tons of Solid Waste Disposed:	N/A	
--------------------------------------	-----	--

Flow (MGD):	0.012	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
--------------------	-------	--

Pollutant Loading Factor:	24	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
----------------------------------	----	--

Pollution Potential Factor:	25	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0159191
Program Interest ID: 251939
Facility Name: USPS TRENTON PROCESS AND DISTRIBUTION CENT

Billing Address: US POSTAL SERVICE
680 RT 130
TRENTON, NJ 086509998

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$7,914.00 = (5000 × 1.0328) + \$2750

Facility Location: 680 RT 130
HAMILTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Non-contact cooling water
------------------------------------	-----	---------------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0159948
Program Interest ID: 254604
Facility Name: CROSSED KEYS INN

Billing Address: CROSSED KEYS INN
289 PEQUEST RD
ANDOVER, NJ 07821

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: 289 PEQUEST RD
ANDOVER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0045	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	9	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	10	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0162434
Program Interest ID: 280882
Facility Name: STAVOLA OLD BRIDGE MATERIALS LLC

Billing Address: THE STAVOLA COMPANIES
175 DRIFT RD
TINTON FALLS, NJ 07724

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$5,332.00 = (2500 × 1.0328) + \$2750

Facility Location: 1 WATER WORKS RD
OLD BRIDGE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0166561
Program Interest ID: 293510
Facility Name: WANTAGE VILLAGE DEVELOPMENT

Billing Address: WANTAGE RIDGE DEVELOPMENT LLC
90 MT PLEASANT AVE
DOVER, NJ 07801

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: RT 639
WANTAGE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0199	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	40	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	41	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0166791
Program Interest ID: 294703
Facility Name: HAMPTON SQUARE

Billing Address: CAGE INVESTORS LLC
1275 BLOOMFIELD AVE
FAIRFIELD, NJ 07004

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: 78 HAMPTON HOUSE RD
AKA RT 206
NEWTON, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0199	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	40	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	41	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0166987
Program Interest ID: 296901
Facility Name: DAWSON BROOK CONDO ASSOCIATION INC

Billing Address: INTEGRA MANAGEMENT CO
200 VALLEY RD - STE 203
MOUNT ARLINGTON, NJ 07856

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,997.87 = (240 × 1.0328) + \$2750

Facility Location: CALAIS RD
RANDOLPH TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0053	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	11	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	12	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0167495
Program Interest ID: 330932
Facility Name: M & M CHESTER LLC

Billing Address: M&M CHESTER LLC
400 POST AVE - STE 303
WESTBURY, NY 11590

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,935.90 = (180 × 1.0328) + \$2750

Facility Location: 4 MILL RIDGE LANE
CHESTER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.004	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	8	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	9	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0167631
Program Interest ID: 331943
Facility Name: OAKLAND CROSS ROADS

Billing Address: LINCOLN REALTY ASSOCIATES LLC
100 DUTCH HILL RD - STE 340
ORANGEBURG, NY 10962

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,101.15 = (340 × 1.0328) + \$2750

Facility Location: WEST OAKLAND AVE
OAKLAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0079	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	16	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	17	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0167827
Program Interest ID: 421203
Facility Name: MARMORA SHOPPING CENTER AKA MARMORA SHO

Billing Address: SP MARMORA LLC
6 W ROOSEVELT BLVD
MARMORA, NJ 08223

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,349.02 = (580 × 1.0328) + \$2750

Facility Location: OLD TUCKAHOE RD & STAGECOACH RD
RT 9
UPPER TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0142	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	28	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	29	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0169030
Program Interest ID: 443070
Facility Name: WAWA INC

Billing Address: WAWA INC
260 BALTIMORE TPKE
WAWA, PA 19063

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,873.94 = (120 × 1.0328) + \$2750

Facility Location: 2356 RT 206
SOUTHAMPTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0027	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	5	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	6	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0170330
Program Interest ID: 461330
Facility Name: WAWA FOOD MARKET & GASOLINE SALES

Billing Address: WAWA INC #8308
260 W BALTIMORE PK
WAWA, PA 19063

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,935.90 = (180 × 1.0328) + \$2750

Facility Location: 631 RT 322
AKA MULLICA HILL RD
MULLICA HILL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.004	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	8	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	9	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0218031
Program Interest ID: 464335
Facility Name: LAKEWOOD TWP MUA

Billing Address: LAKEWOOD TWP MUA
390 NEW HAMPSHIRE AVE
LAKEWOOD, NJ 08701

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,815.60 = (2000 × 1.0328) + \$2750

Facility Location: 390 NEW HAMPSHIRE AVE
LAKEWOOD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0171085
Program Interest ID: 466182
Facility Name: WWWU REVERSE CIR REPLACEMENT # 48

Billing Address: WILDWOOD CITY WATER UTILITY
3100 NEW JERSEY AVE
WILDWOOD, NJ 08260

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,815.60 = (2000 × 1.0328) + \$2750

Facility Location: RALIEGH AVE
WILDWOOD, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Operating Landfill Fee Detail Sheet

NJPDES #: NJ0171271
Program Interest ID: 469649
Facility Name: KEEGAN SLF

Billing Address: NJ SPORTS & EXPOSITION AUTH
PO BOX 640 - 1 DEKORTE PARK PLAZA
LYNDHURST, NJ 07071

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$31,439.33 = (23760 × 1.0328) + \$6900

Facility Location: 437 BERGEN AVE
KEARNY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	30	Landfills, completely lined
Pollution Rating Factor:	20	Sanitary Landfills
Tons of Solid Waste Disposed:	308309.76	Tons of solid waste deposited during CY2018.
Flow (MGD):		
Pollutant Loading Factor:	772	Equals the tons of solid waste deposited divided by 400, rounded to the nearest integer, plus 1.
Pollution Potential Factor:	792	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0173754
Program Interest ID: 487507
Facility Name: HAMPTON CROSSINGS

Billing Address: CAGE INVESTORS LLC
1275 BLOOMFIELD AVE
FAIRFIELD, NJ 07004

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: RT 206
HAMPTON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.1988	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	398	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	399	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0176389
Program Interest ID: 506867
Facility Name: LAKEHURST CONSOLIDATED LOG & TRG FAC (CLTF)

Billing Address: NJ DEPT OF MILITARY & VETERANS AFFAIRS
101 EGGERTS CROSSING RD
LAWRENCEVILLE, NJ 08648

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,080.50 = (320 × 1.0328) + \$2750

Facility Location: RT 539
JACKSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0077	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	15	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	16	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0179990
Program Interest ID: 528647
Facility Name: ASHFORD ESTATE

Billing Address: ASHFORD ESTATE LLC
4569-4573 S BROAD ST - STE 2
HAMILTON, NJ 08620

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,051.33 = (1260 × 1.0328) + \$2750

Facility Location: 637 PROVINCE LINE RD
UPPER FREEHOLD TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.031	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	62	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	63	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0182966
Program Interest ID: 535113
Facility Name: HUDDY'S RESTAURANT

Billing Address: AMERICAN HERITAGE REALTY LLC
PO BOX 298
COLTS NECK, NJ 07722

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$3,080.50 = (320 × 1.0328) + \$2750

Facility Location: 20 RT 537 E
COLTS NECK, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0074	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	15	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	16	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0193356
Program Interest ID: 559782
Facility Name: USDOD JOINT BASE MCGUIRE DIX LAKEHURST TTB

Billing Address: USDOD MCGUIRE AFB JBMDL 87 CES/CEIE
2404 VANDENBERG AVE
MCGUIRE AFB, NJ 08641

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,757.26 = (3880 × 1.0328) + \$2750

Facility Location: GRAND CONCOURSE
COOKS LANE
JB MDL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0966	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	193	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	194	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0204994
Program Interest ID: 578061
Facility Name: ABERDEEN STATION

Billing Address: NEW JERSEY AMERICAN WATER
310 SWIMMING RIVER RD
COLTS NECK, NJ 07722

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,815.60 = (2000 × 1.0328) + \$2750

Facility Location: 41 IMBROOK
ABERDEEN TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0205893
Program Interest ID: 580223
Facility Name: HIGHVIEW ESTATES

Billing Address: ALICE MARTIN
PO BOX 158 -15 RT 206
NEWTON, NJ 078600158

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: RT 94
FREDON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.02	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	40	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	41	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0208990
Program Interest ID: 588419
Facility Name: FRANKFORD TOWN CTR WTF

Billing Address: SUSSEX COMMONS ASSOC LLC
36 PARTIDGE RUN
MONTVALE, NJ 076451028

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: INTERSECTION OF RTS 15 206 & 565
AUGUSTA, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.14	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	280	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	281	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0210901
Program Interest ID: 594142
Facility Name: RIVERSIDE CENTER LLC

Billing Address: XXXIII ASSOC RIVERSIDE CENTER LLC
3499 RT 9 - STE 1E
FREEHOLD, NJ 07728

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: RT 33 WEST
MILLSTONE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0199	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	40	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	41	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0213195
Program Interest ID: 599233
Facility Name: ASR REPLACEMENT WELL NUMBER 49

Billing Address: WILDWOOD CITY WATER UTILITY
3100 NEW JERSEY AVE
WILDWOOD, NJ 08260

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$4,815.60 = (2000 × 1.0328) + \$2750

Facility Location: MYRTLE RD AND PARK BLVD
WILDWOOD CREST, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0227536
Program Interest ID: 638047
Facility Name: MOUNTAIN VIEW SEWER PLANT

Billing Address: MOUNTAIN VIEW MANOR @ WANTAGE INC
7 BOULDER HILLS BLVD
WANTAGE, NJ 07461

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: 18 BOULDER HILLS BLVD
WANTAGE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0046	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	9	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	10	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0228338
Program Interest ID: 645193
Facility Name: NORTHVILLAGE@SPARTA WTP

Billing Address: VILLAGE UTILITY LLC
334 SPARTA AVE - STE B
SPARTA, NJ 07871

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: RT 15 & WHITE LK RD
20 N VILLAGE BLVD
SPARTA, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.12	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	240	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	241	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)

FY2020 Groundwater Fee Detail Sheet

NJPDES #: NJ0239755	Billing Address: 2058 SOUTH SHORE ROAD LLC
Program Interest ID: 677233	PO BOX 508
Facility Name: 2058 SOUTH SHORE RD LLC	OCEAN CITY, NJ 08226
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: PO 508
\$6,805.58 = (780 × 1.0328) + \$6000	OCEAN CITY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0188	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	38	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	39	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0246930
Program Interest ID: 706999
Facility Name: RAAJIPO LLC

Billing Address: RAAJIPO LLC
29 LACKLAND AVE
PISCATAWAY, NJ 08854

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,000.00 = (0 × 1.0328) + \$6000

Facility Location: HANKINS RD
ROBBINSVILLE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0276	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	55	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	56	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0251801
Program Interest ID: 718854
Facility Name: CTC ACADEMY

Billing Address: CTC ACADEMY
125 BAUER DR
OAKLAND, NJ 07436

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$2,750.00 = (0 × 1.0328) + \$2750

Facility Location: 125 BAUER DR
OAKLAND, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.00782	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	16	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	17	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0253324
Program Interest ID: 722162
Facility Name: HILLANDALE

Billing Address: AUBER RESOURCES INC
14 FAIRMOUNT AVE
CHATHAM, NJ 07928

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,000.00 = (0 × 1.0328) + \$6000

Facility Location: 22 ST JOHN DR
MENDHAM TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0141	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	28	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	29	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0257761
Program Interest ID: 728730
Facility Name: KEAN UNIVERSITY MOUNT PAUL CAMPUS

Billing Address: NJ KEAN UNIVERSITY
1000 MORRIS AVE - DN 106
UNION, NJ 07083

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,000.00 = (0 × 1.0328) + \$6000

Facility Location: 240 Mount Paul Road
OAK RIDGE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0071	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	14	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	15	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0262731
Program Interest ID: 744549
Facility Name: MARLBORO GROUP HOMES

Billing Address: NJ DEPT OF TREASURY DPMC
PO BOX 34 - 33 W STATE ST
TRENTON, NJ 08625

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,000.00 = (0 × 1.0328) + \$6000

Facility Location: 540 NEWMAN SPRINGS RD
MARLBORO, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.00294	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	6	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	7	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0262986	Billing Address: SOUTH JERSEY AGRICULTURAL PRODUCTS RD&D
Program Interest ID: 744975	295 RT 77
Facility Name: SOUTH JERSEY AGRICULTURAL PRODUCTS RD&D F	ELMER, NJ 08318
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 295 NEW JERSEY ROUTH 77 SOUTH
\$8,582.00 = (2500 × 1.0328) + \$6000	ELMER, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	100	Stormwater runoff
------------------------------------	-----	-------------------

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0263524
Program Interest ID: 745715
Facility Name: XXXIII ASSOCIATES / RIVERSIDE CENTER

Billing Address: XXXIII ASSOC RIVERSIDE CENTER LLC
3499 RT 9 - STE 1E
FREEHOLD, NJ 07728

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,000.00 = (0 × 1.0328) + \$6000

Facility Location: PERRINEVILLE RD
MONROE TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.027	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	54	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	55	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0265624

Program Interest ID: 749730

Facility Name: CHELSEA FORGE VINTNERS

Billing Address: CHELSEA FORGE VINTNERS LLC
269 RT 627
MILFORD, NJ 08848

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$6,000.00 = (0 × 1.0328) + \$6000

Facility Location: 269 RT 627
POHATCONG TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
----------------------------------	---	---

Pollution Rating Factor: 1 Sanitary Sewage Wastewater

Tons of Solid Waste Disposed: N/A

Flow (MGD): 0.0021 NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)

Pollutant Loading Factor: 4 Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.

Pollution Potential Factor:	5	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	---	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0286508
Program Interest ID: 758229
Facility Name: HOCKHOCKSON FARMS

Billing Address: FOSS SAN FILIPPO & MILNE LLC
372 RT 537
COLTS NECK TWP, NJ 07722

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,000.00 = (0 × 1.0328) + \$6000

Facility Location: 372 RT 537
COLTS NECK TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.0036	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	7	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	8	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0272531

Program Interest ID: 762047

Facility Name: MOUNTAIN VIEW MANOR

Billing Address: MOUNTAIN VIEW MANOR @ WANTAGE INC
7 BOULDER HILLS BLVD
WANTAGE, NJ 07461

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**

\$6,619.68 = (600 × 1.0328) + \$6000

Facility Location: BOULDER HILLS BLVD
WANTAGE, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	20	Designed for discharge to ground (sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor: 1 Sanitary Sewage Wastewater

Tons of Solid Waste Disposed: N/A

Flow (MGD): 0.01427 NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)

Pollutant Loading Factor: 29 Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.

Pollution Potential Factor:	30	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.
------------------------------------	----	---

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0274160	Billing Address: GREEN & FIFTEEN SITE
Program Interest ID: 765153	15 BARTON RD
Facility Name: GREEN AND FIFTEEN SITE	MOUNTAIN LAKES, NJ 07046
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: RT 15 N & S MEDIAN
\$6,000.00 = (0 × 1.0328) + \$6000	JEFFERSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.00795	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	16	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	17	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0274178
Program Interest ID: 765189
Facility Name: RT. 15 PROPERTIES, LLC

Billing Address: RT 15 PROPERTIES
PO BOX 175
MOUNTAIN LAKES BORO, NJ 07046

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$6,000.00 = (0 × 1.0328) + \$6000

Facility Location: RT 15 N & S MEDIAN
JEFFERSON TWP, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.008	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	16	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	17	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0275964	Billing Address: BEEHIVE HOME OF HOWELL NJ
Program Interest ID: 768359	176 KONNER AVE
Facility Name: BEEHIVE HOME/HOWELL NJ	MONTVILLE, NJ 07045
Permit Fee = (Environmental Value × Rate) + Minimum Fee	Facility Location: 985 RT 33
\$6,000.00 = (0 × 1.0328) + \$6000	HOWELL, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	0	Permitted, but not being discharged (not applicable to landfills)
Pollution Rating Factor:	1	Sanitary Sewage Wastewater
Tons of Solid Waste Disposed:	N/A	
Flow (MGD):	0.003	NJPDES permitted flow limit or facility design flow in MGD (million gallons per day)
Pollutant Loading Factor:	6	Equals Flow (MGD) x 2000 with the result rounded to the nearest whole integer.
Pollution Potential Factor:	7	Equals the sum of the Pollution Rating Factor and the Pollutant Loading Factor.

**NEW JERSEY POLLUTANT DISCHARGE ELIMINATION (NJPDES)
FY2020 Groundwater Fee Detail Sheet**

NJPDES #: NJ0293679
Program Interest ID: 802868
Facility Name: HOMETOWN MULLICA WOODS MHC, LLC

Billing Address: HOMETOWN MULLICA WOODS MHC LLC
1201 HEIDELBERG AVE
EGG HARBOR CITY, NJ 08215

Permit Fee = (**Environmental Value** × **Rate**) + **Minimum Fee**
\$11,164.00 = (5000 × 1.0328) + \$6000

Facility Location: 1201 HEIDELBERG AVE
EGG HARBOR CITY, NJ

Environmental Value (EV) = Discharge Control Factor × Pollution Potential Factor

Discharge Control Factor:	25	Designed for discharge to the ground (non-sanitary with at least secondary treatment)
----------------------------------	----	---

Pollution Rating Factor:

Tons of Solid Waste Disposed: N/A

Flow (MGD):

Pollutant Loading Factor:

Pollution Potential Factor:	200	Potable water plant filter backwash
------------------------------------	-----	-------------------------------------