

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
401-02B
DIVISION OF WATER QUALITY
BUREAU OF SURFACE WATER AND PRETREATMENT PERMITTING
PO BOX 420
TRENTON, NEW JERSEY 08625-0420

REQUEST FOR DETERMINATION OF CATEGORICAL APPLICABILITY

Use of this form (and category-specify supplements, if available) is optional for requesting a determination of applicability of a Categorical Standard to your facility. Please attach a flow diagram indicating processes and wastewater flows in your facility. If additional information is necessary to make a determination, the Department will request it.

1) Identifying Information:

a) Facility Name: _____ SIC Code: _____

b) Facility Street Address: _____

Contact Person: _____ Telephone Number: _____

2) Description of Operations

a) Narrative description of the primary manufacturing or service activity at the facility (Note if Batch, Continuous, Seasonal):

b) Raw Materials Used:

c) Principal Products Produced:

d) List potentially regulated processes occurring at this facility if different from a) above.

e) Average rate of production from potentially regulated processes

f) Describe, if any, treatment performed on wastewater prior to discharge into sanitary sewers / domestic treatment works

i Wastewater treatment

ii Residuals handling

4) Flow measurements in gallons per day (gpd) to sewage treatment plant:

NOTE: A process is called "regulated" if covered by a specific Federal standard. It is "unregulated" if it is not covered by a specific Federal standard or listed in b) through f) below.

	Daily Maximum	Monthly Average
a) Each process you believe may be regulated	_____	_____
b) Sanitary	_____	_____
c) Non-contact cooling water	_____	_____
d) Boiler blowdown	_____	_____
e) Stormwater	_____	_____
f) Demineralizer backwash	_____	_____
g) Each unregulated process	_____	_____
h) TOTAL:	_____	_____

i) Describe the method of flow measurement verification (water bills, meters, flow measurement devices, etc.):

j) If any of the process streams listed above are intermittent, please indicate: operations contributing to stream, duration of flow, flow rate and total volume of flow:

5) Determination Request

a) We are requesting a determination regarding applicability of the following Pretreatment Standard(s) & Subpart(s):

b) In most instances, an applicability determination can be made without sampling data. However, samples taken in accordance with N.J.A.C. 7:14A-21.3(b)5. are helpful in determining what, if any, actions may be appropriate in assuring compliance if a standard is found to be applicable. Such sampling is mandatory if a categorical standard is determined to be applicable. Please attach copies of laboratory data sheets for potentially regulated pollutants, if available.

5) Signature

Name (please print)	Signature
---------------------	-----------

Title	Telephone Number
-------	------------------

Mail Code 401-02B
 Bureau of Surface Water and Pretreatment Permitting
 Division of Water Quality
 SIU Unit
 PO Box 420, 401 E. State St.
 Trenton, NJ 08625-0420

NOTICE: FALSE STATEMENTS, REPRESENTATIONS, OR CERTIFICATIONS IN ANY APPLICATION, RECORD, OR DOCUMENT ARE SUBJECT TO FINES AND PENALTIES PURSUANT TO THE WATER POLLUTION CONTROL ACT (N.J.S.A 58:10A-10F 2 AND 3)