



State of New Jersey

Department of Environmental Protection
Office of Quality Assurance
401 East State Street
P.O. Box 420, Mail Code 401-02D
Trenton, N.J. 08625-0420
TEL# (609) 292-3950
FAX# (609) 777-1774

PHILIP D. MURPHY
Governor

SHEILA Y. OLIVER
Lt. Governor

CATHERINE R. McCABE
Commissioner

December 11, 2020

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

**CAP PT RESULTS DUE TO OQA
BY MARCH 19, 2021**

Attention Laboratory Manager:

RE: January CAP PT study Announcement

As a participant in the Environmental Laboratory Certification Program (ELCP) your business is required to acceptably analyze at least one Proficiency Testing (PT) Study annually for each parameter in which you hold certification.

Businesses are required to purchase PT Samples from an A2LA or ANAB approved PT Provider that meets the TNI requirements. Not all PT Providers are accredited for all parameters therefore you must ensure the provider you choose has the required accreditation prior to obtaining your PT samples. A list of approved PT Providers can be found in Attachment A of this letter. It can also be found at <http://www.nelac-institute.org/ptproviders.php>.

For the January Clean Air Study businesses are required to purchase and analyze PT Samples for the parameters given on the attached "CAP PT Parameter Table" (Attachment B) in which they hold New Jersey Certification. Please also note the following:

- Businesses must assure that for the January Clean Air Study the PT sample(s) are not analyzed before January 1, 2021
- Businesses must ensure they request that the PT providers submit the results to the New Jersey Department of Environmental Protection's Office of Quality Assurance (NJDEP OQA) prior to the close of the study.

- Businesses must assure that for the January Clean Air Study all PT Sample results are submitted by the PT Sample Provider to the OQA by the PT Sample Provider by close of business March 19, 2021.
- **PT Sample results received by the OQA after March 19, 2021, will be evaluated as failed to submit results and therefore “Unacceptable” and will require the analysis of a make-up study.**
- The PT Sample report must contain the name and or ID # of the laboratory as it appears on your Annual Certified Parameter List (ACPL). Any discrepancies in name or ID # will cause the rejection of the data and will require the analysis of a make-up study.
- An amended report from the PT Sample Provider will not be accepted by the OQA for any reason.
- Businesses must report the PT Sample result with the method in which it holds certification. **If a business reports a PT Sample result with a method other than that in which it holds certification it will be evaluated as failed to submit results and therefore “Unacceptable” and will require the analysis of a make-up study.**
- Raw data records will not be accepted or reviewed to use as justification for data reporting errors.
- **No PT results submitted by your laboratory may be analyzed by another laboratory and no results shall be revealed to or discussed with any other laboratory prior to the close of the study.**
- For PT Sample results that are found “Unacceptable”, other enforcement actions may be taken by the NJDEP in addition to the requirement for analyzing samples in a make-up study.
- For any parameters not detected in the PT Sample the laboratory must report a result of less than the laboratory’s Reporting Limit (< RL) to get credit for the analysis of the compound. **Only non-detects (below the laboratory’s RL) shall be reported as a less than value. If a laboratory reports a less than result for anything greater than its RL no credit will be given. Also, if a non-detect is not reported as a less than value no credit will be received for the parameter (a results of Zero will not be accepted).**

In accordance with N.J.A.C. 7.18-2.13(i)3viii for any parameters for which a PT sample is not acceptably analyzed the business is required to investigate the cause of the failure and implement any necessary corrective action. This corrective action shall be documented immediately and shall be made available to the Department upon request.

Additionally, laboratories shall not subcontract the analysis of any PT sample or portion of a PT sample to another laboratory. PT Samples are to be entered into the sample receipt log as samples and tracked through the analytical process as routine environmental samples. PT Samples shall not be analyzed multiple times unless routine environmental samples are analyzed multiple times. Results from multiple analyses must be calculated in the same manner as routine environmental

samples. The type, composition, concentration and frequency of quality control samples analyzed with the PT Samples shall be the same as with that used for environmental samples. Also, initial and continuing calibrations shall be the same frequency as that used with routine environmental samples.

If you have any questions please contact Rachel Ellis at 609-292-3950.

Sincerely,



Michele M. Potter

Manager

Enclosure(s): Attachments A & B

