

**NEW JERSEY SURVEY OF FISH AND SHELLFISH TISSUE FOR THE EVALUATION  
OF SPATIAL TRENDS AND HUMAN HEALTH IMPACTS**

**A SUPPLEMENTAL STUDY TO**

**ASSESSMENT OF PCBs, SELECTED ORGANIC  
PESTICIDES AND MERCURY IN FISHES FROM NEW JERSEY:  
1998-1999 MONITORING PROGRAM (Report No. 00-20F)**

**Report No. 02-13**

**Jeffrey Ashley**

**Richard J. Horwitz**

**Patrick Center for Environmental Research  
The Academy of Natural Sciences  
1900 Benjamin Franklin Parkway  
Philadelphia, PA 19103**

**25 July 2002**

## INTRODUCTION

In 1998, the Patrick Center for Environmental Research (PCER) initiated a study on concentrations of PCBs, pesticides and mercury in fishes of New Jersey. This study was a follow-up of earlier studies focusing on mercury in freshwater fishes. In 2000, this project was amended to include additional samples of fish and shellfish (See Appendix I for detailed information on samples collected). This document summarizes the results of the QA/QC protocols of this study. The summary of concentrations from this supplemental study includes results from polychlorinated biphenyl (PCB), organochlorine pesticide (OCP) and mercury (Hg) analyses (Appendix II) as well as dioxin analysis for certain samples (Appendix III).

### **I. Mercury**

#### *a) Extractions and Analyses:*

Strong acid digestions were performed using 10 ml nitric acid on approximately 1 g homogenized wet fish material in a CEM MDS 2100 microwave digestion system. Mercury analysis was subsequently accomplished on a Perkin Elmer Fimms 400 Cold Vapor AA. Calibration blanks, intercalibration verification samples, and instrument duplicates were analyzed to ensure instrument performance and accuracy.

#### *b) Analytical Quality Assurance:*

Sample blanks, duplicates, spikes, and a National Research Counsel of Canada (NRC) Standard Reference Material (DORM-2, dogfish muscle) were digested with the samples to ensure adequate recoveries. Recoveries for NRC Dorm-2 were compared to the certified NRC values and were within 94-100% of the actual concentration for all samples digested. The average relative percent differences (RPD) for duplicates was 11% (ranging from 2 to 20%). Finally, sample spikes were analyzed and were typically within 95-109% of added concentrations.

### **II. Polychlorinated Biphenyls and Organochlorine Pesticides**

#### *a) Extractions and Analyses:*

Homogenized fish samples were stored frozen until extraction. Samples were thawed and 2 g of the homogenate was sub-sampled using a stainless steel spatula. An additional 2-5 g sub-sample was taken for moisture analysis. Approximately 30 g of Na<sub>2</sub>SO<sub>4</sub> (previously extracted with hexane using a Soxhlet extractor and dried) was added to the sub-sample to eliminate water. The dried sample was placed in a glass thimble and extracted using a Soxhlet extractor with ca. 200 ml dichloromethane (DCM) for a minimum of 18 h. The extracts were sub-sampled for gravimetric lipid determination. For this, a known volume of extract was transferred to a pre-weighed aluminum pan. The solvent was evaporated at 110°C for at least 24 h. The residue remaining (lipid) was weighed and percent lipid was calculated.

Lipids were removed from sample extracts by gel permeation chromatography (GPC) using DCM as the mobile phase. The collected fraction containing analytes was concentrated by roto-evaporation and a N<sub>2</sub> stream. Solid-liquid chromatography using florisil was done as an additional clean-up step. Using this technique, PCBs (as well as heptachlor, nonachlors, and DDEs) were eluted from the chromatographic column containing florisil using petroleum ether (F1 fraction). The remaining organochlorine pesticides were eluted using 50:50 petroleum ether and dichloromethane (F2 fraction).

Congener-specific PCBs and organochlorine pesticides (Table 1) were analyzed using a Hewlett Packard 5890 gas chromatograph equipped with a <sup>63</sup>Ni electron capture detector and a 5% phenylmethyl silicon capillary column. The identification and quantification of PCB congeners followed the '610 Method' in which the identities and concentrations of each congener in a mixed Aroclor standard (25:18:18 mixture of Aroclors 1232, 1248 and 1262) were determined by calibration with individual PCB congener standards. Congener identities in the sample extracts were based on their chromatographic retention times relative to the internal standards added. In cases where two or more congeners could not be chromatographically resolved, the combined concentrations were reported (Table 1). Organochlorine pesticides (OCPs) were identified and quantified based on comparisons (retention times and peak areas) with a known calibration standard prepared from individual compounds.

*b) Analytical Quality Assurance:*

Detection Limits: Matrix blanks were generated to monitor possible laboratory contamination and to calculate the detection limits for PCBs and OCPs. Each matrix blank, consisting of approximately 30 g of clean Na<sub>2</sub>SO<sub>4</sub>, was analyzed using the same procedures as the samples. Chromatograms of most blanks were void of significant peaks suggesting that little contamination through laboratory exposure occurred.

The detection limit was estimated as three times the peak area of the signal produced in the matrix blank. The method detection may be reported on a mass per sample basis or, if extraction weights of sub-sampled fish remained relatively invariant as in this study (~2 g), a 'wet weight normalized' concentration may be reported. The matrix blank-based detection limits for PCBs and OCPs ranged from 0.01 (several congeners) to 18.82 (congener 1) and 0.10 (p,p DDE) to 324 (beta BHC) ng/g wet weight, respectively (Tables 2 and 3). Based on the matrix blanks, the detection limit for total PCBs (t-PCBs) was 25 ng/g wet weight (excluding congener 1). Based on the high detection limits for beta BHC and congener 1, we suggest that using our analytical techniques and instrumentation, these compounds cannot be accurately determined due to suspected interference (likely coelution). Both of these compounds are very likely not to be found in any appreciable concentrations in fish samples from this study area because of their relatively volatile nature (low Log Kow values).

Surrogate Recoveries: Analyte loss through analytical manipulations was assessed by the addition of surrogate PCB congeners 14, 65 and 166 prior to extraction by Soxhlet apparatus. These surrogates were not industrially prepared and therefore are not present in the environment.

Average recoveries of congeners 14, 65 and 166 were  $102 \pm 32\%$ ,  $81 \pm 22\%$  and  $102 \pm 25\%$ . Due to the relatively high surrogate recoveries and the low standard deviations, all reported values for PCB and OCP concentration in this study were not corrected for analyte loss.

Duplicate Analyses: Table 4 shows the results from duplicate analyses of samples for PCB and OCPs. With a few exceptions, RPDs were low and within past ranges. The average RPD for all chlorinated compounds was 56%. Average RPD for PCBs is 29% and is within past ranges. For OCPs, RPDs ranged from 34% for Aldrin to 90% for chlordanes.

### **III. Dioxin**

#### *a) Background:*

The following section of this QA/QC report contains the dioxin/furan results (see Appendix III) of the analyses of 20 tissue samples performed by the Geochemical and Environmental Research Group (GERG) within the College of Geosciences at Texas A&M University (Directed by Dr. Terry Wade). These samples were part of GERG's sample delivery group SDG B1317. The samples were analyzed as two QC batches DX0492 and DX0493. DX0492 was extracted on 01/24/01 and analyzed on 02/13/01. DX0493 was extracted on 01/30/01 and analyzed on 02/21/01.

#### *b) Analytical Results/Methodology:*

The samples were extracted and analyzed following the procedures contained in EPA Method 1613 Rev. B and GERG SOP 9722. The analyte concentrations were determined using labeled surrogates added to the sample prior to extraction.

#### Quality Control:

##### Calibrations

The analytes are calculated using an average response factor based on the form:

$$\text{RRF (n)} = (\text{Ax} * \text{Cqs}) / (\text{Aqs} * \text{Cx})$$

$$\text{RRF (m)} = (\text{Aqs} * \text{Cis}) / (\text{Ais} * \text{Cqs})$$

where

Ax = sum of the integrated ion abundance's of the quantitation ions for unlabeled PCDDs and PCDFs,

Aqs = sum of the integrated ion abundance's of the quantitation ions for the labeled quantitation standards,

Ais = sum of the integrated ion abundance's of the quantitation ions for the labeled internal standards,

Cx = concentration of the unlabeled PCDD and/or PCDF analyte in the calibration solution (pg/ml),

Cqs = concentration of the  $^{13}\text{C}_{12}$ -labeled quantitation standard in the calibration solution (100 pg/ml), and

Calibration data used in the quantitation of detected analytes met the calibration criteria; no deviations beyond the control limits were observed. The average percent deviation was less than 15%, and no analyte had a percent deviation greater than 25% deviation.

### Example Calculations

The concentration of the target analytes and the recovery of the  $^{13}\text{C}_{12}$ -labeled quantitation standards are calculated using the following equations:

$$C_x = (A_x * C_{qs}) / [A_{qs} * \text{RRF}(n)]$$

$$\% \text{ Recovery} = (A_x * C_{is} * 100) / [A_{is} * C_{qs} * \text{RRF}(m)]$$

where:

A<sub>x</sub> = sum of the integrated ion abundance's of the quantitation ions for unlabeled PCDDs and PCDFs,

A<sub>qs</sub> = sum of the integrated ion abundance's of the quantitation ions for the  $^{13}\text{C}_{12}$ -labeled quantitation standards,

A<sub>is</sub> = sum of the integrated ion abundance's of the quantitation ions for the  $^{13}\text{C}_{12}$ -labeled internal standards,

C<sub>x</sub> = concentration of the unlabeled PCDDs and PCDFs isomers in pg/μl

C<sub>qs</sub> = concentration of the  $^{13}\text{C}_{12}$ -labeled quantitation standard in the calibration solution (100 pg/μl),

C<sub>is</sub> = concentration of the  $^{13}\text{C}_{12}$ -labeled internal standard in the calibration solution (100 pg/μl),

RRF(n) = Mean relative response factor for the unlabeled target analyte relative to its  $^{13}\text{C}_{12}$ -labeled quantitation standard [RRF(n), with n = 1 to 17], and

RRF(m) = Mean relative response factor for  $^{13}\text{C}_{12}$ -labeled quantitation standard relative to its  $^{13}\text{C}_{12}$ -labeled internal standard [RRF(m), with m = 1 to 15].

The sample concentration is calculated using the equation:

$$\text{Concentration} = x * df / wt$$

where:

Concentration = the concentration of the analyte (ng/g or ng/L);

x = amount of the analyte as found from solving the quadratic equation;

df = dilution factor;

wt = the sample weight in grams or volume in liters.

### Laboratory Qualifiers

All of the analytical data have been qualified based on the most recent method detection limits determined. Concentrations that were less than the LOQ adjusted for sample sizes are qualified “J” and those analytes not detected are qualified “ND.” Concentrations that exceeded the calibration limits are qualified “EC”. The concentrations that are determined by analyses of a diluted aliquot are qualified “D”. If interference is encountered with the quantification of an analyte due to high concentration of another analyte, the concentration is qualified “I” to denote this interference.

### Analytical Difficulties

The procedural blank for QC batch DX0492 contained no analytes above the LOQ. The procedural blank for QC batch DX0493 contained no analytes greater than 3 times the LOQ. Surrogates recoveries were acceptable for all surrogates except 13C-1,2,3,4,7,8,9-HpCDF in samples C37396 (140%). There were no analytes detected in the samples that were quantified with that surrogates. No further action was taken. The matrix spike (MS) and matrix spike duplicate (MSD) recoveries for QC batch DX0492 were acceptable except for 2,3,7,8-TCDD in the MS and 2,3,4,7,8-PeCDF in the MSD. They were only slightly above the acceptance criteria and no further action was taken. The matrix spike (MS) and matrix spike duplicate (MSD) recoveries for QC batch DX0493 were acceptable except for 2,3,7,8-TCDF in both the MS and in the MSD and 2,3,7,8-TCDD, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF in the MS. They were only slightly above the acceptance criteria and no further action was taken. The recoveries for 2,3,7,8-TCDD and 2,3,7,8-TCDF in the SRM (NRCC Carp-1) were acceptable for both QC batch DX0492 and DX0493. The 1,2,3,7,8-PeCDD in the SRM for both DX0492 and DX0493 slightly exceeded the acceptance criteria and the MS and MSD are acceptable for this analyte. The 1,2,3,7,8-PeCDF in the SRM for both DX0492 and DX0493 exceeds the acceptance criteria by a factor of 10, but the MS and MSD are acceptable for this analyte. The reason for the high concentration of 1,2,3,7,8-PeCDF in the SRM is not known, but is consistently found for this SRM by GERG. It however does not affect the sample concentrations as documented by the acceptable MS and MSD recoveries. Other analyte were acceptable in the SRM or not detected in any of the samples. No further action was taken. No further variances or difficulties were observed.

## **TABLES**

Table 1. List of target organic analytes.

Polychlorinated Biphenyls (PCBs)		Organochlorine Pesticides (OCPs)	Dioxins
1	85	o,p DDE	2,3,7,8-TCDF
3	136	p,p DDE	1,2,3,7,8-PeCDF
4+10	77+110	o,p DDT	2,3,4,7,8-PeCDF
7	82	p,p DDT	1,2,3,4,7,8-HxCDF
6	151	o,p DDD	1,2,3,6,7,8-HxCDF
8-5	135+144	p,p DDD	2,3,4,6,7,8-HxCDF
19	107	Alpha BHC	1,2,3,7,8,9-HxCDF
12-13	149	Beta BHC	1,2,3,4,6,7,8-HpCDF
18	118	Delta BHC	1,2,3,4,7,8,9-HpCDF
17	131	Lindane	OCDF
24-27	146	Heptachlor	
16 32	153 132 105	Heptachlor Epoxide	2,3,7,8-TCDD
29	141	Oxychlordane	1,2,3,7,8-PeCDD
26	137 176	Gamma Chlordane	1,2,3,4,7,8-HxCDD
25	163+138	Alpha Chlordane	1,2,3,6,7,8-HxCDD
31-28	158	Cis nonachlor	1,2,3,7,8,9-HxCDD
53 33 21	129 178	Trans nonachlor	1,2,3,4,6,7,8-HpCDD
22	187+182	Dieldrin	OCDD
45	183	Endrin	
46	128	Aldrin	
52	185	Endosulfan I	
49	174	Endosulfan II	
47	177		
48	202+171		
44	157 202		
37-42	172+197		
41 71	180		
40	193		
100	191		
63	199		
74	170+190		
70 76	201		
66-95	203+196		
91	189		
56 60	208 195		
101	207		
99	194		
83	205		
97	206		
87 81	209		



Table 2. Detection limits for individual PCB congeners.

Congener	Detection Limit ng/g sample	Congener	Detection Limit ng/g sample
1	18.82	85	0.08
3	0.30	136	0.01
4+10	0.14	77+110	0.34
7	0.06	82	0.03
6	0.11	151	0.13
8-5	0.79	135-144	0.04
19	0.03	107	0.00
12 13	0.27	149	0.20
18	0.20	118	0.22
17	0.10	131	0.01
24-27	0.06	146	0.26
16-32	0.38	153-132+105	1.42
29	0.02	141	0.05
26	0.03	137-176	0.18
25	1.45	163-138	0.45
31-28	0.34	158	0.33
53-33+21	0.22	129-178	0.30
22	0.91	187 182	0.25
45	0.09	183	0.12
46	0.01	128	0.31
52	0.31	185	0.09
49	0.18	174	0.11
47	5.36	177	0.04
48	0.00	202-171	0.12
44	0.18	157-202	0.15
37 42	0.14	172 197	0.00
41-71	0.82	180	0.32
40	0.01	193	0.07
100	0.01	191	0.02
63	0.01	199	1.35
74	0.20	170 190	0.29
70-76	0.15	201	0.55
66-95	0.81	203-196	1.22
91	0.02	189	0.30
56-60	0.47	208-195	0.25
101	0.26	207	0.30
99	0.11	194	0.17
83	0.02	205	0.30
97	0.03	206	0.30
87 81	0.30	209	0.30

Table 3. Detection limits (ng/g) for individual OCPs.

<b>Organochlorine Pesticide</b>	<b>Detection Limit ng/g sample</b>
o,p DDE	0.41
p,p DDE	0.10
o,p DDT	0.30
p,p DDT	6.98
o,p DDD	0.21
p,p DDD	0.30
Alpha BHC	0.57
Beta BHC	324
Delta BHC	0.30
Lindane	0.30
Heptachlor	0.46
Heptachlor Epoxide	0.30
Oxychlordan	2.67
Gamma Chlordane	0.59
Alpha Chlordane	0.42
Cis nonachlor	1.21
Trans nonachlor	1.30
Dieldrin	0.30
Endrin	0.30
Aldrin	0.30
Endosulfan I	0.30
Endosulfan II	0.30

Table 4. Duplicate relative percent differences (RPDs) for PCBs and OCPs.

<i>Sample</i>	<i>lipid (%)</i>	<i>Total PCBs</i>	<i>Total DDXs</i>	<i>Alpha BHC</i>	<i>Beta BHC</i>	<i>Delta BHC</i>	<i>Lindane</i>	<i>Total Chlordanes</i>	<i>Dieldrin</i>	<i>Endrin</i>	<i>Aldrin</i>	<i>Endos I</i>	<i>Endos II</i>
3964	5.68	1191	423	9.52			2.57	122.68	18.93		4.54	89.32	3.28
3964 dup	3.85	338	148	4.05			0.75	46.18	3.61		2.52	3.93	0.86
<b>RPD</b>	<b>38</b>	<b>112</b>	<b>96</b>	<b>81</b>			<b>109</b>	<b>91</b>	<b>136</b>		<b>57</b>	<b>183</b>	<b>117</b>
4165	10.87	108	71				1.09	10.77			4.28	7.58	
4165dup	10.37	110	86				1.98	32.41			5.07	16.35	
<b>RPD</b>	<b>5</b>	<b>1</b>	<b>108</b>				<b>58</b>	<b>100</b>			<b>17</b>	<b>73</b>	
HP3021	7.05	1476	641	6.64		1.59	0.67	205.11	35.13	2.13	6.00	7.15	18.64
HP3021dup	8.51	2089	761	5.03		1.20	0.51	214.09	26.62	1.62	4.55	5.41	14.12
<b>RPD</b>	<b>19</b>	<b>34</b>	<b>17</b>	<b>28</b>		<b>28</b>	<b>28</b>	<b>4</b>	<b>27.58</b>	<b>27.58</b>	<b>28</b>	<b>28</b>	<b>28</b>
M2992	2.52	14	23					0.20	0.17				
M2992dup	2.58	15	43					30.11	0.30	0.72			0.33
<b>RPD</b>	<b>2</b>	<b>2</b>	<b>62</b>					<b>197</b>	<b>57</b>				
M2993	0.83	31	46					10.53					0.44
M2993dup	0.82	26	40					5.16					0.26
<b>RPD</b>	<b>1</b>	<b>16</b>	<b>14</b>					<b>68</b>					<b>50</b>
M3022	0.64	64	36				0.73	21.77					
M3022dup	0.79	58	34				0.25	9.58					
<b>RPD</b>	<b>21</b>	<b>9</b>	<b>4</b>				<b>99</b>	<b>78</b>					
<b>avg RPD</b>	<b>14</b>	<b>29</b>	<b>50</b>	<b>54</b>		<b>28</b>	<b>74</b>		<b>90</b>	<b>74</b>	<b>28</b>	<b>34</b>	<b>95</b>
												<b>avg RPD</b>	<b>56</b>

## **Appendix I: Summary of Collected Samples**

Appendix I: List of Fish Samples Collected and Analyzed

Common Name	Scientific Name	Analytical		Sex	min TL	max TL	mean TL	mean NW	min NW	max NW	Location	Date
		Number	Number		cm	cm	cm	g	g	g		
menhaden	<i>Brevoortia tyrannus</i>	F-2696	21		7.4	9.4	8.6	5.9	3.8	9.4	Raritan River, Sayreville	August 23, 2000
menhaden	<i>Brevoortia tyrannus</i>	F-2697	21		7.7	9.8	8.7	6.1	3.9	8.7	Raritan River, Sayreville	August 23, 2000
menhaden	<i>Brevoortia tyrannus</i>	F-2698	21		7.4	9.6	8.5	6.0	4.0	8.7	Raritan River, Sayreville	August 23, 2000
menhaden	<i>Brevoortia tyrannus</i>	F-2699	21		7.5	9.5	8.5	5.9	4.0	7.3	Raritan River, Sayreville	August 23, 2000
menhaden	<i>Brevoortia tyrannus</i>	F-2700	16		12.0	15.0	13.4	25.0	17.7	33.7	Atlantic Ocean off Island Beach SP	October 23, 2000
menhaden	<i>Brevoortia tyrannus</i>	F-2701	16		11.9	14.7	13.6	27.2	17.9	34.6	Atlantic Ocean off Island Beach SP	October 23, 2000
menhaden	<i>Brevoortia tyrannus</i>	F-2702	16		11.2	15.5	13.5	26.0	11.2	15.5	Atlantic Ocean off Island Beach SP	October 23, 2000
menhaden	<i>Brevoortia tyrannus</i>	F-2704	4		7.4	35.9	35.0	445.8	432.2	460.7	Atlantic Ocean, offloaded Cape May	June 13, 2001
menhaden	<i>Brevoortia tyrannus</i>	F-2705	4		7.4	36.4	35.2	452.4	429.1	487.3	Atlantic Ocean, offloaded Cape May	June 13, 2001
menhaden	<i>Brevoortia tyrannus</i>	F-2706	4		7.4	34.5	33.7	414.1	396.8	424.0	Atlantic Ocean, offloaded Cape May	June 13, 2001
menhaden	<i>Brevoortia tyrannus</i>	F-2707	4		7.4	34.9	34.3	418.4	401.1	435.6	Atlantic Ocean, offloaded Cape May	June 13, 2001
swordfish	<i>Xiphias gladius</i>	F-2703	1				about 150				Atlantic Ocean, Tom's Canyon, 80	October 21, 2000
weakfish	<i>Cynoscion regalis</i>	F-2686	1	F			39.5	640.4			Perth Amboy	September 9, 2000
weakfish	<i>Cynoscion regalis</i>	F-2687	1	F			36.9	542.2			Perth Amboy	September 9, 2000
weakfish	<i>Cynoscion regalis</i>	F-2688	1	F			39.8	696.2			Perth Amboy	September 9, 2000
weakfish	<i>Cynoscion regalis</i>	F-2689	1	F			44.2	726.3			Perth Amboy	September 9, 2000
summer flounder	<i>Paralichthys dentatus</i>	F-2690	1	F			42.9	879.7			Perth Amboy	September, 1999
summer flounder	<i>Paralichthys dentatus</i>	F-2691	1	F			39.0	728.6			Perth Amboy	September, 1999
summer flounder	<i>Paralichthys dentatus</i>	F-2692	1	F			31.9	707.8			Perth Amboy	September, 1999
summer flounder	<i>Paralichthys dentatus</i>	F-2693	1	F			37.1	609.9			Perth Amboy	September, 1999
summer flounder	<i>Paralichthys dentatus</i>	F-2694	1	F			36.6	562.4			Perth Amboy	September, 1999
summer flounder	<i>Paralichthys dentatus</i>		1	F			36.3	539.7			Perth Amboy	September, 1999
blue crab	<i>Callinectes sapidus</i>	F-2736	7	M	10.7	16.6			79.3	209.5	South River	July 30, 1998
blue crab	<i>Callinectes sapidus</i>	F-2737	5	M	14.1	15.6			126.5	220.8	Raritan River (lower)	September, 1999
blue crab	<i>Callinectes sapidus</i>	F-2738	7	M,F	11.5	14.9			91.7	160.1	Raritan, Rt 35 (Victory Bridge)	September, 1999
blue crab	<i>Callinectes sapidus</i>	F-2739	8	M,F	13.1	15.4			113.1	162.4	Raritan River (lower)	September, 1999
blue crab	<i>Callinectes sapidus</i>	F-2740	5	M	13.1	15.8			127.8	210.1	Raritan River (lower)	September, 1999
blue crab	<i>Callinectes sapidus</i>	F-2741	7	M,F	12.1	15.0			78.1	156.5	Raritan River (lower)	September, 1999
blue crab	<i>Callinectes sapidus</i>	F-2742	7	M,F	11.5	15.6			95.6	158.6	Raritan River (lower)	September, 1999
blue crab	<i>Callinectes sapidus</i>	F-2743	6	M	12.0	15.0			111.1	187.8	Raritan River (lower)	September, 1999
blue crab	<i>Callinectes sapidus</i>	F-2744	6	M	12.2	14.6			112.5	186.0	Raritan River (lower)	September, 1999
blue crab	<i>Callinectes sapidus</i>	F-2745	8	M,F	11.6	14.5			82.0	186.4	Raritan River (lower)	September, 1999

## **Appendix II: Summary of Hg, PCB, and organochlorine pesticide concentrations**

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

<b>Fish Tissue</b>																
Sample ID	3948	Data	3949	Data	3950	Data	3951	Data	3952	Data	3953	Data	3954	Data	3955	Data
F-Number	2686	Qualifier	2687	Qualifier	2688	Qualifier	2689	Qualifier	2690	Qualifier	2691	Qualifier	2692	Qualifier	2693	Qualifier
Species	CYREG		CYREG		CYREG		CYREG		PADEN		PADEN		PADEN		PADEN	
Common Name	weakfish		weakfish		weakfish		weakfish		flounder		flounder		flounder		flounder	
Lipid Content (%)	5.64		10.26		11.39		1.49		1.51		1.33		2.38		0.84	
Mercury Concentration (ug/g wet wgt)	0.0695		0.0771		0.0725		0.1401		0.087		0.1031		0.0447		0.0679	
PCB Congeners (ng/g wet wgt)																
1		NA		NA		NA		NA		NA		NA		NA		NA
3		ND		ND		ND		ND		ND		ND		ND		ND
4+10		ND		ND		ND		ND		J		J		J		ND
7	0.20		0.27		0.17		ND		0.05		0.04		J			ND
6	0.44		1.59		0.77		ND		0.43		0.43		J		0.37	
8+5	3.16		5.12		3.64		J		J		J		J			ND
19	0.44		0.54		0.45		ND		0.11		0.17		0.08			ND
12+13		J		J		J		J		J		J		J		ND
18	4.25		5.82		4.24		0.34		0.91		1.10		0.69		1.07	
17	2.21		3.42		2.50		0.19		0.57		0.70		0.41		0.64	
24+27	0.37		0.49		0.36		J		J		0.06		0.06		0.07	
16+32	4.90		6.68		5.00		0.58		0.91		1.09		0.72		1.02	
29		ND		0.06		0.03		ND		ND		ND		J		ND
26	1.54		2.22		1.61		0.08		0.37		0.40		0.23		0.31	
25		ND		ND		ND		ND		ND		ND		ND		ND
31+28	9.92		12.49		9.24		0.77		2.28		2.78		1.42		2.33	
53+33+21	1.70		2.49		1.87		0.22		0.57		0.78		0.29		0.63	
22	4.18		5.20		3.96		J		J		J		J		J	
45	2.73		3.92		2.67		0.56		0.78		0.75		0.41		0.89	
46	1.07		1.70		1.11		0.10		0.22		0.25		0.09			ND
52	16.62		21.47		14.69		1.36		4.30		4.06		2.31		4.18	
49	11.99		17.48		11.41		1.10		3.35		3.70		1.66		3.12	
47	20.15		24.90		18.56		J		J		J		J		J	
48		ND		ND		ND		ND		ND		ND		ND		ND
44	12.94		18.50		12.53		1.19		1.01		1.18		1.06		1.48	
37+42	5.24		8.31		5.39		0.75		0.98		1.10		0.73		1.64	
41+71	9.70		13.01		9.15		0.97		2.65		3.34		1.42		2.89	
40	3.19		4.56		4.49		0.35		0.34		ND		0.22			ND
100	2.12		1.82		2.20		0.14		0.36		0.51		0.21		0.34	
63	2.68		1.76		2.63		0.12		0.39		0.37		0.22		0.32	
74	12.67		12.93		11.42		1.22		2.96		3.96		1.49		3.09	
70+76	17.08		21.93		16.31		1.46		3.93		5.62		2.19		4.31	
66+95	25.07		ND		23.94		2.10		6.72		14.48		2.89		6.62	
91	2.18		3.81		2.24		0.33		0.68		0.75		0.33		0.68	
56+60	16.34		20.47		15.40		3.20		5.46		4.62		2.30		4.47	
101	12.88		19.11		12.29		1.57		4.06		4.44		1.73		3.25	
99	12.62		16.23		11.51		1.40		3.32		5.07		1.60		3.21	
83	1.06		2.09		1.15		0.13		0.13		0.17		0.12		0.67	
97	3.01		4.94		3.21		0.39		0.78		0.77		0.43		0.77	
87+81	2.63		3.27		ND		ND		ND		ND		0.42		0.74	
85	3.96		5.58		3.71		0.40		1.13		1.75		0.47		0.77	
136	0.98		1.62		1.00		0.14		0.23		0.22		0.13		0.23	
77+110	17.58		25.50		16.27		2.00		5.01		6.89		2.21		4.62	
82	1.95		2.80		1.89		0.18		ND		0.26		0.26		0.44	
151	6.02		6.87		4.35		0.66		1.78		1.96		0.85		1.18	
135+144	2.81		4.23		2.63		0.37		0.66		0.69		0.33		0.49	
107	2.23		2.86		1.86		0.29		0.64		0.82		0.31		0.50	

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

<b>Fish Tissue</b>																
Sample ID	3948	Data	3949	Data	3950	Data	3951	Data	3952	Data	3953	Data	3954	Data	3955	Data
F-Number	2686	Qualifier	2687	Qualifier	2688	Qualifier	2689	Qualifier	2690	Qualifier	2691	Qualifier	2692	Qualifier	2693	Qualifier
Species	CYREG		CYREG		CYREG		CYREG		PADEN		PADEN		PADEN		PADEN	
Common Name	weakfish		weakfish		weakfish		weakfish		flounder		flounder		flounder		flounder	
Lipid Content (%)	5.64		10.26		11.39		1.49		1.51		1.33		2.38		0.84	
149	8.44		12.42		8.27		1.65		3.36		3.13		1.36		2.61	
118	17.34		19.14		14.51		1.82		4.51		6.95		2.11		4.12	
131	0.18		0.25		0.13		0.02		0.05		0.07		0.03		0.04	
146	4.19		4.92		3.12		0.75		1.25		1.46		0.61		1.10	
153+132+105	48.93		58.11		41.85		6.49		13.29		20.11		5.87		11.13	
141	1.91		3.14		1.53		0.28		0.47		0.69		0.25		0.40	
137+176	2.33		2.91		1.65			J	0.86		0.60			ND		ND
163+138	33.14		39.26		27.01		4.00		8.70		13.48		3.96		7.05	
158	1.43		1.44		0.98			J		J	0.49			J		J
129+178	8.52		4.09		2.87		0.52		0.99		1.17		0.69		0.57	
187+182	11.10		11.75		7.89		1.82		2.96		3.91		1.62		2.26	
183	5.78		7.02		4.63		0.79		1.63		2.41		0.70		1.21	
128	3.01		3.99		2.56			J	0.84		1.48			J	0.69	
185	0.52		0.65		0.39			ND		J		J		J		J
174	2.41		3.28		2.10		0.37		0.81		0.86		0.32		0.70	
177	3.39		3.79		2.70		0.65		1.02		1.22		0.50		0.79	
202+171	3.42		3.84		2.57		0.54		0.90		1.30		0.43		0.61	
157+202	2.08		2.40		1.68			J	0.43		0.68			J		J
172+197	1.36		1.79		1.27		0.23		0.37		0.45		0.17		0.22	
180	15.27		17.28		11.90		1.95		4.19		5.62		1.83		3.04	
193		ND		ND		ND		ND		ND		ND		ND		ND
191	0.73		0.26		0.30			J		J	0.12			J	0.09	
199		J		J		J		J		J		J		J		J
170+190	9.15		10.52		7.01		1.12		2.42		3.37		1.18		1.46	
201	4.44		5.80		3.57		0.74		1.20		1.26		0.62		0.84	
203+196	5.13		7.02		4.31			J	1.47		1.57			J		J
189	0.66		0.77		0.53		0.15		0.27		0.22		0.09		0.30	
208+195		ND		ND		ND		ND		ND		J		ND		ND
207	0.31		0.42		0.25		0.07			ND	0.11			ND		ND
194	1.93		2.70		1.62			J		J		J		J		J
205		ND	0.11			ND		ND		ND		ND		ND		ND
206	2.38		3.83		2.05		0.43		0.67		0.49		0.24		0.36	
209	0.19		0.26		0.15		0.04		0.05		0.04		0.02		0.08	
<b>Total PCBs</b>	<b>462.49</b>		<b>551.25</b>		<b>407.27</b>		<b>49.12</b>		<b>110.80</b>		<b>148.58</b>		<b>52.89</b>		<b>97.01</b>	
<b>Organochlorine Pesticides</b>																
<b>(ng/g wet wgt)</b>																
alpha BHC	3.78		4.08				J		J			ND		J		J
beta BHC		I		I			I		I			I		I		I
lindane	0.57		0.47		0.27			ND		ND		J		J		ND
delta BHC		J		J			J		J			J		J		ND
dieldrin	6.23		9.48		7.57			ND		ND	0.74		0.88			ND
aldrin		J	1.79			J		J		J		J		ND		J
endrin	0.61		0.39		1.02			ND		ND	0.55			J		ND
endosulfan I	6.63		16.87		12.68		0.80		1.03		2.02		1.34		1.39	
endosulfan II	1.01		1.01		1.11			ND		ND	0.47			J		J
heptachlor	6.70		12.53		7.70		0.72		1.69		2.09		1.32		1.88	
heptachlor epoxide	1.80		3.40		2.55		0.20		0.67		0.60		0.46		0.99	
oxychlorane	6.92		4.92		6.10			J		J	2.82			J		J



Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

<b>Fish Tissue</b>																
Sample ID	3948	Data	3949	Data	3950	Data	3951	Data	3952	Data	3953	Data	3954	Data	3955	Data
F-Number	2686	Qualifier	2687	Qualifier	2688	Qualifier	2689	Qualifier	2690	Qualifier	2691	Qualifier	2692	Qualifier	2693	Qualifier
Species	CYREG		CYREG		CYREG		CYREG		PADEN		PADEN		PADEN		PADEN	
Common Name	weakfish		weakfish		weakfish		weakfish		flounder		flounder		flounder		flounder	
Lipid Content (%)	5.64		10.26		11.39		1.49		1.51		1.33		2.38		0.84	
gamma chlordane	7.34		10.16		6.49		1.64		2.00		2.63		1.24		2.11	
alpha chlordane	11.26		11.50		6.68			J		J	2.60				J	J
trans nonachlor	22.54		24.38		16.62			J	5.30		7.23				J	6.66
cis nonachlor		ND		ND		ND		ND		ND		ND		ND		ND
total chlordanes	<b>34.01</b>		<b>42.50</b>		<b>29.52</b>		<b>2.56</b>		<b>4.37</b>		<b>10.73</b>		<b>3.02</b>		<b>4.98</b>	
opDDE	14.16		20.64		14.54		1.41		2.19		3.03		1.73		3.19	
ppDDE	64.05		70.22		57.93		8.61		13.04		25.22		8.41		11.79	
opDDD	10.88		17.08		9.44			J	2.68		2.96		2.45			
ppDDD	65.15		91.94		62.22		0.88		11.10		20.01		9.67		18.58	
opDDT	19.08			ND	28.90		2.22		6.19		11.36		3.99		7.31	
ppDDT		J		J		J		J		ND		J		ND		ND
total DDXs	<b>173.31</b>		<b>199.88</b>		<b>173.03</b>		<b>13.12</b>		<b>35.19</b>		<b>62.57</b>		<b>26.26</b>		<b>40.88</b>	
surrogate recovery (%)																
PCB congener 14	145		none added		none added		none added		none added		none added		104		125	
PCB congener 65	116		none added		none added		none added		none added		none added		84		104	
PCB congener 166	153		none added		none added		none added		none added		none added		91		109	

**Data Qualifiers (DQ):**

I: Analytical Interference. The data might be questionable due to an interference from other compounds in the samples

J: <MDL. Concentration of the analyte is below our Method Detection Limit; however peak can be quantified.

ND: Not detected.

NA: Not Analyzed

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID	3956	Data	3957	Data	3958R	Data	3959	Data	3960	Data	3961	Data	3962	Data	3963	Data
F-Number	2694	Qualifier	2695	Qualifier	2696	Qualifier	2697	Qualifier	2698	Qualifier	2699	Qualifier	2700	Qualifier	2701	Qualifier
Species	PADEN		PADEN		BRTYR		BRTYR		BRTYR		BRTYR		BRTYR		BRTYR	
Common Name	flounder		flounder		menhaden		menhaden		menhaden		menhaden		menhaden		menhaden	
Lipid Content (%)	2.15		1.36				3.58		3.45		3.07		4.71		2.05	
Mercury Concentration (ug/g wet wgt)	0.0613		0.0578		0.0394		0.0323		0.0344		0.046		0.0017		0.0013	
PCB Congeners (ng/g wet wgt)																
1		NA		NA		J		NA		NA		NA		NA		NA
3		ND		ND	2.42			ND		ND		ND		ND		ND
4+10		ND		J	0.52		0.14		0.15			ND		J		ND
7	0.05			J	0.29		0.22		0.22		0.18		0.12			ND
6		ND		ND	2.08		1.76			ND		ND		ND		ND
8+5		J		J	3.55		3.31		3.98		4.37		2.10			J
19	0.14		0.09		0.21		0.46		0.43		0.44		0.14			ND
12+13		J		J		J		J		J		ND		J		ND
18	1.44		0.47		3.09		4.24		3.85		4.26		1.46		1.45	
17	0.89		0.28		2.07		2.71		2.46		2.74		1.02		1.03	
24+27	0.08			ND	0.25		0.39		0.36		0.43		0.16		0.16	
16+32	1.44		0.49		3.59		5.36		5.04		5.64		2.09		1.99	
29		ND		ND	0.04		0.06		0.07		0.07			ND		ND
26	0.55		0.14		0.76		1.61		1.50		1.51		0.48		0.47	
25		ND		ND		J		ND		ND		ND		ND		ND
31+28	3.40		1.14		11.08		9.07		8.10		9.11		3.50		3.43	
53+33+21	0.94		0.29		2.82			ND		ND		ND		0.97		1.20
22	1.44			J	2.89		3.85		3.54		4.16		1.53		1.84	
45	0.95		0.34		0.93		3.11		2.85		3.08		1.17		1.26	
46	0.24		0.07		0.82		1.41		1.33		1.50		0.72		0.81	
52	5.05		1.74		10.08		17.00		14.67		15.91		7.04		8.37	
49	4.19		1.37		8.49		14.82		13.14		13.74		6.70		7.93	
47		J		J	7.31		19.71		16.65		19.08		10.72		12.94	
48		ND		ND	1.45			ND		ND		ND		ND		ND
44	1.68		0.69		8.04		15.35		13.29		14.54		5.68		6.01	
37+42	1.47		0.75		3.82		9.51		8.00		9.06		4.00		4.45	
41+71	3.59		1.28		7.93		17.69		15.48		16.61		5.19		6.18	
40		ND		ND	1.54		3.92		3.38		3.87		1.85		2.09	
100	0.64		0.16		0.24		1.50		1.19		1.37		0.71		0.74	
63	0.64		0.19			ND	1.27		0.81		1.23		0.82		0.55	
74	4.24		1.50		4.47		8.07		7.05		7.99		4.60		5.47	
70+76	6.01		1.86		10.02		18.09		15.56		16.07		8.14		9.80	
66+95	16.23		3.03		15.67			ND		ND		ND		ND		ND
91	0.76		0.19		1.80		3.65		3.12		3.32		2.06		3.27	
56+60	5.16		1.79		9.93		19.15		16.34		16.99		7.13		8.45	
101	4.67		1.41		8.39		15.67		12.57		13.93		9.20		13.07	
99	4.70		1.35		4.84		9.70		8.39		9.03		6.91		9.16	
83	0.29		0.08		0.71		1.51		1.26		1.29		0.85		0.81	
97	1.01		0.32		2.48		4.34		3.62			ND	2.61		3.43	
87+81	0.95		0.30		1.48		2.60		2.21		2.40		1.50		2.07	
85	1.59		0.44		1.68			ND	3.63		3.31		2.27		3.28	
136	0.27		0.10		0.64		1.68		1.31		1.50		1.00		1.38	
77+110	6.58		2.00		12.60		22.30		18.26		19.81		12.60		17.56	
82	0.54		0.18		1.16		2.50		2.02		2.27		1.47		1.90	
151	1.96		0.63		2.41		4.30		3.71		4.34		3.27		4.68	
135+144		ND		ND	2.04		4.10		3.06		3.70		2.49		3.34	
107	0.78		0.24		0.73		1.51		1.18		1.39		1.20		1.87	

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID	3956	Data	3957	Data	3958R	Data	3959	Data	3960	Data	3961	Data	3962	Data	3963	Data
F-Number	2694	Qualifier	2695	Qualifier	2696	Qualifier	2697	Qualifier	2698	Qualifier	2699	Qualifier	2700	Qualifier	2701	Qualifier
Species	PADEN		PADEN		BRTYR		BRTYR		BRTYR		BRTYR		BRTYR		BRTYR	
Common Name	flounder		flounder		menhaden		menhaden		menhaden		menhaden		menhaden		menhaden	
Lipid Content (%)	2.15		1.36				3.58		3.45		3.07		4.71		2.05	
149	3.16		1.16		7.31		13.35		10.93		13.00		9.52		13.66	
118	6.31		1.93		7.02		10.43		8.82		9.17		7.41		10.55	
131	0.06		0.02		0.10		0.13		0.10		0.10		0.09		0.10	
146	1.40		0.56		1.61		2.75		2.18		2.33		2.29		3.15	
153+132+105	17.39		5.21		19.93		32.85		26.75		29.38		25.52		36.59	
141	0.60		0.19		1.23		3.02		2.39		2.27		1.62		2.12	
137+176		ND		ND	0.90		2.65		2.13			ND		ND		ND
163+138	11.63		3.55		15.48		24.28		19.98		20.88		16.80		24.50	
158		J		J	0.44		1.19		1.01		0.83		0.61		0.84	
129+178	0.97		0.33		1.37		3.21		2.70		2.29		2.73		2.52	
187+182	3.38		1.24		4.25		8.34		7.02		6.94		7.49		8.98	
183	1.86		0.60		2.11		4.64		3.78		3.63		4.33		4.41	
128	1.16			J	0.50		2.95		2.44		2.27		2.45		2.60	
185		J		J	0.21		0.57		0.45		0.40		0.40			ND
174	0.79		0.27		1.74		3.72		3.04		3.29		2.28		3.11	
177	1.10		0.39		1.79		3.17		2.65		2.92		2.47		3.38	
202+171	1.07		0.35		2.02		2.56		2.99		3.15		2.74		3.67	
157+202	0.57			J	0.54		1.53		1.06		1.14		1.11		1.68	
172+197	0.39		0.16		0.44		1.16		0.74		0.79		0.72		0.94	
180	4.75		1.55		5.94		10.12		8.26		9.06		7.20		9.59	
193		ND		ND		ND		ND		ND		ND		ND		ND
191		J		J	0.12		0.34		0.26		0.27		0.40		0.20	
199		J		J		J		J		J		J		J		J
170+190	2.88		0.87		4.91		7.35		5.87		6.37		4.46		6.19	
201	1.10			J	2.49		4.05		3.39		3.39		3.28		4.36	
203+196		J		J	3.01		4.56		3.85		3.90		3.56		4.78	
189	0.17			ND	0.95		0.75		0.64		0.62		0.53		0.62	
208+195		J		J	0.93			ND		ND		ND		3.14		ND
207		ND		ND		J	0.26		0.23		0.21		0.23		0.39	
194		J		J	1.04		1.96		1.72		1.67		1.51		2.01	
205		ND		ND		J		ND		ND		ND		ND		ND
206	0.43		0.19		2.06		2.84		2.49		2.46		2.36		2.72	
209	0.03		0.02			J	0.22		0.20		0.18		0.17		0.19	
<b>Total PCBs</b>	<b>145.75</b>		<b>43.50</b>		<b>257.79</b>		<b>412.55</b>		<b>351.83</b>		<b>373.16</b>		<b>242.90</b>		<b>306.29</b>	
<b>Organochlorine Pesticides</b>																
<b>(ng/g wet wgt)</b>																
alpha BHC		J		J	1.68		4.10			J		J		J		J
beta BHC		I		I		I		I		I		I		I		I
lindane		J		J		J	0.23		0.59	I	0.31		0.39			ND
delta BHC		ND		ND		ND	0.62		0.69			J		ND		J
dieldrin	0.55			ND	6.23		6.28		8.69		7.36		1.19		2.05	
aldrin		J		J	0.33		2.08					J	1.72			ND
endrin		ND		ND		ND		ND	2.84		1.07		1.82		0.95	
endosulfan I	2.26		2.16		5.04		6.71		5.69		9.53		3.05		2.69	
endosulfan II	0.53			J	0.66		0.74		1.17		1.11		0.61		1.09	
heptachlor	3.35		0.75		2.84		13.78		12.27		13.24		4.39		4.80	
heptachlor epoxide	0.85		0.34		2.07		5.89		4.43		3.77		1.01		0.91	
oxychlorodane	3.23			J		J	4.47		4.67		2.45			J	1.92	

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID	3956	Data	3957	Data	3958R	Data	3959	Data	3960	Data	3961	Data	3962	Data	3963	Data	
F-Number	2694	Qualifier	2695	Qualifier	2696	Qualifier	2697	Qualifier	2698	Qualifier	2699	Qualifier	2700	Qualifier	2701	Qualifier	
Species	PADEN		PADEN		BRTYR		BRTYR		BRTYR		BRTYR		BRTYR		BRTYR		
Common Name	flounder		flounder		menhaden		menhaden		menhaden		menhaden		menhaden		menhaden		
Lipid Content (%)	2.15		1.36				3.58		3.45		3.07		4.71		2.05		
gamma chlordanes	2.87			J	4.74		6.35		6.08		5.49		1.55		1.59		
alpha chlordanes	3.25			J	7.64		10.64		10.09		7.98		3.21		8.25		
trans nonachlor	6.89			J	8.61		22.39		18.31		18.91		12.95		18.40		
cis nonachlor		ND		ND		ND		ND		ND		ND		ND		ND	
total chlordanes	13.55		1.09		17.29		41.13		37.55		32.92		10.15		17.47		
opDDE	3.62		1.29		10.06		20.59		17.94		19.40		8.05		9.15		
ppDDE	23.11		6.59		25.98		44.44		38.45		41.64		20.69		28.90		
opDDD	4.50		1.34		28.82		29.31		31.31		27.88		6.33		5.99		
ppDDD	23.22		7.89		65.24		97.26		104.25		97.69		29.45		23.84		
opDDT	9.53			ND	9.33		40.37		40.48		33.73		28.96		35.25		
ppDDT		J	4.16		4.80		34.62		29.33		24.82		6.02		6.64		
total DDXs	63.98		21.27		144.23		266.58		261.75		245.16		99.50		109.77		
surrogate recovery (%)																	
PCB congener 14	none added		none added				91		150		152		128		130		140
PCB congener 65	none added		none added				83		111		113		106		97		107
PCB congener 166	none added		none added				94		148		145		119		151		132

Data Qualifiers (DQ):

I: Analytical Interference. The  
 J: <MDL. Concentration of the  
 ND: Not detected.  
 NA: Not Analyzed

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID	3964	Data	4165	Data	4164	Data	4165	Data	4166	Data	4167	Data
F-Number	2702	Qualifier	2703	Qualifier	2704	Qualifier	2705	Qualifier	2706	Qualifier	2707	Qualifier
Species	BRTYR		XIGLA		BRTYR		BRTYR		BRTYR		BRTYR	
Common Name	menhaden		swordfish		menhaden		menhaden		menhaden		menhaden	
Lipid Content (%)	5.68		11g ONLY		15.16		10.87		13.24		14.28	
Mercury Concentration (ug/g wet wgt)	0.0058		0.6592		0.6468		0.136		0.0906		0.0599	
PCB Congeners (ng/g wet wgt)												
1		NA				NA		NA		NA		NA
3		ND				ND		ND		ND		ND
4+10		ND				ND	0.25		0.30		ND	
7	0.45					ND	0.14		0.14		ND	
6		ND				ND		J		J		ND
8+5	8.13					J		J		J		ND
19	0.71					ND	0.22		0.25		ND	
12+13		ND				ND		J		J		J
18	7.54					J		J		J		J
17	5.25					ND		ND		ND	0.16	
24+27	0.82					ND	0.06		0.07			J
16+32	10.44					J		J	0.41			J
29		ND				ND		ND	0.10			ND
26	2.73					ND		ND		ND		J
25		J				ND		ND		ND		ND
31+28	17.94				1.24		1.16		1.59			
53+33+21	3.57				0.52		0.35		0.91		0.67	
22	8.80					ND		J		J		J
45	5.78					J		J		J	0.36	
46	3.61					ND	0.12		0.16		0.21	
52	37.99				0.99		1.19		1.50		1.25	
49	36.25				1.09		1.30		1.70		1.34	
47	46.38					J	13.35		15.29			J
48		ND				ND		ND		ND		ND
44	30.57				0.90		1.05		1.23		1.13	
37+42	20.60				0.67		0.66		0.78		0.77	
41+71	27.03					J	1.70		1.92		1.32	
40	9.38					ND	0.43			ND	0.55	
100	3.18				0.26		0.38		1.09		0.49	
63	3.69				0.34		1.19		0.99		0.25	
74	20.44					J	4.11		3.51			J
70+76	41.58				1.47		3.23		3.33		1.29	
66+95		ND				ND		ND		ND		ND
91	12.21				0.51		0.67		0.45		0.73	
56+60	35.88				1.64		1.91		2.03		2.37	
101	48.40				2.10		2.58		2.92		3.09	
99	35.26				2.08		2.41		2.39		2.82	
83	3.50				0.23		0.27		0.24		0.25	
97	13.31				0.64		0.84		0.85		0.80	
87+81	7.64				0.29		0.56		0.57		0.36	
85	12.07					ND	0.61		0.70			ND
136	5.15				0.29		0.33		0.35		0.37	
77+110	71.08				2.33		2.67		3.13		3.23	
82	6.95				0.34		0.08		0.38			ND
151	16.38				1.06		1.04		1.22		1.44	
135+144	12.56				0.73		0.79		0.85		1.04	
107	6.22				0.48		0.50		0.52		0.62	

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID	3964	Data	4165	Data	4164	Data	4165	Data	4166	Data	4167	Data
F-Number	2702	Qualifier	2703	Qualifier	2704	Qualifier	2705	Qualifier	2706	Qualifier	2707	Qualifier
Species	BRTYR		XIGLA		BRTYR		BRTYR		BRTYR		BRTYR	
Common Name	menhaden		swordfish		menhaden		menhaden		menhaden		menhaden	
Lipid Content (%)	5.68		11g ONLY		15.16		10.87		13.24		14.28	
149	48.26				3.09		3.64		4.52		4.41	
118	38.29				1.80		2.40		2.61		2.53	
131	0.37				0.03		0.05		0.07		0.04	
146	10.44				1.14		1.38			ND	1.64	
153+132+105	132.13				10.32		12.80		13.81		15.19	
141	7.91				0.55		0.63		0.72		0.85	
137+176		ND				J		ND		ND	0.64	
163+138	91.50				5.94		6.69		6.97		8.48	
158	2.54					J	0.65		0.63			J
129+178	7.75				2.95		1.02		0.87		4.08	
187+182	31.26				3.61		3.95		4.19		4.91	
183	14.74				1.34		1.14		1.32		1.76	
128	8.90				0.66		0.84		0.79		0.76	
185	1.28					ND		J		J		ND
174	10.59				0.56		0.97		1.07		1.01	
177	12.08				0.93		1.18		1.21		1.48	
202+171	12.97				1.32		1.60		1.64		1.90	
157+202	6.13				0.88		0.68		0.72		1.08	
172+197	3.57				0.34		0.19		0.26			ND
180	33.81				2.56		3.12		3.53		3.77	
193		ND				ND	2.76		2.98		ND	
191	0.60					ND		ND		ND		J
199		J				J		J		J		J
170+190	21.64				0.89		1.78		2.22		2.06	
201	15.75				2.20		2.39		2.54		3.19	
203+196	16.85				2.30		2.34		2.52		3.30	
189	2.16				0.35		1.34		0.62		0.50	
208+195		ND				ND	3.67		4.41			ND
207	1.17				0.64		0.52		0.73		0.87	
194	7.40					J		J		J		J
205		ND				ND		ND		ND		ND
206	11.03				4.74		4.09		4.45		5.70	
209	0.80				0.58		0.07			ND	0.70	
<b>Total PCBs</b>	<b>1191.42</b>				<b>69.89</b>		<b>108.07</b>		<b>117.26</b>		<b>97.78</b>	
<b>Organochlorine Pesticides</b>												
<b>(ng/g wet wgt)</b>												
alpha BHC	9.52					J		ND		ND		J
beta BHC		I				I		I		I		I
lindane	2.57				1.90		1.09		2.59		0.97	
delta BHC		J			4.72			ND	1.58			J
dieldrin	18.93				8.19			ND		ND	6.02	
aldrin	4.54				6.70		4.28		2.83		2.69	
endrin		ND			27.52			ND	2.54			ND
endosulfan I	89.32				1.51		7.58		9.76		1.38	
endosulfan II	3.28				2.22			ND	1.22		0.99	
heptachlor	25.02					ND		ND	1.50		0.79	
heptachlor epoxide	5.88				3.22		2.32		3.35		1.82	
oxychlorane	8.21					J		J	2.88			J

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID	3964	Data	4165	Data	4164	Data	4165	Data	4166	Data	4167	Data
F-Number	2702	Qualifier	2703	Qualifier	2704	Qualifier	2705	Qualifier	2706	Qualifier	2707	Qualifier
Species	BRTYR		XIGLA		BRTYR		BRTYR		BRTYR		BRTYR	
Common Name	menhaden		swordfish		menhaden		menhaden		menhaden		menhaden	
Lipid Content (%)	5.68		11g ONLY		15.16		10.87		13.24		14.28	
gamma chlordanes	5.19					ND	8.46		2.34			ND
alpha chlordanes	21.66				9.11			J	2.62		2.59	
trans nonachlor	56.73				4.79			ND		ND	6.65	
cis nonachlor		ND				ND	5.19		7.68			ND
total chlordanes	65.95				12.33		10.77		12.69		5.21	
opDDE	40.68				2.42			ND		ND	3.20	
ppDDE	120.71				16.42		15.69		18.93		23.08	
opDDD	34.28				3.17		3.92		3.95		2.61	
ppDDD	120.49				15.45		13.67		12.01		24.09	
opDDT	98.44				50.00		23.41		19.38		39.51	
ppDDT	8.45				14.85		13.85		23.49		5.61	
total DDXs	423.05				102.30		70.53		77.76		98.10	
surrogate recovery (%)												
PCB congener 14	105				none added		110		121		none added	
PCB congener 65	78				none added		91		96		none added	
PCB congener 166	83				none added		95		99		none added	

Data Qualifiers (DQ):

I: Analytical Interference. The c  
 J: <MDL. Concentration of the c  
 ND: Not detected.  
 NA: Not Analyzed

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

<b>Crab Tissue (HP-hepatopancreas, M-Muscle)</b>															
Sample ID	HP2992	Data	HP 2993	Data	HP 2994	Data	HP 2995R	Data	HP 2996	Data	HP 2997	Data	HP 2998	Data	2999HP
F-Number	2736	Qualifier	2737	Qualifier	2738	Qualifier	2739	Qualifier	2740	Qualifier	2741	Qualifier	2742	Qualifier	2743
Species	CASAP		CASAP		CASAP		CASAP		CASAP		CASAP		CASAP		CASAP
Common Name	blue crab		blue crab		blue crab		blue crab		blue crab		blue crab		blue crab		blue crab
Lipid Content (%)	16.59		9.4		6.91		11.9		13.99		17.65		17.55		10.56
Mercury Concentration (ug/g wet wgt)	0.069		0.024		0.043		0.048		0.053		0.04		0.021		0.055
PCB Congeners (ng/g wet wgt)															
1		NA		NA		NA		J		NA		NA		NA	
3	0.98		ND		1.71		2.63		2.83		2.56		1.50		1.27
4+10		J		J		J		J		J		J		ND	
7	0.33		0.23		0.55		0.74		0.47		0.34		0.30		0.43
6	0.92		ND		ND		ND		ND		ND		ND		ND
8+5	21.41		14.95		19.22		20.46		17.48		19.46		15.01		35.23
19	0.31		0.14		0.21		0.25		0.22		0.28		0.23		0.15
12+13		J		J		J		J		J		J		J	
18	1.96		0.36				1.19		0.80		0.36		0.35		
17	1.57		0.83		1.19		2.21		1.63		0.92		1.17		1.09
24+27	0.37		ND		0.21		0.13		0.21		0.22		0.10		0.33
16+32	2.19		J		J		J		0.74		J		J		0.33
29	0.02		0.02		0.03		0.03		0.03		0.03		0.01		0.11
26	1.87		0.20				ND		0.40		0.42		0.33		0.15
25		J		J		ND		J		ND		ND		ND	
31+28	8.92		ND		ND		ND		1.85		ND		ND		1.58
53+33+21	0.55		2.18		3.02		5.07		5.00		2.82		2.67		0.90
22	2.15		J		1.14		2.50		2.58		1.75		1.37		
45	1.33		2.40		2.86		1.68		4.91		3.21		2.90		1.29
46	0.63		1.36		2.04		1.91		3.25		1.70		2.44		0.74
52	6.61		0.56			J	0.47		1.68		J		0.34		0.53
49	7.06		0.70		0.67		1.12		2.20		0.59		0.63		0.66
47	76.10		48.54		65.87		58.41		90.71		68.80		55.78		116.13
48	0.55		ND		ND		4.32				ND		ND		0.51
44	3.75		0.28		0.29		0.29		0.88		0.28		0.40		0.49
37+42	6.77		3.33		3.78		2.70		6.90		3.44		4.61		3.55
41+71	11.54		1.91		2.36		4.21		4.44		1.39		2.44		
40	1.34		ND		0.59		0.15		1.00		ND		0.64		0.71
100	3.43		2.80		3.85		1.32		5.53		3.80		3.44		5.26
63	1.44		0.89		1.43		0.48		1.82		1.23		1.52		0.84
74	56.09		37.20		57.09		46.87		81.48		58.27		52.88		74.78
70+76	10.96		1.50		1.78		2.60		4.16		1.66		1.60		0.86
66+95	153.19		95.34		128.28		157.19		189.77		132.78		121.45		152.92
91	2.15		0.36		0.19		0.24		0.85		0.24		0.48		0.25
56+60	80.50		42.37		56.45		65.08		81.63		67.22		51.03		77.02
101	13.37		2.49		2.49		3.60		5.99		2.56		3.15		2.63
99	59.08		42.65		61.60		52.66		83.76		65.12		56.52		70.32
83	1.77		ND		0.35		0.62		1.03		0.29		0.51		3.22
97	3.33		0.83		0.88		1.29		2.34		0.85		1.30		0.37
87+81	1.55		0.79		1.06		0.75		1.58		1.22		1.03		0.87
85	16.56		17.84		23.02			ND	33.43		25.44		20.76		26.82
136	0.63		ND		0.33			ND	0.57		0.42		0.40		0.45
77+110	22.74		2.21		2.93		1.77		6.92		2.62		3.08		2.72
82	1.72		ND		ND		0.33		3.96		2.07		2.75		2.23
151	1.74		J		J		0.16		0.69					J	
135+144	2.82		0.56		0.40		0.47		1.19		0.61	J	0.63		0.65
107	4.35		3.27		4.13		3.11		5.92		4.50		4.24		4.08



Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

<b>Crab Tissue (HP-hepatopancreas, M-Muscle)</b>															
Sample ID	HP2992	Data	HP 2993	Data	HP 2994	Data	HP 2995R	Data	HP 2996	Data	HP 2997	Data	HP 2998	Data	2999HP
F-Number	2736	Qualifier	2737	Qualifier	2738	Qualifier	2739	Qualifier	2740	Qualifier	2741	Qualifier	2742	Qualifier	2743
Species	CASAP		CASAP		CASAP		CASAP		CASAP		CASAP		CASAP		CASAP
Common Name	blue crab		blue crab		blue crab		blue crab		blue crab		blue crab		blue crab		blue crab
Lipid Content (%)	16.59		9.4		6.91		11.9		13.99		17.65		17.55		10.56
149	13.93		4.66		4.92		4.66		9.07		5.19		5.96		6.29
118	94.13		60.21		83.36		80.96		123.81		87.79		80.54		104.71
131	0.21		0.40		0.47		0.01		0.88		0.51		0.57		0.48
146	28.65		10.23		10.66		10.94		19.83		11.24		11.78		34.08
153+132+105	273.17		179.26		256.18		218.53		393.98		250.44		237.66		319.12
141	0.50			ND		ND	0.32		0.23			ND		ND	1.03
137+176	2.73		0.64		0.76		0.59		1.38		0.73		0.80		1.33
163+138	167.10		105.76		132.48		150.62		205.32		142.13		124.16		190.34
158	21.02		3.77		4.68			ND	7.60		5.44		4.64		25.20
129+178	4.52		6.52		4.20		5.97		12.57		5.77		6.85		5.44
187+182	32.29		28.65		31.80		27.51		56.05		31.94		32.52		39.78
183	22.77		20.85		27.65		26.46		45.79		28.57		24.52		30.77
128	23.10		9.65		11.41		6.96		18.30		12.79		11.69		26.86
185	0.48			J		ND	0.08		0.26			J		J	
174	2.02		0.44		0.50		0.60		1.14		0.44		0.47		
177	6.99		1.75		2.58		1.89		4.47		2.31		2.19		3.85
202+171	9.52		6.41		6.61		0.00	ND	12.20		7.45		6.96		10.70
157+202	6.05		4.60		5.93		5.77		9.36		6.10		5.97		7.62
172+197	3.60		3.57		3.01		2.35		6.76		3.80		3.85		6.93
180	68.39		60.09		80.85		96.05		131.35		87.21		74.20		113.05
193	1.10			ND		ND		ND		ND		ND		ND	1.03
191		J	1.11		0.92		1.05		1.36		0.84		0.77		
199	3.79			J		J	0.11			J		J		J	2.12
170+190	30.58		30.13		28.51		44.73		45.22		30.72		26.66		48.15
201	13.62		13.75		13.53		17.57		21.37		14.31		13.03		29.12
203+196	18.30		17.43		21.31		29.26		32.25		22.75		19.59		36.41
189	4.51		2.81		1.70		5.20		2.97		1.86		1.86		4.90
208+195	1.10			ND		ND	6.56		7.15		11.79		10.46		6.10
207	0.53		0.83		0.99		1.03		1.04		1.19		0.93		1.27
194	6.43		5.80		7.56		10.58		11.12		8.38		7.09		11.93
205	1.10			ND		ND	0.28		0.21			ND		ND	0.32
206	5.61		7.14		8.15		11.23		9.15		9.71		8.49		11.54
209	0.24		0.41		0.62		0.66		0.53		0.78		0.64		0.47
<b>Total PCBs</b>	<b>1464.78</b>		<b>915.94</b>		<b>1203.32</b>		<b>1217.89</b>		<b>1855.93</b>		<b>1271.64</b>		<b>1142.60</b>		<b>1673.40</b>
<b>Organochlorine Pesticides</b>															
<b>(ng/g wet wgt)</b>															
alpha BHC	5.14		5.07		5.52		2.08		5.57		6.55		6.17		
beta BHC		I		I		I		I		I		I		I	
lindane	6.90		0.73		2.01			J	1.93			ND	0.85		0.31
delta BHC	1.71		1.00		1.73		3.44			J	1.13			J	2.58
dieldrin	37.21		13.73		18.17		31.58		33.95		27.87		31.92		2.63
aldrin	5.49		2.89		6.34		2.48		5.73		5.89		7.61		
endrin		ND	0.49		2.99		0.35		1.37		1.10		1.79		0.39
endosulfan I	3.17		3.51		6.62		2.88		9.27		6.29		2.58		ND
endosulfan II	11.11		8.98		30.98		10.36		20.87		13.31		14.02		
heptachlor	21.88		3.16		2.73			J	6.81		3.46		3.51		10.86
heptachlor epoxide	19.50		9.61		15.90		19.57		20.51		16.56		15.01		0.38
oxychlorane	63.73		48.08		55.69		82.61		73.68		62.11		56.10		3.46

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

<b>Crab Tissue (HP-hepatopancreas, M-Muscle)</b>															
Sample ID	HP2992	Data	HP 2993	Data	HP 2994	Data	HP 2995R	Data	HP 2996	Data	HP 2997	Data	HP 2998	Data	2999HP
F-Number	2736	Qualifier	2737	Qualifier	2738	Qualifier	2739	Qualifier	2740	Qualifier	2741	Qualifier	2742	Qualifier	2743
Species	CASAP		CASAP		CASAP		CASAP		CASAP		CASAP		CASAP		CASAP
Common Name	blue crab		blue crab		blue crab		blue crab		blue crab		blue crab		blue crab		blue crab
Lipid Content (%)	16.59		9.4		6.91		11.9		13.99		17.65		17.55		10.56
gamma chlordane	16.38		2.43		9.33		22.97		8.52		1.83		3.01		
alpha chlordane	6.38		5.10		2.52		6.23		9.11		7.37		6.95		
trans nonachlor	155.11		60.88		76.62		80.36		123.12		87.16		87.26		124.60
cis nonachlor	127.21			ND		ND		ND		ND		ND		ND	191.54
<b>total chlordanes</b>	<b>127.88</b>		<b>68.38</b>		<b>86.18</b>		<b>131.38</b>		<b>118.63</b>		<b>91.33</b>		<b>84.58</b>		<b>14.70</b>
opDDE	19.20		3.12		5.50		6.68		10.29		6.87		7.70		7.08
ppDDE	836.58		336.24		298.28		550.46		620.72		435.88		376.42		634.94
opDDD	23.15		8.16		11.69		6.98		12.44		9.40		9.36		
ppDDD	524.78		224.19		242.49		336.16		402.84		359.10		199.74		10.20
opDDT	164.52		62.52		98.56		102.82		141.45		163.28		93.08		17.59
ppDDT	10.17		5.48			J	4.96			J	4.96			J	
<b>total DDXs</b>	<b>1578.40</b>		<b>639.51</b>		<b>656.52</b>		<b>1008.06</b>		<b>1187.74</b>		<b>919.49</b>		<b>686.30</b>		<b>669.80</b>
<b>surrogate recovery (%)</b>															
PCB congener 14	119		72		151		99		130		138		123		116
PCB congener 65	84		54		106		80		95		101		91		83
PCB congener 166	105		69		113		94		119		112		101		105

**Data Qualifiers (DQ):**

**Data Qualifiers (DQ):**

I: Analytical Interference. The d: Analytical Interference. The data might be questionable due to an interference from other compounds in the samples

J: <MDL. Concentration of the d: <MDL. Concentration of the analyte is below our Method Detection Limit, however peak can be quantified.

ND: Not detected.

ND: Not detected.

NA: Not Analyzed

NA: Not Analyzed

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID F-Number Species Common Name Lipid Content (%)	Data Qualifier	3000HP 2744 CASAP blue crab 8.28	Data Qualifier	HP 3021 2745 CASAP blue crab 7.05	Data Qualifier	HP 3022 2746 CASAP blue crab 8.48	Data Qualifier	M 2992 2736 CASAP blue crab 0.52	Data Qualifier	M 2993 2737 CASAP blue crab 0.83	Data Qualifier	M 2994 2738 CASAP blue crab 0.69	Data Qualifier	M 2995 2739 CASAP blue crab 0.74	Data Qualifier	M 2996 2740 CASAP blue crab 0.37
Mercury Concentration (ug/g wet wgt)		0.053		0.063		0.056		0.099		0.088		0.077		0.092		0.085
PCB Congeners (ng/g wet wgt)																
1	NA		NA		NA		NA		NA		NA		NA		NA	
3		0.66		ND		0.31		ND		ND		ND		ND		ND
4+10	J		J	ND		0.54		J		J		J		J		J
7		0.56		0.43		0.54		J		0.03		0.04		J		0.04
6	J		J	ND			J		J		J		J		J	
8+5		7.50		16.13		13.50		J		J		J		J		J
19		0.04		ND		0.07		ND		0.05		ND		ND		ND
12+13	J		J	0.47		0.54		J		J		J		ND		ND
18	J	0.32		0.50			J		J		J		J		J	
17		0.30		1.27		0.51		J		0.10		J		J		J
24+27		0.22		0.18		0.26		J		0.06		J		J		J
16+32		0.44		0.53		0.40		J		J		J		J		J
29			J	0.03		0.01		ND		0.02		ND		ND		J
26		0.10			ND	0.23		J			ND	ND		ND		J
25	J		J	ND			J	ND		ND		ND		J		J
31+28		0.85		ND		0.54		J		J		ND		2.63		2.12
53+33+21		0.56		3.07		0.21		J		0.27		0.52		0.26		0.26
22	J		J	1.73			J		J		J		J		J	
45		0.44		3.15		0.59		J		J		J		J		J
46		0.37		2.87		0.53		0.02		0.03		0.23		0.10		0.11
52		1.98		0.71		1.53		J		J		J		J		J
49		1.83		1.35		1.55		J		J		J		J		J
47		35.07		79.42		43.16		J		J		J		J		J
48		0.56			ND	0.54		ND		ND		ND		ND		ND
44		0.99		0.56		0.89		J		J		J		J		J
37+42		1.95		3.93		2.05		J		J		J		J		J
41+71	J	3.08		3.92		3.17		J		J		J		ND		J
40		0.53		0.71		0.57		ND		ND		ND		ND		ND
100		1.15		5.32		2.22		0.08		0.16		0.05		0.05		0.05
63		0.68		2.02		0.71		ND		0.07		0.02		J		0.02
74		29.54		57.06		36.07		0.92		2.09		2.13		2.12		2.37
70+76		2.18		2.89		2.38		0.24		0.34		J		J		J
66+95		59.62		116.96		70.30		2.48		4.71		7.96		7.48		8.97
91		0.69		0.50		0.53		0.04		0.03		ND		ND		ND
56+60		36.88		58.76		48.23		1.44		2.41		3.04		3.39		3.05
101		4.16		4.75		3.70		J		J		J		J		J
99		32.54		78.61		40.67		0.92		1.45		2.41		2.73		2.34
83		0.82		0.41		0.92		J		0.04		0.08		0.17		0.03
97		0.96		1.40		0.68		0.06		0.04		0.14		0.20		0.05
87+81		0.68		1.32		0.48		J		0.23		J		J		J
85		12.41		27.52		16.57		0.34		0.78		1.07		1.30		1.08
136		0.39		0.34		0.34		ND		J		ND		ND		ND
77+110		4.97		4.23		4.49		J		J		J		J		J
82		0.56		ND		0.54		ND		0.06		ND		ND		ND
151	J	1.04		0.37		0.52		J		J		ND		ND		ND
135+144		0.92		0.88		0.67		0.04		0.04		ND		ND		ND
107		1.93		6.10		2.01		0.10		0.11		0.20		0.19		0.24

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID F-Number Species Common Name	Data Qualifier	3000HP 2744 CASAP blue crab	Data Qualifier	HP 3021 2745 CASAP blue crab	Data Qualifier	HP 3022 2746 CASAP blue crab	Data Qualifier	M 2992 2736 CASAP blue crab	Data Qualifier	M 2993 2737 CASAP blue crab	Data Qualifier	M 2994 2738 CASAP blue crab	Data Qualifier	M 2995 2739 CASAP blue crab	Data Qualifier	M 2996 2740 CASAP blue crab
Lipid Content (%)		8.28		7.05		8.48		0.52		0.83		0.69		0.74		0.37
149		5.29		7.68		5.05		J		J		J		J		0.33
118		49.36		95.43		57.56		1.34		2.46		3.44		3.48		3.63
131		0.10		0.76		0.11		0.01		ND		ND		ND		ND
146		16.47		17.47		18.20		J		0.35		0.72		0.74		0.79
153+132+105		174.94		347.12		206.63		3.34		5.67		10.46		10.77		10.28
141		0.50		0.17		0.13		ND		J		J		J		J
137+176		0.82		1.73		0.74		J		J		ND		ND		ND
163+138		87.39		165.04		112.55		1.74		2.67		4.47		4.78		4.46
158		10.92		6.16		16.36		J		J		0.91		1.04		0.89
129+178		2.38		11.35		2.36		0.20		0.72		0.41		0.30		0.45
187+182		19.76		48.66		21.09		J		1.38		1.16		1.25		1.25
183		15.05		37.43		18.65		J		0.63		0.97		1.02		0.93
128		11.04		14.38		15.28		J		J		1.05		1.04		1.04
185	J		J		ND		J		ND		ND		ND		ND	
174	J	0.87		0.85		0.54		J		J		J		J		J
177		2.35		4.42		2.13		0.07		0.07		0.13		0.06		0.11
202+171		5.65		10.96		6.43		ND		0.25		0.69		0.83		0.79
157+202		3.88		8.84		4.05		J			BDL		J		J	
172+197		2.97		5.63		2.94		0.10		0.08		0.11		0.20		0.21
180		55.45		96.26		64.36		0.68		1.49		2.41		2.76		2.44
193		1.12			ND	1.07		ND		0.87				ND		ND
191	J		J	1.00			J	0.15			J		J		J	
199			J		J	4.65			ND		ND		ND		ND	
170+190		20.06		33.67		22.95		J		0.75		1.13		1.27		1.17
201		10.22		20.72		10.15		J		J		0.53		0.56		
203+196		13.24		24.89		14.76		J		J		J		J		J
189		2.96		2.40		3.02		ND		ND		0.05		0.05		0.14
208+195		2.24			ND	1.07		ND		J		ND		ND		ND
207		0.55		1.26		0.50		ND		0.03		0.03		0.02		0.03
194		4.65		9.20		5.06		J		J		J		J		J
205		0.12			ND	1.07		ND		ND		ND		ND		ND
206		4.50		10.92		3.68		0.09		0.12		0.20		0.23		0.17
209		0.24		0.82		0.17		ND		0.01		0.02		0.03		0.02
<b>Total PCBs</b>		<b>775.57</b>		<b>1475.84</b>		<b>927.56</b>		<b>14.42</b>		<b>30.65</b>		<b>49.42</b>		<b>50.56</b>		<b>50.58</b>
<b>Organochlorine Pesticides</b>																
<b>(ng/g wet wgt)</b>																
alpha BHC	J		J	6.64			J		J		J		J		J	
beta BHC	I		I		I		I		I		I		I		I	
lindane		0.26		0.67		1.10		ND		ND		J		0.36		0.30
delta BHC			J	1.59		0.64		ND		0.61		ND		ND		ND
dieldrin		0.28		35.13		7.16		0.17		ND		1.80		4.62		2.47
aldrin	J		J	6.00		3.76		J		J		J		J		J
endrin			ND	2.13			ND		ND		ND		0.32		0.51	
endosulfan I			J	7.15		2.67		J		ND		0.19		0.69		0.21
endosulfan II	J	0.28		18.64		8.10		J		0.44		0.52		0.85		
heptachlor		4.08		3.98		3.17		J			ND		ND		J	
heptachlor epoxide		0.32		15.80		12.73		0.20			ND		0.93		1.59	
oxychlorodane		2.38		72.42		50.19		J		6.01				ND		ND

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID F-Number Species Common Name	Data Qualifier	3000HP 2744 CASAP blue crab	Data Qualifier	HP 3021 2745 CASAP blue crab	Data Qualifier	HP 3022 2746 CASAP blue crab	Data Qualifier	M 2992 2736 CASAP blue crab	Data Qualifier	M 2993 2737 CASAP blue crab	Data Qualifier	M 2994 2738 CASAP blue crab	Data Qualifier	M 2995 2739 CASAP blue crab	Data Qualifier	M 2996 2740 CASAP blue crab
Lipid Content (%)		8.28		7.05		8.48		0.52		0.83		0.69		0.74		0.37
gamma chlordane	ND	1.20			ND	2.38			ND		ND	16.38		9.25		14.01
alpha chlordane	J		J	5.89			J		J		J		J		J	
trans nonachlor		60.11		107.03		71.50			J	4.51			J		J	
cis nonachlor		70.17			ND	78.02			ND	4.11			ND		ND	
<b>total chlordanes</b>		<b>7.98</b>		<b>98.08</b>		<b>68.46</b>		<b>0.20</b>		<b>6.01</b>		<b>17.31</b>		<b>10.85</b>		<b>14.97</b>
opDDE		5.87		7.54		4.90			J		ND		J		J	
ppDDE		372.95		263.53		336.18		7.69		9.83		15.27		20.73		15.06
opDDD	J		J	9.19			J		J		J		ND		ND	
ppDDD		5.59		207.58		151.76		8.08		25.30		8.77		12.92		7.40
opDDT		5.71		153.29		90.36		7.20		11.08		4.90		5.65		5.53
ppDDT	J		J		ND	9.10			J		J		J		J	
<b>total DDXs</b>		<b>390.12</b>		<b>641.13</b>		<b>592.30</b>		<b>22.97</b>		<b>46.21</b>		<b>28.94</b>		<b>39.30</b>		<b>27.99</b>
<b>surrogate recovery (%)</b>																
PCB congener 14		79		98		79		47		74		71		60		74
PCB congener 65		61		82		64		46		85		62		53		64
PCB congener 166		67		91		74		50		99		95		85		102

**Data Qualifiers (DQ):**

I: Analytical Interference. The concentration of the analyte is not reliable.  
 J: <MDL. Concentration of the analyte is less than the method detection limit.  
 ND: Not detected.  
 NA: Not Analyzed

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID F-Number Species Common Name Lipid Content (%)	Data Qualifier	M 2997 2741 CASAP blue crab 0.69	Data Qualifier	M 2998 2742 CASAP blue crab 0.58	Data Qualifier	M 2999 2743 CASAP blue crab 0.7	Data Qualifier	M 3000 2744 CASAP blue crab 0.63	Data Qualifier	M 3021 2745 CASAP blue crab 0.7	Data Qualifier	M 3022 2746 CASAP blue crab 0.64	Data Qualifier
Mercury Concentration (ug/g wet wgt)		0.407		0.055		0.075		0.07		0.081		0.084	
PCB Congeners (ng/g wet wgt)													
1	NA		NA		NA		NA		NA		NA		NA
3	ND	0.25			ND		ND		ND		ND		ND
4+10	J		J		J		J		J		J		J
7		0.05			J		0.05	0.04		0.07			ND
6	J	0.45			J		0.70		J		J		J
8+5	J		J		J		J		J		J		J
19	J		J		ND		ND		J		J		J
12+13	ND		J		J		J		ND		ND		ND
18	J		J		J		J		J		J		J
17	J		J		J		0.09		J		J		J
24+27	J		J		J		J		J		J		J
16+32	J		J		J		J		J		J		J
29	J		ND		ND		ND		J		ND		J
26	ND		ND		ND		0.86		ND		ND		0.04
25	J		J		J		J		J		J		J
31+28		2.65		1.30		4.52		2.35		2.75		2.24	
53+33+21		0.97		0.88		1.71		0.27		0.53			J
22	J		J		J		J		J		J		J
45	J		ND		ND		J		J		J		J
46		0.48		0.37		0.83		0.05		0.18		0.05	
52	J		J		J		J	0.21			J		J
49	J		J		J		J		J		J		J
47	J		J		J		J		J		J		J
48	ND		ND		ND		ND		ND		ND		ND
44	J		J		J		J		J		J		J
37+42	J		J		J		J		J		J		J
41+71	J		ND		J		ND		J		J		J
40	ND		ND		ND		0.07	0.01			ND		0.01
100		0.05		0.02		0.08		0.11		0.09		0.08	
63			ND		ND		0.02	0.04		0.03		0.04	
74		2.60		1.20		3.91		2.66		2.96		2.63	
70+76	J	0.16			J	0.21		0.52		0.45		0.39	
66+95		9.69		4.50		13.95		9.53		10.53		8.86	
91	J		ND		ND		0.06	0.07		0.07		0.06	
56+60		3.75		1.67		4.94		4.92		4.13		6.70	
101	J		J		J		J	0.46			J		J
99		2.88		1.45		3.80		4.17		3.76		3.52	
83		0.02		0.06		0.06		0.12		0.08		0.08	
97		0.16		0.14		0.29		0.12		0.18		0.09	
87+81	J		J		ND		ND	0.18			J		ND
85		1.41		0.63		1.54		1.49		1.81		1.54	
136	ND		ND		ND		ND	0.02		ND			J
77+110	J		J		ND		J		J		J		J
82	ND		ND		ND		ND	0.06		ND		ND	ND
151	J		ND		ND		ND		J		J		J
135+144	J		ND		ND		ND	0.09		0.06		0.06	
107		0.21		0.13		0.37		0.35		0.38		0.27	

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID F-Number Species Common Name Lipid Content (%)	Data Qualifier	M 2997 2741 CASAP blue crab 0.69	Data Qualifier	M 2998 2742 CASAP blue crab 0.58	Data Qualifier	M 2999 2743 CASAP blue crab 0.7	Data Qualifier	M 3000 2744 CASAP blue crab 0.63	Data Qualifier	M 3021 2745 CASAP blue crab 0.7	Data Qualifier	M 3022 2746 CASAP blue crab 0.64	Data Qualifier
149			J		J	0.44		0.65		0.48		0.50	
118		4.11		2.08		5.50		5.64		5.05		4.58	
131	ND		ND		ND		ND		J		ND		ND
146		0.68		0.46		1.23		1.68		1.26		1.14	
153+132+105		10.79		6.12		13.87		21.51		15.56		14.29	
141	ND		ND		ND		ND		J		ND		ND
137+176	J		J		J		ND		J		J		J
163+138		4.76		2.34		6.16		9.10		6.75		6.19	
158		0.94		0.49		1.21		1.77		1.30		1.33	
129+178		0.43		0.51		0.98		0.81		0.57		0.51	
187+182		1.05		0.67		1.63		2.66		1.87		1.56	
183		0.87		0.62		1.43		1.71		1.22		1.12	
128		1.27			J	1.33		1.53		1.23		1.30	
185	ND		ND		ND		ND		J		ND		J
174	J		J	0.23				ND		J		J	
177		0.05		0.07		0.15		0.17		0.21		0.11	
202+171		0.80		0.40		1.07		1.46			ND		ND
157+202	J		J		J		J	0.39			ND		ND
172+197		0.23			ND	0.24		0.37		0.29		0.22	
180		2.36		1.39		3.08		4.41		3.18		2.85	
193	ND		ND		ND		ND		ND		ND		ND
191	J		J		ND		J	0.10			J		J
199	ND		ND		ND		ND		ND		ND		ND
170+190		1.23		0.55		1.51		2.06		1.47		1.20	
201	J		J		J	0.85		1.19		0.82			J
203+196	J		J		J		J	1.41			J		J
189		0.09		0.04		0.07		0.16		0.08		0.08	
208+195	J		J		J		J		ND		ND		ND
207		0.05		0.02		0.04		0.09		0.05		0.03	
194	J		J		J		J		J		J		J
205	ND		ND		ND		ND		ND		ND		ND
206		0.19		0.10		0.23		0.58		0.29		0.10	
209		0.03		0.02		0.03		0.06		0.04		0.02	
<b>Total PCBs</b>		<b>55.71</b>		<b>28.49</b>		<b>79.06</b>		<b>87.24</b>		<b>69.80</b>		<b>63.81</b>	
<b>Organochlorine Pesticides</b> (ng/g wet wgt)													
alpha BHC	J		J		J		J		J		J		J
beta BHC	I		I		I		I		I		I		I
lindane		0.28		0.37		0.75			J	0.77		0.73	
delta BHC	ND		ND		ND		ND		ND		ND		ND
dieldrin		2.30		3.33		4.47		3.04		3.84			ND
aldrin	J		J		J		J		J		ND		J
endrin	ND		ND		ND		ND		J		ND	0.56	
endosulfan I		0.20			J		J		J		ND	0.29	
endosulfan II	ND		ND	0.25			ND	0.83		0.37		7.98	
heptachlor	J		ND		ND		J		ND		ND		J
heptachlor epoxide		0.90		1.02		1.00		1.11		1.26		0.98	
oxychlorodane	ND		ND		ND		ND		ND		ND	16.32	

Appendix II. Summary of concentrations (ng/g) of PCBs, organochlorine pesticides and mercury in fish and crab samples.

Sample ID F-Number Species Common Name	Data Qualifier	M 2997 2741 CASAP blue crab	Data Qualifier	M 2998 2742 CASAP blue crab	Data Qualifier	M 2999 2743 CASAP blue crab	Data Qualifier	M 3000 2744 CASAP blue crab	Data Qualifier	M 3021 2745 CASAP blue crab	Data Qualifier	M 3022 2746 CASAP blue crab	Data Qualifier
Lipid Content (%)		0.69		0.58		0.7		0.63		0.7		0.64	
gamma chlordanes		13.09		9.52		16.79		3.26		36.79			ND
alpha chlordanes	J		J		J		J		ND		ND		J
trans nonachlor	J		J		J		J	5.03			J	4.47	
cis nonachlor	ND		ND		ND		ND		ND		J		ND
<b>total chlordanes</b>		<b>13.98</b>		<b>10.55</b>		<b>17.78</b>		<b>4.37</b>		<b>38.05</b>		<b>17.30</b>	
opDDE	J		J		ND		J		J		J		J
ppDDE		15.79		9.90		19.02		23.89		19.01		19.71	
opDDD	ND		ND		ND		ND		ND		ND		ND
ppDDD		6.91		6.72		12.14		15.71		10.33		4.85	
opDDT		5.16		4.13		5.31		7.01		10.34			J
ppDDT	J		J		J		J		J		J	10.98	
<b>total DDXs</b>		<b>27.86</b>		<b>20.75</b>		<b>36.46</b>		<b>46.61</b>		<b>39.67</b>		<b>35.53</b>	
<b>surrogate recovery (%)</b>													
PCB congener 14		76		57		66		68		64		78	
PCB congener 65		72		43		50		55		55		69	
PCB congener 166		108		76		87		86		93		104	

**Data Qualifiers (DQ):**

I: Analytical Interference. The  
 J: <MDL. Concentration of the  
 ND: Not detected.  
 NA: Not Analyzed



### **Appendix III: Summary of dioxin concentrations**

**Appendix III. Summary of concentrations of dioxin (ng/g) in crab samples.**

Dioxin Concentrations (pg/g dry wt)

Client Sample ID	2993 F2737	2993 F2737	2994 F2738	2994 F2738	2995 F2739	2995 F2739	2996 F2740	2996 F2740	2997 F2741	2997 F2741	2998 F2742
Sample Descriptor Original Sample	Crab Muscle	Crab Hepatopancreas	Crab Muscle	Crab Hepatopancreas	Crab Muscle	Crab Hepatopancreas	Crab Muscle	Crab Hepatopancreas	Crab Muscle	Crab Hepatopancreas	Crab Muscle
GERG ID	C37379	C37380	C37381	C37382	C37383	C37384	C37385	C37386	C37387	C37388	C37389
Sample Type	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP
SIG	H1317	H1317	H1317	H1317	H1317	H1317	H1317	H1317	H1317	H1317	H1317
Dry Weight	1.95	1.55	2.42	1.72	2.37	2.04	1.87	2.23	1.99	1.86	2.16
Wet Weight	10.73	8.21	12.37	8.10	13.11	10.21	10.33	10.20	10.02	8.27	11.82
Sample Size Units	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Grams
Matrix	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue
% solid	18.3	18.9	19.6	21.3	18.1	20.0	18.1	21.8	19.9	22.5	18.3
% Lipid	1.3	4.1	1.5	40.5	1.5	33.3	1.2	44.5	2.0	40.9	2.1
Reporting Units	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g
Calculation Basis (dry/wet)	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry
QC Batch ID	DX0492	DX0492	DX0492	DX0492	DX0492	DX0492	DX0492	DX0492	DX0492	DX0492	DX0492
Method	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS
Collection Date											
Receive Date	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01
Extraction Date	1/25/01	1/25/01	1/25/01	1/25/01	1/25/01	1/25/01	1/25/01	1/25/01	1/25/01	1/25/01	1/25/01
Analysis Date	2/14/01	2/14/01	2/14/01	2/14/01	2/14/01	2/14/01	2/14/01	2/14/01	2/14/01	2/14/01	2/14/01
<b>Surrogate Compounds</b>	<b>%Recovery</b>	<b>%Recovery</b>	<b>%Recovery</b>	<b>%Recovery</b>	<b>%Recovery</b>	<b>%Recovery</b>	<b>%Recovery</b>	<b>%Recovery</b>	<b>%Recovery</b>	<b>%Recovery</b>	<b>%Recovery</b>
13C-2,3,7,8-TCDF	87.3	102.1	86.2	75.4	91.2	76.6	83.7	73.7	76.1	93.8	79.0
13C-1,2,3,7,8-PeCDF	96.2	107.6	92.2	83.0	91.8	81.5	94.2	76.5	80.0	89.2	83.9
13C-2,3,4,7,8-PeCDF	88.5	102.3	88.9	81.1	89.4	79.9	94.4	75.0	83.0	89.6	81.0
13C-1,2,3,4,7,8-HxCDF	86.8	80.1	89.8	74.9	83.3	65.3	85.2	69.8	58.7	82.3	81.6
13C-1,2,3,6,7,8-HxCDF	90.8	91.2	95.6	81.6	88.0	76.5	87.3	67.6	63.7	88.5	80.2
13C-2,3,4,6,7,8-HxCDF	96.5	97.3	98.7	87.0	91.6	78.1	94.2	70.7	66.5	93.4	87.6
13C-1,2,3,7,8,9-HxCDF	85.9	93.6	88.0	77.3	85.5	74.5	83.8	72.2	63.1	87.0	77.1
13C-1,2,3,4,6,7,8-HpCDF	90.3	108.1	96.4	95.0	88.2	85.8	91.0	84.3	62.0	103.5	92.6
13C-1,2,3,4,7,8,9-HpCDF	94.4	115.8	104.0	94.5	101.6	89.2	100.3	88.3	68.3	108.4	97.4
13C-2,3,7,8-TCDD	80.6	87.8	74.1	77.4	87.0	74.8	91.1	77.1	63.1	86.3	71.9
37Cl-2,3,7,8-TCDD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13C-1,2,3,7,8-PeCDD	86.1	105.5	84.4	84.0	82.2	72.5	81.5	70.6	73.7	85.9	80.3
13C-1,2,3,4,7,8-HxCDD	91.5	85.5	101.6	60.2	89.1	77.3	99.1	85.5	69.2	89.1	88.4
13C-1,2,3,6,7,8-HxCDD	92.8	94.0	90.9	80.5	84.2	77.3	89.7	64.5	63.7	97.2	85.1
13C-1,2,3,4,6,7,8-HpCDD	77.0	81.5	90.6	71.4	78.7	69.5	83.9	67.1	56.7	79.2	80.3
13C-OCDD	78.4	90.1	94.0	78.9	87.7	75.1	87.5	71.1	65.3	95.2	80.6
<b>PCDD/PCDF Compounds</b>	<b>Concentration</b>	<b>Concentration</b>	<b>Concentration</b>	<b>Concentration</b>	<b>Concentration</b>	<b>Concentration</b>	<b>Concentration</b>	<b>Concentration</b>	<b>Concentration</b>	<b>Concentration</b>	<b>Concentration</b>
2,3,7,8-TCDF	12.9	288.1	8.1	253.1	9.4	279.9	0.0	ND	383.5	0.0	ND
1,2,3,7,8-PeCDF	0.0	ND	135.6	0.0	ND	78.0	0.0	ND	117.8	0.0	ND
2,3,4,7,8-PeCDF	0.0	ND	64.8	0.0	ND	38.9	0.0	ND	0.0	ND	0.0
1,2,3,4,7,8-HxCDF	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
1,2,3,6,7,8-HxCDF	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
2,3,4,6,7,8-HxCDF	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
1,2,3,7,8,9-HxCDF	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
1,2,3,4,6,7,8-HpCDF	0.0	ND	55.7	0.0	ND	0.0	ND	55.8	0.0	ND	0.0
1,2,3,4,7,8,9-HpCDF	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
OCDF	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
2,3,7,8-TCDD	0.0	ND	83.3	0.0	ND	58.2	0.0	ND	83.1	7.9	153.8
1,2,3,7,8-PeCDD	0.0	ND	0.0	ND	0.0	ND	0.0	ND	44.1	0.0	ND
1,2,3,4,7,8-HxCDD	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
1,2,3,6,7,8-HxCDD	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
1,2,3,7,8,9-HxCDD	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
1,2,3,4,6,7,8-HpCDD	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0	ND	0.0
OCDD	0.0	ND	89.9	0.0	ND	0.0	ND	75.7	0.0	ND	82.7

Appendix III. Summary of concentrations of dioxin (ng/g) in crab samples.

Dioxin Concentrations (pg/g dry w

Client Sample ID	2998 F2742	2999 T2743	2999 F2743	3000 F2744	3000 F2744	3021 F2745	3021 F2745	3022 F2746	3022 F2746
Sample Descriptor Original Sample	Crab Hepatopancreas	Crab Muscles	Crab Hepatopancreas	Crab Muscle	Crab Hepatopancreas	Crab Muscles	Crab Hepatopancreas	Crab Muscle	Crab Hepatopancreas
GBRG ID	C37390	C37391	C37392	C37393	C37394	C37395	C37396	C37397	C37398
Sample Type	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP	SAMP
SIG#	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Weight	2.46	2.36	2.48	2.13	2.52	2.05	1.67	2.06	1.53
Wet Weight	10.24	11.63	10.16	10.27	10.04	10.56	6.72	10.91	7.12
Sample Size Units	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Grams	Grams
Matrix	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue	Tissue
% solid	24.1	20.3	24.4	20.7	25.1	19.4	24.9	18.9	21.5
% Lipid	40.8	0.9	36.7	0.7	31.3	1.2	23.6	1.9	46.6
Reporting Units	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g	pg/g
Calculation Basis (dry/wet)	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry	Dry
QC Batch ID	DX0492	DX0492	DX0492	DX0492	DX0492	DX0493	DX0493	DX0493	DX0493
Method	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS	GC/HRMS
Collection Date									
Receive Date	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01	1/24/01
Extraction Date	1/25/01	1/25/01	1/25/01	1/25/01	1/25/01	1/30/01	1/30/01	1/30/01	1/30/01
Analysis Date	2/14/01	2/14/01	2/14/01	2/14/01	2/14/01	2/21/01	2/21/01	2/21/01	2/21/01
Surrogate Compounds	%Recovery	%Recovery	%Recovery	%Recovery	%Recovery	%Recovery	%Recovery	%Recovery	%Recovery
13C-2,3,7,8-TCDF	66.7	89.0	114.7	80.6	83.7	92.5	109.2	81.0	97.7
13C-1,2,3,7,8-PeCDF	64.5	86.7	107.7	98.8	79.3	99.1	123.3	90.1	101.0
13C-2,3,4,7,8-PeCDF	63.8	89.3	105.1	89.5	83.1	88.2	127.0	84.4	102.0
13C-1,2,3,4,7,8-HxCDF	58.1	81.1	103.1	77.5	73.4	95.3	109.4	98.8	94.7
13C-1,2,3,6,7,8-HxCDF	66.7	86.0	106.0	74.2	77.5	102.8	110.6	99.0	90.0
13C-2,3,4,6,7,8-HxCDF	64.8	90.1	114.9	78.0	84.6	102.5	112.9	100.1	95.4
13C-1,2,3,7,8,9-HxCDF	61.6	80.1	104.9	72.8	80.0	105.0	117.6	93.7	107.1
13C-1,2,3,4,6,7,8-HpCDF	73.5	91.1	120.8	78.2	91.6	99.6	128.5	99.8	113.4
13C-1,2,3,4,7,8,9-HpCDF	89.5	99.0	127.5	76.3	99.5	103.9	140.0	101.3	122.3
13C-2,3,7,8-TCDF	68.4	74.8	100.9	71.5	77.4	90.2	111.6	90.4	94.8
37Cl-2,3,7,8-TCDF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13C-1,2,3,7,8-PeCDD	66.2	82.3	105.1	80.5	80.0	55.6	120.6	82.0	100.9
13C-1,2,3,4,7,8-HxCDD	64.7	90.0	118.8	85.3	84.8	97.0	122.8	105.7	100.6
13C-1,2,3,6,7,8-HxCDD	72.1	85.9	100.1	74.2	72.2	103.1	112.3	99.4	87.6
13C-1,2,3,4,6,7,8-HpCDD	64.0	75.4	97.3	65.5	71.5	95.7	111.9	92.8	106.2
13C-OCDD	73.1	70.8	105.5	73.2	78.2	86.4	102.3	79.3	91.6
PCDD/PCDF Compounds	Concentration	Concentration	Concentration	Concentration	Concentration	Concentration	Concentration	Concentration	Concentration
2,3,7,8-TCDF	ND	213.0	0.0	ND	338.1	8.3	228.2	0.0	ND
1,2,3,7,8-PeCDF	ND	137.5	0.0	ND	132.0	0.0	ND	0.0	ND
2,3,4,7,8-PeCDF	ND	60.2	0.0	ND	70.8	0.0	ND	61.6	ND
1,2,3,4,7,8-HxCDF	ND	0.0	0.0	ND	0.0	0.0	ND	0.0	ND
1,2,3,6,7,8-HxCDF	ND	0.0	ND	0.0	0.0	0.0	ND	0.0	ND
2,3,4,6,7,8-HxCDF	ND	0.0	ND	0.0	0.0	0.0	ND	0.0	ND
1,2,3,7,8,9-HxCDF	ND	0.0	ND	0.0	0.0	0.0	ND	0.0	ND
1,2,3,4,6,7,8-HpCDF	ND	56.6	0.0	ND	56.1	0.0	ND	24.9	0.0
1,2,3,4,7,8,9-HpCDF	ND	0.0	ND	0.0	0.0	0.0	ND	0.0	ND
OCDF	ND	0.0	ND	0.0	0.0	0.0	ND	0.0	ND
2,3,7,8-TCDD	ND	47.9	0.0	ND	69.5	0.0	ND	63.1	0.0
1,2,3,7,8-PeCDD	ND	0.0	ND	0.0	37.4	0.0	ND	0.0	ND
1,2,3,4,7,8-HxCDD	ND	0.0	ND	0.0	0.0	0.0	ND	0.0	ND
1,2,3,6,7,8-HxCDD	ND	0.0	ND	0.0	0.0	0.0	ND	0.0	ND
1,2,3,7,8,9-HxCDD	ND	0.0	ND	0.0	0.0	0.0	ND	0.0	ND
1,2,3,4,6,7,8-HpCDD	ND	0.0	ND	0.0	12.1	1.0	0.0	0.0	ND
OCDD	ND	0.0	ND	0.0	48.9	21.0	0.0	0.0	ND