

State of New Jersey

Department of Environmental Protection

# **NEW JERSEY WATER SUPPLY PLAN 2017–2022**

## **APPENDIX F**

**PUBLISHED STUDIES OF WATER SUPPLIES OF NEW JERSEY  
BY THE UNITED STATES GEOLOGICAL SURVEY AND  
THE NEW JERSEY GEOLOGICAL AND WATER SURVEY  
1996-2016**

- Baehr, A.L., Kauffman, L.J., Perkins, Kimberlie, Nolan, B.T., 2003, Estimating spatial variability of recharge in southern New Jersey from unsaturated-zone measurements: U.S. Geological Survey Water-Resources Investigations Report 02-4288, 31 p. ([WRI 2002-4288](#))
- Baker, R.J., and Hunchak-Kariouk, Kathryn, 2006, Relations of water quality to streamflow, season, and land use for four tributaries to the Toms River, Ocean County, New Jersey, 1994-99: U.S. Geological Survey Scientific Investigations Report 2005-5274, 72 p. ([SIR 2005-5274](#))
- Barringer, T.H., Reiser, R.G., and Price, C.V., 2000, Use of Low-Flow Trend and Transfer-Function Models to Determine Relation of Low Flows to Regional Urbanization and Precipitation, Rahway River Basin, New Jersey, 1940-91: U.S. Geological Survey Open-File Report 99-257, 24 p. ([OFR 99-257](#))
- Buxton, D.E., Hunchak-Kariouk, Kathryn, and Hickman, R.E., 1999, Relations of surface-water quality to streamflow in the Raritan River Basin, New Jersey, water years 1976-93: U.S. Geological Survey Water-Resources Investigations Report 99-4045, 109 p. ([WRI 99-4045](#))
- Buxton, D.E., Hunchak-Kariouk, Kathryn, and Hickman, R.E., 1999, Relations of surface-water quality to streamflow in the Walkkill and upper Delaware River Basins, New Jersey and vicinity, water years 1976-93: U.S. Geological Survey Water-Resources Investigations Report 99-4016, 98 p. ([WRI 99-4016](#))
- Buxton, D.E., Hunchak-Kariouk, Kathryn, Hickman, R.E., 1998, Relations of surface-water quality to streamflow in the Hackensack, Passaic, Elizabeth, and Rahway River Basins, New Jersey, water years 1976-93: U.S. Geological Survey Water-Resources Investigations Report 98-4049, 102 p. ([WRI 98-4049](#))
- Canace, Robert, and others, 1993, Hydrogeologic Framework of the Middle and Lower Rockaway River Basin, Morris County, New Jersey, New Jersey Department of Environmental Protection Geological Survey Report GSR 33, 68 p., 3 plates, 4 illus., 3 tables. ([NJGWS GSR 33](#))
- Canace, R., Herman, G. Mennel, W.J., 2005, Hydrogeologic Nomenclature Reference Table: New Jersey Geological and Water Survey Digital Geological Data Series DGS 05-3. ([NJGWS DGS 05-3](#))
- Canace, R.J and Hoffman, J.L., 2009, Potential rate of stream-base-flow depletion from groundwater use in New Jersey: N.J. Geological Survey Technical Memorandum 09-1, 18p. ([NJGWS TM 09-1](#))
- Carleton, G.B., and Gordon, A.D., 2007, Hydrogeology of, and simulation of ground-water flow in, the Pohatcong Valley, Warren County, New Jersey: U.S. Geological Survey Scientific Investigations Report 2006-5269, 66 p. ([SIR 2006-5269](#))
- Carleton, G.B., Gordon, A.D., and Wieben, C.M., 2005, Aquifer properties, stream base flow, water use, and water levels in the Pohatcong Valley, Warren County, New Jersey: U.S. Geological Survey Scientific Investigations Report 2004-5127, 64 p. ([SIR 2004-5127](#))
- Carleton, G.B., Welty, Claire, and Buxton, H.T., 1999, Design and analysis of tracer tests to determine effective porosity and dispersivity in fractured sedimentary rocks, Newark Basin, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 98-4126A, 80 p. ([WRI 98-4126-A](#))
- Cauler, S.J., and Carleton, G.B., 2006, Hydrogeology and simulated effects of ground-water withdrawals, Kirkwood-Cohansey aquifer system, upper Maurice River Basin area, New Jersey: U.S. Geological Survey Scientific Investigations Report 2005-5258, 48 p. ([SIR 2005-5258](#))
- Cauler, S.J., Carleton, G.B., and Storck, M.J., 1999, Hydrogeology of, water withdrawal from, and water levels and chloride concentrations in the major Coastal Plain aquifers of Gloucester and Salem Counties, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 98-4136, 123 p., 6 pl. ([WRI 98-4136](#))

- Cauler, S.J., Voronin, L.M., and Chepiga, M.M., 2016, Simulated effects of groundwater withdrawals from aquifers in Ocean County and vicinity, New Jersey: U.S. Geological Survey Scientific Investigations Report 2016–5035, 77 p. ([SIR 2016-5035](#))
- Chang, Ming, Tasker, Gary, and Nieswand, Steven, 2001, Model simulation of the Manasquan water-supply system in Monmouth County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 01-4172, 51 p. ([WRI 2001-4172](#))
- Charles, E.G., 2016, Regional chloride distribution in the Northern Atlantic Coastal Plain aquifer system from Long Island, New York, to North Carolina: U.S. Geological Survey Scientific Investigations Report 2016–5034, 37 p. ([SIR 2016-5034](#))
- Charles, E.G., and Nicholson, R.S., 2012, Simulation of groundwater flow and hydrologic effects of groundwater withdrawals from the Kirkwood-Cohansey aquifer system in the Pinelands of southern New Jersey: U.S. Geological Survey Scientific Investigations Report 2012–5122, 219 p. ([SIR 2012-5122](#))
- Charles, E.G., Nawyn, J.P., Voronin, L.M., and Gordon, A.D., 2011, Simulated effects of allocated and projected 2025 withdrawals from the Potomac-Raritan-Magothy aquifer system, Gloucester and Northeastern Salem Counties, New Jersey: U.S. Geological Survey Scientific Investigations Report 2011–5033, 145 p. ([SIR 2011-5033](#))
- Charles, E.G., Storck, D.A., and Clawges, R.M., 2001, Hydrology of the unconfined aquifer system, Maurice River area: Maurice and Cohansey River basins, New Jersey, 1994-95: U.S. Geological Survey Water-Resources Investigations Report 01-4229, 5 sheets. ([WRI 2001-4229](#))
- dePaul, V.T., and Rosman, Robert, 2015, Water-level conditions in the confined aquifers of the New Jersey Coastal Plain, 2008: U.S. Geological Survey Scientific Investigations Report 2013–5232, 107 p., 9 pl. ([SIR 2013-5232](#))
- dePaul, Vincent T., Rosman, Robert, Lacombe, Pierre J., 2009, Water-Level Conditions in Selected Confined Aquifers of the New Jersey and Delaware Coastal Plain, 2003: U.S. Geological Survey Scientific Investigations Report 2008-5145, 124 p. ([SIR 2008-5145](#))
- dePaul, Vincent T.; Rice, Donald E.; Zapacza, Otto S., 2008, Water-Level changes in Aquifers of the Atlantic Coastal Plain, Predevelopment to 2000: U.S. Geological Survey Scientific Investigations Report 2007-5247, 89 p. ([SIR 2007-5247](#))
- Desai, Foram, Domber Steve, Snook Ian, 2015, Potable Water Supplied in 2011 by New Jersey’s Highlands: New Jersey Department of Environmental Protection Open File Report OFR 15-1, 30 p., 3 illus., and 3 tables. ([NJGWS OFR 15-1](#))
- Domber, Steve, 2013, Reservoir Storage and Related Diversions in the Passaic and Hackensack River Basins, 1898 to 2011: New Jersey Geological and Water Survey Digital Geological Data Series 09-1. ([NJGWS DGS09-1](#))
- Domber, S.E. and Hoffman, J.L., 2004, New Jersey water withdrawals, transfers, and discharges on a watershed management area basis, 1990-1999: N.J. Geological Survey Digital Geodata Series DGS 04-9, computer workbook. ([NJGWS DGS 04-9](#))
- Domber, S.E., Hoffman, J.L., and Grimes, A, 2007, New Jersey water withdrawals, uses, transfers and discharges by HUC11, 1990-1999: N.J. Geological Survey online report available at [www.njgeology.org](http://www.njgeology.org).
- Domber, S., Snook, I. and Hoffman, J.L., 2013, Using the stream low flow margin method to assess water availability in New Jersey’s water-table-aquifer systems, N.J. Geological & Water Survey Technical Memorandum 13-3, 70 p. ([NJGWS TM 13-3](#))

- Dunne, Paul, and Tasker, Gary, 1996, Computer model of Raritan River Basin water-supply system in central New Jersey: U.S. Geological Survey Open-File Report 96-360, 62 p. ([OFR 96-360](#))
- Dunne, Paul, and Tasker, Gary, 1996, Managing drought risk with a computer model of the Raritan River Basin water-supply system in central New Jersey: U.S. Geological Survey Fact Sheet 206-96, 1 sheet. ([FS 206-96](#))
- Dysart, J.E., Rheaume, S.J., Kontis, A.L., 1999, Induced infiltration from the Rockaway River and water chemistry in a stratified-drift aquifer at Dover, New Jersey, with a section on modeling ground-water flow in the Rockaway River Valley: U.S. Geological Survey Water-Resources Investigations Report 96-4068, 112 p. ([WRI 96-4068](#))
- Esralew, R.A., Baker, R.J., 2008, Determination of Baseline Periods of Record for Selected Streamflow-Gaging Stations in New Jersey for Determining Ecologically Relevant Hydrologic Indices (ERHI): U.S. Geological Survey Scientific Investigations Report 2008-5077, 72 p. ([SIR 2008-5077](#))
- Evenson, E.J., 1996, U.S. Geological Survey programs in New Jersey: U.S. Geological Survey Survey Fact sheet 030-96, 4 p. ([FS 030-96](#))
- French, Mark, 2004, Ground-Water Recharge for New Jersey: New Jersey Geological and Water Survey Digital Geological Data Series DGS 02-3. ([NJGWS DGS02-3](#))
- French, Mark, 2007, Aquifer Recharge Potential for New Jersey: New Jersey Geological and Water Survey Digital Geological Data Series DGS 07-1. ([NJGWS DGS07-1](#))
- French, M.A., and Hoffman, J.L., 2002, Additional Climate Factors for the New Jersey Geological Survey's Ground-Water Recharge Methodology: New Jersey Geological and Water Survey Digital Geological Data Series DGS 02-4. ([NJGWS DGS 02-4](#))
- Fiore, A.R., 2016, Hydrogeologic barriers to the infiltration of treated wastewater at the Joint Base McGuire-Dix-Lakehurst Land Application Site, Burlington County, New Jersey: U.S. Geological Survey Scientific Investigations Report 2016-5065, 83 p. ([SIR 2016-5065](#))
- Garry J.D., 1999, Hydrogeology of the Port Jervis area, in Orange County, New York; Pike County, Pennsylvania; and Sussex County, New Jersey: U.S. Geological Survey Open-File Report 98-275, 4 sheets. ([OFR 98-275](#))
- Goode, D.J., Koerkle, E.H., Hoffman, S.A., Regan, R. S., Hay, L.E., Markstrom, S.L., 2010, Simulation of Runoff and Reservoir Inflow for Use in a Flood-Analysis Model for the Delaware River, Pennsylvania, New Jersey, and New York, 2004-2006: U.S. Geological Survey Open-File Report 2010-1014, 68 p. ([OFR 2010-1014](#))
- Gordon, A.D., 2002, Simulation of transient ground-water flow in the valley-fill aquifers of the upper Rockaway River Basin, Morris County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 01-4174, 41 p. ([WRI 2001-4174](#))
- Gordon, A.D., 2003, Simulation of the ground-water flow system in 1992, and simulated effects of projected ground-water withdrawals in 2020 in the New Jersey Coastal Plain: U.S. Geological Survey Water-Resources Investigations Report 03-4000, 61 p. ([WRI 2003-4000](#))
- Gordon, A.D., 2004, Hydrology of the unconfined Kirkwood-Cohansey aquifer system, Forked River and Cedar, Oyster, Mill, Westecunk, and Tuckerton Creek basins and adjacent basins in the southern Ocean County area, New Jersey, 1998-99: U.S. Geological Survey Water-Resources Investigations Report 03-4337, 5 pls. ([WRI 2003-4337](#))
- Gordon, A.D., 2007, Simulated effects of projected 2010 withdrawals on ground-water flow and water levels in the New Jersey Coastal Plain - A task of the New Jersey Water Supply Plan, 2006 Revision: U.S. Geological Survey Scientific Investigations Report 2007-5134, 116 p. ([SIR 2007-5134](#))

- Henriksen, J.A., Heasley, John, Kennen, J.G., and Nieswand, Steven, 2006, Users' manual for the Hydroecological Integrity Assessment Process software (including the New Jersey Assessment Tools): U.S. Geological Survey Open-File Report 2006-1093, 72 p. ([OFR 2006-1093](#))
- Herman, G.C. and others, 1985, Aquifers of New Jersey: New Jersey Geological and Water Survey Digital Geological Data Series DGS 98-5. ([NJGWS DGS 98-5](#))
- Herman, G.C. and Serfes, M.S., 1996, Ambient Groundwater Quality of the New Jersey Part of the Newark Basin: New Jersey Geological and Water Survey Digital Geological Data Series DGS 96-3. ([NJGWS DGS 96-3](#))
- Herman, Gregory C. and Serfes, Michael E., eds., 2010, Contributions to the Geology and Hydrogeology of the Newark Basin: New Jersey Department of Environmental Protection Bulletin 77, 550 p., 152 illus., 22 tables, 4 appendices. ([NJGS Bulletin 77](#))
- Hickman, R. E., 1997, Water quality on days of diversion and days of no diversion, Pompton and Passaic Rivers, New Jersey, 1987-95: U.S. Geological Survey Open-File Report 97-573, 94 p. ([OFR 97-573](#))
- Hoffman, Jeffrey L., 1998, Sole-Source Aquifers of New Jersey: New Jersey Geological and Water Survey Digital Geological Data Series DGS 98-6 ([NJGWS DGS98-6](#))
- Hoffman, J.L., 2000, Drought regions in New Jersey: N.J. Geological Survey Digital Geodata Series 00-1, computer database. ([NJGWS DGS 00-01](#))
- Hoffman, J.L., 2001a, Development of New Jersey drought regions: N.J. Geological Survey Technical Memorandum 01-1, 18p. ([NJGWS TM 01-1](#))
- Hoffman, J.L., 200b1, Relational Data Files for GIS Display of New Jersey Water Withdrawals from 1990 to 1999: New Jersey Geological Survey Digital Geodata Series DGS 01-2. ([NJGWS DGS01-2](#))
- Hoffman, J.L., 2002a, Selected U.S. Geological Survey and N.J. DEP monitoring networks: New Jersey Geological Survey Digital Geodata Series DGS 02-5. ([NJGWS DGS 02-5](#))
- Hoffman, J.L., 2002b, Water withdrawals in New Jersey, 1990-1999: N. J. Geological Survey Information Circular, 2p. ([NJGWS IC](#))
- Hoffman, J.L., 2003, New Jersey water-supply drought indicators: N. J. Geological Survey Information Circular, 2p. ([NJGWS IC](#))
- Hoffman, J.L., 2004a, Modifications to New Jersey's watershed management area boundaries, 1996-1999: N.J. Geological Survey Technical Memorandum TM04-1, 8p. ([NJGWS TM 04-1](#))
- Hoffman, J.L., 2004b, Summary of Flows in the Delaware at Trenton and Montague with Major Upstream Diversions, 1913-2002: New Jersey Geological and Water Survey Digital Geological Data Series DGS 04-8. ([NJGWS DGS 04-8](#))
- Hoffman, J.L., 2013, New Jersey water supply planning activities in 2012: N.J. Geological & Water Survey Technical Memorandum 13-1, 19p. ([NJGWS TM 13-1](#))
- Hoffman, J.L., 2014, Water withdrawals in New Jersey from 2000 to 2009, N. J. Geological Survey Information Circular, 2p. ([NJGWS IC](#))
- Hoffman, J.L. and Domber, S.E., 2004a, Development of streamflow and ground-water drought indicators for New Jersey: N.J. Geological Survey Open-File Report 04-2, 25p. ([NJGWS OFR 04-2](#))
- Hoffman, J.L. and Domber, S.E., 2004b, Potable water supplied in 1999 by New Jersey's Highlands: N.J. Geological Survey, 8p. ([NJGWS IC](#))

- Hoffman, J.L. and Domber, S.E., 2013, History of passing flows in New Jersey, with contemporary and future applications: N.J. Geological & Water Survey Open File Report 13-1, 56 p. ([NJGWS OFR 13-1](#))
- Hoffman, J.L. and French, M.A., 2008, Ground-water recharge in the New Jersey Highlands Region: N.J. Geological Survey Open-File Report 08-1, 18p. ([NJGWS OFR 08-1](#))
- Hoffman, J.L. and Lieberman, S.E., 2000, New Jersey water withdrawals 1990-1996: N.J. Geological Survey Open-File Report 00-1, 121p. ([NJGWS OFR 00-1](#))
- Hoffman, J.L. and Mennel, W.J., 1997, New Jersey Water Withdrawals in 1995: N.J. Geological Survey information circular, 12p.
- Hoffman, J.L. and Pallis, T., 2009, Revisions to New Jersey's HUC14s, 2009, with a correlation to HUC12s: N.J. Geological Survey Technical Memorandum 09-2, 61p. ([NJGWS TM 09-2](#))
- Hoffman, J.L. and Rancan, R., 2009, The hydroecological integrity assessment process in New Jersey: N.J. Geological Survey Technical Memorandum 09-3, 61p. ([NJGWS TM 09-3](#))
- Hollyday, E. F.; Hileman, G. E.; Smith, M. A.; Pavlicek, D. J., 1996, Hydrogeologic terranes and potential yield of water to wells in the Valley and Ridge physiographic province in Maryland, New Jersey, and Pennsylvania: U.S. Geological Survey Hydrologic Atlas 732-A, 1 map; 1 p. ([HA 732-A](#))
- Hunchak-Kariouk, Kathryn, 2002, Comparisons of water quality during various streamflow conditions in five streams in northern New Jersey, 1982-97: U.S. Geological Survey Water-Resources Investigations Report 01-4249, 50 p. ([WRI 2001-4249](#))
- Hunchak-Kariouk, Kathryn, Buxton, D.E., Hickman, R.E., 1999, Relations of surface-water quality to streamflow in the Atlantic Coastal, lower Delaware River, and Delaware Bay Basins, New Jersey, water years 1976-93: U.S. Geological Survey Water-Resources Investigations Report 98-4244, 158 p. ([WRI 98-4244](#))
- Hunchk-Kariouk, Kathryn, 1999, Relation of water quality to land use in the drainage basins of four tributaries to the Toms River, New Jersey, 1994-95: U.S. Geological Survey Water-Resources Investigations Report 99-4001, 120 p. ([WRI 99-4001](#))
- Hutson, S.S., Linsey, K.S., Ludlow, R.A., Reyes, Betzaida, and Shourds, J.L., 2016, Estimated use of water in the Delaware River Basin in Delaware, New Jersey, New York, and Pennsylvania, 2010: U.S. Geological Survey Scientific Investigations Report 2015-5142, 76 p. ([SIR 2015-5142](#))
- Johnson, M.L., and Charles, E.G., 1997, Hydrology of the unconfined aquifer system, Salem River area: Salem River, Raccoon, Oldmans, Alloway, and Stow Creek Basins, New Jersey, 1993-94: U.S. Geological Survey Water-Resources Investigations Report 96-4195, 5 sheets. ([WRI 96-4195](#))
- Johnson, M.L., and Watt, M.K., 1996, Hydrology of the unconfined aquifer system, Mullica River Basin, New Jersey, 1991-92: U.S. Geological Survey Water-Resources Investigations Report 94-4234, 6 sheets. ([WRI 94-4234](#))
- Jones, W.D., Navoy, A.S., and Pope, D.A., 2002, Real-time ground-water-level monitoring in New Jersey, 2002: U.S. Geological Survey Survey Fact sheet 129-02, 4 p. ([FS 129-02](#))
- Jones, W.D., Navoy, A.S., Pope, D.A., 2002, Real-time ground-water-level monitoring in New Jersey, 2001: U.S. Geological Survey Fact Sheet 011-02, unpaginated. ([FS 011-02](#))
- Jones, Walter, Pope, Daryll, 2007, Summary of the Ground-Water-Level Hydrologic Conditions in New Jersey 2006: U.S. Geological Survey Fact Sheet 2007-3049, 6 p. ([FS 2007-3049](#))
- Joseph, S., Giminez D., Hoffman, J.L., 2010, Dielectric Permittivity as a Function of Water Content For Selected New Jersey Soils: New Jersey Department of Environmental Protection & Rutgers University DGS 10-1 ([NJGWS](#))

[DGS 10-1](#))

- Kennen, J.G., Henriksen, J.A., and Nieswand, S.P., 2007, Development of the hydroecological integrity assessment process for determining environmental flows for New Jersey streams: U.S. Geological Survey Scientific Investigations Report 2007-5206, 55 p. ([SIR 2007-5206](#))
- Kennen, J.G., Riskin, M.L., 2010, Evaluating effects of potential changes in streamflow regime on fish and aquatic-invertebrate assemblages in the New Jersey Pinelands: U.S. Geological Survey Scientific Investigations Report 2010-5079, 34 p. ([SIR 2010-5079](#))
- Lacombe, P.J., 1996, Artificial recharge of ground water by well injection for storage and recovery, Cape May County, New Jersey, 1958-92: U.S. Geological Survey Open-File Report 96-313, 29 p. ([OFR 96-313](#))
- Lacombe, P.J., 2002, Ground-water levels and potentiometric surfaces, Naval Air Warfare Center, West Trenton, New Jersey, 2000: U.S. Geological Survey Water-Resources Investigations Report 01-4197, 48 p. ([WRI 2001-4197](#))
- Lacombe, P.J., and Carleton, G.B., 2002, Hydrogeologic framework, availability of water supplies, and saltwater intrusion, Cape May County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 01-4246, 165 p. ([WRI 2001-4246](#))
- Lacombe, P.J., and Rosman, Robert, 2001, Water levels in, extent of freshwater in, and water withdrawals from ten confined aquifers, New Jersey and Delaware Coastal Plain, 1998: U.S. Geological Survey Water-Resources Investigations Report 00-4143, 10 sheets. ([WRI 2000-4143](#))
- Lacombe, P.J., and Zapecza, O.S., 2006, Hydrogeologic framework of the shallow ground-water system in the Cox Hall Creek Basin, Cape May County, New Jersey: U.S. Geological Survey Open-File Report 2006-1044, 14 p. ([OFR 2006-1044](#))
- Lacombe, P.J., Carleton, G.B., Pope, D.A., Rice, D.E., 2009, Future Water-Supply Scenarios, Cape May County, New Jersey, 2003-2050: U.S. Geological Survey Scientific Investigations Report 2009-5187, 159 p. ([SIR 2009-5187](#))
- Lacombe, Pierre J., and Rosman, Robert, 1997, Water levels in, extent of freshwater in, and water withdrawal from eight major confined aquifers, New Jersey Coastal Plain, 1993: U.S. Geological Survey Water-Resources Investigations Report 96-4206, 8 sheets. ([WRI 96-4206](#))
- Lewis-Brown J.C., Rice, D.E., Rosman, Robert, and Smith, N.P., 2005, Hydrogeological framework, ground-water quality, and simulation of ground-water flow at the Fair Lawn Well Field superfund site, Bergen County, New Jersey: U.S. Geological Survey Scientific Investigations Report 2004-5280, 109 p. ([SIR 2004-5280](#))
- Lewis-Brown, J.C., and Rice, D.E., 2002, Simulated ground-water flow, Naval Air Warfare Center, West Trenton, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 02-4019, 44 p. ([WRI 2002-4019](#))
- Lewis-Brown, J.C., Carleton, G.B., and Imbriotta, T.E., 2006, Hydraulic and solute-transport properties and simulated advective transport of contaminated ground water in a fractured rock aquifer at the Naval Air Warfare Center, West Trenton, New Jersey, 2003: U.S. Geological Survey Scientific Investigations Report 2005-5049, 32 p. ([SIR 2005-5049](#))
- Martin, Mary, 1998, Ground-water flow in the New Jersey Coastal Plain: U.S. Geological Survey Professional Paper 1404-H, 146 p. ([PP 1404-H](#))
- McAuley, S.D., Barringer, J.L., Paulachok, G.N., Clark, J.S., Zapecza, O.S., 2001, Ground-water flow and quality in the Atlantic City 800-foot sand, New Jersey: New Jersey of Environmental Protection Geological Survey Report GSR 41, 86 p. ([NJGS GSR 41](#))

- Modica, Edward, 1996, Simulated effects of alternative withdrawal strategies on ground-water-flow patterns, New Jersey Pinelands: U.S. Geological Survey Water-Resources Investigations Report 95-4133, 46 p. ([WRI 95-4133](#))
- Modica, Edward, 1998, Analytical methods, numerical modeling and monitoring strategies for evaluating the effects of ground-water withdrawals on unconfined aquifers in the New Jersey Coastal Plain: U.S. Geological Survey Water-Resources Investigations Report 98-4003, 66 p. ([WRI 98-4003](#))
- Modica, Edward, 1999, Source and age of ground-water seepage to streams: U.S. Geological Survey Fact Sheet 063-99, unpaginated. ([FS 063-99](#))
- Navoy, A.S., 1996, Use of flowpath simulation to determine contributing areas and travel times of nonpoint-source ground-water contamination, Gloucester County, New Jersey, *in* Morganwalp, D.W., and Aronson, D.A., eds., U.S. Geological Survey Toxic Substances Hydrology Program--Proceedings of the Technical Meeting, Colorado Springs, Colorado, September 20-24, 1993: U.S. Geological Survey Water-Resources Investigations Report 94-4015, p. 1011-1019. ([WRI 94-4015](#))
- Navoy, A. S. and Carlton, G. B., 1995, Ground Water Flow and Future Conditions in the Potomac-Raritan-Magothy Aquifer System, Camden Area, New Jersey: New Jersey Department of Environmental Protection Geological Survey Report GSR 38, 184 p., 72 illus., 10 tables, 2 plates. ([NJGWS GSR 38](#))
- Navoy, A.S., Voronin, L.M., and Modica, Edward, 2005, Vulnerability of production wells in the Potomac-Raritan-Magothy aquifer system to saltwater intrusion from the Delaware River in Camden, Gloucester, and Salem Counties, New Jersey: U.S. Geological Survey Scientific Investigations Report 2004-5096, 35 p. ([SIR 2004-5096](#))
- Nawyn, J.P., 1997, Water use in Camden County, New Jersey, 1991: U.S. Geological Survey Open-File Report 97-12, 39 p. ([OFR 97-12](#))
- Nawyn, J.P., 1997, Withdrawals of ground water and surface water in New Jersey, 1994: U.S. Geological Survey Fact Sheet 020-97, unpaginated. ([FS 120-97](#))
- Nawyn, J.P., 1998, Withdrawals of ground water and surface water in New Jersey, 1991-92: U.S. Geological Survey Open-File Report 98-282, 57 p. ([OFR 98-282](#))
- New Jersey Geological and Water Survey, 2002, New Jersey Geological Survey Hydro Database: New Jersey Geological and Water Survey Digital Geological Data Series DGS 02-1. ([NJGWS DGS02-1](#))
- New Jersey Geological and Water Survey, 2014, New Jersey's Ambient Ground Water Quality Network Data: New Jersey Geological and Water Survey Digital Geological Data Series DGS 05-2. ([NJGWS DGS 05-2](#))
- New Jersey Geological and Water Survey, 2015, Well Head Protection Areas for Public Non-Community Water Supply Wells in New Jersey: New Jersey Geological and Water Survey Digital Geological Data Series DGS 04-5. ([NJGWS DGS 04-5](#))
- New Jersey Geological and Water Survey, 2011, Well Head Protection Areas for Public Community Water Supply Wells: in New Jersey Geological and Water Survey Digital Geological Data Series DGS 02-2. ([NJGWS DGS02-2](#))
- Nicholson Laura J., 2016, Hydrogeologic Framework and Computer Simulation of Groundwater Flow in the Valley-Fill and Fractured-Rock Aquifers of the Germany Flats Area of Sussex County, New Jersey: New Jersey Department of Environmental Protection Open File Report OFR 16-1, 74 p., 31 illus., 2 plates, 6 tables. ([NJGWS OFR 16-1](#))

- Mullikin, Lloyd, 2011, Expansion of Monitoring Well Network in Confined Aquifers of the NJ Coastal Plain, 1996-1997: New Jersey Department of Environmental Protection Open File Report OFR 11-1, 61 pages, 20 illus., and 3 tables. ([NJGWS OFR 11-1](#))
- Nicholson, R.S., and Watt, M.K., 1997, Simulation of ground-water flow in the unconfined aquifer system of the Toms River, Metedeconk River, and Kettle Creek Basins, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 97-4066, 100 p. ([WRI 97-4066](#))
- Nicholson, R.S., and Watt, M.K., 1998, Simulation of ground-water-flow patterns and areas contributing recharge to streams and water-supply wells in a valley-fill and carbonate-rock aquifer system, southwestern Morris County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 97-4216, 40 p. ([WRI 97-4216](#))
- Nicholson, R.S., McAuley, S.D., Barringer, J.L., and Gordon, A.D., 1996, Hydrogeology of, and ground-water flow in, a valley-fill and carbonate-rock aquifer system near Long Valley in the New Jersey Highlands: U.S. Geological Survey Water-Resources Investigations Report 93-4157, 159 p., 3 pls. ([WRI 93-4157](#))
- Pope, D.A., 2007, Simulation of proposed increases in ground-water withdrawals on the Atlantic City 800-foot sand, New Jersey Coastal Plain: U.S. Geological Survey Scientific Investigations Report 2006-5114, 17 p. ([SIR 2006-5114](#))
- Pope, D.A., and Gordon, A.D., 1999, Simulation of ground-water flow and movement of the freshwater-saltwater interface in the New Jersey Coastal Plain: U.S. Geological Survey Water-Resources Investigations Report 98-4216, 159 p. ([WRI 98-4216](#))
- Pope, D.A., and Watt, M.K., 2004, Simulation of ground-water flow in the Potomac-Raritan-Magothy aquifer system, Pennsauken Township and vicinity, New Jersey: U.S. Geological Survey Scientific Investigations Report 2004-5025, 60 p. ([SIR 2004-5025](#))
- Pope, D.A., and Watt, M.K., 2005, Use of a ground-water flow model to delineate contributing areas to the Puchak well field, Pennsauken Township and vicinity, Camden County, New Jersey: U.S. Geological Survey Scientific Investigations Report 2004-5101, 47 p. ([SIR 2004-5101](#))
- Pope, D.A., Carleton, G.B., Buxton, D.E., Walker, R.L., Shourds, J.L., and Reilly, P.A., 2012, Simulated effects of alternative withdrawal strategies on groundwater flow in the unconfined Kirkwood-Cohansey aquifer system, the Rio Grande water-bearing zone, and the Atlantic City 800-foot sand in the Great Egg Harbor and Mullica River Basins, New Jersey: U.S. Geological Survey Scientific Investigations Report 2012-5187, 139 p. ([SIR 2012-5187](#))
- Pucci, A.A., Jr., Barton, Cynthia, Buxton, H.T., 1997, Hydrogeology and simulated ground-water flow in the area of Greenwich Township, Gloucester County, New Jersey: U.S. Geological Survey Open-File Report 95-716, 63 p. ([OFR 95-716](#))
- Pucci, A.A., Jr., and others, 1994, Hydrogeology, Simulation of Regional Ground-Water Flow, and Saltwater Intrusion, Potomac-Raritan-Magothy Aquifer System, Northern Coastal Plain of New Jersey: New Jersey Department of Environmental Protection Geological Survey Report, GSR 36, 203 p., 2 plates, 65 illus., 15 tables. ([NJGS GSR 36](#))
- Reilly, T.J., Romanok, K.M., Tessler, S., and Fischer, J.M., 2010, Assessment of Physical, Chemical, and Hydrologic Factors Affecting the Infiltration of Treated Wastewater in the New Jersey Coastal Plain, with Emphasis on the Hammonton Land Application Facility: U.S. Geological Survey Scientific Investigations Report 2010-5006, 59 p. ([SIR 2010-5006](#))

- Rice, D.E., and Voronin, L.M., 1997, Analysis of ground-water flowpaths near water-supply wells, Picatinny Arsenal, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 96-4228, 26 p. ([WRI 96-4228](#))
- Robinson, K. W.; Horn, M. A., 1998, Availability and suitability of data from public water-supplier sources for use in water-quality assessments: U.S. Geological Survey Open-File Report 97-825, 18 p. ([OFR 97-825](#))
- Robinson, K.W., Lazaro, T.R., and Pak, Connie, 1996, Associations between water-quality trends in New Jersey streams and drainage-basin characteristics, 1975-86: U.S. Geological Survey Water-Resources Investigations Report 96-4119, 160 p. ([WRI 96-4119](#))
- Rosman, Robert, 1997, Potentiometric surfaces of the Potomac-Raritan-Magothy aquifer system near National Park, New Jersey, 1996: U.S. Geological Survey Water-Resources Investigations Report 97-4112, 4 sheets. ([WRI 97-4112](#))
- Sandberg, S. K. and others, 1996, Geophysical Investigation of the Potomac-Raritan-Magothy Aquifer System and Underlying Bedrock in Parts of Middlesex and Mercer Counties, New Jersey: New Jersey Department of Environmental Protection Geological Survey Report, GSR 37, 33 p., 3 plates, 4 illus., 7 tables. ([NJGWS GSR 37](#))
- Schopp, R.D., Stedfast, D.A., and Navoy, A.S., 2003, Real-time surface-water monitoring in New Jersey, 2003: U.S. Geological Survey Fact Sheet 048-03, unpaginated. ([FS 048-03](#))
- Serfes, Michael E., 1994, Natural Ground-Water Quality in Bedrock of the Newark Basin, New Jersey: New Jersey Department of Environmental Protection Geological Survey Report GSR 35, 32 p., 6 illus., 7 tables. ([NJGWS GSR 35](#))
- Serfes, Michael E., 2004, Ground-Water Quality in the Bedrock Aquifers of the Highlands and Valley and Ridge Physiographic Provinces of New Jersey: New Jersey Department of Environmental Protection Geological Survey Report GSR 39, 28 p., 4 illus., 8 tables. ([NJGS GSR 39](#))
- Sloto, R.A., and Buxton, D.E., 2006, Estimated ground-water availability in the Delaware River basin, 1997-2000: U.S. Geological Survey Scientific Investigations Report 2006-5125, 67 p. ([SIR 2006-5125](#))
- Sloto, Ronald A.; Buxton, Debra E., 2005, Water budgets for selected watersheds in the Delaware River basin, eastern Pennsylvania and western New Jersey: U.S. Geological Survey Scientific Investigations Report 2005-5113, 45 p. ([SIR 2005-5113](#))
- Snook, I.P., Domber, S.D, and Hoffman, J.L., 2013, Computer workbook summarizing New Jersey withdrawals and discharges on a HUC11 basis, 1990-2009: New Jersey Geological and Water Survey Digital Geological Data Series DGS 13-1, Trenton, NJ. ([DGS 13-1](#))
- Snook, I.P., Domber, S.D., and Hoffman, J.L., 2013, Computer workbook summarizing New Jersey withdrawals and discharges on a HUC11 basis, 1990-2009: New Jersey Geological and Water Survey Digital Geological Data Series DGS 13-1. ([NJGWS DGS 10-3](#))
- Snook, I.P., Domber, S.D., and Hoffman, J.L., 2014, Computer workbook investigating unconfined groundwater and stream baseflow water availability in New Jersey on a HUC 11 basis: New Jersey Geological and Water Survey Digital Geological Data Series DGS 14-1. ([NJGWS DGS 14-1](#))
- Spayd, S.E., and Johnson, S.W., 2003, Guidelines for Delineation of Well Head Protection Areas in New Jersey: New Jersey Department of Environmental Protection Open File Report OFR 03-1. ([NJGWS OFR 03-1](#))
- Spitz, F.J., 1996, Hydrologic feasibility of water-supply-development alternatives in Cape May County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 96-4041, 42 p. ([WRI 96-4041](#))

- Spitz, F.J., 1998, Analysis of ground-water flow and saltwater encroachment in the shallow aquifer system of Cape May County, New Jersey: U.S. Geological Survey Water-Supply Paper 2490, 51 p. ([WSP 2490](#))
- Spitz, F.J., 2001, Method and computer programs to improve pathline resolution near weak sinks representing wells in MODFLOW and MODPATH ground-water-flow simulations: U.S. Geological Survey Open-File Report 00-392, 51 p. ([OFR 2000-392](#))
- Spitz, F.J., 2007, Simulation of surface-water conditions in the nontidal Passaic River basin, New Jersey: U.S. Geological Survey Scientific Investigations Report 2007-5052, 67 p. ([SIR 2007-5052](#))
- Spitz F., 2009, Analysis of effects of 2003 and full-allocation withdrawals in critical area 1, East Central New Jersey: U.S. Geological Survey Open-File Report 2009-1104, 15 p. ([OFR 2009-1104](#))
- Spitz, F.J., and Nicholson, R.S., 2001, Simulated effects of alternative pumping strategies on ground-water-flow patterns and areas contributing recharge to selected wells near Kenvil, Morris County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 01-4180, 32 p. ([WRI 2001-4180](#))
- Spitz, F.J., Watt, M.K., and dePaul, V.T., 2008, Recovery of ground-water levels from 1988 to 2003 and analysis of potential water-supply management options in Critical Area 1, east-central New Jersey: U.S. Geological Survey Scientific Investigations Report 2007-5193, 41 p. ([SIR 2007-5193](#))
- Spitz, Frederick J., and dePaul, V. T., 2008, Recovery of Ground-Water Levels from 1988 to 2003 and Analysis of Effects of 2003 and Full-Allocation Withdrawals in Critical Area 2, Southern New Jersey: U.S. Geological Survey Scientific Investigations Report 2008-5142, 29 p. ([SIR 2008-5142](#))
- Storck, D.A. and Isaacs, K.N., and Vowinkel, E.F., 1997, Development of a data base of community water-supply wells in New Jersey and a method to evaluate their sensitivity to contamination: U.S. Geological Survey Water-Resources Investigations Report 96-4132, 59 p. ([WRI 96-4132](#))
- Storck, D.A., and Nawyn, J.P., 2001, Reconstruction of streamflow records in the Passaic and Hackensack River Basins, New Jersey and New York, water years 1993-96: U.S. Geological Survey Water-Resources Investigations Report 01-4078, 95 p. ([WRI 2001-4078](#))
- Sugarman, Peter J., 2001, Hydrostratigraphy of the Kirkwood and Cohansey Formations of Miocene Age in Atlantic County and Vicinity, New Jersey: New Jersey Department of Environmental Protection Geological Survey Report GSR 40, 26 p., 17 illus., 2 tables. ([NJGS GSR 40](#))
- Sumner, D.M., Nicholson, R.S., and Clark, K.L., 2012, Measurement and simulation of evapotranspiration at a wetland site in the New Jersey Pinelands: U.S. Geological Survey Scientific Investigations Report 2012-5118, 30 p. ([SIR 2012-5118](#))
- Szabo, Zoltan, Rice, Donald E., Plummer, L.N., Busenberg, E., Drenkard, S., and Schlosser, P., 1996, Age dating of shallow groundwater with chlorofluorocarbons, tritium/helium 3, and flow path analysis, southern New Jersey Coastal Plain: Water Resources Research, v. 32, no. 4, p. 1023-1038.
- Tessler, Steven, 2003, Data model and relational database design for the New Jersey Water-Transfer Data System (NJWaTr): U.S. Geological Survey Open-File Report 2003-197, 204 p. ([OFR 2003-197](#))
- Voronin, L.M., 2005, Documentation of revisions to the Regional Aquifer System Analysis model of the New Jersey Coastal Plain: U.S. Geological Survey Water-Resources Investigations Report 03-4268, 49 p., CD-ROM. ([WRI 2003-4268](#))
- Voronin, L.M., and Rice, D.E., 1996, Hydrogeology and simulation of ground-water flow, Picatinny Arsenal and vicinity, Morris County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 96-4061, 64 p. ([WRI 96-4061](#))

- Voronin, L.M., Spitz, F.J., and McAuley, S.D., 1996, Evaluation of saltwater intrusion and travel time in the Atlantic City 800-foot sand, Cape May County, New Jersey, 1992, by use of a coupled-model approach and flow-path analysis: U.S. Geological Survey Water-Resources Investigations Report 95-4280, 38 p. ([WRI 95-4280](#))
- Walker, R.L., 2001, Effects of pumping on ground-water flow near water-supply wells in the Lower Potomac-Raritan-Magothy aquifer, Pennsauken Township, Camden County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 00-4012, 12 p. ([WRI 2000-4012](#))
- Walker, R.L., and Jacobsen, Eric, 2004, Reconnaissance of hydrogeology and ground-water quality in Pennsauken Township and vicinity, Camden County, New Jersey, 1996-98: U.S. Geological Survey Water-Resources Investigations Report 03-4227, 102 p., 4 pls. ([WRI 2003-4247](#))
- Walker, R.L., Nicholson, R.S., Stork, D.A., 2011, Hydrologic assessment of three drainage basins in the Pinelands of southern New Jersey, 2004-06, 153 p. ([SIR 2011-5056](#))
- Walker, Richard L., Reilly, Pamela A., Watson, Kara M., 2008, Hydrogeologic framework in three drainage basins in the New Jersey Pinelands, 2004-06: U.S. Geological Survey Scientific Investigations Report 2008-5061, 149 p. ([SIR 2008-5061](#))
- Watson, K.M., and McHugh, A.R., 2014, Regional regression equations for the estimation of selected monthly low-flow duration and frequency statistics at ungaged sites on streams in New Jersey: U.S. Geological Survey Scientific Investigations Report 2014-5004, 59 p. ([SIR 2014-5004](#))
- Watson, K.M., Reiser, R.G., Nieswand, S.P., and Schopp, R.D., 2005, Streamflow characteristics and trends in New Jersey, water years 1897-2003: U.S. Geological Survey Scientific Investigations Report 2005-5105, 131 p. ([SIR 2005-5105](#))
- Watt, M.K., 2001, A hydrologic primer for New Jersey watershed management: U.S. Geological Survey Water-Resources Investigations Report 00-4140, 116 p. ([WRI 2000-4140](#))
- Watt, M.K., and Voronin, L.M., 2006, Sources of water to wells in updip areas of the Wenonah-Mount Laurel aquifer, Gloucester and Camden Counties, New Jersey: U.S. Geological Survey Scientific Investigations Report 2005-5250, 34 p. ([SIR 2005-5250](#))
- Watt, M.K., Kane, A.C., Charles, E.G., Storck, D.A., 2003, Hydrology of the unconfined aquifer system, Rancocas Creek area: Rancocas, Crosswicks, Assunpink, Assiscunk, Blacks, and Crafts Creek Basins, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 02-4280, 5 sheets. ([WRI 2002-4280](#))