# Lake Hopatcong Harmful Algal Bloom: Field Sampling Locations, Results and Aircraft Remote Sensing Information

The DEP's advisory remains in effect for all areas of the lake except Indian Harbor, Henderson Cove, Byram Cove and Byrum Bay to Halsey Island (see map). On 8/8, 8/12 and 8/15, beaches in this area of the lake were sampled and results are included in the tables below. As per the DEP/DOH Harmful Algal Bloom (HAB) Freshwater Recreational Response Strategy, two subsequent samples below the health advisory guidance thresholds are required for reopening of a regulated Public Recreational Bathing facility. Based on the data, DEP/DOH has approved the local health department to re-open the following beaches: as of 8/13 Pebble Beach, Sand Harbor, Bass Rock Beach, Sperry Springs Beach, Beck Lane Beach and CAPP Beach, and as of 8/16, Byram Bay Community Club Beach and Clearwater Beach.


The DEP urges the public to avoid swimming or water sports that may result in contact with the water, such as water-skiing, tubing, canoeing, paddle boarding and kayaking. There is no recommended limitation on fishing or passive recreational boating that does not have the potential for splashing. However, fish caught should not be eaten. The public is further advised that pets should not be allowed in the water or to drink it.

Since the initial report of an algal bloom on 6/17/19, the DEP Bureau of Freshwater and Biological Monitoring has been sampling and analyzing the waters in Lake Hopatcong to identify the algal species and to determine whether cell count levels or cyanotoxins are present above NJ Health Advisory Guidance Levels. HAB response has been conducted in accordance with NJ's Cyanobacterial Harmful Algal Bloom (HAB) Freshwater Recreational Response Strategy, which is a unified interagency approach for responding to HABs Sampling will be conducted on Tuesdays and Thursdays with results posted on the following days. Flights will continue once a week.


Due to the widespread nature of this bloom, based on field sampling, laboratory results and aircraft remote sensing, on 6/27, 7/3 and 7/12 DEP issued <u>press releases</u> advising the public to avoid swimming in or contact with Lake Hopatcong water. In addition to some beaches already being closed due to visual, field or lab results, as a precaution, DEP recommended that local health authorities close all public swimming beaches along the lake. On 7/26, DEP issued a press release lifting the advisory in the Indian Harbor area of the lake. On 8/1, DEP lifted the advisory in Henderson Cove, on 8/9 the advisory was lifted in Byram Cove, and as of 8/13 and 8/16 the advisory in Pebble Beach, Sand Harbor, Bass Rock Beach. Sperry Springs Beach, Beck Lane Beach and CAPP Beach was lifted – see advisory status map below. Other swimming beaches remain closed.

Bloom reports and sampling locations, as well as the results from sampling events can be found in the sampling locations map and results table below. NJ Health Advisory Guidance Levels include cell counts  $\geq$  20,000 cells/ml and microcystin levels  $\geq$  3µg/L. While many HAB cell counts in Lake Hopatcong have been above NJ Health Advisory Guidance Levels, measurable microcystin levels have been below the guidance. DEP will continue to monitor the lake until the HAB subsides to levels below all NJ Health Advisory Guidance triggers.

#### **Non-Beach Advisory Status**



Sampling Locations, HAB Reports and Beach Locations



### **Potential Health Effects and Results**

Exposure to cyanobacteria can cause a range of health effects, including rashes, allergy-like reactions, flu-like symptoms, gastroenteritis, respiratory irritation and eye irritation. Exposure to a HAB which is actively producing cyanotoxins may result in more serious health effects including liver toxicity and neurological effects. HABs may begin to produce cyanotoxins at any time.

In order to be classified as a harmful algal bloom, NJ first identifies the presence of cyanobacterial species and then performs analyses for cell counts and/or toxins. The chart below details the sampling that has occurred since 6/18/2019, as well as the results to date. Due to the characteristics of the lake, as the bloom progresses, some areas may test higher on some days than previous days. This variability is expected due to the shift in cyanobacteria populations, wind or water currents moving the blooms around the lake.

Results from sampling conducted on 8/29/19 show continued cell counts above advisory levels for locations as highlighted in the table below.

# Lake Hopatcong Harmful Algal Bloom (HAB) Samples and Results as of 8/29/2019

# Cell Counts

	Stati <i>on#</i> (where																								
Site name	applicable)		Cyanobacteria Counts cells/mL*																						
														Date Sar											
athing Beach Sites	1	6/18/2019	6/21/2019	6/26/2019	6/27/2019	6/28/2019	7/1/2019	7/2/2019	7/5/2019	7/9/2019	7/11/2019	7/16/2019	7/19/2019	7/23/2019	7/25/2019	7/30/2019	8/1/2019	8/6/2019	8/8/2019	8/12/2019	8/15/2019	8/20/2019	8/22/2019	8/27/2019	8/29/201
ebbl e Beach		57000					95000	16850		19300				24.750			( <del></del>		15 250	18625		()			
ind Harbor		51375	-	-			9250	27800		17750		544	142	24500					12750	13500					
earwater Beach			8750				21000	13000		33375				13000			1000		21.000	16250	18500	1000			
ass Rock Beach			35812	1			33030	5 3450		24125				26750					12000	17250					
ke Forest Yacht Club Beach				9750			115000	4400		21250				45000											
ba Point Beach				37125		-	18500	29090		12875	***			24,000					***						
t. Arlington Beach					179000		12750	14125	***	25875		***	***	30500							***	(	***		
patcong State Park	ST-5					24250	7750	0	17125	32000	46750	35000	48000	47250	71000	35,000	63000	57250	27250	18250	18375	45000	46000	31.250	31 37
erry Springs Beach														32500					6500	9750					
ram Bay Community Club Beach														38250					21250	16750	17250				
eck Lan e Beach														55500					13750	17000					
PP Beach														42750					5250	4500					
t Shore Beach	1				1000			( <u></u>				122		15625						100					
patcong Homestead Beach														29250											
tram Cove														18500											
escent Cove Beach	1		100					1 222				100		45750	198000		160000	1.12		500 T	1.1.1	1000	100		
her Lake Sites																									
olan Point Park Road		12500					12500	11900																	
ock Bass Rd.			9750																			(			
juaw Trail			11875																						
keside Rd.			10281														(max)								
itten Park			100		14500			1.22				1.1					(and )		10000				100		
ood Port Bay	ST-1					34000		8000	20475	30500	9525	15000	18000	78000	19750	59500	96750	54750	40000	55 750	17250	60750	42125	53000	4475
lid-Lake	1							Contraction of the		29875	and the second second			and the little state			and the second second	and the second second						and the second second	
ollected at surface, 0.5, 1.0, and 2	ST-2	1111	1000	2221		36000		65750	22750	at 0.1	31500 at 3.02	19000 at 0.1	21000 at 0.1	60750 at 0.5	33250 at 0.1	35000 at 1	47500 at 0.1	56125 at 0.1	37750 at 1	53000 at 1	67000 at 1	30875 at 1	44125 at 1	26375 at 1	34250 at
eters. Highest results listed)						at 1 meters		at 2 meters		meters	meters	meters	meters	meters	meters	meters	meters	meters	meters	meters	meter	meters	meters	meters	meter
esent Cove River Styx	ST-3	1 222	12	1.11	52	34500		2000	35500	79000	37000	52000	43000	46500	205500	65 250	84,000	80750	50625	148000	62875	60625	40750	22750	2975
anderson Cove	ST-6					28280		19000	13000	18500	15000	32000	26000	40000	17250	11250	19750	15000	17375	12250					
ram Cove	ST-9					10250		28000	37000	29000	47500	28000	22000	43250	50050	25500	18000	13750	17500	14500					
dian Harbor	ST-12		1.2		1.2	22000		39750	10000	8000	16000	8000	9000	19000	18500	17750	14250	11750	17250	17250	112	1000			
st of Davis Cove Mid-Lake	ST-13					Cell		19000	7000	18500	60000	13000	18000	49000	38750	31500	44000	38250	22500	42750	48250	26500	26750	24500	3512
. of State Park Beach	ST-14					34000		21100	17500		10000	6000	14000	40500	53825	49500	48500	41500	24 250	59125	54500	27000	27500	30500	2650
ospect Point	ST-16		-					5150	37000	6000	10000	10000	14000	18750	34500	41750	63000	30000	28000	73000	42250	25/250	35500	30750	5650
puth of Wood Port Bay	ST-10															41750			20000		43000	27000	29000	28250	4912
rtrand Island	ST-17																				53125	39250	36750	29500	2200
		Health Adviso	ory Guidance 20.000 cells/r																						

Cell Count ≥ 20,000 cells/ml; Microcystins ≥ 3µg/L Indicates > than advisory levels

## <u>Toxins</u>

Site name	Station# (where applicable)	Microcystins μg/l (lowest Reporting Level 0.15μg/l)*																							
		Date Sampled																							
Bathing Beach Sites		06/18/19	6/21/19	6/26/19	6/27/19	6/28/19	7/1/19	7/2/19	7/5/19	7/9/19	7/11/19	7/16/19	7/19/19	7/23/19	7/25/19	7/25/19	8/1/19	8/6/19	8/8/19	08/12/19	08/15/19	08/20/19	08/22/19	8/27/19	8/29/19
Pebble Beach		0.83					0.15	0.16	Sec.	0.17	(000)			0.25		2 <del></del>	0.000		0.29	0.23				2	
Sand Harbor		1.35		1			0.17	< Reporting Level	-	0.21	(inter)			0.22		Ţ	()		0.26	0.15					
Clearwater Beach		<u> 2000</u>	0.16			1	< Reporting Level	0.18		0.24	((222)			0.23	-		1000		0.23	0.29	0.12	7			· · · · · ·
Bass Rock Beach			0.21				0.08	0.16		0.23				0.25					0.30	0.18					
Lake Forest Yacht Club Beach				0.38			0.24	0.35		0.29				0.42											
Elba Point Beach			(	< Reporting Level			0.19	< Reporting Level		0.19	(			0.34			()			(6	-				(
Mt. Arlington Beach		1000			0.15		< Reporting Level	0.16	200	0.32	1.0000		215	0.18		-				(777)		- 575/	377		
Hopatcong State Park	ST-5		/			< Reporting Level	< Reporting Level	0.15	< Reporting Level	0.24	0.24	0.24	0.39	0.42	0.36	0.61	0.375	0.30	0.36	0.60	0.22	0.47	0.26	0.6	0.6
Sperry Springs Beach				2001	2007							1120							0.16	0.17		2220			
Byram Bay Community Club Beach																			0.26	0.19	0.17				
Beck Lane Beach																			0.17	0.16					
CAPP Beach												2220							0.27	0.19					
East Shore Beach																									
Hopatcong Homestead Beach																-									
Ingram Cove		1										2220													
Crescent Cove Beach														0.62	1.29		1.947								
Other Lake Sites		< Reporting					< Reporting	< Reporting							-										-
Nolan Point Park Road		Level					Level	Level																	
Rock Bass Rd.		1999	0.23				()									-									
Squaw Trail			0.16				(1999)				(111)			1000		-	(111)			1000				3 <del></del>	(1997)
Lakeside Rd.			0.17						ines.							-				(277)				-	
Witten Park					0.06																				
Wood Port Bay	ST-1					0.34	(1444)	0.38	0.42	0.41	0.41	0.38	0.59	0.65	0.41	0.33	0.366	0.30	0.30	0.37	0.34	0.36	0.38	0.38	0.48
Mid-Lake (collected at surface, 0.5, 1.0, and 2 meters. Highest results listed)	ST-2		(			0.15	( <del></del>	0.16	0.15	0.22 at 0.1 meters	0.19 at 0.1 meters	0.23 at 4 meters	0.36 at 0.1 meters	0.30 at 1 meters	0.32 at 1 meters	0.24 at 1 meters	0.168 at 1 meter	0.22 at 1 meters	0.23 at 1 meters	0.36 at 0.1 meters	0.94 at 0.1 meters	0.32 at 0.1 meters	< Reporting Level	0.19 at 1 meters	0.26 at 1 meters
Cresent Cove River St <b>v</b> x	ST-3					0.18		< Reporting Level	< Reporting Level	0.26	0.29	0.32	0.48	0.25	0.39	0.42	0.28	0.30	0.49	0.54	0.43	0.41	1.24	0.63	0.60
Henderson Cove	ST-6	(area)		1999	- 222)	< Reporting Level		0.15	0.18	< Reporting Level	< Reporting Level	0.18	0.25	0.25	0.35	0.22	0.185	0.22	0.25	0.25					
Byram Cove	ST-9	-				0.2		< Reporting Level	0.16	0.18	< Reporting Level	0.18	0.18	0.37	0.24	0.19	0.244	0.44	0.22	0.15	144			1442	() <del></del> )
Indian Harbor	ST-12					< Reporting Level		0.32	0.16	0.19	0.15	0.26	0.24	0.29	0.23	0.21	0.253	0.16	0.29	0.17	777				( <b></b> )
East of Davis Cove Mid-Lake	ST-13				-	< Reporting Level		< Reporting Level	0.28	0.45	0.17	0.18	0.32	0.18	0.13	0.23	0.162	0.16	0.23	0.42	0.31	0.22	0.22	0.22	0.16
S.E. of State Park Beach	ST-14					0.16	( <del></del> )	< Reporting Level	< Reporting Level	-	0.22	0.25	0.22	0.34	0.24	0.32	0.476	0.53	0.41	0.44	0.44	0.23	0.54	0.53	0.57
Prospect Point	ST-16							0.35	0.31	0.28	0.45	0.57	0.43	0.61	0.43	0.3	0.192	0.37	0.40	0.39	0.31	0.23	0.31	0.26	0.26
Mouth of Wood Port Bay	ST-17		1200	2007	1000				1220	1922	1000	1222	1222	1000						10000	0.20	0.21	< Reporting Level	0.24	0.24
Bertrand Island	ST-18								=		()		-	()	-	-	-	-		()	0.21	0.26	< Reporting Level	0.19	0.24
	*NJ He	ealth Adviso	ory Guidance Leve	s																					

\*NJ Health Advisory Guidance Levels Cell Count ≥ 20,000 cells/ml;

Microcystins ≥ 3µg/L

Indicates > than advisory levels

#### **Aircraft Remote Sensing Information and Results**


occurring.

In addition to the response to Harmful Algal Bloom visual reports, field sampling and laboratory analyses described above, the DEP has developed aircraft remote sensing capabilities for general cyanobacteria detection and tracking. A sensor is used to pick up wavelengths of light specific to the cyanobacteria pigment phycocyanin in a waterbody. This advanced monitoring method provides immediate feedback on the presence and relative cyanobacteria cell counts, and can serve as a screening method to target waters for sample collection. While laboratory analyses serve as the definitive determination of whether results exceed NJ Health Advisory Guidance levels, remote sensing data provides useful information on the general extent and trends of a bloom.

Remote sensing flights were conducted over Lake Hopatcong on 6/26, 6/28, 6/30, 7/3, 7/10, 7/17, 7/24, 7/30, 8/9, 8/20 and 8/27. The scale below estimates the pigment concentrations and cell counts; the bright yellow to red is estimated to be over 20,000 cells/ml or higher, light green denotes an area of concern where cell counts may be near 20,000 cells/ml and dark gray denotes low levels or non-detect. Images are available below for six of the flights. Samples results are needed to confirm sensor estimates.

Month Day Year 2019 🗸 6 🗸 26 🗸 Download Estimated Cells per ml ☑ 0 - 10,000 ☑ 10,000 - 20,000 ~ 20,000 - 40,000 40,000 - 60,000 1 60,000 - 80,000 80,000 - 100,000 ✓ > 100,000 Hopatcong Mount Powered by Leaflet - @ Mapbox @ OpenStreetMap Improve this m


On 6/26/2019, the flight data shows elevated levels of the phycocyanin pigment covering almost the entire lake.




On 6/28/2019, the bloom still covers a large section of the lake, with the coves to the north showing signs that the bloom was diminishing.

On 6/30/2019, the intensity of the bloom appears to be diminishing, but there are still areas of concern in many coves and by the State Park Beach.


occurring.






On 7/10/19, phycocyanin levels have increased over a large portion of the lake.


On 7/17/19, the flight shows the phycocyanin levels seem to have significantly decreased in spatial coverage. The highest levels are in River Styx.




The 7/24 flight shows that the phycocyanin levels seem to have significantly increased in intensity and spatial coverage. The bloom appears to be lake wide.




On 7/30 the phycocyanin levels seem to have decreased in intensity and spatial coverage. The bloom is still present in pockets with one near the buoy at ST-14.



On 8/9, the Lake Hopatcong the phycocyanin levels seem to have remained at the same intensity but the spatial coverage seems to be diminishing. The bloom is still present in pockets with higher levels in the south near the buoy at station ST-14.



On 8/20, the phycocyanin levels are elevated lakewide, above 20,000 cells/ml. The flight confirms the decrease in the bloom at the 2 buoy stations mid lake and in the south, but the bloom is still present lakewide with higher levels in the River Styx Crescent Cove area and in the extreme northern section. This flight shows an increase in intensity from the last flight on 8/9/2019.



during the summer months, in ravorable weather conditions, over the coastal waters of New Jersey. These hights provide a valuable perspective on water conditions and trends that enable the Bureau to target boat sampling in locations where algal blooms may be occurring.

On 8/27, the phycocyanin levels were elevated lake wide, above 20,000 cells/ml. The flight data shows a general decrease in the intensity since last week, but the bloom is still present lake wide. Cloud cover may have been limiting the cyanobacteria to deeper depths and not at the surface where the aircraft sensor detects the reflectance.

