

StreamStats

Delivering Streamflow Information to the Public



By Kara Watson, USGS

In Cooperation with the New Jersey Department of Environmental Protection And the U.S. Army Corps of Engineers



U.S. Department of the Interior U.S. Geological Survey New Jersey Water Science Center kmwatson@usgs.gov

Presented at: NJ Water Monitoring Summit

December 2, 2011

Objectives

Update Special Report 38, by Stankowski, published in 1974

StreamStats web application is available for the public to determine flood magnitude and frequency and basin characteristics for existing gaged sites and at ungaged sites




Need for Streamflow Statistics

- Water resources planning, management, and permitting
- Flood-plain mapping
- Engineering design of structures such as roads, bridges, dams, culverts, locks, and levees
- Streamflow statistics are not available everywhere they are needed



Flood Frequency


- 254 streamflow-gaging stations in New Jersey and surrounding states were used in the study
- Peak-flow data collected through the 2007 water year for most gages





Flood Frequency Regions

- Divided the State into five geographic regions for the regression analysis
- The regions follow physiographic province boundaries and take into account glaciated extent and coastal geology





Final Regional Regression Equations

- Equations estimate peak flow for 2-, 5-,10-, 25-, 50-, 100-, and 500-year floods
- All equations use the same basin characteristics
 - Drainage area, percent storage, 10-85 slope, and 1990 population density

Varies by flood-frequency region



Flood Frequency Equations

Estimation at Ungaged Sites

- Use regional regression equation
- Weighted by the percentage of the drainage basin within each region



USGS StreamStats



 Currently used to estimate peak flows and basin characteristics



StreamStats New Jersey

- StreamStats is an interactive map-based USGS web application available for public use
- Users can access flood-frequency statistics and basin characteristics
- Utilizes the updated regional regression equations to obtain flood-frequency estimates for ungaged sites in New Jersey



StreamStats Benefits

Published statistics are readily available

Consistent information delivery

Little or no additional error is introduced

Estimates for ungaged sites takes <1 minute</p>



GIS Database Includes

 Datasets used to delineate accurate basin boundaries-10 meter Digital Elevation Model (DEM), National Hydrography Dataset (NHD)

 Datasets used to determine basin characteristics (2002 NJDEP Landuse/Landcover, DEM, census block data)

USGS data-collection station locations



Using StreamStats

http://water.usgs.gov/osw/streamstats/new_jersey.html

New Jersey

StreamStats for New Jersey can be used to estimate instantaneous flood discharges with exceedance probabilities of 0.5, 0.2, 0.1, 0.04, 0.02, 0.01, and 0.002 for ungaged, unregulated or slightly regulated, non-tidal streams in New Jersey. These exceedance probabilities correspond to recurrence intervals of 2-, 5-, 10-, 25-, 50-, 100-, and 500-years, respectively. The report below presents the regression equations used to estimate the peak-flow statistics, describes the errors associated with the estimates, and describes the methods used to develop the equations and to measure the basin characteristics used in the equations. Users should familiarize themselves with the report before using StreamStats to obtain estimates of streamflow statistics for gaged and ungaged sites.

 Watson, K.M., and Schopp, R.D., 2009, Methodology for estimation of flood magnitude and frequency for New Jersey streams: U.S. Geological Survey Scientific Investigations Report 2009-5167

NOTE: Scientific Investigations Report 2009-5167 "Methodology for Estimation of Flood Magnitude and Frequency for New Jersey Streams" has been revised, May 2010. The flood-frequency regression equations, regional constant coefficients, and average standard errors have been updated for this report. The updates are reflected in the current New Jersey StreamStats application.

Interactive Map

<u>Footnote for New Jersey StreamStats</u>: Although 1990 population density was used for the development of the regression equations in SIR 2009-5167, the New Jersey StreamStats application will offer the more current 2000 population-density data.

StreamStats for New Jersey was developed in cooperation the New Jersey Department of Environmental Protection and the U.S. Army Corps of Engineers.








User Interface

- Displays maps and enables site selection
- Displays default data layers for selected scale ranges and allows adding/subtracting map layers
- Zoom to named geographic location or stream
- Print maps and download data shown in the map frame



StreamStats New Jersey






Drainage Boundaries

- User selects any point on a stream
- Drainage basin boundary is calculated within the application using GIS datasets
- Creates a basin polygon used to calculate basin characteristics and statistics
- Basin polygons can be downloaded




Using StreamStats





Example Drainage Boundary





StreamStats Basin Characteristics



New Jersey StreamStats

✓ All	Parameters
✓	Drainage area in square miles
<u>~</u>	Percent of area covered by water and wetland.
<u>~</u>	Mean population density, people per square mile, 2000 census block data.
▽	10-85 slope in feet per mile based on preprocessed data
✓	Total stream length in miles
✓	Percent of area covered by forest
~	Percent of area covered by urban land use
✓	Percent of area covered by wetland land use
V	Average basin elevation in feet

Compute Parameters

Close



New Jersey StreamStats

Basin Characteristics Report

Date: Wed Jun 30 2010 11:13:32 Mountain Daylight Time

NAD27 Latitude: 41.1470 (41 08 49) NAD27 Longitude: -74.8834 (-74 53 00) NAD83 Latitude: 41.1471 (41 08 50) NAD83 Longitude: -74.8830 (-74 52 59)

Parameter	Value
Drainage area in square miles	57.8
Percent of area covered by water and wetland.	4.3
Mean population density, people per square mile, 2000 census block data.	42.4
10-85 slope in feet per mile based on preprocessed data	46.8
Total stream length in miles	108
Percent of area covered by forest	86.9
Percent of area covered by urban land use	1.24
Percent of area covered by wetland land use	3.24
Average basin elevation in feet	913



StreamStats Statistics



- Estimate flows using regression equations
- Change parameters to re-compute flows



StreamStats Statistics

Peak Flows Region Basin Characterist 100% Peak Valley and Ridge Region 2009 516		3 mi2)	
Parameter	Value	Regression Equa	tion Valid Range
Parameter		Min	Max
Drainage Area (square miles)	57.8	0.87	763
Percent Storage (percent)	4,3	2.36	30.1
Stream Slope 10 and 85 Method (feet per mi)	46.8	2.56	268
Basin Population Density (persons per square mile)	42.4	35	1493

Peak F	lows Regio	n Streamflow Statistic	5		
Chablatia	(631)	Duradiation Function	Equivalent	90-Percent Pre	ediction Interval
Statistic	How (ft°/s)	Prediction Error (percent)	years of record	Minimum	Maximum
PK2	1130	50	1		
PK5	1970	51	2		
PK10	2670	52	3		
PK25	3710	55	4		
PK50	4580	57	5		
PK100	5590	60	5		
PK500	8330	66	6		



Additional Applications



- Valuable tool to compute flows or check flows found using other methods
- Predict the effect of changes in land use or population

Edit Parameters and Recompute Flows Feature

Parameters	Values
rainage_Area	0.7
lasin_Population_Density	143
Stream_Slope_10_and_85_Method	23
Percent_Storage	13.5



Summary

StreamStats

- ◆ Is a Web application that provides estimates of streamflow statistics, basin characteristics, and other information for gaged and ungaged sites
- Uses updated flood-frequency regional regression equations for peak-flow estimates



USGS Products

- Methodology for Estimation of Flood Magnitude and Frequency for New Jersey Streams, By Kara M. Watson and Robert D. Schopp, published http://pubs.usgs.gov/sir/2009/5167/
- StreamStats web application http://water.usgs.gov/osw/streamstats/

