PUBLIC NOTICE

ENVIRONMENTAL PROTECTION

WATER RESOURCE MANAGEMENT

DIVISION OF WATER MONITORING AND STANDARDS

Proposed Amendment to the Monmouth and Ocean County Water Quality Management Plans

Public Notice

Take notice that the New Jersey Department of Environmental Protection (Department) is seeking public comment on a proposed amendment to the Monmouth and Ocean County Water Quality Management (WQM) Plans in accordance with the New Jersey Water Quality Planning Act, N.J.S.A. 58:11-1 et seq., and the Water Quality Management Planning rules, N.J.A.C. 7:15. The proposed amendment, identified as "Eagle Oaks Golf Club Carolina House (Program Interest No. 435462, Activity No. AMD190002), would expand the sewer service area (SSA) of the Ocean County Utilities Authority (OCUA) Northern Water Pollution Control Facility (WPCF) by 1.54 acres to serve a proposed clubhouse and recreational facility on Block 185, Lot 37 in Howell Township, Monmouth County. The proposed project consists of a proposed 11,600 square foot clubhouse building, recreational facility and an existing residential dwelling which will be converted to 8 residential guest suites. As calculated in accordance with N.J.A.C. 7:14A-23.3, the proposed project would generate a projected wastewater flow of 3,204 gallons per day (gpd). The wastewater would be conveyed via the Manasquan River Regional Sewerage Authority (MRRSA) owned and operated infrastructure system within Howell Township to the OCUA Northern WPCF (New Jersey Pollution Discharge Elimination System Permit# (NJPDES) NJ0028142). This notice represents the

Department's determination that the proposed amendment is compliant with the applicable regulatory criteria at N.J.A.C. 7:15, as described below.

In accordance with N.J.A.C. 7:15-3.3(b), site specific amendments are limited to proposed alterations to the eligible SSA needed to address a specific project or activity. N.J.A.C. 7:15-3.5(j)2 requires that site specific amendments proposing to add 100 or more acres or generating 20,000 gpd or more of wastewater flow must update the wastewater treatment capacity analysis prepared in accordance with N.J.A.C. 7:15-4.5(b) to include the proposed project or activity. The proposed project involves less than 100 acres and will generate less than 20,000 gpd of wastewater flow; therefore, update of the wastewater treatment capacity analysis is not required.

Pursuant to N.J.A.C. 7:15-4.4(d), the following are not eligible for delineation as SSAs, except as otherwise provided at N.J.A.C. 7:15-4.4(i), (j), (k), and (l): environmentally sensitive areas (ESAs) identified under N.J.A.C. 7:15-4.4(e) as any contiguous area of 25 acres or larger consisting of any of the following features, alone or in combination: endangered or threatened wildlife species habitat, Natural Heritage Priority Sites, 300-foot riparian zones of Category One (C1) waters and their tributaries, or wetlands; coastal planning areas identified under N.J.A.C. 7:15-4.4(f); and ESAs subject to 201 Facilities Plan grant conditions under N.J.A.C. 7:15-4.4(g). The Department conducted an evaluation of the project site using a GIS shapefile provided by the applicant compared to the Department's GIS data layers available at http://www.nj.gov/dep/gis/listall.html and/or other information as noted below, to determine the presence of any such areas in accordance with N.J.A.C. 7:15-4.4(e), (f) and (g) and made the following findings:

- The Department determined that the proposed SSA does not contain any areas mapped as endangered or threatened wildlife species habitat Rank 3, 4 or 5 on the Department's Landscape Maps of Habitat for Endangered, Threatened or Other Priority Wildlife based on the "Landscape Project Data" Version 3.3 GIS data layers in accordance with N.J.A.C. 7:15-4.4(e)1.
- The Department determined that the proposed SSA does not contain any areas mapped as Natural Heritage Priority Sites based on the "Natural Heritage Priority Sites" GIS data layer in accordance with N.J.A.C. 7:15-4.4(e)2.
- The Department determined that the proposed sewer service area does not contain any Category One (C1) waters or 300-foot riparian zones along any C1 waters or their upstream tributaries within the same HUC 14 watershed based on the "Surface Water Quality Standards" GIS data layer in accordance with and N.J.A.C. 7:13-4.1(c)1 and 7:15-4.4(e)3.
- The Department determined that the proposed SSA does not contain any wetlands based on the "Wetlands 2012" GIS data layer in accordance with N.J.A.C. 7:15-4.4(e)4.
- The Department determined that the proposed SSA does not contain any areas mapped as Fringe Planning Areas, Rural Planning Areas, or Environmentally Sensitive Planning Areas within the Coastal Area Facility Review Act (CAFRA) zone based on the "CAFRA (polygon)" GIS layer and the "State Plan Data" GIS layer, in accordance with N.J.A.C. 7:15-4.4(f).
- The Department determined that there are no 201 Facilities Plan grant conditions applicable to the project based on the US Environmental Protection Agency list of New Jersey Counties with ESA grant conditions at https://www.epa.gov/npdes-permits/environmentally-sensitive-area-esa-grant-condition-waiver-program-region-2 in accordance with N.J.A.C. 7:15-4.4(g).

Pursuant to N.J.A.C. 7:15-4.4(h)1 and 2, the Department considered the land uses allowed in adopted zoning ordinances, future land uses shown in adopted municipal or county master plans, and other local land use objectives. The Howell Township Planning Board adopted a resolution granting Preliminary and Final Site Plan approval for Application No. SP-1009A on September 5, 2019. The proposed project is consistent with the Monmouth County Master Plan as per a report prepared by the Monmouth County Planning Board.

This notice is to inform the public that a plan amendment has been proposed for the Monmouth and Ocean County WQM Plans. All information related to these plans and the proposed amendment is located at:

Monmouth County Division of Planning

Hall of Records Annex

One East Main Street

Freehold, New Jersey 07728

AND

New Jersey Department of Environmental Protection

Division of Water Monitoring and Standards

Bureau of Environmental Analysis, Restoration and Standards

Water Quality Management Planning Program

P.O. Box 420, Mail Code 401-041

401 East State Street

Trenton, New Jersey 08625-0420

The Department's file is available for inspection between 9:00 A.M. and 4:00 P.M., Monday through Friday, upon request. An appointment to inspect the file must be arranged by calling the Bureau of Environmental Analysis, Restoration and Standards at (609) 633-1441.

Interested persons may submit written comments on the proposed amendment to the Department at the address cited above or at: wqmp.publiccomments@dep.nj.gov and to the counties at the following addresses:

Ms. Linda Brennen

Monmouth County Division of Planning

One East Main Street

Freehold, New Jersey 07728

and

Mr. Anthony Agliata

Ocean County Department of Planning

P.O Box 2191

Toms River, New Jersey 08754-2191

Comments should reference Program Interest No. 435462, Activity No. AMD190002 and must be submitted within 60 days of the date of this public notice.

Interested persons may request in writing that the Department hold a nonadversarial public hearing on the amendment or extend the public comment period specified in this notice. Such requests should reference Program Interest No. 435462, Activity No. AMD190002 and must demonstrate sufficient public interest for the public hearing or extension of the comment period, as defined at N.J.A.C. 7:1D-5.2(d). The request must be submitted within 30 days of the date of this notice to the Department address cited above. Should the Department decide to hold a public hearing, additional notice will be published in a future issue of the New Jersey Register and the comment period will be extended to 15 days after the public hearing.

All comments submitted prior to the close of the comment period shall be considered by the County and Department before making a final decision on the proposed amendment. Sewer service is not guaranteed if this amendment is adopted, since it represents only one part of the permit process and other issues may need to be addressed. Inclusion in the sewer service area does not eliminate the need to obtain all necessary permits, approvals or certifications required by any Federal, State, county or municipal review agencies with jurisdiction over this project/activity.

11/4/20
SIGNED

Date
Kimberly Cenno, Bureau Chief
Bureau of Environmental Analysis, Restoration and Standards
Division of Water Monitoring and Standards