

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE SEPTEMBER 19, 2022, NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

PUBLIC NOTICE

ENVIRONMENTAL PROTECTION

WATERSHED AND LAND MANAGEMENT

DIVISION OF WATERSHED PROTECTION AND RESTORATION

Proposed Amendment to the Monmouth County Water Quality Management Plan

Public Notice

Take notice that the New Jersey Department of Environmental Protection (Department) is seeking public comment on a proposed amendment to the Monmouth County Water Quality Management (WQM) Plan in accordance with the New Jersey Water Quality Planning Act, N.J.S.A. 58:11A-et seq., and the Water Quality Management Planning rules, N.J.A.C. 7:15. The proposed amendment, identified as “Ashbel Associates LLC/Greenwich Park Residential Development” (Program Interest No. 435462, Activity No. AMD210002) would expand the Bayshore Regional Sewerage Authority sewage treatment plant (BRSA STP) sewer service area (SSA) by 6.54 acres to serve a proposed multi-family residential development on Block 119, Lot 16 (portion), in Marlboro Township, Monmouth County. The proposed project includes 30 one-bedroom units, 80 two-bedroom units, 10 three-bedroom or larger units, and a clubhouse. The proposed project would generate a projected wastewater flow of 28,650 gallons per day (gpd) based on flow calculated in accordance with N.J.A.C. 7:14A-23.3 to be received by the BRSA STP (New Jersey Pollutant Discharge Elimination System (NJPDES) Permit #NJ0024708).

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE SEPTEMBER 19, 2022, NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

This notice represents the Department's determination that the proposed amendment is compliant with the applicable regulatory criteria at N.J.A.C. 7:15, as described below.

In accordance with N.J.A.C. 7:15-3.3(b), site specific amendments are limited to proposed alterations to the eligible SSA needed to address a specific project or activity. N.J.A.C. 7:15-3.5(j)2 requires that site specific amendments proposing to add 100 or more acres or generating 20,000 gpd or more of wastewater shall include a proposed modification to the wastewater treatment capacity analysis prepared in accordance with N.J.A.C. 7:15-4.5(b) to include the proposed project or activity. The proposed project involves less than 100 acres but would generate a total projected wastewater flow of 20,000 gpd or more and is thus subject to a wastewater capacity analysis modification. The purpose of the modification is to demonstrate the BRSA STP has the available capacity to service the project. In accordance with N.J.A.C. 7:15-4.5(b)1, the existing wastewater flow at the BRSA STP, calculated as the highest consecutive 12-month rolling average during the five-year period preceding the amendment application (September 2016 to September 2021), was determined to be 8.517 million gallons per day (mgd) (November 2018 - October 2019) based on NJPDES Discharge Monitoring Reports reported in DEP Data Miner (<https://www.13.state.nj.us/DataMiner#>). The BRSA STP is currently permitted to discharge up to 16 mgd under NJPDES Permit No. NJ0023728. As such, the BRSA STP currently has capacity for the proposed project.

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE SEPTEMBER 19, 2022, NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

Pursuant to N.J.A.C. 7:15-4.4(d), the following are not eligible for delineation as SSA, except as otherwise provided at N.J.A.C. 7:15-4.4(i), (j), (k), and (l): environmentally sensitive areas (ESAs) identified pursuant to N.J.A.C. 7:15-4.4(e), as any contiguous area of 25 acres or larger consisting of any of the following features, alone or in combination: endangered or threatened wildlife species habitat, Natural Heritage Priority Sites, riparian zones of Category One (C1) waters and their upstream tributaries, or wetlands; coastal planning areas identified at N.J.A.C. 7:15-4.4(f); and ESAs subject to 201 Facilities Plan grant conditions pursuant to N.J.A.C. 7:15-4.4(g). The Department conducted an evaluation of the project site using a GIS shapefile provided by the applicant compared to the Department's GIS data layers available at <http://www.nj.gov/dep/gis/listall.html> and/or other information as noted below, to determine the presence of any such areas in accordance with N.J.A.C. 7:15-4.4(e), (f), and (g) and made the following findings:

- The Department determined that the proposed SSA does not contain any areas mapped as endangered or threatened wildlife species habitat Rank 3, 4, or 5 on the Department's Landscape Maps of Habitat for Endangered, Threatened or Other Priority Wildlife based on the "Landscape Project Data" Version 3.3 GIS data layers in accordance with N.J.A.C. 7:15-4.4(e)1.
- The Department determined that the proposed SSA does not contain any areas mapped as Natural Heritage Priority Sites based on the "Natural Heritage Priority Sites" GIS data layer in accordance with N.J.A.C. 7:15-4.4(e)2.

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE SEPTEMBER 19, 2022, NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

- The Department determined that the proposed SSA does not contain any C1 waters or 300-foot riparian zones along any C1 waters or upstream tributaries within the same HUC-14 watershed of any C1 waters based on the “Surface Water Quality Standards” GIS data layer in accordance with N.J.A.C. 7:13-4.1(c)1 and N.J.A.C. 7:15-4.4(e)3.
- The Department determined that there are wetlands located on the project site based on the “Wetlands 2012” GIS data layer in accordance with N.J.A.C. 7:15-4.4(e)4; however, pursuant to N.J.A.C. 7:15-4.4(j)3, the applicant provided a Freshwater Wetlands Letter of Interpretation (LOI)/Line Verification File #1328-14-0005.1 FWW200001), confirming that there are no wetlands within the proposed SSA.
- The Department determined that the proposed SSA does not contain any areas mapped as Fringe Planning Areas, Rural Planning Areas, or Environmentally Sensitive Planning Areas within the Coastal Area Facility Review Act (CAFRA) zone based on the “CAFRA (polygon)” GIS layer and the “State Plan Data” GIS layer, in accordance with N.J.A.C. 7:15-4.4(f).
- The Department determined that there are no 201 Facilities Plan grant conditions applicable to the project site based on the U.S. Environmental Protection Agency (USEPA) list of New Jersey Grantees with ESA Grant Conditions at <https://www.epa.gov/npdes-permits/environmentally-sensitive-area-esa-grant-condition-waiver-program-region-2> in accordance with N.J.A.C. 7:15-4.4(g).

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE SEPTEMBER 19, 2022, NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

Pursuant to N.J.A.C. 7:15-4.4(h)1 and 2, the Department considered the land uses allowed in adopted zoning ordinances and future land uses shown in adopted municipal or county master plans and other local land use objectives. The Marlboro Township Planning Board adopted Resolution PB 1217-21 on April 21, 2021, granting Preliminary and Final Site Plan approval. The Marlboro Township Engineer's office issued a letter dated May 4, 2021, stating that the proposed project is consistent with the Township's zoning regulations. The Monmouth County Planning Board issued a Site Plan Action Letter for File No. MRSP10145 on June 28, 2021, granting Final Site Plan approval.

This notice is to inform the public that a plan amendment has been proposed for the Monmouth County WQM Plan. All information related to this plan and the proposed amendment is located at:

Monmouth County Division of Planning
Hall of Records Annex
One East Main Street
Freehold, New Jersey 07728

AND

New Jersey Department of Environmental Protection
Division of Watershed Protection and Restoration

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE SEPTEMBER 19, 2022, NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

Bureau of NJPDES Stormwater Permitting and Water Quality Management

Water Quality Management Planning Program

PO Box 420, Mail Code 501-02A

501 East State Street

Trenton, New Jersey 08625-0420

The Department's file is available for inspection between 9:00 A.M. and 4:00 P.M., Monday through Friday, upon request. An appointment to inspect the file must be arranged by calling the Bureau of NJPDES Stormwater Permitting and Water Quality Management at (609) 633-7021.

Interested persons may submit written comments on the proposed amendment to the Department at the address cited above or at the email: wqmp.publiccomments@dep.nj.gov and to the County at the following address:

Ms. Amber Mallm

Monmouth County Division of Planning

One East Main Street

Freehold, New Jersey 07728

Comments should reference Program Interest No. 435462, Activity No. AMD210002 and must be submitted within 30 days of the date of this public notice.

Interested persons may request in writing that the Department hold a nonadversarial public hearing on the amendment or extend the public comment period specified

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE SEPTEMBER 19, 2022, NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE AMENDMENT, THE OFFICIAL VERSION WILL GOVERN.

in this notice. Such requests should reference Program Interest No. 435462, Activity No. AMD210002 and must demonstrate sufficient public interest for the public hearing or extension of the comment period, as defined at N.J.A.C. 7:1D-5.2(d). The request must be submitted within 30 days of the date of this notice to the Department address cited above. Should the Department decide to hold a public hearing, additional notice will be published in a future issue of the New Jersey Register and the comment period will be extended to 15 days after the public hearing. All comments submitted prior to the close of the comment period shall be considered by the County and the Department before making a final decision on the proposed amendment.

Sewer service is not guaranteed should this amendment be adopted since it represents only one part of the permit process and other issues may need to be addressed. Inclusion in the SSA as a result of the approval of this amendment does not eliminate the need to obtain all necessary permits, approvals or certifications required by any Federal, State, county or municipal review agency with jurisdiction over this project/activity.

7/26/2022

Date



Gabriel Mahon, Bureau Chief
Bureau of NJPDES Stormwater Permitting and Water Quality Management
Division of Watershed Protection and Restoration
NJ Department of Environmental Protection