

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE FEBRUARY 7, 2022 NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE PROPOSAL, THE OFFICIAL VERSION WILL GOVERN.

PUBLIC NOTICE

ENVIRONMENTAL PROTECTION

WATERSHED AND LAND MANAGEMENT

DIVISION OF WATERSHED PROTECTION AND RESTORATION

Proposed Amendment to the Tri-County Water Quality Management Plan

Public Notice

Take notice that the New Jersey Department of Environmental Protection (Department) is seeking public comment on a proposed amendment to the Tri-County Water Quality Management (WQM) Plan in accordance with the New Jersey Water Quality Planning Act, N.J.S.A. 58:11-1 et seq., and the Water Quality Management Planning rules, N.J.A.C. 7:15. The proposed amendment, identified as “Conifer Realty” (Program Interest No. 435433, Activity No. AMD210001) would expand the sewer service area (SSA) of the Gloucester County Utilities Authority (GCUA) (NJPDES No.NJ0024686) by 3.18 acres to serve a 70-unit, 2 building residential development located on a portion of Block 205, Lot 13.02, in East Greenwich Township, Gloucester County. The project will generate a projected wastewater flow of 19,550 gallons per day (gpd) based on flow calculated in accordance with N.J.A.C. 7:14A-23.3

This notice represents the Department’s determination that the proposed amendment is compliant with the applicable regulatory criteria at N.J.A.C. 7:15, as described below.

In accordance with N.J.A.C. 7:15-3.3(b), site specific amendments are limited to proposed alternations to the eligible SSA needed to address a specific project or activity. N.J.A.C. 7:15-

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE FEBRUARY 7, 2022 NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE PROPOSAL, THE OFFICIAL VERSION WILL GOVERN.

3.5(j)2 requires that site specific amendments proposing to add 100 or more acres or generating 20,000 gpd or more of wastewater flow shall include a proposed modification to the wastewater treatment capacity analysis prepared in accordance with N.J.A.C. 7:15-4.5(b) to include the proposed project or activity. The proposed project involves less than 100 acres and will generate less than 20,000 gpd of wastewater flow; therefore, update of the wastewater treatment capacity analysis is not required.

Pursuant to N.J.A.C. 7:15-4.4(d), the following are not eligible for delineation as SSA, except as otherwise provided at N.J.A.C. 7:15-4.4(i), (j), (k) and (l): environmentally sensitive areas (ESAs) identified pursuant to N.J.A.C. 7:15-4.4(e), as any contiguous area of 25 acres or larger consisting of any of the following, alone or in combination: endangered or threatened wildlife species habitat, Natural Heritage Priority Sites, riparian zones of Category One (C1) waters and their tributaries, or wetlands; coastal planning areas identified at N.J.A.C. 7:15-4.4(f), and; ESAs subject to 201 Facilities Plan grant conditions pursuant to N.J.A.C. 7:15-4.4(g). The Department conducted an evaluation of the project site using a GIS shapefile provided by the applicant compared to the Department's GIS data layers available at <http://www.nj.gov/dep/gis/listall.html> and/or other information as noted below, to determine the presence of any such areas in accordance with N.J.A.C. 7:15-4.4(e), (f) and (g) and made the following findings:

- The Department determined that the proposed SSA does not contain any areas mapped as endangered or threatened wildlife species habitat Rank 3, 4, or 5 on the Department's Landscape Maps of Habitat for Endangered, Threatened or other Priority Wildlife based on

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE FEBRUARY 7, 2022 NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE PROPOSAL, THE OFFICIAL VERSION WILL GOVERN.

the “Landscape Project Data” Version 3.3 GIS data layers in accordance with N.J.A.C. 7:15-4.4(e)1.

- The Department determined that the proposed SSA does not contain any areas mapped as Natural Heritage Priority Sites based on the “Natural Heritage Priority Sites” GIS data layer in accordance with N.J.A.C. 7:15-4.4(e)2.
- The Department determined that the proposed SSA does not contain any C1 waters or 300-foot riparian zones along any C1 waters or upstream tributaries within the same HUC-14 watershed of any C1 waters based on the “Surface Water Quality Standards” GIS data layer in accordance with N.J.A.C. 7:13-4.1(c)1 and 7:15-4.4(e)3.
- The Department determined that there are wetlands located on the proposed project site based on the “Wetlands 2012” GIS data layer; however, in accordance with N.J.A.C. 7:15-4.4(e)4, and, pursuant to N.J.A.C. 7:15-4.4(j)3, the applicant has provided a Freshwater Wetlands Letter of Interpretation (LOI)/Line Verification File # 0803-13-0004.2 FWW200001 confirming that there are no wetlands within the proposed sewer service area.
- The Department determined that the proposed SSA does not contain any areas mapped as Fringe Planning Areas, Rural Planning Areas, or Environmentally Sensitive Planning Areas within the Coastal Area Facility Review Act (CAFRA) zone based on the “CAFRA (polygon)” GIS layer and the “State Plan Data” GIS layer, in accordance with N.J.A.C. 7:15-4.4(f).
- The Department determined that there are no 201 Facilities Plan grant conditions applicable to the project based on the U.S. Environmental Protection Agency list of New Jersey Grantees with ESA Grant Conditions at <https://www.epa.gov/npdes->

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE FEBRUARY 7, 2022 NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE PROPOSAL, THE OFFICIAL VERSION WILL GOVERN.

permits/environmentally-sensitive-area-esa-grant-condition-waiver-program-region-2 in accordance with N.J.A.C. 7:15-4.4(g).

Pursuant to N.J.A.C. 7:15-4.4(h)1 and 2, the Department considered the land uses allowed in adopted zoning ordinances, future land uses shown in adopted municipal and county master plans, and other local land use objectives. On August 18, 2020, the East Greenwich Township Combined Planning/Board of Adjustment passed Resolution 13-2020, granting Preliminary and Final Major Site Plan Approval. On July 27, 2021, Gloucester County provided a letter stating the proposed project was consistent with their Master Plan.

This notice is to inform the public that a plan amendment has been proposed for the Tri-county WQM Plan. All information related to this plan and the proposed amendment is located at:

New Jersey Department of Environmental Protection

Division of Watershed Protection & Restoration

Bureau of NJPDES Stormwater Permitting and Water Quality Management

Water Quality Management Planning Program

PO Box 420, Mail Code 501-02A

501 East State Street

Trenton, New Jersey 08625-0420

The Department's file is available for inspection between 9:00 A.M. and 4:00 P.M., Monday through Friday, upon request. An appointment to inspect the file must be arranged by calling the Bureau of NJPDES Stormwater Permitting and Water Quality Management at (609) 633-7021.

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE FEBRUARY 7, 2022 NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE PROPOSAL, THE OFFICIAL VERSION WILL GOVERN.

Interested persons may submit written comments on the proposed amendment to the

Department at the address cited above or at the email: wqmp.publiccomments@dep.nj.gov.

Comments should reference Program Interest No. 435433, Activity No. AMD210001 and must be submitted within 30 days of the date of this public notice.

Interested persons may request in writing that the Department hold a nonadversarial public hearing on the amendment or extend the public comment period specified in this notice. Such requests should reference Program Interest No. 435433; Activity No. AMD210001 and must demonstrate sufficient public interest for the public hearing or extension of the comment period, as defined at N.J.A.C. 7:1D-5.2(d). The request must be submitted within 30 days of the date of this notice to the Department address cited above. Should the Department decide to hold a public hearing, additional notice will be published in a future issue of the New Jersey Register and the comment period will be extended to 15 days after the Department's public hearing. All comments submitted prior to the close of the comment period shall be considered by the Department before making a final decision on the proposed amendment.

Sewer service is not guaranteed should this amendment be adopted as it represents only one part of the permit process and other issues may need to be addressed. Inclusion in the SSA as a result of the approval of this amendment does not eliminate the need to obtain all necessary permits, approvals or certifications required by any Federal, State, county or municipal review agency with jurisdiction over this project/activity.

12/21/2021

Date

SIGNED

Gabriel Mahon, Bureau Chief

Bureau of NJPDES Stormwater Permitting and Water Quality Management

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE FEBRUARY 7, 2022 NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE PROPOSAL, THE OFFICIAL VERSION WILL GOVERN.

Division of Watershed Protection and Restoration
NJ Department of Environmental Protection