PUBLIC NOTICE

ENVIRONMENTAL PROTECTION

WATERSHED AND LANDMANAGEMENT

DIVISION OF WATERSHED PROTECTION AND RESTORATION

Proposed Amendment to the Tri-County Water Quality Management Plan

Take notice that the New Jersey Department of Environmental Protection (Department) is seeking public comment on a proposed amendment to the Tri-County Water Quality Management (WQM) Plan in accordance with the New Jersey Water Quality Planning Act, N.J.S.A. 58:11A-et seq., and the Water Quality Management Planning rules, N.J.A.C. 7:15. The proposed amendment, identified as "Sykesville North Hanover" (Program Interest No. 435433, Activity No. AMD220005), on 56.52 acres on Block 602, Lot 9.02 (to be subdivided into Lots 9.021 - 9.025), in North Hanover Township, Burlington County. The project is proposing 917,050 square feet (sf) of warehouse space within five buildings with an additional 10,000 sf of associated office space per building, for a total of 967,050 sf. Wastewater from the proposed development would be served by a proposed onsite Discharge to Groundwater (DGW) wastewater treatment system, which will be regulated under a New Jersey Pollutant Discharge Elimination System (NJPDES) permit. The proposed wastewater flow, for three shifts, is 16,180 gallons per day (gpd), based on flow calculated in accordance with N.J.A.C. 7:9A.

This notice represents the Department's determination that the proposed amendment is compliant with the applicable regulatory criteria at N.J.A.C. 7:15, as described below.

In accordance with N.J.A.C. 7:15-3.3(b), site specific amendments are limited to proposed alterations of the eligible SSA needed to address a specific project or activity. N.J.A.C. 7:15-3.5(j)2 requires

that site specific amendments proposing to add 100 or more acres or generating 20,000 gpd or more of wastewater must update the wastewater treatment capacity analysis prepared in accordance with N.J.A.C. 7:15-4.5(b) to include the proposed project or activity. The proposed project involves less than 100 acres of proposed SSA and will generate less than 20,000 gpd of wastewater flow; therefore, update of the wastewater treatment capacity analysis is not required.

Pursuant to N.J.A.C. 7:15-4.4(d), the following are not eligible for delineation as SSAs, except as otherwise provided at N.J.A.C. 7:15-4.4(i), (j), (k), and (l): environmentally sensitive areas (ESAs) identified pursuant to N.J.A.C. 7:15-4.4(e), as any contiguous area of 25 acres or larger consisting of any of the following, alone, or in combination: endangered or threatened wildlife species habitat, Natural Heritage Priority Sites, riparian zones of Category One (C1) waters and their tributaries, or wetlands; coastal planning areas identified at N.J.A.C. 7:15-4.4(f); and ESAs subject to 201 Facilities Plan grant conditions pursuant to N.J.A.C. 7:15-4.4(g). The Department conducted an evaluation of the project site using a GIS shapefile provided by the applicant compared to the Department's GIS data layers available at https://gisdata-njdep.opendata.arcgis.com and/or other information as noted below, to determine the presence of any such areas in accordance with N.J.A.C. 7:15-4.4(e), (f), and (g) and made the following findings:

- The Department determined that the proposed expanded SSA does not contain any areas mapped as threatened and endangered wildlife species habitat Rank 3, 4 or 5 on the Department's Landscape Maps of Habitat for Endangered, Threatened or Other Priority Wildlife based on the "Landscape Project Data" Version 3.3 GIS data layers, in accordance with N.J.A.C. 7:15-4.4(e)1.
- The Department determined that the proposed SSA does not contain any areas mapped as Natural Heritage Priority Sites based on the "Natural Heritage Priority Sites" GIS data layer, in accordance with N.J.A.C. 7:15-4.4(e)2.

- The Department determined that the proposed SSA does not contain any C1 waters or 300-foot riparian zones along any C1 waters or upstream tributaries within the same HUC-14 watershed of any C1 waters based on the "Surface Water Quality Standards" GIS data layer, in accordance with N.J.A.C. 7:13-4.1(c)1 and 7:15-4.4(e)3.
- The Department determined that the proposed SSA does not contain wetlands based on the "Wetlands 2012" GIS data layer, in accordance with N.J.A.C. 7:15-4.4(e)4. The applicant provided a Freshwater Wetlands Letter of Interpretation (LOI) File#0326-20-0002.1 FWW200001 confirming no contiguous area of wetlands, alone or in combination with other ESAs, of 25 acres or more are located within the proposed SSA. Areas of isolated wetlands less than the 25-acre criteria threshold do exist within the proposed SSA.
- The Department determined that the proposed SSA does not contain any areas mapped as Fringe Planning Areas, Rural Planning Areas, or Environmentally Sensitive Planning Areas within the Coastal Area Facility Review Act (CAFRA) zone based on the "CAFRA (polygon)" GIS layer and the "State Plan Data" GIS layer, in accordance with 7:15-4.4(f).
- The Department determined that there are no 201 Facilities Plan grant conditions applicable to the project site based on the U.S. Environmental Protection Agency list of New Jersey Grantees with ESA Grant Conditions at https://www.epa.gov/npdes-permits/environmentally-sensitive-area-esa-grant-condition-waiver-program-region-2, in accordance with N.J.A.C. 7:15-4.4(g).

Pursuant to N.J.A.C. 7:15-4.4(h)1 and 2, the Department considered the land uses allowed in adopted zoning ordinances, future land uses shown in adopted municipal and county master plans, and other local land use objectives. The Township of North Hanover Township adopted Ordinance No. 2023-01 on February 2, 2023, adopting the "Redevelopment Plan for Block 602, Lot 9.02" dated November 2,

2022. The North Hanover Township Joint Land Use Board granted conditional approval of the Preliminary and Final Major Site Plan and Preliminary and Final Major Subdivision of Lot 9.02 in Resolution 2023-13 on October 25, 2023. At its September 12, 2023, meeting, the Land Development Review Committee of the Burlington County Planning Board, conditionally approved the subdivision of Lot 9.02 and the project site plan, as provided in letters dated September 13 and 14, 2023, respectively.

This notice is to inform the public that a plan amendment has been proposed for the Tri-County WQM Plan. All information related to this plan and the proposed amendment is located at:

New Jersey Department of Environmental Protection

Division of Watershed Protection and Restoration

Bureau of NJPDES Stormwater Permitting & Water Quality Management

P.O. Box 420, Mail Code 501-02A

501 East State Street

Trenton, New Jersey 08625-0420

The Department's file is available for inspection between 9:00 a.m. and 4:00 p.m., Monday through Friday, upon request. An appointment to inspect the file must be arranged by calling the Bureau of NJPDES Stormwater Permitting & Water Quality Management at (609) 633-7021.

Interested persons may submit written comments on the proposed amendment to the Department at the address cited above or at the email: wqmp.publiccomments@dep.nj.gov. Comments should reference Program Interest No. 435433, Activity No. AMD220005 and must be submitted within 30 days of the date of this public notice.

Interested persons may request in writing that the Department hold a nonadversarial public hearing on the amendment or extend the public comment period specified in this notice. Such requests should reference Program Interest No. 435433, Activity No. AMD220005 and must demonstrate sufficient

NOTE: THIS IS A COURTESY COPY OF THIS PLAN AMENDMENT PROPOSAL. THE OFFICIAL VERSION WILL BE PUBLISHED IN THE JANUARY 16, 2024 NEW JERSEY REGISTER. SHOULD THERE BE ANY DISCREPANCIES

BETWEEN THIS TEXT AND THE OFFICIAL VERSION OF THE PROPOSAL, THE OFFICIAL VERSION WILL

GOVERN.

public interest for the public hearing or extension of the comment period, as defined under N.J.AC. 7:1D-

5.2(d). The request must be submitted within 30 days of the date of this notice to the Department address

cited above. Should the Department decide to hold a public hearing, additional notice will be published in

a future issue of the New Jersey Register and the comment period will be extended to 15 days after the

public hearing. All comments submitted prior to the close of the comment period shall be considered by

the Department before making a final decision on the proposed amendment.

Sewer service is not guaranteed should this amendment be adopted as it represents only one

part of the permit process and other issues may need to be addressed. Inclusion in the SSA as a result of

the approval of this amendment does not eliminate the need to obtain all necessary permits, approvals

or certifications required by any Federal, State, county, or municipal review agency with jurisdiction over

this project/activity.

12/1/23

Signed

Date

Gabriel Mahon, Bureau Chief

Bureau of NJPDES Stormwater Permitting & Water

Quality Management

Division of Watershed Protection and Restoration

New Jersey Department of Environmental Protection

5