



DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATERSHED MANAGEMENT

REVISION TO THE LOWER RARITAN/MIDDLESEX COUNTY AND UPPER
RARITAN WATER QUALITY MANAGEMENT PLANS

TAKE NOTICE that on December 1, 2005, pursuant to the provisions of the Water Quality Planning Act, N.J.S.A.58:11A-1 et seq, and the Statewide Water Quality Management Planning rules, N.J.A.C. 7:15-3.5, a revision to the Lower Raritan/Middlesex County and Upper Raritan Water Quality Management Plans was adopted by the Department. This revision modifies the Somerset County/ Upper Raritan Watershed Wastewater Management Plan and the Lower Raritan/Middlesex County Wastewater Management Plan. Carriage Park at Bound Brook consists of a three building development with a total of 432 age-restricted residential units. This revision allows the transfer of sewer service area and flows from 176 of the units currently located in the Somerset Raritan Valley Sewerage Authority Sewer Service Area (SSA) to the Middlesex County Utilities Authority SSA. The remaining units are already located within the Middlesex County Utilities Authority sewer service area. The property is located on Block 68, Lot 1.01 and 1.02 in the Borough of Bound Brook. These 176 age-restricted residential units will generate 14,400 gallons per day (gpd). The Carriage Park at Bound Brook project qualifies as a revision under N.J.A.C. 7:15-3.5 (b) 4ii.


Lawrence J. Baier, Director
Division of Watershed Management
Department of Environmental Protection


Date