Facility Table Sykesville North Hanover						
Existing or proposed facility:	Proposed					
New Jersey Pollutant Discharge     Elimination System Permit Number:	NJ0345245 (Admin Complete)					
Discharge to ground water (DGW) or surface water (DSW):	DGW					
4. Receiving water or aquifer:	Kirkwood-Cohansey					
5. Classification of receiving water or aquifer:	B-A					
6. Owner of facility:	North Hanover Realty Partners, LLC					
7. Operator of facility:	North Hanover Realty Partners, LLC					
8. Co-Permittee of facility (where applicable):	N/A					
9. Location of facility:						
a. Municipality & County	Township of North Hanover, Burlington County					
b. Street address	Croshaw Road and McGure Access Road					
c. Block(s) and Lot(s)	Block 602; Lot 9.02 (to be subdivided into Lots 9.021 - 9.025)					
10. Location of discharge (i.e. degrees, minutes, seconds):	a. 40° 2'43.33"N b. 74°36'49.09"W c. State Plane Coordinates: X Coord: 460226.49168 Y Coord: 441528.50948					
11. Present permitted flow or permit condition or daily maximum:	N/A					
12. Summary of population served/to be served including major seasonal fluctuations:	Current Population (Year 2023)	20-Year Future (Year 2043)				
Total	0	- 459 warehouse employees over three shifts - 140 office employees over one shift (50,000 sq ft) - 150 delivery drivers over three shifts				
13. Summary of wastewater flow received/to be received as a 3-day average flow for DSW or a daily maximum flow for DGW:	Current (Year 2023) Flow (in MGD)	20-Year Future (Year 2043) (in MGD)				
Commercial Flow: Warehouses	0	0.006885				
Showers	0 0.002295					
Office Space	0	0.00625				
Deliveries	0	0.00075				
Total Flow:	0	0.01618				