


Delaware River Basin Commission

Enhancing Data Interpretation in the Delaware River Basin with R

Robert Limbeck
Senior Aquatic Biologist

John Yagecic, P.E.
Manager, Water Quality Assessment

10th National Monitoring Conference
Tampa, FL
May 2016



Delaware River Basin Commission

DELAWARE • NEW JERSEY
PENNSYLVANIA • NEW YORK
UNITED STATES OF AMERICA

This Presentation


* **Three Sample Projects by Delaware River Basin Commission**

1. Boat Run Explorer
2. Near real-time flow & water quality dashboards
3. Optimization of complex response time for Dissolved Oxygen

Project 1: Boat Run Explorer

- * **Wanted to foster better public engagement with long-running monitoring program;**
 - * Colleagues, stakeholders, students, public(?);
 - * What to show?
 - * Paper report? Would anyone read it?
 - * Able to be updated?

Boat Run Explorer



Boat Run Explorer Details

Direct Link

- * <https://johnyagecic.shinyapps.io/BoatRunExplorer/>
 - * Shiny App hosted by the shiny apps io server;
 - * User selected time period;
 - * By River Mile or by month;
 - * 1000s of combinations most of which we haven't seen;
 - * Links to program page and "what's a box plot" Wikipedia page;
 - * Explore data spatial and temporal structure.
- * User selected parameter:
 - * Temperature;
 - * Salinity;
 - * Nitrate + Nitrite;
 - * DO;
 - * DO Sat;
 - * Secchi depth;
 - * Turbidity;
 - * Others.

Project 2: Daily Dashboards



- * **Wanted near-real-time assessment of water quality and flow conditions;**
 - * Take advantage of real-time data;
 - * Better sense of system response & dynamics;
 - * Improved ability to:
 - * notify others
 - * respond to problematic conditions;
 - * remedy problematic conditions (if possible) .
 - * <http://drbc.net/Sky/flows.htm>
 - * <http://drbc.net/Sky/waterq.htm>

Automated Process for Generating Daily Dashboards


USGS NWIS



NOAA PORTS




Web Site



- * Fully Automated
- * Overnight, every night
- * R scripts executed in **batch mode**
- * Called by Windows Task Scheduler

Daily Dashboard Features: Animated choropleth


Delaware Basin daily water Yield
(CFS/square mile) on 01/28/2016



- * Retrieve daily mean Q from 140+ USGS gages in basin for previous 20 days;
- * Divide daily Q by gage drainage area to get yield;
- * Mean of all yields within a HUC8 for each day;
- * Animate over 20-day time series.

Daily Dashboard Features: DO Assessment and Trending


Delaware River Dissolved Oxygen Concentrations
04/18/2015 to 04/23/2015 and Standards



- * Retrieve daily mean DO from USGS sites last 5 days;
- * Plot compared to DO standards (red line);
- * Newest DO – big dark dot;
- * Older DO – smaller lighter dot.

Daily Dashboard Features: Total Dissolved Solids near real-time


Mainstem Delaware River estimated maximum Total Dissolved Solids on 08/09/2015
Derived from USGS continuous Specific Conductance measurements



- * Real time specific conductance data;
- * Location specific relationships to compute TDS (black dot) from SC;
- * Compare near-real-time computed TDS to standards (red line).


Daily Dashboard Features: Animated Tidal Water Surface

Delaware Estuary Water Surface Elevation, 02/05/2016 00:00
Data retrieved 02/09/2016



- * Retrieve NOAA PORTS water surface time series data;
- * observed last 5 days to predicted to end of today;
- * Longitudinal plot for each time step;
- * Knit together to animation.

Project 3: Determine complex lag time between stimulus and response



- * **Wanted to better understand relationships between stimulus and response variables;**
- * Some relationship water temperature at Trenton and DO at Philadelphia but...
- * Travel time...
- * Residence time in estuary much higher...
- * Lag time?
- * Rolling mean of multiple days?
- * Some combination of rolling mean and lag time?

Power of a scripting language for examining data


- * 10 years of daily data (USGS);
- * Can cycle through every combination of lag time, rolling mean (stimulus), lag + rolling mean;
- * 49,000 possible combinations
- * Separate linear regression model for each of 49,000
- * Compare all resulting R^2 values

```
7 for (i in 1:length(term1)){  
4 for (j in 1:length(term2)){  
5 for (k in 1:length(term3)){  
6 testmod<-lm(y~term1[i]+  
7 term2[j]+  
8 term3[k])  
9 summary(testmod)$adj.r.squared  
10 }  
11 }  
12 }  
13 }
```


* pseudo-code only, not actual script

Complex Lag Time Result

Structure of R-squared values for tested Rolling Mean and Lag



R-squared



- * Resulting R^2 values (vertical axis) have structure - not random;
- * One combination is better than all other combinations;
 - * 16-day rolling mean temperature at Trenton lagged by 4 days;
- * Can understand something about system that would be difficult to determine any other way.

Thank You!

Delaware River Basin Commission

www.drbc.net

John.Yagecic@drbc.nj.gov

Robert.Limbeck@drbc.nj.gov

609-883-9500

* *P.S. – Always looking for collaborators to do something interesting.*