


ENGLISH LANGUAGE ARTS / LITERACY Grade 4 Assessment, Spring 2015

PARCC
State
District

Students with Valid Scores (522)

Purpose: This report presents the average percent correct by item for district, state and PARCC.



Evidence Statement

Difficulty level is determined at the PARCC level for all reports

Evidence Statement Analysis

Grade 4

This report shows the operational Evidence Statements for the given grade and subject sorted by difficulty

ENGLISH LANGUAGE ARTS / LITERACY

Grade 4 Assessment, Spring 2015

Difficulty Order Most to Least	Evidence Statement	Common Core State Standard(s)	Domain
1	RL.4.5.1	RL.4.05	Reading: Literature
2	RI.4.5.1	RI.4.05	Reading: Informational Text
3	RI.4.3.1	RI.4.03	Reading: Informational Text
4	RI.4.6.1	RI.4.06	Reading: Informational Text
5	RI.4.2.1	RI.4.02	Reading: Informational Text
6	RI.4.6.1	RI.4.06	Reading: Informational Text
7	RI.4.2.1	RI.4.02	Reading: Literature
8	RI.4.2.2	RI.4.02	Reading: Informational Text
9	RI.4.3.2	RI.4.03	Reading: Literature
10	RI.4.1.1	RI.4.01	Reading: Informational Text
11	RI.4.2.3	RI.4.02	Reading: Informational Text
12	RI.4.3.3	RI.4.03	Reading: Literature
13	RI.4.3.3	RI.4.03	Reading: Informational Text
14	RI.4.6.1	RI.4.06	Reading: Literature
15	RI.4.1.1	RI.4.01	Reading: Literature
16	RI.4.2.2	RI.4.02	Reading: Literature
17	RI.4.3.2	RI.4.03	Reading: Informational Text
18	RI.4.3.1	RI.4.03	Reading: Literature
19	RI.4.4.1	RI.4.04	Reading: Informational Text
20	L.4.4.1	L.4.04	Language
21	RI.4.4.1	RI.4.04	Reading: Literature
22	L.4.5.2	L.4.05	Language
23	RI.4.6.2	RI.4.06	Reading: Informational Text
24	L.4.5.1	L.4.05	Language
25	L.4.5.3	L.4.05	Language
26	RI.4.7.1	RI.4.07	Reading: Informational Text



State of New Jersey
Department of Education

District Evidence Statement Analysis

Grade 3

CONFIDENTIAL - DO NOT DISCLOSE

SAMPLE DISTRICT NAME

SAMPLE STATE

PARCC

State


District

MATHEMATICS

Grade 3 Assessment, Spring 2015

Students with Valid Scores (999)

Purpose: This report presents the average percent correct by item for district, state and PARCC.



Evidence Statement

MATHEMATICS

Grade 3 Assessment, Spring 2015

Difficulty Order Most to Least	Evidence Statement	Common Core State Standard(s)	Domain
36	3.C.2	3.OA.B.06	Operations and Algebraic Thinking
37	3.C.1-1	3.OA.B.05	Operations and Algebraic Thinking
38	3.C.4-5	3.MD.C.07	Measurement and Data
39	3.NF.3c	3.NF.A.03.c	Numbers and Operations - Fraction
40	3.OA.7-1	3.OA.C.07	Operations and Algebraic Thinking
41	3.C.1-2	3.OA.D.09	Operations and Algebraic Thinking
42	3.OA.3-3	3.OA.A.03	Operations and Algebraic Thinking
43	3.MD.3-1	3.MD.B.03	Measurement and Data
44	3.OA.3-4	3.OA.A.04	Operations and Algebraic Thinking
45	3.MD.5	3.MD.C.05	Measurement and Data
46	3.OA.3-2	3.OA.A.03	Operations and Algebraic Thinking
47	3.MD.2-3	3.MD.A.02	Measurement and Data
48	3.C.1-3	3.MD.C.07	Operations and Algebraic Thinking
49	3.Int.1	Multiple	Multiple
50	3.C.5-2	3.MD.C.07.b 3.MD.C.07.d	Measurement and Data
51	3.MD.7d	3.MD.C.07.d	Measurement and Data
53	3.C.4-6	3.OA.D.09	Operations and Algebraic Thinking
53	3.NF.2	3.NF.A.02	Numbers and Operations - Fraction

Grade: 4**Claim: Reading Literature: Students read and demonstrate comprehension of grade-level complex literary text.****Items designed to measure this claim may address the standards and evidences listed below:**

Standards:	Evidences to be measured on the PARCC Summative Assessment
	The student's response:
RL 1: Refer to details and examples in a text when explaining what the text says explicitly and when drawing inferences from the text.	<ul style="list-style-type: none">• Provides references to details and/or examples in a text when explaining what the text says explicitly and/or when explaining inferences drawn from the text. (1)¹•
RL 2: Determine a theme of a story, drama, or poem from details in the text; summarize the text.	<ul style="list-style-type: none">• Provides a statement of a theme of a text. (1)• Provides a summary of the text. (2)
RL 3: Describe in depth a character, setting, or event in a story or drama, drawing on specific details in the text (e.g., a character's thoughts, words, or actions).	<ul style="list-style-type: none">• Provides an in-depth description of a character in a story or drama, drawing on specific details in the text (e.g., a character's thoughts, words, or actions). (1)• Provides an in-depth description of a setting in a story or drama, drawing on specific details in the text. (2)• Provides an in-depth description of an event in a story or drama, drawing on specific details in the text. (3)
RL 5: Explain major differences between poems, drama, and prose, and refer to the structural elements of poems (e.g., verse, rhythm, meter) and drama (e.g., casts of characters, settings, descriptions, dialogue, stage directions) when writing or speaking about a text.	<ul style="list-style-type: none">• Provides an explanation of major differences between poems, drama, and prose with references to structural elements of poems (e.g., verse, rhythm, meter) and drama (e.g., casts of characters, settings, descriptions, dialogue, stage directions) when writing about a text. (1)
RL 6: Compare and contrast the point of view from which different stories are narrated, including the difference between first- and third-person narrations.	<ul style="list-style-type: none">• Provides a comparison and contrast of the point of view from which different stories are narrated, including the difference between first- and third-person narrations. (1)
RL 7: Make connections between the text of a story or drama and a visual or oral presentation of the text, identifying where each version reflects specific descriptions and directions in the text.	<ul style="list-style-type: none">• Provides a connection between the text of a story or drama and a visual or oral presentation of the text, identifying where each version reflects specific descriptions and/or directions in the text. (1)
RL 9: Compare and contrast the treatment of similar themes and topics (e.g., opposition of good and evil) and patterns of events (e.g., the quest) in stories, myths, and traditional literature from different cultures.	<ul style="list-style-type: none">• Provides a comparison and contrast of the treatment of similar themes and/or topics (e.g., opposition of good and evil) in stories, myths, and traditional literature from different cultures. (1)• Provides a comparison and contrast of the treatment of similar patterns of events (e.g., the quest) in stories, myths, and traditional literature from different cultures. (2)

¹ This evidence combines grade 4 evidences RL1.1 and RL1.2 from Phase 1 and 2.

Grade: 4

Claim: Reading Information: Students read and demonstrate comprehension of grade-level complex informational texts.

Items designed to measure this claim may address the standards and evidences listed below:

Standards:	Evidences to be measured on the PARCC Summative Assessment The student's response:
RI 1: Refer to details and examples in a text when explaining what the text says explicitly and when drawing inferences from the text.	<ul style="list-style-type: none"> Provides references to details and/or examples in a text when explaining what the text says explicitly and/or text when explaining inferences drawn from the text. (1)²
RI 2: Determine the main idea of a text and explain how it is supported by key details; summarize the text.	<ul style="list-style-type: none"> Provides a statement of the main idea of a text. (1) Provides an explanation of how the main idea is supported by key details. (2) Provides a summary of the text. (3)
RI 3: Explain events, procedures, ideas, or concepts in a historical, scientific, or technical text, including what happened and why, based on specific information in the text.	<ul style="list-style-type: none"> Provides an explanation of events in a historical, scientific, or technical text, including what happened and why, based on specific information in the text. (1) Provides an explanation of procedures in a historical, scientific, or technical text, including what happened and why, based on specific information in the text. (2) Provides an explanation of ideas or concepts in a historical, scientific, or technical text, including what happened and why, based on specific information in the text. (3)
RI 5: Describe the overall structure (e.g., chronology, comparison, cause/effect, problem/solution) of events, ideas, concepts, or information in a text or part of a text.	<ul style="list-style-type: none"> Provides a description of the overall structure (e.g., chronology, comparison, cause/effect, and problem/solution) of events, ideas, concepts or information in a text or part of a text. (1)
RI 6: Compare and contrast a firsthand and secondhand account of the same event or topic; describe the differences in focus and the information provided.	<ul style="list-style-type: none"> Provides a comparison and contrast of the focus and information in a firsthand and secondhand account of the same event or topic. (1)³
RI 7: Interpret information presented visually, orally, or quantitatively (e.g., in charts, graphs, diagrams, time lines, animations, or interactive elements on Web pages) and explain how the information contributes to an understanding of the text in which it appears.	<ul style="list-style-type: none"> Provides an interpretation of information presented visually (e.g., in charts, graphs, diagrams, time lines, animations, or interactive elements on Web pages). (1) Provides an interpretation of information presented orally (e.g., animations or interactive elements on Web pages). (2) Provides an interpretation of information presented quantitatively (e.g., in charts, graphs, diagrams, or interactive elements on Web pages). (3) Provides an explanation of how the information presented visually, orally, or quantitatively contributes to an understanding of the text in which it appears. (4)
RI 8: Explain how an author uses reasons and evidence to support particular points in a text.	<ul style="list-style-type: none"> Provides an explanation of how an author uses reasons to support particular points in a text. (1) Provides an explanation of how an author uses evidence to support particular points in a text. (2)
RI 9: Integrate information from two texts on the same topic in order to write or speak about the subject knowledgeably.	<ul style="list-style-type: none"> Provides a statement that integrates information from two texts on the same topic. (1)

² This evidence combines grade 4 evidences RI1.1 and RI1.2 from Phases 1 and 2.

³ This evidence combines grade 4 evidences RI6.1 and RI6.2 from Phases 1 and 2.

Grade: 4

Claim: Vocabulary Interpretation and Use: Students use context to determine the meaning of words and phrases.

Items designed to measure this claim may address the standards and evidences listed below:

Standards:	Evidences to be measured on the PARCC Summative Assessment The student's response:
RL 4: Determine the meaning of words and phrases as they are used in a text, including those that allude to significant characters found in mythology (e.g., <i>Herculean</i>).	<ul style="list-style-type: none">• Demonstrates the ability to determine the meaning of words and phrases as they are used in a text, including those that allude to significant characters found in mythology (e.g., <i>Herculean</i>). (1)
RI 4: Determine the meaning of general academic and domain-specific words or phrases in a text relevant to a grade 4 topic or subject area.	<ul style="list-style-type: none">• Demonstrates the ability to determine the meaning of general academic words or phrases in a text relevant to a grade 4 topic or subject area. (1)
L 4: Determine or clarify the meaning of unknown and multiple-meaning words and phrases based on grade 4 reading and content, choosing flexibly from a range of strategies. a. Use context (e.g., definitions, examples, or restatements in text) as a clue to the meaning of a word or phrase. b. Use common, grade-appropriate Greek and Latin affixes and roots as clues to the meaning of a word (e.g., telegraph, photograph, autograph). c. Consult reference materials (e.g., dictionaries, glossaries, thesauruses), both print and digital, to find the pronunciation and determine or clarify the precise meaning of key words and phrases.	<ul style="list-style-type: none">• Demonstrates the ability to determine the meaning of words and phrases, using context (e.g., definitions, examples, or restatements in text). (1)• FOR DIAGNOSTIC ONLY: Demonstrates the ability to use common, grade-appropriate Greek and Latin affixes and roots as clues to the meaning of a word (e.g., telegraph, photograph, autograph). (2)
L 5: Demonstrate understanding of figurative language, word relationships, and nuances in word meanings. a. Explain the meaning of simple similes and metaphors (e.g., as pretty as a picture) in context. b. Recognize and explain the meaning of common idioms, adages, and proverbs. c. Demonstrate understanding of words by relating them to their opposites (antonyms) and to words with similar but not identical meanings (synonyms).	<ul style="list-style-type: none">• Demonstrates the ability to determine meaning of simple similes and metaphors (e.g., <i>as pretty as a picture</i>) in context. (1)• Demonstrates the ability to explain the meaning of common idioms, adages, and proverbs. (2)• Demonstrates understanding of words by relating them to their opposites (antonyms) and to words with similar but not identical meanings (synonyms). (3)
L 6: Acquire and use accurately grade-appropriate general academic and domain-specific words and phrases, including those that signal precise	<ul style="list-style-type: none">• Provides a statement demonstrating accurate meaning and use of grade-appropriate general academic words and phrases, including those that signal precise actions, emotions or states of being (e.g., <i>quizzed, whined, stammered</i>). (1)

<p>L 6: Acquire and use accurately grade-appropriate general academic and domain-specific words and phrases, including those that signal precise actions, emotions, or states of being (e.g., quizzed, whined, stammered) and that are basic to a particular topic (e.g., wildlife, conservation, and endangered when discussing animal preservation).</p>	<ul style="list-style-type: none">Provides a statement demonstrating accurate meaning and use of grade-appropriate general academic words and phrases, including those that signal precise actions, emotions or states of being (e.g., <i>quizzed, whined, stammered</i>). (1)	
---	--	--

41



Partnership for Assessment of
Readiness for College and Careers

Evidence Statement Tables

Grade 3 Mathematics

Evidence Statement Keys

Evidence statements describe the knowledge and skills that an assessment item/task elicits from students. These are derived directly from the Common Core State Standards for Mathematics (the standards), and they highlight the advances of the standards, especially around their focused coherent nature. The evidence statement keys for grades 3 through 8 will begin with the grade number. High school evidence statement keys will begin with “HS” or with the label for a conceptual category. Together, the five different types of evidence statements described below provide the foundation for ensuring that PARCC assesses the full range and depth of the standards which can be downloaded from <http://www.corestandards.org/Math/>.

An Evidence Statement might:

1. Use exact standard language – For example:

- 8.EE.1 - Know and apply the properties of integer exponents to generate equivalent numerical expressions. *For example, $3^2 \times 3^{-5} = 3^{-3} = 1/3^3 = 1/27$.* This example uses the exact language as standard 8.EE.1.

2. Be derived by focusing on specific parts of a standard – For example: 8.F.5-1 and 8.F.5-2 were derived from splitting standard 8.F.5:

- 8.F.5-1 Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear).
- 8.F.5-2 Sketch a graph that exhibits the qualitative features of a function that has been described verbally.

Together these two evidence statements are standard 8.F.5:

Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.

3. Be integrative (Int) – Integrative evidence statements allow for the testing of more than one of the standards on a single item/task without going beyond the standards to create new requirements. An integrative evidence statement might be integrated across all content within a grade/course, all standards in a high school conceptual category, all standards in a domain, or all standards in a cluster. For example:

- **Grade/Course – 4.Int.2^s** (Integrated across Grade 4)
- **Conceptual Category – F.Int.1^s** (Integrated across the Functions Conceptual Category)
- **Domain – 4.NBT.Int.1^s** (Integrated across the Number and Operations in Base Ten Domain)
- **Cluster – 3.NF.A.Int.1^s** (Integrated across the Number and Operations – Fractions Domain, Cluster A)

4. **Focus on mathematical reasoning**— A reasoning evidence statement (keyed with C) will state the type of reasoning that an item/task will require and the content scope from the standard that the item/task will require the student to reason about. For example:

- 3.C.2[§] -- Base explanations/reasoning on the relationship between addition and subtraction of the relationship between multiplication and division.
 - Content Scope: Knowledge and skills are articulated in 3.OA.6
- 7.C.6.1[§] – Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures.
 - Content Scope: Knowledge and skills are articulated in 7.RP.2

Note: When the focus of the evidence statement is on reasoning, the evidence statement may also require the student to reason about securely held knowledge from a previous grade.

5. **Focus on mathematical modeling** – A modeling evidence statement (keyed with D) will state the type of modeling that an item/task will require and the content scope from the standard that the item/task will require the student to model about. For example:

- 4.D.2[§] – Solve multi-step contextual problems with degree of difficulty appropriate to Grade 4 requiring application of knowledge and skills articulated in 3.OA.A, 3.OA.8,3.NBT, and/or 3.MD.

Note: The example 4.D.2 is of an evidence statement in which an item/task aligned to the evidence statement will require the student to model on grade level, using securely held knowledge from a previous grade.

- HS.D.5[§] - Given an equation or system of equations, reason about the number or nature of the solutions.
 - Content scope: A-REI.1.1, involving any of the function types measured in the standards.

[§] The numbers at the end of the integrated, modeling and reasoning Evidence Statement keys are added for assessment clarification and tracking purposes. For example, 4.Int.2 is the second integrated Evidence Statement in Grade 4.

Grade 3 Evidence Statements Listing by Type I, Type II, and Type III

The PARCC Evidence Statements for Grade 3 Mathematics are provided starting on the next page. The list has been organized to indicate whether items designed are aligned to an Evidence Statement used for Type I items, Type II items (reasoning), or Type III items (modeling).

Evidence Statements are presented in the order shown below and are color coded:

Peach – Evidence Statement is applicable to Type I items.

Lavender – Evidence Statement is applicable to the Type II items.

Aqua – Evidence Statement is applicable to the Type III items.

Grade 3 Evidence Statements

Type I Type II Type III

Sub-Claim	Evidence Statement Key	Evidence Statement Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
A	3.OA.1	Interpret products of whole numbers, e.g., interpret 5×7 as the total number of objects in 5 groups of 7 objects each. <i>For example, describe a context in which a total number of objects can be expressed as 5×7.</i>	<p>i) Tasks involve interpreting rather than calculating products in terms of equal groups, arrays, area, and/or measurement quantities. (See CCSSM, Table 2, Common multiplication and division situations, p. 89.) For example, "the total number of books if 6 shelves each have 7 books" can be represented by the expression 5×7 rather than "Marie placed 7 books on each of 5 shelves. How many books does she have?"</p> <p>ii) Tasks do not require students to interpret products in terms of repeated addition, skip-counting, or jumps on the number line.</p> <p>iii) The italicized example refers to describing a real-world context, but describing a context is not the only way to meet the standard. For example, another way to meet the standard would be to identify contexts in which a total can be expressed as a specified product.</p>	MP.2, MP.4
A	3.OA.2	Interpret whole-number quotients of whole numbers, e.g., interpret $56 \div 8$ as the number of objects in each share when 56 objects are partitioned equally into 8 shares, or as a number of shares when 56 objects are partitioned into equal shares of 8 objects each. <i>For example, describe a context in which a number of shares or a number of groups can be expressed as $56 \div 8$.</i>	<p>i) Tasks involve interpreting rather than calculating quotients in terms of equal groups, arrays, area, and/or measurement quantities. (See CCSSM, Table 2, Common multiplication and division situations, p. 89.) For example, "35 books are placed equally on 7 shelves" can be represented by the expression $35 \div 7$ rather than "Marie has 35 books. She placed the same number on each of 7 shelves. How many books did she place on each shelf?"</p> <p>ii) Tasks do not require students to interpret quotients in terms of repeated subtraction, skip-counting, or jumps on the number line.</p> <p>iii) The italicized example refers to describing a real-world context, but describing a context is not the only way to meet the standard. For example, another way to meet the standard would be to identify contexts in which a number of objects can be expressed as a specified quotient.</p> <p>iv) Half the tasks require interpreting quotients as a number of objects in each share and half require interpreting quotients as a number of equal shares.</p>	MP.2, MP.4
A	3.OA.3-1	Use multiplication within 100 (both factors less than or equal to 10) to solve word problems in situations involving equal groups, arrays, or area, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem.	<p>i) All products come from the harder three quadrants of the times table ($a \times b$ where $a > 5$ and/or $b > 5$).</p> <p>ii) 75% of tasks involve multiplying to find the total number (equal groups, arrays). 25% involve multiplying to find the area.</p> <p>iii) For more information see CCSS, Table 2, Common multiplication and division situations, p. 89 and the OA Progression.</p>	MP.1, MP.4

Grade 3 Evidence Statements

Type I Type II Type III

Sub-Claim	Evidence Statement Key	Evidence Statement Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
A	3.OA.3-2	Use multiplication within 100 (both factors less than or equal to 10) to solve word problems in situations involving measurement quantities other than area (e.g., by using drawings and equations with a symbol for the unknown number to represent the problem).	<ul style="list-style-type: none"> i) All products come from the harder three quadrants of the times table ($a \times b$ where $a > 5$ and/or $b > 5$). ii) Tasks involve multiplying to find a total measure (other than area). iii) For more information see CCSS Table 2: Common multiplication and division situations, p. 89 and the OA Progression. 	MP.1, MP.4
A	3.OA.3-3	Use division within 100 (quotients related to products having both factors less than or equal to 10) to solve word problems in situations involving equal groups, arrays, or area (e.g., by using drawings and equations with a symbol for the unknown number to represent the problem).	<ul style="list-style-type: none"> i) All quotients are related to products from the harder three quadrants of the times table ($a \times b$ where $a > 5$ and/or $b > 5$). ii) Tasks using this Evidence Statement will be created equally among the following: <ul style="list-style-type: none"> • dividing to find the number in each equal group or in each equal row/column of an array; • dividing to find the number of equal groups or the number of equal rows/columns of an array; and • dividing an area by a side length to find an unknown side length. iii) For more information see CCSS Table 2: Common multiplication and division situations, p. 89 and the OA Progression. 	MP.1, MP.4
A	3.OA.3-4	Use division within 100 (quotients related to products having both factors less than or equal to 10) to solve word problems in situations involving measurement quantities other than area (e.g., by using drawings and equations with a symbol for the unknown number to represent the problem).	<ul style="list-style-type: none"> i) All quotients are related to products from the harder three quadrants of the times table ($a \times b$ where $a > 5$ and/or $b > 5$). ii) Half the tasks involve finding the number of equal pieces and half involve finding the measure of each piece. iii) For more information see CCSS Table 2: Common multiplication and division situations, p. 89 and the OA Progression. 	MP.1, MP.4
A	3.OA.4	Determine the unknown whole number in a multiplication or division equation relating three whole numbers. For example, determine the unknown number that makes the equation true in each of the equations $8 \times ? = 48$, $5 = \square \div 3$, $6 \times 6 = ?$.	<ul style="list-style-type: none"> i) Tasks do not have a context. ii) Only the answer is required. iii) All products and related quotients are from the harder three quadrants of the times table ($a \times b$ where $a > 5$ and/or $b > 5$). 	
A	3.OA.6	Understand division as an unknown-factor problem. For example, find $32 \div 8$ by finding the number that makes 32 when multiplied by 8.	<ul style="list-style-type: none"> i) All products and related quotients are from the harder three quadrants of the times table ($a \times b$ where $a > 5$ and/or $b > 5$). 	

Grade 3 Evidence Statements

Type I Type II Type III

Sub-Claim	Evidence Statement Key	Evidence Statement Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
A	3.OA.7-1	Fluently multiply and divide within 25. By the end of grade 3, know from memory all products of two one-digit numbers.	<ul style="list-style-type: none"> i) Tasks do not have a context. ii) Only the answer is required. iii) Tasks require finding products and related quotients accurately. For example, each 1-point task might require four or more computations, two or more multiplication and two or more division. iv) Tasks are not timed. 	
A	3.OA.7-2	Fluently multiply and divide within 100. By the end of Grade 3, know from memory all products of two one-digit numbers.	<ul style="list-style-type: none"> i) Tasks do not have a context. ii) Only the answer is required. iii) Tasks require finding of products and related quotients accurately. For example, each 1-point task might require four or more computations, two or more multiplication and two or more division. iv) 75% of tasks are from the harder three quadrants of the times table ($a \times b$ where $a > 5$ and/or $b > 5$). v) Tasks are not timed. 	
A	3.OA.8	Solve two-step word problems using the four operations. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.	<ul style="list-style-type: none"> i) Tasks do not require a student to write a single equation with a letter standing for the unknown quantity in a two-step problem and then solve that equation. ii) Tasks may require students to write an equation as part of their work to find a solution, but students are not required to use a letter for the unknown. iii) Addition, subtraction, multiplication and division situations in these problems may involve any of the basic situation types with unknowns in various positions (see CCSSM Table 1: Common addition and subtraction situations, p. 88; CCSSM Table 2: Common multiplication and division situations, p. 89; and the document for the OA Progression). 	MP 1, MP 4
B	3.NBT.2	Fluently add and subtract within 1000 using strategies and algorithms based on place value, properties of operations, and/or the relationship between addition and subtraction.	<ul style="list-style-type: none"> i) Tasks have no context. ii) Tasks are not timed. 	
B	3.NBT.3	Multiply one-digit whole numbers by multiples of 10 in the range 10-90 (e.g., 9×80 , 5×60) using strategies based on place value and properties of operations.	<ul style="list-style-type: none"> i) Tasks have no context. 	MP 7
A	3.NF.1	Understand a fraction $1/b$ as the quantity formed by 1 part when a whole is partitioned into b equal parts; understand a fraction a/b as the quantity formed by a parts of size $1/b$.	<ul style="list-style-type: none"> i) Tasks do not involve the number line. ii) Fractions equivalent to whole numbers are limited to 0 through 5. iii) Tasks are limited to fractions with denominators 2, 3, 4, 6, and 8. 	MP 2

Grade 3 Evidence Statements

Type I Type II Type III

Sub-Claim	Evidence Statement Key	Evidence Statement Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
A	3.NF.2	Understand a fraction as a number on the number line; represent fractions on a number line diagram. a. Represent a fraction $\frac{1}{b}$ on a number line diagram by defining the interval from 0 to 1 as the whole and partitioning it into b equal parts. Recognize that each part has size $\frac{1}{b}$ and that the endpoint of the part based at 0 locates the number $\frac{1}{b}$ on the number line. b. Represent a fraction $\frac{a}{b}$ on a number line diagram by marking off a lengths $\frac{1}{b}$ from 0. Recognize that the resulting interval has size $\frac{a}{b}$ and that its endpoint locates the number $\frac{a}{b}$ on the number line.	i) Fractions may be greater than 1. ii) Fractions equivalent to whole numbers are limited to 0 through 5. iii) Fractions equal whole numbers in 20% of these tasks. iv) Tasks have "thin context" or no context. v) Tasks are limited to fractions with denominators 2, 3, 4, 6, and 8.	MP 5
A	3.NF.3a-1	Explain equivalence of fractions in special cases and compare fractions by reasoning about their size. a. Understand two fractions as equivalent (equal) if they are the same size.	i) Tasks do not involve the number line. ii) Fractions equivalent to whole numbers are limited to 0 through 5. iii) Tasks are limited to fractions with denominators 2, 3, 4, 6, and 8. iv) The explanation aspect of 3.NF.3 is not assessed here.	MP 5
A	3.NF.3a-2	Explain equivalence of fractions in special cases and compare fractions by reasoning about their size. a. Understand two fractions as equivalent (equal) if they are the same point on a number line.	i) Tasks are limited to fractions with denominators 2, 3, 4, 6, and 8. ii) Fractions equivalent to whole numbers are limited to 0 through 5. iii) The explanation aspect of 3.NF.3 is not assessed here.	MP 5
A	3.NF.3b-1	Explain equivalence of fractions in special cases and compare fractions by reasoning about their size. b. Recognize and generate simple equivalent fractions (e.g., $\frac{1}{2} = \frac{2}{4}$, $\frac{4}{6} = \frac{2}{3}$).	i) Tasks are limited to fractions with denominators 2, 3, 4, 6, and 8. ii) Fractions equivalent to whole numbers are limited to 0 through 5. iii) The explanation aspect of 3.NF.3 is not assessed here.	MP 7
A	3.NF.3c	Explain equivalence of fractions in special cases and compare fractions by reasoning about their size. c. Express whole numbers as fractions and recognize fractions that are equivalent to whole numbers. <i>Examples: Express 3 in the form $\frac{3}{1}$; recognize that $\frac{6}{1} = 6$; locate $\frac{4}{4}$ and 1 at the same point of a number line diagram.</i>	i) Tasks are limited to fractions with denominators 2, 3, 4, 6, and 8. ii) Fractions equivalent to whole numbers are limited to 0 through 5. iii) The explanation aspect of 3.NF.3 is not assessed here.	MP 3, MP 5, MP 7
A	3.NF.3d	Explain equivalence of fractions in special cases and compare fractions by reasoning about their size. d. Compare two fractions with the same numerator or the same denominator by reasoning about their size. Recognize that comparisons are valid only when the two fractions refer to the same whole. Record the results of comparisons with the symbols $>$, $=$, or $<$ and justify the conclusions (e.g., by using a visual fraction model).	i) Tasks are limited to fractions with denominators 2, 3, 4, 6, and 8. ii) Fractions equivalent to whole numbers are limited to 0 through 5. iii) Justifying is not assessed here. For this aspect of 3.NF.3d, see 3.C.3-1 and 3.C.4-4. iv) Prompts do not provide visual fraction models; students may at their discretion draw visual fraction models as a strategy.	MP 7

Grade 3 Evidence Statements
Type I Type II Type III

Sub-Claim	Evidence Statement Key	Evidence Statement Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
A	3.NF.A.1a.1	In a contextual situation involving a whole number and two fractions not equal to a whole number, represent all three numbers on a number line diagram, then choose the fraction closest in value to the whole number.	<ul style="list-style-type: none"> i) Fractions equivalent to whole numbers are limited to 0 through 5. ii) Fraction denominators are limited to 2, 3, 4, 6 and 8. 	MP.2, MP.4, MP.5
A	3.MD.1-1	Tell and write time to the nearest minute and measure time intervals in minutes.	<ul style="list-style-type: none"> i) Time intervals are limited to 60 minutes. ii) No more than 20% of items require determining a time interval from clock readings having different hour values. iii) Acceptable interval: Start time 1:20 and time 2:10 – time interval is 50 minutes. Unacceptable interval: Start time 1:20 and time 2:30 – time interval exceeds 60 minutes. 	
A	3.MD.1-2	Solve word problems involving addition and subtraction of time intervals in minutes; e.g., by representing the problem on a number line diagram.	<ul style="list-style-type: none"> i) Only the answer is required. ii) Tasks do not involve reading start/stop times from a clock nor calculating elapsed time. 	MP.1, MP.2, MP.4, MP.5
A	3.MD.2-1	Measure and estimate liquid volumes and masses of objects using standard units of grams (g), kilograms (kg), and liters (l).	<ul style="list-style-type: none"> i) Estimates are the result of reading a scale. 	
A	3.MD.2-2	Add, subtract, multiply, or divide to solve one-step word problems involving masses or volumes that are given in the same units; e.g., by using drawings (such as a beaker with a measurement scale) to represent the problem.	<ul style="list-style-type: none"> i) Only the answer is required (methods, representations, etc. are not assessed here). ii) Units of grams (g), kilograms (kg), and liters (l). 	MP.1, MP.2, MP.4, MP.5
A	3.MD.2-3	Measure or estimate liquid volumes or masses of objects using standard units of grams (g), kilograms (kg), and liters (l); then use the estimated value(s) to estimate the answer to a one-step word problem by using addition, subtraction, multiplication, or division. Content Scope: 3.MD.2		MP.5, MP.6 (in the case of measuring)
B	3.MD.3-1	Draw a scaled picture graph and a scaled bar graph to represent a data set with several categories. For example, draw a bar graph in which each square in the bar graph might represent 5 pets.	<ul style="list-style-type: none"> i) Tasks involve no more than 10 items in 2-5 categories. ii) Categorical data should not take the form of a category that could be represented numerically (e.g., ages of students). iii) Tasks do not require students to create the entire graph, but might ask students to complete a graph or otherwise demonstrate knowledge of its creation. 	MP.2

Grade 3 Evidence Statements

Type I Type II Type III

Sub-Claim	Evidence Statement Key	Evidence Statement Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
B	3 MD 3-3	Solve a put-together problem using information presented in a scaled bar graph; then use the result to answer a "how many more" or "how many less" problem using information presented in the scaled bar graph. Content Scope: 3 MD 3	Tasks do not require computations beyond the grade 3 expectations.	MP 4
B	3 MD 4	Generate measurement data by measuring lengths using ruler's marked with halves and fourths of an inch. Show the data by making a line plot where the horizontal scale is marked off in appropriate units—whole numbers, halves, or quarters.		MP 2, MP 5
A	3 MD 5	Recognize area as an attribute of plane figures and understand concepts of area measurement. a. A square with side length 1 unit, called "a unit square," is said to have "one square unit" of area, and can be used to measure area. b. A plane figure which can be covered without gaps or overlaps by n unit squares is said to have an area of n square units.		MP 7
A	3 MD 6	Measure areas by counting unit squares (square cm, square m, square in, square ft, and improvised units).		MP 7
A	3 MD 7b-1	Relate area to the operations of multiplication and addition. b. Multiply side lengths to find areas of rectangles with whole-number side lengths in the context of solving real-world and mathematical problems.	<ul style="list-style-type: none"> Products are limited to the 10×10 multiplication table. This ES is different from 3 OA 3-1 in the following ways: <ul style="list-style-type: none"> 3 MD 7b-1 emphasizes application/skill while the emphasis of 3 OA 3-1 is on demonstration of understanding of multiplication using not only area but also equal groups and arrays by modeling. 3 MD 7b-1 permits mathematical problems while 3 OA 3-1 is restricted to word problems. 3 MD 7b-1 allows for factors less than or equal to 5 while the factors used in 3 OA 3-1 are restricted to the harder three quadrants. 	MP 4, MP 5

Grade 3 Evidence Statements

Type I Type II Type III

Sub-Claim	Evidence Statement Key	Evidence Statement Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
A	3.MD.7d	Relate area to the operations of multiplication and addition. d. Recognize area as additive. Find areas of rectilinear figures by decomposing them into non-overlapping rectangles and adding the areas of the non-overlapping parts, applying this technique to solve real-world problems.		MP 7
B	3.MD.8	Solve real-world and mathematical problems involving perimeters of polygons, including finding the perimeter given the side lengths, finding an unknown side length, and explaining rectangles with the same perimeter and different areas or with the same area and different perimeters.		MP 2, MP 4, MP 5
B	3.G.1	Understand that shapes in different categories (e.g., rhombuses, rectangles, and others) may share attributes (e.g., having four sides), and that the shared attributes can define a larger category (e.g., quadrilaterals). Recognize rhombuses, rectangles, and squares as examples of quadrilaterals, and draw examples of quadrilaterals that do not belong to any of these subcategories.		
B	3.G.2	Partition shapes into parts with equal areas. Express the area of each part as a unit fraction of the whole. For example, partition a shape into 4 parts with equal area, and describe the area of each part as $\frac{1}{4}$ of the area of the shape.		
A	3.Int.1	Given a two-step problem situation with the four operations, round the values in the problem, then use the rounded values to produce an approximate solution. Content Scope: 3.OA.8, 3.NBT.1, 3.NBT.2, 3.NBT.3	<p>i. Tasks must be aligned to the first standard and/or more of the subsequent standards listed in the content scope.</p> <p>ii. Tasks do not require computations beyond the grade 3 expectations.</p> <p>iii. Tasks do not require a student to write a single equation with a letter standing for the unknown quantity in a two-step problem, and then solve that equation.</p> <p>iv. Tasks may require students to write an equation as part of their work to find a solution, but students are not required to use a letter for the unknown.</p> <p>v. Addition, subtraction, multiplication and division situations in these problems may involve any of the basic situation types with unknowns in various positions (see CCSSM, Table 1: Common addition and subtraction situations, p. 86; CCSSM, Table 2: Common multiplication and division situations, p. 89), and the Progression document for the OA Progression.</p>	MP 4, MP 6

Grade 3 Evidence Statements

Type I Type II Type III

Sub-Claim	Evidence Statement Key	Evidence Statement Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
A	3.Int.2	Solve two-step word problems using the four operations requiring a substantial addition, subtraction, or multiplication step, drawing on knowledge and skills articulated in 3.NBT.3 Content Scope: 3.OA.8, 3.NBT.2, and 3.NBT.3	<p>i) Tasks must be aligned to the first standard and 1 or more of the subsequent standards listed in the content scope.</p> <p>ii) Tasks do not require a student to write a single equation with a letter standing for the unknown quantity in a two-step problem, and then solve that equation.</p> <p>iii) Tasks may require students to write an equation as part of their work to find a solution, but students are not required to use a letter for the unknown.</p> <p>iv) Addition, subtraction, multiplication and division situations in these problems may involve any of the basic situation types with unknowns in various positions (see CCSSM Table 1 Common addition and subtraction situations, p. 88; CCSSM Table 2 Common multiplication and division situations, p. 89; and the Progression document for the OA Progression).</p> <p>Substantial (def) – Values should be towards the higher end of the numbers identified in the standards.</p>	MP.1, MP.4
B	3.Int.3	Solve real world and mathematical problems involving perimeters of polygons requiring a substantial addition, subtraction, or multiplication step, drawing on knowledge and skills articulated in 3.NBT.3 Content Scope: 3.MD.8, 3.NBT.2, and 3.NBT.3	<p>i) Tasks must be aligned to the first standard and 1 or more of the subsequent standards listed in the content scope.</p> <p>Substantial (def) – Values should be towards the higher end of the numbers identified in the standards.</p>	MP.1 (if the problem has a real-world context), MP.4
B	3.Int.4	Use information presented in a scaled bar graph to solve a two-step, "how many more" or "how many less" problem requiring a substantial addition, subtraction, or multiplication step, drawing on knowledge and skills articulated in 3.NBT.3 Content Scope: 3.MD.3, 3.NBT.2, and 3.NBT.3	<p>i) Tasks must be aligned to the first standard and 1 or more of the subsequent standards listed in the content scope.</p> <p>Substantial (def) – Values should be towards the higher end of the numbers identified in the standards.</p>	MP.1, MP.2, MP.4
A	3.Int.5	Add, subtract, or multiply to solve a one-step word problem involving masses or volumes that are given in the same units, where a substantial addition, subtraction, or multiplication step is required, drawing on knowledge and skills articulated in 3.NBT.3, e.g., by using drawings (such as a beaker with a measurement scale) to represent the problem. 7 Content Scope: 3.MD.2, 3.NBT.2, and 3.NBT.3	<p>i) Tasks must be aligned to the first standard and 1 or more of the subsequent standards listed in the content scope.</p> <p>Substantial (def) – Values should be towards the higher end of the numbers identified in the standards.</p>	MP.1, MP.2, MP.4

Sub-Claim	Evidence Statement Key	Evidence Statement (ES) Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
C	3.C.1-1	Base explanations/reasoning on the properties of operations. Content Scope: Knowledge and skills articulated in 3.OA.5	<ul style="list-style-type: none"> i) Students need not use technical terms such as commutative, associative, distributive, or property. ii) Products and related quotients are limited to the 10x10 multiplication table iii) These tasks may not exceed the content limits of grade 3. For example, $2 \times 4 \times 5$ would be acceptable as students can use the associative property to rewrite the expression as 8×5 which falls within the content limits of grade 3. The problem $7 \times 4 \times 5$ would exceed the content limits of grade 3 because any use of the associative property would result in a 2-digit multiplier. 	MP.3, MP.6, MP.7
C	3.C.1-2	Base explanations/reasoning on the properties of operations. Content Scope: Knowledge and skills articulated in 3.OA.9	<ul style="list-style-type: none"> i) Students need not use technical terms such as commutative, associative, distributive, or property. 	MP.3, MP.6, MP.7, MP.8
C	3.C.1-3	Base explanations/reasoning on the properties of operations. Content Scope: Knowledge and skills articulated in 3.MD.7	<ul style="list-style-type: none"> i) Tasks may include those with and without real-world contexts. ii) Students need not use technical terms such as commutative, associative, distributive, or property. 	MP.3, MP.5, MP.6, MP.7
C	3.C.2	Base explanations/reasoning on the relationship between multiplication and division. Content Scope: Knowledge and skills articulated in 3.OA.6	<ul style="list-style-type: none"> i) Products and related quotients are limited to the 10 x 10 multiplication table. 	MP.3, MP.6, MP.7
C	3.C.3-1	Base arithmetic explanations/reasoning on concrete referents such as diagrams (whether provided in the prompt or constructed by the student in her response), connecting the diagrams to a written (symbolic) method. Content Scope: Knowledge and skills articulated in 3.NF.3b, 3.NF.3c	<ul style="list-style-type: none"> i) Tasks may present realistic or quasi-realistic images of a contextual situation (e.g., a drawing of a partially filled graduated cylinder). However, tasks do not provide the sort of abstract drawings that help the student to represent the situation mathematically (e.g., a number line diagram or other visual fraction model). ii) Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, and 8. iii) For fractions equal to a whole number, values are limited to 0 through 5. 	MP.3, MP.5, MP.6
C	3.C.3-2	Base explanations/reasoning on concrete referents such as diagrams (whether provided in the prompt or constructed by the student in her response). Content Scope: Knowledge and skills articulated in 3.MD.5, 3.MD.6, 3.MD.7...	<ul style="list-style-type: none"> i) Tasks may include those with and without real-world contexts. ii) Tasks with a context may present realistic or quasi-realistic images of a contextual situation (e.g., a drawing of a meadow). However, tasks do not provide the sort of abstract drawings that help the student to represent the situation mathematically (e.g., a tiling of the meadow). 	MP.3, MP.5, MP.6

Sub-Claim	Evidence Statement Key	Evidence Statement (ES) Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
C 3.C.4-1		Distinguish correct explanation/reasoning from that which is flawed, and – if there is a flaw in the argument – present corrected reasoning. (For example, some flawed student reasoning is presented and the task is to correct and improve it.) Content Scope: Knowledge and skills articulated in 3.OA.5	i) Students need not use technical terms such as commutative, associative, distributive, or property. ii) Products and related quotients are limited to the 10x10 multiplication table.	MP 3, MP 6, MP 7
C 3.C.4-2		Distinguish correct explanation/reasoning from that which is flawed, and – if there is a flaw in the argument – present corrected reasoning. (For example, some flawed student reasoning is presented and the task is to correct and improve it.) Content Scope: Knowledge and skills articulated in 3.OA.6	i) Products and related quotients are limited to the 10x10 multiplication table.	MP 3, MP 6
C 3.C.4-3		Distinguish correct explanation/reasoning from that which is flawed, and – if there is a flaw in the argument – present corrected reasoning. (For example, some flawed student reasoning is presented and the task is to correct and improve it.) Content Scope: Knowledge and skills articulated in 3.OA.8	i) Tasks do not require a student to write a single equation with a letter standing for the unknown quantity in a two-step problem, and then solve that equation. ii) Tasks may require students to write an equation as part of their work to find a solution, but students are not required to use a letter for the unknown. iii) Addition, subtraction, multiplication and division situations in these problems may involve any of the basic situation types with unknowns in various positions (see CCSSM, Table 1, Common addition and subtraction situations, p. 88; CCSSM, Table 2, Common multiplication and division situations, p. 89, and the Progression document for the OA Progression).	MP 3, MP 5, MP 6
C 3.C.4-4		Distinguish correct explanation/reasoning from that which is flawed, and – if there is a flaw in the argument – present corrected reasoning. (For example, some flawed student reasoning is presented and the task is to correct and improve it.) Content Scope: Knowledge and skills articulated in 3.NF.3b, 3.NF.3d	i) Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, and 8. ii) For fractions equal to a whole number, values are limited to 0 through 5.	MP 3, MP 5, MP 6
C 3.C.4-5		Distinguish correct explanation/reasoning from that which is flawed, and – if there is a flaw in the argument – present corrected reasoning. (For example, some flawed student reasoning is presented and the task is to correct and improve it.) Content Scope: Knowledge and skills articulated in 3.MD.7	i) Tasks may include those with and without real-world contexts.	MP 3, MP 5, MP 6
C 3.C.4-6		Distinguish correct explanation/reasoning from that which is flawed, and – if there is a flaw in the argument – present corrected reasoning. (For example, some flawed student reasoning is presented and the task is to correct and improve it.) Content Scope: Knowledge and skills articulated in 3.OA.9		MP 3, MP 6, MP 8

Sub-Claim	Evidence Statement Key	Evidence Statement (ES) Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
C	3.C.4-7	Distinguish correct explanation/reasoning from that which is flawed, and – if there is a flaw in the argument – present corrected reasoning. (For example, some flawed student reasoning is presented and the task is to correct and improve it.) Content Scope: Knowledge and skills articulated in 2.NBT	i) Tasks may have scaffolding ¹ , if necessary, in order to yield a degree of difficulty appropriate to Grade 3.	MP.3, MP.6
C	3.C.5-1	Present solutions to two-step problems in the form of valid chains of reasoning, using symbols such as equals signs appropriately (for example, rubrics award less than full credit for the presence of nonsense statements such as $1 + 4 = 5 + 7 = 12$, even if the final answer is correct) or identify or describe errors in solutions to two-step problems and present corrected solutions. Content Scope: Knowledge and skills articulated in 3.OA.8	i) Tasks do not require a student to write a single equation with a letter standing for the unknown quantity in a two-step problem, and then solve that equation. ii) Tasks may require students to write an equation as part of their work to find a solution, but students are not required to use a letter for the unknown. iii) Addition, subtraction, multiplication and division situations in these problems may involve any of the basic situation types with unknowns in various positions (see CCSSM, Table 1). Common addition and subtraction situations, p. 88, CCSSM; Table 2, Common multiplication and division situations, p. 89, and the Progression document for the OA Progression).	MP.2, MP.3, MP.5, MP.6
C	3.C.5-2	Present solutions to multi-step problems in the form of valid chains of reasoning, using symbols such as equals signs appropriately (for example, rubrics award less than full credit for the presence of nonsense statements such as $1 + 4 = 5 + 7 = 12$, even if the final answer is correct) or identify or describe errors in solutions to multi-step problems and present corrected solutions. Content Scope: Knowledge and skills articulated in 3.MD.7b, 3.MD.7d	i) Tasks may include those with and without real-world contexts. ii) Multi-step problems have at least 3 steps.	MP.2, MP.3, MP.5, MP.6
C	3.C.6-1	Base explanations/reasoning on a number line diagram (whether provided in the prompt or constructed by the student in her response) Content scope: Knowledge and skills articulated in 3.NF.2	i) Tasks are limited to fractions with denominators 2, 3, 4, 6, and 8. ii) Fractions equivalent to whole numbers are limited to 0 through 5.	MP.3, MP.5, MP.6
C	3.C.6-2	Base explanations/reasoning on a number line diagram (whether provided in the prompt or constructed by the student in her response) Content scope: Knowledge and skills articulated in 3.MD.1		MP.3, MP.5, MP.6

Sub-Claim	Evidence Statement Key	Evidence Statement (ES) Text	Clarifications, limits, emphases, and other information intended to ensure appropriate variety in tasks	Relationship to Mathematical Practices
D	3.D.1	Solve multi-step contextual word problems with degree of difficulty appropriate to Grade 3, requiring application of knowledge and skills articulated in Type I, Sub-Claim A Evidence Statements.	1) Tasks may have scaffolding. 2) Multi-step problems must have at least 3 steps.	MP 4
D	3.D.2	Solve multi-step contextual problems with degree of difficulty appropriate to Grade 3, requiring application of knowledge and skills articulated in 2.OA.A.2, OA.B.2, NBT, and/or 2.MD.B.	1) Tasks may have scaffolding, if necessary, in order to yield a degree of difficulty appropriate to Grade 3. 2) Multi-step problems must have at least 3 steps.	MP 4

1 Scaffolding in a task provides the student with an entry point into a pathway for solving a problem. In unscaffolded tasks, the student determines his/her own pathway and process. Both scaffolded and unscaffolded tasks will be included in reasoning and modeling items.

2 "Thin context" is a sentence or phrase that establishes a concrete referent for the quantity/quantities in the problem, in such a way as to provide meaningful avenues for mathematical intuition to operate, yet without requiring any sort of further analysis of the context. For example, a task could provide a reason for being given a set of fractional measurements such as, "The fractions represent lengths of ribbon."

3 A rectilinear figure is a polygon in which all angles measure 90 or 270 degrees.