


Pre-loaded Kahoot! Tick Quiz

Kahoot! is a free game-based learning platform that users can play on any mobile device or laptop with an internet connection: <https://kahoot.com/>. Alternatively, the following page of questions may be used on its own—no technology required.


How to play:

1. Visit the quiz link: <http://bit.ly/tickquiz>.
2. Click the green “Play as guest” box.
3. Choose Classic (each player has their own device) or Team mode (shared devices).
4. Instruct players to join at www.kahoot.it or with the Kahoot! app and enter the Game PIN displayed. Players will be asked to enter their nickname.
5. Once all players have joined, click on the “Start” box.
6. Quiz questions will appear one at a time.
7. Players can answer the questions by matching the shape/color of their answer to the same shape/color on their device.

Questions Screen:



Answers Screen:



8. The Scoreboard will display the winners in between each question.
9. Click the “Next” box when you are ready to advance to the next question.

Tick Quiz Questions:

1. The most common tick-borne disease in NJ is...
 - a. Babesiosis
 - b. Ehrlichiosis
 - c. Lyme disease
 - d. Rocky mountain spotted fever

2. How long will it take a tick to transmit Lyme disease?
 - a. As soon as it bites
 - b. 24 hours
 - c. 36-48 hours
 - d. 7 days

3. This is the new tick found in NJ that is dangerous to livestock...
 - a. Blacklegged tick
 - b. Asian longhorned tick
 - c. American dog tick
 - d. Lone star tick

4. Every person infected with Lyme disease displays the bulls-eye rash.
 - a. True
 - b. False

5. Which of these strategies was not discussed for tick borne disease prevention?
 - a. Vaccines
 - b. Insect repellent
 - c. Long pants and socks
 - d. Showering after outdoor activities

6. In which of these places is a tick most likely to bite?
 - a. On your hand
 - b. Between your legs
 - c. On your foot
 - d. On your neck

7. When removing an attached tick, use tweezers and...
 - a. Grip the tick by its legs
 - b. Twist upwards
 - c. Pull straight upwards
 - d. Squish the tick to kill it before removing

Tick Quiz Answers:

1. The most common tick-borne disease in NJ is...
 - a. Babesiosis
 - b. Ehrlichiosis
 - c. Lyme disease**
 - d. Rocky mountain spotted fever

2. How long will it take a tick to transmit Lyme disease?
 - a. As soon as it bites
 - b. 24 hours
 - c. 36-48 hours**
 - d. 7 days

3. This is the new tick found in NJ that is dangerous to livestock...
 - a. Blacklegged tick
 - b. Asian longhorned tick**
 - c. American dog tick
 - d. Lone star tick

4. Every person infected with Lyme disease displays the bulls-eye rash.
 - a. True
 - b. False**

5. Which of these strategies was not discussed for tick borne disease prevention?
 - a. Vaccines**
 - b. Insect repellent
 - c. Long pants and socks
 - d. Showering after outdoor activities

6. In which of these places is a tick most likely to bite?
 - a. On your hand
 - b. Between your legs**
 - c. On your foot
 - d. On your neck

7. When removing an attached tick, use tweezers and...
 - a. Grip the tick by its legs
 - b. Twist upwards
 - c. Pull straight upwards**
 - d. Squish the tick to kill it before removing