

Vector-borne Surveillance Report

CDC Week 30: July 26 - Aug 1, 2026

Highlights:

- *There have been no human or animal cases of WNV in 2026. Two WNV presumptive viremic blood donors (PVD) were reported in Bergen and Camden counties.*
- *Ninety additional mosquito pools tested positive for West Nile Virus (WNV) since last week's report, for a total of 317 positive pools from 20 counties. Mosquito detections this year are higher than historical averages.*
- *The average number of Culex mosquitoes, which are associated with WNV transmission, was highest in Bergen and Hudson counties.*
- *There have been no human, animal, or mosquito detections of Eastern equine encephalitis (EEE) or Jamestown Canyon virus (JCV) in 2026.*
- *The number of Lyme disease cases continued to decrease this week and remains below historical averages.*
- *The number of tick-related emergency department visits continued to decrease but is slightly above historical averages.*

Human Vector-borne Disease Cases

N.J.A.C. 8:57 mandates public health reporting of communicable diseases. 2026 data reflect cases that have been approved by NJDOH and do not include cases under investigation. Due to the time needed for public health investigation, the number of tickborne diseases (except for Lyme disease) may be significantly lower than actual counts and should be interpreted with caution. All 2026 numbers are preliminary and subject to change. Some cases are considered "presumptive positive" and are pending additional testing. Case counts for 2025 reflect the annual total for that year.

Mosquito-borne Diseases			Tickborne Diseases/Conditions		
	2026	2025		2026	2025
Chikungunya	2	10	Alpha-Gal Syndrome	308	523
Dengue	7	14	Anaplasmosis	142	312
Malaria	44	89	Babesiosis	125	372
West Nile	-	23	Ehrlichiosis	63	98
Zika	1	-	Hard Tick Relapsing Fever	1	14
Eastern Equine Encephalitis	-	-	Lyme Disease	3904	6597
Jamestown Canyon	-	-	Powassan	-	2
			Spotted Fever Group Rickettsioses	17	25
			Tularemia	2	1


Mosquito-borne Disease Activity

The New Jersey Department of Health Public Health and Environmental Laboratories (PHEL) and the Cape May County Department of Mosquito Control Bio-safety Level 3 Laboratory (CMBSL3) perform arboviral testing on mosquito pools collected by county mosquito control agencies throughout NJ.

Test results may be incomplete as counties submit pools for testing on specific weekdays. Data reflects test results downloaded from JerseySurv on August 6, 2026 at 12:30 pm.

West Nile Virus

- Two WNV PVDs were reported in Bergen and Camden counties.
- There have been no human or animal cases of WNV reported in NJ in 2026. In 2025, the earliest human case was reported in Week 30.
- State mosquito surveillance and testing started May 18th, although some counties collected "early season" samples (403 mosquito pools collected prior to week 20). All 21 counties have submitted mosquitoes for testing in 2026 and out of 5,369 pools tested, 317 have tested positive for WNV in 20 counties.
- WNV has been detected in *Culex pipiens/restuans/salinarius* (267), *Cx. pipiens* (26), *Aedes japonicus* (9), *Ae. albopictus* (6), *Ae. vexans* (3), *Cx. salinarius* (2), *Anopheles punctipennis* (1), *Coquillettia perturbans* (1), *Cx. restuans* (1), and *Cx. territans* (1) mosquitoes.




WNV Human Activity				
County	Cases		PVD*	
	2026	2025	2026	2025
Atlantic		2		
Bergen		2	1	
Burlington		2		2
Camden		1	1	
Cape May				
Cumberland				
Essex		1		
Gloucester		1		
Hudson		1		
Hunterdon				
Mercer		1		
Middlesex		4		2
Monmouth		2		
Morris		2		
Ocean				
Passaic		1		
Salem				
Somerset				
Sussex		1		1
Union		2		
Warren				
Total	0	23	2	5

*Positive Viremic Donors

WNV Mosquito Pool Testing						
County	WEEK 30 Positive Pools		Cumulative Pos. Total (WEEK 30)		# Pools Tested	Cumulative MIR
	2026	2025	2026	2025		
Hudson	13	4	44	16	144	7.00
Union	-	9	26	31	117	5.83
Bergen	7	26	69	65	265	5.03
Middlesex	13	15	36	36	220	4.57
Atlantic	-	9	29	10	264	4.46
Essex	5	17	24	26	286	4.16
Ocean	6	-	8	1	217	3.77
Passaic	-	-	18	4	190	3.67
Somerset	-	9	13	15	153	2.82
Burlington	5	-	6	6	109	2.39
Mercer	-	6	5	6	168	1.50
Monmouth	3	5	16	16	220	1.49
Sussex	-	2	4	6	220	0.63
Camden	-	3	2	5	305	0.59
Morris	3	5	4	14	283	0.57
Gloucester	-	8	5	22	385	0.55
Warren	-	2	3	4	219	0.41
Salem	1	-	2	-	280	0.39
Hunterdon	2	5	2	9	186	0.25
Cape May	-	3	1	7	923	0.05
Cumberland	-	-	-	-	215	0.00
Total	58	128	317	299	5369	-


WEEK 30: July 20 - 26, 2025; July 26 - Aug 1, 2026

Cumulative WNV MIR, 2026




Minimum infection rate (MIR) is defined as the number of positive mosquito pools divided by the total number of mosquitoes tested x 1000

WNV Positive Pools by MMWR Week (2025-2026)





WNV Cumulative Positive Pools by MMWR Week (2021-2026)




2025 WNV Activity

WNV Positive Pools




2026 WNV Activity



Average *Culex* Mosquitoes per Trap Night (average mosquito abundance)

County	WEEK 29 - 30 Average Abundance*
Bergen	4.58
Hudson	3.62
Salem	1.49
Monmouth	0.49
Cape May	0.42
Middlesex	0.41
Ocean	0.38
Warren	0.32
Sussex	0.28
Hunterdon	0.23
Burlington	0.20
Atlantic	0.16
Morris	0.13
Somerset	0.09
Mercer	0.00
Passaic	0.00
Camden	No available data
Cumberland	No available data
Essex	No available data
Gloucester	No available data
Union	No available data

Average Mosquito Abundance, *Culex* spp., Week 29 – 30*



* Average mosquito abundance is defined as the average number of mosquitoes caught per trap night over a defined period and is calculated based on *Culex pipiens*, *restuans*, and *salinarius* species caught in NJ Light Traps (NJLT) only. These species are associated with WNV transmission.


Eastern Equine Encephalitis

- There have been no human or animal cases of EEE reported in 2026. EEE human cases were last reported in 2024 (2 cases).
- Out of 5,331 mosquito pools from 21 counties tested for EEE, none have tested positive.
- In 2025, the first EEE positive pool was detected in week 33 in Atlantic County.

EEE Mosquito Pool Testing						
County	WEEK 30 Positive Pools		Cumulative Pos. Total (WEEK 30)		# Pools Tested	Cumulative MIR
	2026	2025	2026	2025	2026	2026 ¹
Atlantic	-	-	-	-	264	0.00
Bergen	-	-	-	-	265	0.00
Burlington	-	-	-	-	109	0.00
Camden	-	-	-	-	303	0.00
Cape May	-	-	-	-	923	0.00
Cumberland	-	-	-	-	215	0.00
Essex	-	-	-	-	286	0.00
Gloucester	-	-	-	-	361	0.00
Hudson	-	-	-	-	144	0.00
Hunterdon	-	-	-	-	185	0.00
Mercer	-	-	-	-	168	0.00
Middlesex	-	-	-	-	220	0.00
Monmouth	-	-	-	-	220	0.00
Morris	-	-	-	-	283	0.00
Ocean	-	-	-	-	215	0.00
Passaic	-	-	-	-	190	0.00
Salem	-	-	-	-	280	0.00
Somerset	-	-	-	-	153	0.00
Sussex	-	-	-	-	220	0.00
Union	-	-	-	-	117	0.00
Warren	-	-	-	-	210	0.00
Total	0	0	0	0	5331	-


WEEK 30: July 20 - 26, 2025; July 26 - Aug 1, 2026

Cumulative EEE MIR, 2026





Minimum infection rate (MIR) is defined as the number of positive mosquito pools divided by the total number of mosquitoes tested x 1000

EEE Positive Pools by MMWR Week (2025-2026)




2025 EEE Activity

EEE Positive Pools



2026 EEE Activity



Jamestown Canyon Virus

- There have been no human cases of JCV reported in NJ in 2026. In 2025, there were two human cases of JCV from Middlesex and Burlington counties.
- Out of 5,331 mosquito pools from 21 counties tested for JCV, none have tested positive.
- In 2025, the first JCV positive pool was detected in week 29 in Sussex County.

JCV Mosquito Pool Testing

County	WEEK 30 Positive Pools		Cumulative Pos. Total (WEEK 30)		# Pools Tested	Cumulative MIR
	2026	2025	2026	2025	2026	2026 ¹
Atlantic	-	-	-	-	264	0.00
Bergen	-	-	-	-	265	0.00
Burlington	-	-	-	-	109	0.00
Camden	-	-	-	-	303	0.00
Cape May	-	-	-	-	923	0.00
Cumberland	-	-	-	-	215	0.00
Essex	-	-	-	-	286	0.00
Gloucester	-	-	-	-	361	0.00
Hudson	-	-	-	-	144	0.00
Hunterdon	-	-	-	-	185	0.00
Mercer	-	-	-	-	168	0.00
Middlesex	-	-	-	-	220	0.00
Monmouth	-	-	-	-	220	0.00
Morris	-	2	-	2	283	0.00
Ocean	-	-	-	-	215	0.00
Passaic	-	-	-	-	190	0.00
Salem	-	-	-	-	280	0.00
Somerset	-	-	-	-	153	0.00
Sussex	-	-	-	1	220	0.00
Union	-	-	-	-	117	0.00
Warren	-	-	-	-	210	0.00
Total	0	2	0	3	5331	-


Cumulative JCV MIR, 2026



Minimum infection rate (MIR) is defined as the number of positive mosquito pools divided by the total number of mosquitoes tested x 1000

WEEK 30: July 20 - 26, 2025; July 26 - Aug 1, 2026

JCV Positive Pools by MMWR Week (2025-2026)



2025 JCV Activity

2026 JCV Activity



JCV Positive Pools

≥2

1

0

Human case



Other Mosquito-borne Diseases

- Mosquito pools in 21 counties have been tested for St. Louis encephalitis with no positive results.
- Mosquito pools in 8 counties have been tested for La Crosse encephalitis with no positive results.
- Mosquito pools in 5 counties have been tested for Chikungunya, Dengue, and Zika viruses with no positive results.

Cumulative 2026 Mosquito Pool Testing (Other Viruses ^a)										
County	SLE		LAC		CHIKV		DENV		ZIKV	
	Pools	Pos	Pools	Pos	Pools	Pos	Pools	Pos	Pools	Pos
Atlantic	264									
Bergen	265				1		1		1	
Burlington	109									
Camden	303		2		3		3		3	
Cape May	923									
Cumberland	215									
Essex	286									
Gloucester	361		49		37		37		37	
Hudson	144									
Hunterdon	185		1							
Mercer	168									
Middlesex	220				3		3		3	
Monmouth	220									
Morris	283				6		6		6	
Ocean	215		4							
Passaic	190		19							
Salem	280		19							
Somerset	153									
Sussex	220		20							
Union	117									
Warren	210		10							
Total	5331	0	124	0	50	0	50	0	50	0

^a St. Louis virus (SLE), La Crosse encephalitis (LAC), Chikungunya virus (CHIKV), Dengue virus (DENV), Zika Virus (ZIKV)


Numbers in white columns represent number of pools tested to date in 2026

Number in green shaded columns represent positive pools in 2026


Tickborne Disease Activity

Lyme Disease

- There have been 3,904 cases of Lyme disease reported in NJ in 2026.
- The number of cases in week 30 continues to decline and remains below the four-year average.
- The largest number of Lyme disease cases has been reported in the northwestern part of the state (Hunterdon, and Morris counties) as well as in Ocean County.




Lyme Disease Cases, 2026



Tick-related Emergency Department Visits

The chart below represents NJ residents seen at emergency departments with a tick-bite complaint or signs/symptoms associated with a reported tick bite relative to total ED visits. The number of tick-related emergency department visits continued to decline, but is slightly above the 5-year average.



For more information

- NJDOH Communicable Disease Service: <https://www.nj.gov/health/cd/topics/vectorborne.shtml>
- New Jersey Vector-borne Disease Dashboard: https://www.nj.gov/health/cd/topics/vector_borne_disease_data_dashboard.shtml
- New Jersey Arboviral Activity Maps: <http://bit.ly/JerseySurv>
- NJDEP Office of Mosquito Control Coordination: <https://www.nj.gov/dep/mosquito/>
- NJDA Division of Animal Health: <https://www.nj.gov/agriculture/divisions/ah/>