

New Jersey State Cancer Registry
List of reportable diseases and conditions
Effective date March 10, 2011; Revised May 2025

**IMPORTANT NOTE: This list is not intended to be an exhaustive list of all reportable conditions.
Please refer to the General Rules for Reportability and to the ICD-O-3.2 Manual.**

General Rules for Reportability

All cases meeting the following criteria must be reported to the NJSCR:

- (a) Any in situ or invasive neoplasm with a behavior code of “/2” or “/3” in the International Classification of Diseases for Oncology (ICD-O) Third Edition
- (b) All solid tumors of the brain and central nervous system, including meninges and intracranial endocrine structures, listed in the ICD-O-3.2 with behavior codes of “/0”, “/1”, “/2”, or “/3.”
- (c) Any diagnosis including any of the following words:
 - Cancer
 - Carcinoma
 - Adenocarcinoma
 - Carcinoid tumor
 - Leukemia
 - Lymphoma
 - Malignant
 - Sarcoma
- (d) Any reportable diagnosis which contains any of the following ambiguous terms in the final diagnosis:

Apparent(ly)	Most likely
Appears	Presumed
Comparable with	Probable
Compatible/Compatible with	Suspect(ed)
Consistent with	Suspicious (for)
Favor(s)	Typical (of)
Malignant appearing	

Exceptions

Cases meeting the following criteria are not reportable to the NJSCR:

- (a) Diagnoses based on cytology specimens containing any ambiguous term listed in (d) above. Exception: The date of a suspicious cytology may be used as the date of diagnosis when a definitive diagnosis follows the suspicious cytology. See Date of Diagnosis coding instructions for more information. This is a change to previous instructions.
- (b) Basal cell carcinomas and squamous cell carcinomas of the skin are NOT reportable, except when they are diagnosed in the labia, clitoris, vulva, prepuce, penis or scrotum.
- (c) Carcinoma in situ of the cervix and/or cervical squamous intraepithelial neoplasia III (CIN III) are NOT reportable.

If any uncertainty regarding the reporting of a particular case exists, the health care facility, physician, dentist, other health care provider or independent clinical laboratory shall:

- 1. Contact the Department for guidance at (609) 633-0500 and/or
- 2. View information on the following website <http://www.nj.gov/health/ces/njsr.shtml> and/or
- 3. View [Appendix E2 of SEER Program manual](#) for Non-reportable examples

The following conditions are reportable to the NJSCR for the site of origin listed. This list is not meant to be exhaustive. Please refer to the [ICD-O-3.2 manual](#) and follow the reportability guidelines above.

ALL SITES

Askin tumor
Chordoma
Cylindroma (except of skin)
Desmoplastic small round cell tumor
Dysgerminoma
Epithelioma, malignant
Fibroblastic reticular cell tumor
Germ cell tumor, nonseminomatous
Germinoma
Hemangioendothelioma, malignant
High grade squamous intraepithelial lesion (HSIL)
Intraepithelial neoplasia grade II/III
Langerhans cell histiocytosis, disseminated (ONLY)
Malignant histiocytosis
Malignant mast cell tumor
Malignant mastocytosis

ALL SITES**ADRENAL**

- Adrenal cortical carcinoma
- Adrenal medullary paraganglioma
- Aortic body tumor, malignant
- Carotid body tumor, malignant
- Chromaffin paraganglioma
- Chromaffin tumor
- Chromaffinoma
- Composite pheochromocytoma
- Extra-adrenal paraganglioma, malignant
- Ganglioneuroblastoma
- Germinoma
- Neuroblastoma
- Neuroendocrine carcinoma
- Neuroepithelioma
- Paraganglioma, malignant
- Pheochromoblastoma
- Pheochromocytoma, NOS
- Sympathicoblastoma

ADRENAL

- Teratoma, malignant, NOS
- Teratoma w/malignant transformation

ANUS (see [G-I Tract](#))

APPENDIX (see [G-I Tract](#))

BILE DUCTS (see [Gallbladder and Extrahepatic Bile Ducts](#))

BLOOD (see [Hematopoietic/Lymphoid](#))

BLOOD VESSELS (see [Soft Tissues](#))

BONE AND JOINTS

- Adamantinoma
- Ameloblastoma, malignant
- Angioblastoma (+)
- Angiosarcoma
- Askin tumor
- Chondroblastoma, malignant
- Chondrosarcoma

Chordoma
Ewing Sarcoma
Fibrous histiocytoma, malignant
Fibrosarcoma (medullary, periosteal, central, endosteal)
Giant cell tumor, malignant
Hemangioendothelioma, malignant
Mesenchymal chondrosarcoma
Myeloma
Odontogenic tumor, malignant
Osteogenic Sarcoma
Osteosarcoma
Peripheral neuroectodermal tumor
Plasmacytoma
Solitary fibrous tumor, malignant

BONE MARROW (see [Hematopoietic/Lymphoid](#))

BRAIN & CNS (brain, spinal cord, cranial nerves, meninges, and other CNS)

Acoustic neuroma (O)
Ameloblastoma, malignant/metastasizing
Angiocentric glioma (+)
Angiolipoma (O)
Angiomatous meningioma (O)
Astroblastoma
Astrocytoma, any type
Atypical choroid plexus papilloma(+)
Atypical lipoma (+)
Atypical meningioma (+)
Atypical teratoid/ rhabdoid tumor
Capillary hemangioma (O)
Cavernous hemangioma/angioma (O)
Cauda equina neuroendocrine tumor
Central neurocytoma (+)
Chordoid glioma (+)
Chordoma, NOS
Choroid plexus papilloma, malignant
Choroid plexus papilloma (O)
Choroid meningioma (+)
Clear cell meningioma (+)
CNS Embryonal tumor, NOS

- CNS tumor with BCCR internal tandem duplication
- Dermoid cyst (O)
- Desmoplastic infantile astrocytoma (+)
- Diffuse astrocytoma, MYB- or MYBL1-altered (+)
- Diffuse leptomeningeal glioneuronal tumor
- Diffuse low-grade glioma, MAPK pathway- altered (+)
- Diffuse melanocytosis (O)
- Diffuse midline glioma, H3 K27-altered
- Diffuse pediatric-type glioma, H3-wildtype and IDH-wildtype
- Dysembryoplastic neuroepithelial tumor (O)
- Dysplastic gangliocytoma of cerebellum (O) (Lhermitte-Duclos)
- Embryonal tumor with multilayered rosettes, NOS
- Embryonal tumor with rhabdoid features
- Ependymoblastoma
- Ependymoma
- Fibrolipoma (O)
- Fibroma (O)
- Fibrous meningioma (O)
- Gangliocytoma (O)
- Ganglioglioma (+)

BRAIN & CNS (brain, spinal cord, cranial nerves, meninges, and other CNS)

- Ganglioneuroblastoma
- Ganglioneuroma (O)
- Gemistocytic astrocytoma IDH mutant
- Germinoma
- Glioblastoma
- Gliofibroma (+)
- Glioma, all types
- Gliomatosis cerebri (+)
- Glioneural tumor (+)
- Glioneuronal tumor (+)
- Hemangioblastoma (+)
- Hemangioendothelioma, benign (O)
- Hemangioendothelioma (+)
- Hemangioma (O)
- Hemangiopericytoma, benign (O)
- Hemangiopericytoma (+)
- Hemangiopericytoma, malignant
- High-grade astrocytoma with piloid features (HGAP) (O)
- Infant-type hemispheric glioma
- Juvenile xanthogranuloma (+)
- Leiomyoma (O)
- Leiomyomatosis (+)

Lipoma (O)
 MALT lymphoma of the dura
 Medulloblastoma (histologically defined)
 Medulloepithelioma
 Melanotic neurofibroma (O)
 Meningeal melanocytoma (+)
 Meningeal sarcomatosis
 Meningioma, malignant
 Meningioma (O)
 Meningiomatosis (+)
 Meningiotheliomatous meningioma (O)
 Meningiothelial meningioma (O)
 Multinodular and vasculating neuronal tumor (MVNT) (O)
 Myxoid glioneuronal tumor
 Myxopapillary ependymoma (+)
 Neoplasm, benign (O)
 Neoplasm, uncertain whether benign or malignant (+)
 Neurilemoma (O)
 Neurinomatosis (+)
 Neuroblastoma

BRAIN & CNS (brain, spinal cord, cranial nerves, meninges, and other CNS)

Neurocytoma (O)
 Neuroepithelioma, NOS
 Neuroma (O)
 Neurothekeoma (O)
 Nerve sheath myxoma
 Nerve sheath tumor
 Oligodendrocytoma/Oligodendroblastoma
 Oligodendroglioma
 Pacinian tumor (O)
 Papillary meningioma
 Papillary glioneuronal tumor
 Paraganglioma
 Peripheral neuroectodermal tumor
 Perineurioma (O)
 Pilocytic Astrocytoma/Juvenile Pilocytic Astrocytoma (+)
 Pineocytoma
 Plexiform neurofibroma (O)
 Polarespongioblastoma
 Polymorphous low-grade neuroepithelial tumor of the young
 Primary intracranial sarcoma, DICER1-mutant
 Primitive neuroectodermal tumor
 Psammomatous meningioma (O)

Rhabdomyoma (O)
Rosette-forming glioneuronal tumor (+)
Schwannoma (any)
Smooth muscle tumor (+)
Soft tissue tumor, benign (O)
Solitary fibrous tumor (O)
Spongioblastoma
Spongioneuroblastoma
Subependymal astrocytoma
Subependymal giant cell astrocytoma (+)
Subependymoma (+)
Teratoid medulloepithelioma
Teratoma, benign (O)
Teratoma (+)
Transitional meningioma (O)
Tumor cells, benign (O)
Tumor cells, malignant
Venous hemangioma (O)

BREAST

Adenocarcinoma
Adenomyoepithelioma with carcinoma
Apocrine carcinoma
Carcinoid Tumor, malignant
Colloid carcinoma
Comedocarcinoma
Cribriform carcinoma
Cystosarcoma phyllodes, malignant only
Ductal carcinoma, in situ
Epithelial-myoepithelial carcinoma
Epithelioma, malignant
Fibroadenoma, malignant only
Fibroblastic reticular cell tumor
Glassy cell carcinoma
Glycogen rich carcinoma
Granular cell tumor, malignant
Hemangioendothelioma, malignant
Histiocytosis, malignant
Infiltrating carcinoma of the breast such as:
 Duct adenocarcinoma
 Duct and lobular
 Duct carcinoma

- Duct and Paget's disease
- Ductular
- Lobular
- Inflammatory carcinoma
- Lipid-rich carcinoma
- Lobular carcinoma, in situ
- Lobular and intraductal, in situ
- Lobular neoplasia grade III (LN III)/lobular intraepithelial neoplasia grade III (LIN III)
- Lymphoma
- Medullary carcinoma
- Mesenchymoma, malignant
- Metaplastic carcinoma
- Mixed acinar ductal carcinoma
- Mucinous carcinoma
- Mucinous Cystadenocarcinoma
- Mucoepidermoid carcinoma
- Myoepithelioma, malignant
- Neuroendocrine carcinoma
- Neuroendocrine tumor
- Oncocytic carcinoma

BREAST

- Papillary carcinoma, in situ
- Paget's disease
- Periductal stromal tumor, low grade
- Phyllodes tumor, malignant
- Polymorphous carcinoma
- Sebaceous carcinoma
- Stromal sarcoma of breast
- Tubular carcinoma

BRONCHUS (see [Lung](#))

CERVIX (see [Uterus](#))

COLON (see [G-I tract](#))

EAR (see [Skin](#), [Soft tissue](#))

ENDOMETRIUM (see [Uterus](#))

ESOPHAGUS (see [G-I tract](#))

EYE

- Conjunctival intraepithelial neoplasia grade III

- Diktyoma, malignant
- Epidermoid carcinoma
- Medulloepithelioma, malignant
- Melanoma, malignant
- Mixed tumor, malignant
- Primary choroidal lymphoma
- Retinoblastoma
- Sarcoma
- Squamous cell carcinoma
- Squamous cell epithelioma
- Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
- (Tumors of the orbit: See soft tissues and Hematopoietic/Lymphoid)

FALLOPIAN TUBE (see [Uterus](#))

GALLBLADDER AND EXTRAHEPATIC BILE DUCTS

- Adenocarcinoma
- Adenocarcinoma, intestinal type
- Biliary intraepithelial neoplasia, high grade

GALLBLADDER AND EXTRAHEPATIC BILE DUCTS

- Carcinoid tumor, malignant
- Carcinoma (other)
- Cholangiocarcinoma
- Clear Cell Adenocarcinoma, NOS
- Intestinal-type adenoma, high grade
- Intracholecystic papillary neoplasm (ICPN) with high-grade dysplasia
- Klatskin tumor
- Mixed neuroendocrine non-neuroendocrine neoplasm
- Mucinous Cystadenocarcinoma
- Neuroendocrine Carcinoma

GASTRO-INTESTINAL TRACT (esophagus, stomach, intestine, appendix, colon, anus)

- Adenocarcinoma
- Adenocarcinoma, intestinal type
- Adenoid cystic carcinoma
- (Adeno) carcinoma in Adenomatous polyp with or without invasion of stalk
- Adenomatous polyp, high grade dysplasia (stomach and small intestine ONLY)
- Adenosarcoma
- Anal intraepithelial neoplasia II & III (AIN II & AIN III)
- Apudoma (+)
- Argentaffinoma (+)
- Basaloid squamous cell carcinoma
- Bowen's disease of anus

Basal cell adenocarcinoma
 Carcinoid tumor
 Carcinofibroma
 Carcinosarcoma
 Cloacogenic carcinoma
 Combined small cell carcinoma
 Desmoplastic small round cell tumor
 Enterochromaffin cell carcinoid
 Enterochromaffin-like cell tumor, malignant
 Enteroglucagonoma, malignant
 Epidermoid carcinoma
 Epithelioid hemangioendothelioma, malignant
 Esophageal intraepithelial neoplasia (dysplasia), high grade or Grade III
 Extra-adrenal paraganglioma
 Gastrinoma
 Gastroblastoma
 Gastrointestinal autonomic nerve tumor (GANT)
 Gastrointestinal pacemaker cell tumor
 Gastrointestinal stromal tumor (GIST), NOS
 Glucagonoma, malignant

GASTRO-INTESTINAL TRACT (esophagus, stomach, intestine, appendix, colon, anus)

Hemangiopericytoma, malignant
 High grade appendiceal mucinous neoplasm (HAMN)
 High Grade Dysplasia of esophagus, stomach, small intestine
 High grade squamous intraepithelial lesion (HGSIL) of the anus
 Immunoproliferative disease, small intestine
 Intestinal-type adenoma, high grade (stomach and small intestines ONLY)
 Kaposi's Sarcoma
 Low grade appendiceal mucinous neoplasm (LAMN)
 Leiomyosarcoma
 Linitis plastica
 Lymphoepithelioma-like carcinoma
 Lymphoma
 Medullary carcinoma, NOS
 Medullary carcinoma with lymphoid stroma
 Mesodermal mixed tumor
 Mesenchymoma, malignant
 Micropapillary carcinoma, NOS
 Mixed germ cell tumor
 Mixed neuroendocrine non-neuroendocrine neoplasm
 Mixed tumor of esophagus, malignant only
 Mullerian mixed tumor
 Mucoepidermoid carcinoma

- Neuroendocrine carcinoma
- Pancreatobiliary-type carcinoma
- Paget disease of anus
- Polypoid adenoma, malignant only
- Serrated dysplasia, high grade (stomach and small intestines ONLY)
- Signet ring cell carcinoma
- Squamous cell carcinoma
- Squamous cell carcinoma, HPV-associated
- Squamous cell carcinoma, HPV-independent
- Squamous cell epithelioma
- Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
- Somatostatinoma
- Transitional cell carcinoma
- Tubular adenocarcinoma

HEMATOPOIETIC/LYMPHOID (Including blood, bone marrow, lymph nodes, spleen and tumors of hematopoietic or lymphoid histogenesis found in other sites.)

- Acute erythremic myelosis
- Acute megakaryocytic myelosis
- Acute panmyelosis with myelofibrosis

HEMATOPOIETIC/LYMPHOID (Including blood, bone marrow, lymph nodes, spleen and tumors of hematopoietic or lymphoid histogenesis found in other sites.)

- Anaplastic large cell lymphoma ALK-negative/Breast implant-associated anaplastic large cell lymphoma
- Blastic plasmacytoid dendritic cell neoplasm
- Chronic lymphoproliferative disorder of NK cells
- Chronic myeloproliferative disease
- Dendritic cell sarcoma
- DiGuglielmo syndrome
- Erdhiem-Chester Disease
- Erythroleukemia
- Essential thrombocythemia
- Extraosseous plasmacytoma
- Fibroblastic reticular cell tumor
- Heavy chain disease, all such as:
 - Alpha
 - Gamma (Franklin's Disease)
 - Mu
 - Not otherwise specified
- Histiocytic medullary reticulosis
- Histiocytosis, malignant
- Histiocytosis-X, malignant only
- Hodgkin's Disease, all such as:

- Histiocyte predominant
- Lymphocyte depleted
- Lymphocyte predominant
- Mixed cellularity
- Nodular sclerosing
- Hypereosinophilic syndrome
- Idiopathic thrombocythemia
- Immunoproliferative Disease, NOS
- Langerhans cell histiocytosis, disseminated (ONLY)
- Letterer-Siwe's Disease
- Leukemia, all
- Leukemic reticuloendotheliosis
- Lymphangioleiomyomatosis
- Lymphoid neoplasm
- Lymphoma, all
- Lymphomatoid granulomatosis, grade 3
- Lymphosarcoma
- Lymphoreticular process, malignant
- Malignant histiocytosis
- Malignant mastocytosis/ systemic mastocytosis

HEMATOPOIETIC/LYMPHOID (Including blood, bone marrow, lymph nodes, spleen and tumors of hematopoietic or lymphoid histogenesis found in other sites.)

- Megakaryocytosis, malignant
- Multiple myeloma
- Mycosis fungoides
- Myelodysplastic neoplasm, unclassifiable
- Myelodysplastic syndrome
- Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia
- Myelofibrosis with myeloid metaplasia, malignant only
- Myeloid neoplasm
- Myeloid/lymphoid neoplasms with PCM1-JAK2
- Myeloid and lymphoid neoplasms with PDGFRB rearrangement
- Myeloid and lymphoid neoplasm with FGFR1 abnormalities
- Myeloma
- Myeloproliferative disease
- Myelosclerosis
- Panmyelosis, acute
- Primary myelofibrosis
- Polycythemia Vera
- Post Transplant Lymphoproliferative Disorder (PTLD)
- Refractory anemia (all)
- Refractory cytopenia with multilineage dysplasia

Refractory neutropenia
Refractory thrombocytopenia
Reticulosis, malignant
Reticulum cell sarcoma/tumor
Rosai-Dorfman disease
Sezary's disease or syndrome
Splenic marginal zone B-cell lymphoma
Systemic mastocytosis
Systemic EBV pos. T-cell lymphoproliferative disease of childhood
Therapy related myelodysplastic syndrome
Waldenstrom's macroglobulinemia or syndrome

HYPOPHARYNX (see [Oral Cavity](#))

KIDNEY

Adenocarcinoma
Adenomyosarcoma
Bosniak IV cystic renal mass
Carcinoid tumor, malignant
Clear cell carcinoma
Ganglioma, anaplastic

KIDNEY

Hypernephroma
Nephroblastoma
Renal cell carcinoma
 Eosinophilic solid and cystic
 TFEB-rearranged
 Xp11 translocation
 TFEB-altered
 t(6;11)
 ELOC (formerly TCEB1) mutated
 Fumarate hydratase-deficient RCC ALK-rearranged
 SMARCB1-deficient medullary-like (undifferentiated, dedifferentiated)
Renal medullary carcinoma
Squamous cell carcinoma
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Transitional cell carcinoma
Tubular adenoma, borderline or malignant only
Wilms's Tumor

LARYNX AND TRACHEA

Adenocarcinoma
Adenocystic carcinoma

Cylindroma
High grade squamous dysplasia
Laryngeal Intraepithelial Neoplasia grade II & III (LIN II & III)
Pulmonary blastoma
Squamous cell carcinoma
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)

LIP (see [Oral Cavity](#))

LIVER AND INTRAHEPATIC BILE DUCTS

Adenocarcinoma, intestinal type
Angiosarcoma
Bile duct carcinoma
Carcinoid tumor, malignant
Cholangiocarcinoma
Hemangioendothelioma, malignant
Hepatoblastoma
Hepatocellular carcinoma
Hepatoma, malignant only
Intestinal-type adenoma, high grade
Klatskin tumor

LIVER AND INTRAHEPATIC BILE DUCTS

Mixed neuroendocrine non-neuroendocrine neoplasm
Mucinous cystic neoplasm with high-grade intraepithelial neoplasia
Mucinous cystadenocarcinoma
Neuroendocrine carcinoma
Neuroendocrine tumor

LUNG AND BRONCHUS

Adenocarcinoid tumor
Adenocarcinoma
Adenoid cystic carcinoma
Apudoma (+)
Argentaffinoma (+)
Bronchial adenoma (+)
Bronchial adenoma (carcinoid type)
Cylindroma
Diffuse pulmonary lymphangiomatosis
Epidermoid carcinoma
Intravascular bronchial alveolar tumor
Large cell (anaplastic) carcinoma
Low-grade papillary adenocarcinoma
Neuroendocrine carcinoma

Oat cell carcinoma
Pulmonary blastoma
Sclerosing thymoma
Intrapulmonary thymoma
Small cell (anaplastic) carcinoma
Squamous cell carcinoma
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Thoracic SMARCA4-deficient undifferentiated tumor
Undifferentiated carcinoma

LYMPH NODE (see [Hematopoietic/Lymphoid](#))

MEDIASTINUM (see [Hematopoietic/Lymphoid](#), [Soft tissue](#), or [THYMUS](#))

MENINGES (see [CNS](#))

MUSCLE (see [Soft Tissue](#))

NERVE (see [Soft Tissue](#))

NOSE (Nasal cavity, Para-nasal sinus and Nasopharynx)

Adenocarcinoma
Bowen disease of nasopharynx
Chordoma
Epidermoid carcinoma
Esthesioneuroblastoma
HPV-related multiphenotypic sinonasal carcinoma
Lymphoepithelioma
Malignant mastocytosis
Mesenchymoma, malignant
Neuroblastoma
Neurilemmoma, malignant
Olfactory neurogenic tumor
Rhabdomyosarcoma
Sarcoma botryoides
SMARCB1-deficient sinonasal carcinoma
Squamous cell carcinoma (other than skin)
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Yolk sac tumor

ORAL CAVITY AND SALIVARY GLANDS

Acinic cell carcinoma
Acinic cell tumor (+)

Adenocarcinoma
Adenoid cystic carcinoma
Adenosquamous carcinoma
Bowen disease
Cylindroma
Epidermoid carcinoma
Granular cell tumor
Hyalinizing clear cell carcinoma
Kaposi sarcoma
Low grade cribriform cystadenocarcinoma (LGCCC)
Lymphoepithelioma
Malignant mastocytosis
Malignant Lymphoma
Malignant histiocytosis
Mixed tumor, salivary gland type, malignant only
Mucoepidermoid carcinoma
Mucoepidermoid tumor (+)
Pleomorphic adenoma, malignant only
Squamous cell carcinoma
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Sezary syndrome

ORAL CAVITY AND SALIVARY GLANDS

Transitional cell carcinoma
Undifferentiated carcinoma
Verrucous carcinoma
Warthin tumor, malignant

OROPHARYNX (see [Oral Cavity](#))

OVARY

Adenocarcinoma, NOS
Adenosarcoma
Androblastoma, malignant
Arrhenoblastoma, malignant
Brenner tumor, malignant only
Choriocarcinoma
Clear cell carcinoma
Dysgerminoma
Embryonal carcinoma
Endodermal sinus tumor
Endometrial stromal sarcoma
Endometrial stromal sarcoma, low grade
Endometrioid carcinoma

- Enterochromaffin-like cell tumor, malignant
- Germinoma
- Germ cell tumor, nonseminomatous
- Granulosa cell carcinoma
- Granulosa cell tumor, adult type
- Granulosa cell tumor, malignant only
- Leydig cell tumor, malignant
- Mesonephroid carcinoma
- Mesonephric-like adenocarcinoma
- Mucinous cystadenocarcinoma
- Ovarian stromal tumor, malignant
- Papillary serous cystadenocarcinoma
- Polyembryoma
- Pseudomucinous cystadenocarcinoma
- Seminoma
- Serous papillary cystadenocarcinoma
- Sertoli-Leydig cell tumor, poorly differentiated
- Small cell carcinoma, Intermediate
- Steroid cell tumor, malignant
- Struma ovarii, malignant
- Thecoma, malignant

OVARY

- Teratoma, malignant
- Trophoblastic tumor, epithelioid
- Yolk-sac tumor

PANCREAS

- ACTH-producing tumor
- Adenocarcinoma
- Beta cell adenoma
- Cystoadenocarcinoma
- Cystic pancreatic endocrine neoplasm (CPEN)
- Differentiated Penile Intraepithelial Neoplasia
- Endocrine tumor, functioning, NOS
- Enterochromaffin-like cell tumor, malignant
- Enteroglucagonoma, malignant
- Gastrinoma
- Glucagonoma
- Insulinoma, NOS
- Intraductal Papillary Mucinous Neoplasm (IPMN) with high grade dysplasia
- Intraductal oncocytic papillary neoplasm, NOS
- Intraductal oncocytic papillary neoplasm with associated invasive carcinoma
- Intraductal Tubule-Papillary (tubulopapillary) Neoplasm (ITPN)

- Infiltrating duct carcinoma, NOS
- Islet cell adenoma
- Islet cell adenomatosis
- Islet cell carcinoma
- Mixed pancreatic endocrine and exocrine tumor, malignant
- Mucinous Cystic Neoplasm (MCN) with high grade dysplasia
- Nesidioblastoma
- Non-invasive mucinous cystic neoplasm, with high-grade dysplasia (MCN)
- Pancreatic endocrine tumor, malignant
- Pancreatic endocrine tumor, nonfunctioning
- Pancreatic endocrine tumor, NOS
- Pancreatoblastoma
- Pancreatic neoplasia III (PanIN III)
- Papillary cystic tumor (+)
- Papillary neoplasm, pancreatobiliary type with high grade intraepithelial neoplasia
- Serous cystadenocarcinoma
- Solid pseudopapillary neoplasm (SPN)
- Somatostatinoma
- Squamous cell carcinoma
- Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
- Vipoma

PARAGANGLIA (see also [Adrenal](#))

- Aortic body paraganglioma
- Aortic body tumor
- Aorticopulmonary paraganglioma
- Carotid body paraganglioma
- Carotid body tumor
- Chemodectoma
- Composite paraganglioma
- Extra-adrenal paraganglioma, NOS
- Glomus jugulare tumor, NOS
- Jugular paraganglioma
- Jugulotympanic paraganglioma
- Laryngeal paraganglioma
- Middle ear paraganglioma
- Non-chromaffin paraganglioma, NOS
- Non-chromaffin paraganglioma (+)
- Vagal paraganglioma

PARATHYROID

- Carcinoma, all
- Paraganglioma

PARANASAL SINUSES (see [Nose](#))

PENIS

- Basal cell carcinoma of Penis and Prepuce (skin of)
- Bowen disease
- Erythroplasia of Queyrat
- Mesodermal mixed tumor Mullerian mixed tumor (C54_)
- Paget disease, extramammary
- Penile intraepithelial neoplasia, grade III or high grade dysplasia (PeIN III)
- Penile intraepithelial neoplasia (PeIN), undifferentiated
- Queyrat erythroplasia
- Squamous cell carcinoma
 - HPV-associated
 - HPV-independent
- Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
- Verrucous carcinoma

PERICARDIUM (see [Pleura](#))

PERITONEUM (see [Pleura](#))

PHARYNX (see [Oral Cavity](#))

PINEAL

- Dermoid cyst (O)
- Epithelial tumor, benign (O)
- Gangliocytoma (O)
- Ganglioglioma (+)
- Germ cell tumors
- Medulloepithelioma
- Neoplasm, benign (O)
- Papillary tumor of the pineal region
- Pinealoma (+)
- Pineoblastoma
- Pineocytoma (+)
- Primitive neuroectodermal tumor
- Teratoma, benign (O)
- Teratoma (+)

PITUITARY AND CRANIOPHARYNGEAL DUCT

- Acidophil adenoma (O)
- Adamantinomatous craniopharyngioma (+)
- Adenoma (O)

Basophil adenoma (O)
Chromophobe adenoma (O)
Clear cell adenoma (O) Clear
cell tumor (O)
Craniopharyngioma (any type) (+)
Craniopharyngioma, malignant
Embryoma
Epithelial tumor, benign (O)
Ganglioglioma, anaplastic
Granular cell tumor (O)
Lipoma (O)
Mixed acidophil-basophil adenoma (O)
Mixed cell adenoma (O)
Monomorphic adenoma (O)
Neoplasm, uncertain (+)
Neoplasm, benign (O)
Oxyphilic adenoma (O)
Papillary adenoma (O)
Papillary craniopharyngioma (+)
Pituicytoma
Pituitary adenoma (O)

PITUITARY AND CRANIOPHARYNGEAL DUCT

Pituitary adenoma/pituitary neuroendocrine tumor (PitNET)
Pituitary blastoma
Prolactinoma (O)
Rathke Pouch tumor (+)
Sellar ependymoma
Soft tissue tumor, benign (O)
Teratoma, benign (O)
Teratoma (+)
Tumor cells, benign or uncertain

PLACENTA

Choriocarcinoma
Chorioepithelioma
Hydatiform mole, malignant (+)
Invasive mole (+)
Trophoblastic tumor, epithelioid

PLEURA, PERITONEUM, PERICARDIUM

Diffuse pleural mesothelioma
Endometrial stromal sarcoma
Endometrial stromal sarcoma, low grade

Fibrin-associated diffuse B-cell lymphoma
Fibrosarcoma
Gastrointestinal stromal tumor (GIST)
Germ cell tumors, malignant
High-grade serous carcinoma
Low-grade serous carcinoma
Mesothelioma
Myxoid pleomorphic liposarcoma
Paranglioma
Pleuropulmonary blastoma
Sarcoma

PROSTATE AND SEMINAL VESICLE

Acinar (adenocarcinoma) sarcomatoid variant
Adenocarcinoma
Adenoid cystic carcinoma
Alveolar rhabdomyosarcoma
Carcinosarcoma
Endometrioid carcinoma
Prostatic intraepithelial-like carcinoma
Rhabdomyosarcoma

RECTUM (see [G-I Tract](#))

RENAL PELVIS (see [Urinary Tract](#))

SALIVARY GLANDS (see [Oral Cavity](#))

SKIN

Acral lentiginous melanoma, malignant
Acral melanoma
Adenosquamous carcinoma
Adnexal adenocarcinoma
Aggressive digital papillary adenoma
Amelanotic melanoma
Basal cell carcinoma of labia, clitoris, vulva, prepuce, penis and scrotum
Blue nevus, malignant
Bowen disease of anus and penis
Carinoma in pleomorphic adenoma
Ceruminous adenocarcinoma
Dermatofibrosarcoma, sarcomatous
Early/evolving invasive melanoma
Early/evolving melanoma, in situ
Eccrine papillary adenocarcinoma

Eccrine poroma, malignant
Fibrous histiocytoma, malignant
Hemangioendothelioma, malignant
Hemangiopericytoma, malignant
Hidradenocarcinoma
Hutchinson's melanotic freckle
Lentigo maligna
Low cumulative sun damaged melanoma
Lymphoma
Malignant eccrine spiradenoma
Malignant melanoma arising in a giant congenital nevus
Malignant Spitz tumor
Melanocarcinoma
Melanoma
Melanosarcoma
Merkel cell tumor
MPNST with rhabdomyoblastic differentiation
Mycosis Fungoides
Myoepithelial carcinoma
Neurilemmoma, malignant

SKIN

Nodular hidradenoma, malignant
Paget disease, extramammary
Papillary basaloid carcinoma
Pseudovascular squamous cell carcinoma
Porocarcinoma
Precancerous melanosis, NOS
Sebaceous carcinoma
Sezary syndrome
Skin appendage carcinoma
Squamous cell carcinoma (of labia, clitoris, vulva, prepuce, penis and scrotum only)
Superficial spreading melanoma
Sweat gland carcinoma
Trichilemmocarcinoma
Warty-basaloid carcinoma

SOFT TISSUE (including retroperitoneum, peripheral nerve)

Alveolar rhabdomyosarcoma
Alveolar soft parts sarcoma
Angiofibrosarcoma
Angiosarcoma
Chondrosarcoma
CIC-rearranged sarcoma

Clear cell sarcoma of tendons
Ectomesenchymoma
Embryonal rhabdomyosarcoma
Epithelioid hemangioendothelioma
Fibromyxosarcoma
Fibrosarcoma
Fibrous histiocytoma, malignant
Granular cell tumor, malignant
Hemangioendothelial sarcoma
Hemangioendothelioma, malignant only
Hemangiopericytoma, malignant only
High-grade serous carcinoma
Juvenile rhabdomyosarcoma
Kaposi's sarcoma
Leiomyosarcoma
Liposarcoma
Low-grade serous carcinoma
Lymphangioendothelioma, malignant
Lymphangiosarcoma

SOFT TISSUE (including retroperitoneum, peripheral nerve)

Malignant melanotic nerve sheath tumor
Mesenchymoma, malignant
Mesodermal mixed tumor
Metastasizing leiomyoma
Mixed germ cell tumor
MPNST with rhabdomyoblastic differentiation
Myosarcoma
Myoepithelial carcinoma
Myxoid pleomorphic liposarcoma
Myxosarcoma
Neuroblastoma
Neurogenic sarcoma
Neurilemmoma, malignant
Osteosarcoma
Paraganglioma, malignant
Polyembryoma
Reticulum cell sarcoma
Rhabdoid tumor
Rhabdomyoma, malignant
Rhabdomyosarcoma
Round cell sarcoma with EWSR1-non-ETS fusions
Sarcoma botryoides

Sarcoma with BCOR genetic alterations
Schwannoma, malignant
Schwannoma, malignant with rhabdomyoblastomatous differentiation
Synovial sarcoma
Trophoblastic tumor, epithelioid
Yolk sac tumor
Xanthofibroma, malignant

SPINAL CORD (see [CNS](#))

SPLEEN (see [Hematopoietic/Lymphoid](#))

STOMACH ([G-I Tract](#))

TESTIS

Androblastoma, malignant
Carcinoid tumor (+)
Choriocarcinoma
Chorioepithelioma
Embryoma

TESTIS

Embryonal carcinoma
Embryonal teratoma
Endodermal sinus tumor
Germ cell carcinoma
Germ cell neoplasia
Gonadal stromal tumor, malignant only
Gonadoblastoma (+)
Interstitial cell carcinoma
Intratubular
 Embryonal carcinoma
 Germ cell neoplasia, unclassified
 Yolk sac tumor
 Teratoma
 Trophoblast
Leydig cell carcinoma
Mature Teratoma in adults (post puberty)
Mesonephric adenocarcinoma (infantile, juvenile embryonal carcinoma)
Mixed germ cell tumor
Placental site trophoblastic tumor of testis
Polyembryoma
Seminoma
 Intratubular seminoma

Sertoli cell carcinoma
Spermatoblastoma
Spermatocytic seminoma
Spermatocytoma
Teratoblastoma
Teratocarcinoma
Teratoma (+)
Trophoblastic tumor, epithelioid
Vitelline tumor
Yolk sac tumor

THYMUS

Atypical thymoma
Epithelial thymoma
Germ cell tumors with associated hematological malignancy
Lymphocytic thymoma, malignant only
Metaplastic thymoma
Seminoma
Spindle cell thymoma, malignant only
Spindle epithelial tumor with thymus-like element
Thymic carcinoid

THYMUS

Thymoma, NOS
Thymoma, Type A, AB, B1, B2, B3, atypical variant

THYROID

Adenocarcinoma
Anaplastic carcinoma
Fibrous histiocytoma, malignant
Follicular carcinoma
Giant cell carcinoma
Hurthle cell adenoma, malignant only
Hurthle cell tumor, malignant only
Medullary carcinoma
Occult sclerosing carcinoma
Papillary carcinoma
Undifferentiated carcinoma

TRACHEA (see [Larynx](#))

URINARY TRACT (urinary bladder, ureter, urethra, renal pelvis)

Adenocarcinoma
Adenosarcoma
Carcinosarcoma

- Chemodectoma, malignant only
- Ganglioglioma, anaplastic
- Mesodermal mixed tumor
- Mesonephroma, malignant
- Mullerian mixed tumors
- Papillary transitional cell carcinoma
- Paraganglioma (+) Pheochromocytoma, malignant only
- Pure squamous carcinoma of urothelial tract
- Rhabdomyosarcoma
- Spongioneuroblastoma
- Squamotransitional Carcinoma
- Squamous cell carcinoma
- Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
- Transitional cell carcinoma
- Urothelial cell carcinoma
 - Conventional
 - Large nested
 - Tubular and microcystic

UTERUS, UTERINE TUBES, CERVIX

- Adenoacanthoma
- Adenocarcinoma
- Adenocarcinoma, HPV-associated
- Adenocarcinoma, HPV-independent, clear cell type
- Adenocarcinoma, HPV-independent, gastric type
- Adenocarcinoma, HPV-independent, mesonephric type
- Adenocarcinoma, HPV-independent, NOS
- Adenocarcinoma, Intestinal type
- Adenosarcoma
- Adult granulosa cell tumor
- Adenoid basal cell carcinoma
- Adenosarcoma
- Adenosquamous carcinoma
- Atypical hyperplasia of endometrium
- Bowen disease
- Carcinofibroma
- Choriocarcinoma, NOS
- Endolymphatic stromal myosis (low grade sarcoma)
- Endometrial stromal sarcoma
- Endometrioid adenocarcinoma
- Endometrioid intraepithelial neoplasia (atypical hyperplasia, EIN)

- Germ cell tumor, NOS
- Intraepithelial neoplasm of endometrium
- Leiomyosarcoma
- Mesonephric carcinoma
- Mesonephric-like adenocarcinoma
- Mixed mesodermal tumor
- Mullerian mixed tumor
- PEComa, malignant
- Perivascular epithelial tumor, malignant
- Primitive neuroectodermal tumor
- Serous tubal intraepithelial carcinoma (STIC)
- Squamous cell carcinoma
- Squamous cell carcinoma, HPV-associated
- Squamous cell carcinoma, HPV-independent
- Teratoma, malignant, NOS
- Yolk sac tumor, NOS

VULVA AND VAGINA

- Adenocarcinoma, HPV-associated
- Adenocarcinoma, HPV-independent, NOS
- Adenosarcoma

VULVA AND VAGINA

- Basal cell carcinoma of vulva, clitoris, and labia
- Bowen disease
- Clear cell carcinoma
- Differentiated exophytic vulvar intraepithelial lesion (DEVIL)
- Differentiated vulva intraepithelial neoplasia (VIN)
- Epithelioma, malignant
- Fibrous histiocytoma, malignant
- Germ cell tumor, NOS
- HGSIL (High Grade Squamous Intraepithelial Lesion)
- High grade vulvar intraepithelial neoplasia
- Malignant tumor, all types
- Melanoma
- Mesodermal mixed tumor
- Mesonephroid carcinoma
- Mullerian mixed tumor
- Paget disease, extramammary
- Phyllodes tumor, malignant
- Sarcoma
- Solitary fibrous tumor, malignant
- Squamous cell carcinoma
- Squamous cell carcinoma, HPV-associated

Squamous cell carcinoma, HPV-independent
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Trichilemmocarcinoma
Vaginal intraepithelial neoplasia II & III (VAIN II & III)
Vulvar intraepithelial neoplasia II & III (VIN II & III)
Yolk sac tumor, NOS

RESOURCES AND REFERENCES

NAACCR Guidelines for ICD-O-3.2 Update Implementation
<https://www.naaccr.org/icdo3/>

SEER Program Coding and Staging Manual
<https://seer.cancer.gov/tools/codingmanuals/index.html>

NJSCR Program Manual
<http://www.nj.gov/health/ces/reporting-entities/njsr/>

ICD-O-3 SEER Site/Histology Validation List
<https://seer.cancer.gov/icd-o-3/>

Solid Tumor Rules (Multiple Primaries and Histologies)
<https://seer.cancer.gov/tools/solidtumor/>

(+) Borderline, reportable
(O) Benign, reportable

