

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q1 2016												
Atlanticare Regional Medical Center-Mainland	50	2	0	0.0%	0	0.0%	47	94.0%	48	96.0%	1	2.0%
Bayonne Medical Center	9	0	0	0.0%	1	11.1%	8	88.9%	7	77.8%	1	11.1%
Capital Health System at Hopewell	19	0	0	0.0%	0	0.0%	19	100.0%	14	73.7%	0	0.0%
CarePoint Health-Christ Hospital	12	3	1	8.3%	0	0.0%	8	66.7%	8	66.7%	4	33.3%
Chilton Memorial Hospital	15	0	0	0.0%	2	13.3%	13	86.7%	15	100.0%	0	0.0%
Clara Maass Medical Center	9	0	0	0.0%	1	11.1%	8	88.9%	8	88.9%	0	0.0%
Community Medical Center	20	0	0	0.0%	2	10.0%	18	90.0%	17	85.0%	1	5.0%
Deborah Heart and Lung Center	5	1	1	20.0%	0	0.0%	0	0.0%	5	100.0%	0	0.0%
Englewood Hospital and Medical Center	13	3	3	23.1%	1	7.7%	9	69.2%	11	84.6%	0	0.0%
Hackensack University Medical Center	47	4	2	4.3%	4	8.5%	36	76.6%	39	83.0%	4	8.5%
Holy Name Hospital	12	2	0	0.0%	0	0.0%	9	75.0%	7	58.3%	3	25.0%
Hunterdon Medical Center	15	0	0	0.0%	0	0.0%	15	100.0%	14	93.3%	0	0.0%
Inspira Medical Center Woodbury	24	1	0	0.0%	2	8.3%	21	87.5%	21	87.5%	0	0.0%
Jersey City Medical Center	21	1	3	14.3%	1	4.8%	16	76.2%	21	100.0%	0	0.0%
Jersey Shore University Medical Center	33	3	9	27.3%	6	18.2%	17	51.5%	28	84.8%	1	3.0%
JFK Medical Center (Edison)	30	1	0	0.0%	1	3.3%	28	93.3%	25	83.3%	0	0.0%
Monmouth Medical Center	12	1	0	0.0%	0	0.0%	11	91.7%	11	91.7%	0	0.0%
Morristown Memorial Hospital	39	2	0	0.0%	2	5.1%	35	89.7%	36	92.3%	1	2.6%
Mountainside Hospital	7	0	0	0.0%	3	42.9%	4	57.1%	7	100.0%	0	0.0%
Newark Beth Israel Medical Center	16	4	0	0.0%	2	12.5%	10	62.5%	15	93.8%	0	0.0%
Ocean Medical Center	28	0	0	0.0%	0	0.0%	28	100.0%	25	89.3%	1	3.6%
Our Lady of Lourdes Medical Center	35	2	0	0.0%	0	0.0%	33	94.3%	29	82.9%	1	2.9%
Overlook Hospital	26	0	0	0.0%	1	3.8%	25	96.2%	18	69.2%	3	11.5%
Raritan Bay Medical Center - Perth Amboy	17	2	1	5.9%	0	0.0%	15	88.2%	16	94.1%	0	0.0%
Riverview Medical Center	8	0	0	0.0%	0	0.0%	8	100.0%	8	100.0%	0	0.0%
Robert Wood Johnson University Hospital	52	5	1	1.9%	6	11.5%	42	80.8%	45	86.5%	2	3.8%
RWJ University Hospital at Hamilton	12	0	0	0.0%	0	0.0%	12	100.0%	9	75.0%	0	0.0%
RWJ University Hospital at Rahway	17	1	4	23.5%	0	0.0%	12	70.6%	15	88.2%	2	11.8%
RWJ University Hospital at Somerset	26	0	1	3.8%	0	0.0%	25	96.2%	21	80.8%	0	0.0%
St. Barnabas Medical Center	15	0	0	0.0%	1	6.7%	14	93.3%	12	80.0%	0	0.0%
St. Clare's Hospital - Denville	29	0	0	0.0%	0	0.0%	29	100.0%	25	86.2%	0	0.0%
St. Francis Medical Center	8	0	1	12.5%	0	0.0%	8	100.0%	8	100.0%	0	0.0%
St. Joseph's Regional Medical Center	29	1	1	3.4%	0	0.0%	27	93.1%	26	89.7%	1	3.4%
St. Mary's Hospital (Passaic)	5	0	1	20.0%	0	0.0%	5	100.0%	5	100.0%	0	0.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Michael's Medical Center	9	0	0	0.0%	0	0.0%	7	77.8%	7	77.8%	1	11.1%
St. Peter's University Hospital	15	0	0	0.0%	0	0.0%	15	100.0%	12	80.0%	1	6.7%
The Cooper Health System	18	3	0	0.0%	1	5.6%	14	77.8%	18	100.0%	0	0.0%
Trinitas Hospital	18	0	0	0.0%	1	5.6%	17	94.4%	11	61.1%	4	22.2%
University Hospital	18	0	3	16.7%	0	0.0%	15	83.3%	15	83.3%	2	11.1%
University Medical Ctr at Princeton in Plainsboro	7	0	0	0.0%	0	0.0%	7	100.0%	6	85.7%	0	0.0%
Valley Hospital	28	1	0	0.0%	2	7.1%	23	82.1%	25	89.3%	1	3.6%
Virtua-Memorial Hospital Burlington Cty.	22	1	0	0.0%	0	0.0%	20	90.9%	16	72.7%	3	13.6%
Virtua-West Jersey Hospital Marlton	31	0	0	0.0%	0	0.0%	31	100.0%	30	96.8%	1	3.2%
Total	881	44	32	3.6%	40	4.5%	764	86.7%	759	86.2%	39	4.4%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q2 2016												
Atlanticare Regional Medical Center-Mainland	54	1	0	0.0%	1	1.9%	52	96.3%	52	96.3%	2	3.7%
Bayonne Medical Center	12	0	0	0.0%	2	16.7%	10	83.3%	10	83.3%	0	0.0%
Capital Health System at Hopewell	11	0	0	0.0%	0	0.0%	11	100.0%	10	90.9%	0	0.0%
CarePoint Health-Christ Hospital	8	0	0	0.0%	0	0.0%	8	100.0%	7	87.5%	1	12.5%
Chilton Memorial Hospital	13	0	0	0.0%	0	0.0%	13	100.0%	13	100.0%	0	0.0%
Clara Maass Medical Center	10	1	1	10.0%	1	10.0%	7	70.0%	10	100.0%	0	0.0%
Community Medical Center	32	0	1	3.1%	2	6.3%	29	90.6%	29	90.6%	0	0.0%
Deborah Heart and Lung Center	8	0	3	37.5%	1	12.5%	4	50.0%	7	87.5%	1	12.5%
Englewood Hospital and Medical Center	25	4	23	92.0%	0	0.0%	1	4.0%	7	28.0%	16	64.0%
Hackensack University Medical Center	47	2	0	0.0%	1	2.1%	43	91.5%	36	76.6%	2	4.3%
Holy Name Hospital	8	0	1	12.5%	0	0.0%	7	87.5%	8	100.0%	0	0.0%
Hunterdon Medical Center	18	0	0	0.0%	0	0.0%	18	100.0%	18	100.0%	0	0.0%
Inspira Medical Center Woodbury	22	1	0	0.0%	1	4.5%	21	95.5%	19	86.4%	1	4.5%
Jersey City Medical Center	15	1	1	6.7%	0	0.0%	14	93.3%	14	93.3%	1	6.7%
Jersey Shore University Medical Center	40	2	9	22.5%	2	5.0%	19	47.5%	32	80.0%	6	15.0%
JFK Medical Center (Edison)	16	0	0	0.0%	1	6.3%	15	93.8%	16	100.0%	0	0.0%
Monmouth Medical Center	10	0	1	10.0%	0	0.0%	9	90.0%	8	80.0%	1	10.0%
Morristown Memorial Hospital	34	1	0	0.0%	1	2.9%	32	94.1%	31	91.2%	2	5.9%
Mountainside Hospital	13	2	0	0.0%	1	7.7%	10	76.9%	9	69.2%	2	15.4%
Newark Beth Israel Medical Center	18	2	2	11.1%	1	5.6%	11	61.1%	15	83.3%	1	5.6%
Ocean Medical Center	23	1	0	0.0%	0	0.0%	18	78.3%	22	95.7%	1	4.3%
Our Lady of Lourdes Medical Center	28	4	0	0.0%	0	0.0%	24	85.7%	26	92.9%	1	3.6%
Overlook Hospital	31	0	0	0.0%	2	6.5%	29	93.5%	21	67.7%	1	3.2%
Raritan Bay Medical Center - Perth Amboy	19	0	4	21.1%	0	0.0%	14	73.7%	19	100.0%	0	0.0%
Riverview Medical Center	13	1	0	0.0%	0	0.0%	12	92.3%	12	92.3%	0	0.0%
Robert Wood Johnson University Hospital	41	6	1	2.4%	5	12.2%	29	70.7%	36	87.8%	1	2.4%
RWJ University Hospital at Hamilton	8	0	0	0.0%	0	0.0%	8	100.0%	5	62.5%	1	12.5%
RWJ University Hospital at Rahway	19	0	0	0.0%	1	5.3%	18	94.7%	16	84.2%	1	5.3%
RWJ University Hospital at Somerset	22	1	2	9.1%	0	0.0%	20	90.9%	19	86.4%	3	13.6%
St. Barnabas Medical Center	19	0	0	0.0%	0	0.0%	18	94.7%	15	78.9%	1	5.3%
St. Clare's Hospital - Denville	25	0	0	0.0%	1	4.0%	24	96.0%	21	84.0%	0	0.0%
St. Francis Medical Center	6	0	0	0.0%	0	0.0%	6	100.0%	5	83.3%	1	16.7%
St. Joseph's Regional Medical Center	24	1	0	0.0%	0	0.0%	23	95.8%	21	87.5%	1	4.2%
St. Mary's Hospital (Passaic)	6	2	2	33.3%	0	0.0%	3	50.0%	4	66.7%	2	33.3%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Michael's Medical Center	8	0	0	0.0%	1	12.5%	7	87.5%	5	62.5%	2	25.0%
St. Peter's University Hospital	5	0	0	0.0%	0	0.0%	5	100.0%	5	100.0%	0	0.0%
The Cooper Health System	20	0	0	0.0%	1	5.0%	17	85.0%	19	95.0%	0	0.0%
Trinitas Hospital	12	0	0	0.0%	2	16.7%	9	75.0%	9	75.0%	2	16.7%
University Hospital	15	1	3	20.0%	1	6.7%	10	66.7%	11	73.3%	1	6.7%
University Medical Ctr at Princeton in Plainsboro	11	1	0	0.0%	0	0.0%	10	90.9%	7	63.6%	0	0.0%
Valley Hospital	28	1	0	0.0%	1	3.6%	25	89.3%	24	85.7%	0	0.0%
Virtua-Memorial Hospital Burlington Cty.	17	3	0	0.0%	1	5.9%	12	70.6%	10	58.8%	1	5.9%
Virtua-West Jersey Hospital Marlton	39	0	0	0.0%	0	0.0%	39	100.0%	30	76.9%	4	10.3%
Total	853	39	54	6.3%	31	3.6%	714	83.7%	713	83.6%	60	7.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q3 2016												
Atlanticare Regional Medical Center-Mainland	46	1	0	0.0%	1	2.2%	43	93.5%	44	95.7%	2	4.3%
Bayonne Medical Center	9	1	2	22.2%	1	11.1%	5	55.6%	6	66.7%	1	11.1%
Capital Health System at Hopewell	14	0	0	0.0%	0	0.0%	14	100.0%	14	100.0%	0	0.0%
CarePoint Health-Christ Hospital	10	1	0	0.0%	0	0.0%	8	80.0%	8	80.0%	1	10.0%
Chilton Memorial Hospital	12	0	0	0.0%	0	0.0%	12	100.0%	10	83.3%	0	0.0%
Clara Maass Medical Center	19	1	0	0.0%	2	10.5%	16	84.2%	14	73.7%	1	5.3%
Community Medical Center	29	1	0	0.0%	1	3.4%	27	93.1%	27	93.1%	1	3.4%
Deborah Heart and Lung Center	7	0	1	14.3%	0	0.0%	4	57.1%	7	100.0%	0	0.0%
Englewood Hospital and Medical Center	29	8	17	58.6%	3	10.3%	7	24.1%	11	37.9%	16	55.2%
Hackensack University Medical Center	38	2	0	0.0%	4	10.5%	32	84.2%	32	84.2%	3	7.9%
Holy Name Hospital	13	0	0	0.0%	1	7.7%	12	92.3%	6	46.2%	3	23.1%
Hunterdon Medical Center	17	0	0	0.0%	0	0.0%	17	100.0%	17	100.0%	0	0.0%
Inspira Medical Center Woodbury	16	0	0	0.0%	0	0.0%	15	93.8%	15	93.8%	0	0.0%
Jersey City Medical Center	13	0	1	7.7%	0	0.0%	12	92.3%	11	84.6%	1	7.7%
Jersey Shore University Medical Center	31	3	9	29.0%	2	6.5%	16	51.6%	23	74.2%	4	12.9%
JFK Medical Center (Edison)	20	0	3	15.0%	0	0.0%	18	90.0%	19	95.0%	1	5.0%
Monmouth Medical Center	16	0	0	0.0%	0	0.0%	16	100.0%	12	75.0%	1	6.3%
Morristown Memorial Hospital	49	1	0	0.0%	4	8.2%	44	89.8%	41	83.7%	2	4.1%
Mountainside Hospital	12	2	0	0.0%	0	0.0%	10	83.3%	10	83.3%	2	16.7%
Newark Beth Israel Medical Center	6	1	0	0.0%	0	0.0%	4	66.7%	5	83.3%	1	16.7%
Ocean Medical Center	29	0	0	0.0%	1	3.4%	25	86.2%	29	100.0%	0	0.0%
Our Lady of Lourdes Medical Center	25	1	0	0.0%	0	0.0%	24	96.0%	22	88.0%	1	4.0%
Overlook Hospital	23	1	0	0.0%	3	13.0%	20	87.0%	22	95.7%	0	0.0%
Raritan Bay Medical Center - Perth Amboy	18	0	2	11.1%	0	0.0%	16	88.9%	16	88.9%	1	5.6%
Riverview Medical Center	11	0	1	9.1%	0	0.0%	11	100.0%	10	90.9%	0	0.0%
Robert Wood Johnson University Hospital	43	3	5	11.6%	4	9.3%	33	76.7%	40	93.0%	1	2.3%
RWJ University Hospital at Hamilton	17	2	0	0.0%	1	5.9%	14	82.4%	15	88.2%	0	0.0%
RWJ University Hospital at Rahway	10	1	2	20.0%	0	0.0%	7	70.0%	8	80.0%	0	0.0%
RWJ University Hospital at Somerset	24	1	1	4.2%	3	12.5%	19	79.2%	22	91.7%	1	4.2%
St. Barnabas Medical Center	16	0	0	0.0%	2	12.5%	14	87.5%	15	93.8%	0	0.0%
St. Clare's Hospital - Denville	21	0	0	0.0%	0	0.0%	21	100.0%	17	81.0%	0	0.0%
St. Francis Medical Center	8	0	2	25.0%	0	0.0%	6	75.0%	7	87.5%	1	12.5%
St. Joseph's Regional Medical Center	26	1	1	3.8%	0	0.0%	24	92.3%	24	92.3%	0	0.0%
St. Mary's Hospital (Passaic)	6	2	1	16.7%	0	0.0%	4	66.7%	6	100.0%	0	0.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Michael's Medical Center	1	0	0	0.0%	0	0.0%	1	100.0%	0	0.0%	0	0.0%
St. Peter's University Hospital	7	0	0	0.0%	0	0.0%	7	100.0%	6	85.7%	0	0.0%
The Cooper Health System	22	0	0	0.0%	1	4.5%	20	90.9%	19	86.4%	0	0.0%
Trinitas Hospital	12	1	0	0.0%	0	0.0%	11	91.7%	8	66.7%	2	16.7%
University Hospital	8	0	2	25.0%	0	0.0%	7	87.5%	5	62.5%	2	25.0%
University Medical Ctr at Princeton in Plainsboro	7	0	0	0.0%	0	0.0%	7	100.0%	4	57.1%	1	14.3%
Valley Hospital	18	0	0	0.0%	1	5.6%	17	94.4%	14	77.8%	0	0.0%
Virtua-Memorial Hospital Burlington Cty.	24	0	0	0.0%	2	8.3%	22	91.7%	18	75.0%	3	12.5%
Virtua-West Jersey Hospital Marlton	30	0	0	0.0%	0	0.0%	30	100.0%	28	93.3%	0	0.0%
Total	812	35	50	6.2%	37	4.6%	692	85.2%	687	84.6%	53	6.5%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q4 2016												
Atlanticare Regional Medical Center-Mainland	42	1	0	0.0%	0	0.0%	41	97.6%	42	100.0%	0	0.0%
Bayonne Medical Center	13	0	0	0.0%	0	0.0%	13	100.0%	13	100.0%	0	0.0%
Capital Health System at Hopewell	11	0	0	0.0%	1	9.1%	10	90.9%	9	81.8%	0	0.0%
CarePoint Health-Christ Hospital	11	0	0	0.0%	0	0.0%	10	90.9%	9	81.8%	1	9.1%
Chilton Memorial Hospital	14	3	0	0.0%	0	0.0%	11	78.6%	9	64.3%	1	7.1%
Clara Maass Medical Center	18	1	0	0.0%	0	0.0%	17	94.4%	14	77.8%	1	5.6%
Community Medical Center	19	0	0	0.0%	0	0.0%	18	94.7%	16	84.2%	2	10.5%
Deborah Heart and Lung Center	6	0	0	0.0%	1	16.7%	3	50.0%	5	83.3%	1	16.7%
Englewood Hospital and Medical Center	18	3	2	11.1%	0	0.0%	13	72.2%	14	77.8%	3	16.7%
Hackensack University Medical Center	40	3	0	0.0%	2	5.0%	33	82.5%	32	80.0%	1	2.5%
Holy Name Hospital	10	1	1	10.0%	0	0.0%	9	90.0%	9	90.0%	0	0.0%
Hunterdon Medical Center	15	0	0	0.0%	0	0.0%	14	93.3%	12	80.0%	1	6.7%
Inspira Medical Center Woodbury	19	0	1	5.3%	1	5.3%	17	89.5%	18	94.7%	1	5.3%
Jersey City Medical Center	14	1	0	0.0%	0	0.0%	13	92.9%	13	92.9%	1	7.1%
Jersey Shore University Medical Center	38	8	5	13.2%	3	7.9%	14	36.8%	23	60.5%	2	5.3%
JFK Medical Center (Edison)	26	0	3	11.5%	0	0.0%	23	88.5%	19	73.1%	5	19.2%
Monmouth Medical Center	12	1	0	0.0%	1	8.3%	10	83.3%	10	83.3%	0	0.0%
Morristown Memorial Hospital	41	2	0	0.0%	2	4.9%	37	90.2%	36	87.8%	2	4.9%
Mountainside Hospital	15	2	0	0.0%	0	0.0%	13	86.7%	12	80.0%	1	6.7%
Newark Beth Israel Medical Center	12	2	0	0.0%	0	0.0%	9	75.0%	10	83.3%	1	8.3%
Ocean Medical Center	28	0	0	0.0%	1	3.6%	24	85.7%	26	92.9%	1	3.6%
Our Lady of Lourdes Medical Center	30	1	1	3.3%	0	0.0%	28	93.3%	27	90.0%	1	3.3%
Overlook Hospital	20	0	0	0.0%	2	10.0%	18	90.0%	18	90.0%	0	0.0%
Raritan Bay Medical Center - Perth Amboy	19	0	1	5.3%	0	0.0%	17	89.5%	15	78.9%	3	15.8%
Riverview Medical Center	9	0	0	0.0%	0	0.0%	9	100.0%	9	100.0%	0	0.0%
Robert Wood Johnson University Hospital	28	4	0	0.0%	0	0.0%	24	85.7%	22	78.6%	4	14.3%
RWJ University Hospital at Hamilton	14	0	0	0.0%	0	0.0%	14	100.0%	9	64.3%	3	21.4%
RWJ University Hospital at Rahway	17	0	0	0.0%	1	5.9%	14	82.4%	13	76.5%	3	17.6%
RWJ University Hospital at Somerset	25	0	0	0.0%	1	4.0%	24	96.0%	21	84.0%	0	0.0%
St. Barnabas Medical Center	10	0	0	0.0%	1	10.0%	9	90.0%	8	80.0%	0	0.0%
St. Clare's Hospital - Denville	27	0	1	3.7%	1	3.7%	26	96.3%	24	88.9%	2	7.4%
St. Francis Medical Center	10	2	4	40.0%	2	20.0%	4	40.0%	7	70.0%	0	0.0%
St. Joseph's Regional Medical Center	23	1	0	0.0%	0	0.0%	22	95.7%	22	95.7%	0	0.0%
St. Mary's Hospital (Passaic)	8	3	0	0.0%	0	0.0%	4	50.0%	6	75.0%	1	12.5%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
									<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Michael's Medical Center	8	0	0	0.0%	0	0.0%	7	87.5%	4	50.0%	1	12.5%
St. Peter's University Hospital	12	0	0	0.0%	0	0.0%	12	100.0%	11	91.7%	1	8.3%
The Cooper Health System	23	3	0	0.0%	2	8.7%	18	78.3%	19	82.6%	0	0.0%
Trinitas Hospital	7	0	0	0.0%	1	14.3%	6	85.7%	5	71.4%	2	28.6%
University Hospital	22	1	1	4.5%	0	0.0%	21	95.5%	15	68.2%	4	18.2%
University Medical Ctr at Princeton in Plainsboro	9	0	0	0.0%	0	0.0%	9	100.0%	9	100.0%	0	0.0%
Valley Hospital	22	1	0	0.0%	2	9.1%	18	81.8%	18	81.8%	1	4.5%
Virtua-Memorial Hospital Burlington Cty.	23	0	0	0.0%	0	0.0%	23	100.0%	17	73.9%	2	8.7%
Virtua-West Jersey Hospital Marlton	20	0	0	0.0%	0	0.0%	20	100.0%	18	90.0%	1	5.0%
Total	808	44	20	2.5%	25	3.1%	699	86.5%	668	82.7%	54	6.7%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
2016 Total												
Atlanticare Regional Medical Center-Mainland	192	5	0	0.0%	2	1.0%	183	95.3%	186	96.9%	5	2.6%
Bayonne Medical Center	43	1	2	4.7%	4	9.3%	36	83.7%	36	83.7%	2	4.7%
Capital Health System at Hopewell	55	0	0	0.0%	1	1.8%	54	98.2%	47	85.5%	0	0.0%
CarePoint Health-Christ Hospital	41	4	1	2.4%	0	0.0%	34	82.9%	32	78.0%	7	17.1%
Chilton Memorial Hospital	54	3	0	0.0%	2	3.7%	49	90.7%	47	87.0%	1	1.9%
Clara Maass Medical Center	56	3	1	1.8%	4	7.1%	48	85.7%	46	82.1%	2	3.6%
Community Medical Center	100	1	1	1.0%	5	5.0%	92	92.0%	89	89.0%	4	4.0%
Deborah Heart and Lung Center	26	1	5	19.2%	2	7.7%	11	42.3%	24	92.3%	2	7.7%
Englewood Hospital and Medical Center	85	18	45	52.9%	4	4.7%	30	35.3%	43	50.6%	35	41.2%
Hackensack University Medical Center	172	11	2	1.2%	11	6.4%	144	83.7%	139	80.8%	10	5.8%
Holy Name Hospital	43	3	2	4.7%	1	2.3%	37	86.0%	30	69.8%	6	14.0%
Hunterdon Medical Center	65	0	0	0.0%	0	0.0%	64	98.5%	61	93.8%	1	1.5%
Inspira Medical Center Woodbury	81	2	1	1.2%	4	4.9%	74	91.4%	73	90.1%	2	2.5%
Jersey City Medical Center	63	3	5	7.9%	1	1.6%	55	87.3%	59	93.7%	3	4.8%
Jersey Shore University Medical Center	142	16	32	22.5%	13	9.2%	66	46.5%	106	74.6%	13	9.2%
JFK Medical Center (Edison)	92	1	6	6.5%	2	2.2%	84	91.3%	79	85.9%	6	6.5%
Monmouth Medical Center	50	2	1	2.0%	1	2.0%	46	92.0%	41	82.0%	2	4.0%
Morristown Memorial Hospital	163	6	0	0.0%	9	5.5%	148	90.8%	144	88.3%	7	4.3%
Mountainside Hospital	47	6	0	0.0%	4	8.5%	37	78.7%	38	80.9%	5	10.6%
Newark Beth Israel Medical Center	52	9	2	3.8%	3	5.8%	34	65.4%	45	86.5%	3	5.8%
Ocean Medical Center	108	1	0	0.0%	2	1.9%	95	88.0%	102	94.4%	3	2.8%
Our Lady of Lourdes Medical Center	118	8	1	0.8%	0	0.0%	109	92.4%	104	88.1%	4	3.4%
Overlook Hospital	100	1	0	0.0%	8	8.0%	92	92.0%	79	79.0%	4	4.0%
Raritan Bay Medical Center - Perth Amboy	73	2	8	11.0%	0	0.0%	62	84.9%	66	90.4%	4	5.5%
Riverview Medical Center	41	1	1	2.4%	0	0.0%	40	97.6%	39	95.1%	0	0.0%
Robert Wood Johnson University Hospital	164	18	7	4.3%	15	9.1%	128	78.0%	143	87.2%	8	4.9%
RWJ University Hospital at Hamilton	51	2	0	0.0%	1	2.0%	48	94.1%	38	74.5%	4	7.8%
RWJ University Hospital at Rahway	63	2	6	9.5%	2	3.2%	51	81.0%	52	82.5%	6	9.5%
RWJ University Hospital at Somerset	97	2	4	4.1%	4	4.1%	88	90.7%	83	85.6%	4	4.1%
St. Barnabas Medical Center	60	0	0	0.0%	4	6.7%	55	91.7%	50	83.3%	1	1.7%
St. Clare's Hospital - Denville	102	0	1	1.0%	2	2.0%	100	98.0%	87	85.3%	2	2.0%
St. Francis Medical Center	32	2	7	21.9%	2	6.3%	24	75.0%	27	84.4%	2	6.3%
St. Joseph's Regional Medical Center	102	4	2	2.0%	0	0.0%	96	94.1%	93	91.2%	2	2.0%
St. Mary's Hospital (Passaic)	25	7	4	16.0%	0	0.0%	16	64.0%	21	84.0%	3	12.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 12/31/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Michael's Medical Center	26	0	0	0.0%	1	3.8%	22	84.6%	16	61.5%	4	15.4%
St. Peter's University Hospital	39	0	0	0.0%	0	0.0%	39	100.0%	34	87.2%	2	5.1%
The Cooper Health System	83	6	0	0.0%	5	6.0%	69	83.1%	75	90.4%	0	0.0%
Trinitas Hospital	49	1	0	0.0%	4	8.2%	43	87.8%	33	67.3%	10	20.4%
University Hospital	63	2	9	14.3%	1	1.6%	53	84.1%	46	73.0%	9	14.3%
University Medical Ctr at Princeton in Plainsboro	34	1	0	0.0%	0	0.0%	33	97.1%	26	76.5%	1	2.9%
Valley Hospital	96	3	0	0.0%	6	6.3%	83	86.5%	81	84.4%	2	2.1%
Virtua-Memorial Hospital Burlington Cty.	86	4	0	0.0%	3	3.5%	77	89.5%	61	70.9%	9	10.5%
Virtua-West Jersey Hospital Marlton	120	0	0	0.0%	0	0.0%	120	100.0%	106	88.3%	6	5.0%
Total	3354	162	156	4.7%	133	4.0%	2869	85.5%	2827	84.3%	206	6.1%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.