

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2018 - 9/30/2018**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q1 2018												
Atlanticare Regional Medical Center-Mainland	50	0	1	2.0%	2	4.0%	47	94.0%	49	98.0%	0	0.0%
Bayonne Medical Center	14	1	1	7.1%	0	0.0%	13	92.9%	11	78.6%	0	0.0%
Bayshore Community Hospital	12	1	0	0.0%	1	8.3%	10	83.3%	11	91.7%	0	0.0%
Capital Health System at Hopewell	10	0	0	0.0%	1	10.0%	9	90.0%	10	100.0%	0	0.0%
CarePoint Health-Christ Hospital	9	0	0	0.0%	0	0.0%	9	100.0%	9	100.0%	0	0.0%
Chilton Memorial Hospital	11	0	0	0.0%	0	0.0%	11	100.0%	8	72.7%	0	0.0%
Clara Maass Medical Center	10	2	2	20.0%	1	10.0%	5	50.0%	7	70.0%	2	20.0%
Community Medical Center	12	2	0	0.0%	0	0.0%	10	83.3%	8	66.7%	0	0.0%
Deborah Heart and Lung Center	5	0	1	20.0%	1	20.0%	2	40.0%	4	80.0%	0	0.0%
Englewood Hospital and Medical Center	21	3	2	9.5%	1	4.8%	15	71.4%	18	85.7%	1	4.8%
Hackensack University Medical Center	55	5	0	0.0%	4	7.3%	47	85.5%	39	70.9%	10	18.2%
Holy Name Hospital	21	2	2	9.5%	1	4.8%	14	66.7%	10	47.6%	6	28.6%
Hunterdon Medical Center	12	0	0	0.0%	0	0.0%	12	100.0%	10	83.3%	0	0.0%
Inspira Medical Center Vineland	20	0	0	0.0%	0	0.0%	20	100.0%	17	85.0%	0	0.0%
Inspira Medical Center Woodbury	16	1	0	0.0%	1	6.3%	15	93.8%	14	87.5%	0	0.0%
Jersey City Medical Center	18	2	0	0.0%	0	0.0%	16	88.9%	14	77.8%	2	11.1%
Jersey Shore University Medical Center	36	4	1	2.8%	1	2.8%	25	69.4%	25	69.4%	7	19.4%
JFK Medical Center (Edison)	33	0	1	3.0%	1	3.0%	31	93.9%	31	93.9%	1	3.0%
Monmouth Medical Center	8	0	0	0.0%	0	0.0%	8	100.0%	7	87.5%	0	0.0%
Morristown Memorial Hospital	45	1	0	0.0%	3	6.7%	41	91.1%	33	73.3%	2	4.4%
Mountainside Hospital	18	0	0	0.0%	0	0.0%	17	94.4%	16	88.9%	1	5.6%
Newark Beth Israel Medical Center	11	1	0	0.0%	0	0.0%	9	81.8%	8	72.7%	1	9.1%
Ocean Medical Center	36	0	0	0.0%	0	0.0%	32	88.9%	28	77.8%	3	8.3%
Our Lady of Lourdes Medical Center	39	2	0	0.0%	4	10.3%	33	84.6%	36	92.3%	0	0.0%
Overlook Hospital	24	0	0	0.0%	2	8.3%	21	87.5%	16	66.7%	1	4.2%
Raritan Bay Medical Center - Perth Amboy	22	0	1	4.5%	1	4.5%	20	90.9%	20	90.9%	1	4.5%
Riverview Medical Center	11	0	1	9.1%	1	9.1%	9	81.8%	11	100.0%	0	0.0%
Robert Wood Johnson University Hospital	34	0	1	2.9%	2	5.9%	2	5.9%	24	70.6%	3	8.8%
RWJ University Hospital at Hamilton	10	0	0	0.0%	0	0.0%	10	100.0%	10	100.0%	0	0.0%
RWJ University Hospital at Rahway	22	0	2	9.1%	1	4.5%	19	86.4%	19	86.4%	2	9.1%
RWJ University Hospital at Somerset	30	6	2	6.7%	1	3.3%	22	73.3%	16	53.3%	5	16.7%
St. Barnabas Medical Center	10	0	0	0.0%	0	0.0%	10	100.0%	7	70.0%	0	0.0%
St. Clare's Hospital - Denville	22	0	0	0.0%	0	0.0%	21	95.5%	19	86.4%	2	9.1%
St. Francis Medical Center	9	0	2	22.2%	0	0.0%	7	77.8%	7	77.8%	1	11.1%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2018 - 9/30/2018**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
St. Joseph's Regional Medical Center	24	1	0	0.0%	0	0.0%	22	91.7%	22	91.7%	1	4.2%
St. Mary's Hospital (Passaic)	5	0	1	20.0%	0	0.0%	4	80.0%	3	60.0%	0	0.0%
St. Michael's Medical Center	7	0	0	0.0%	0	0.0%	7	100.0%	3	42.9%	0	0.0%
St. Peter's University Hospital	8	0	0	0.0%	0	0.0%	7	87.5%	8	100.0%	0	0.0%
The Cooper Health System	24	6	0	0.0%	4	16.7%	14	58.3%	21	87.5%	2	8.3%
Trinitas Hospital	9	2	0	0.0%	0	0.0%	7	77.8%	7	77.8%	0	0.0%
University Hospital	14	0	0	0.0%	0	0.0%	14	100.0%	12	85.7%	1	7.1%
University Medical Ctr at Princeton in Plainsboro	12	0	0	0.0%	0	0.0%	11	91.7%	10	83.3%	1	8.3%
Valley Hospital	18	0	0	0.0%	0	0.0%	18	100.0%	18	100.0%	0	0.0%
Virtua-Memorial Hospital Burlington Cty.	20	0	0	0.0%	0	0.0%	19	95.0%	16	80.0%	2	10.0%
Virtua-West Jersey Hospital Marlton	27	0	0	0.0%	0	0.0%	27	100.0%	24	88.9%	0	0.0%
Total	884	42	21	2.4%	34	3.8%	742	83.9%	716	81.0%	58	6.6%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2018 - 9/30/2018**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q2 2018												
Atlanticare Regional Medical Center-Mainland	53	6	0	0.0%	0	0.0%	47	88.7%	47	88.7%	3	5.7%
Bayonne Medical Center	15	2	4	26.7%	0	0.0%	9	60.0%	15	100.0%	0	0.0%
Bayshore Community Hospital	11	0	0	0.0%	0	0.0%	11	100.0%	11	100.0%	0	0.0%
Capital Health System at Hopewell	13	0	0	0.0%	0	0.0%	13	100.0%	13	100.0%	0	0.0%
CarePoint Health-Christ Hospital	10	0	0	0.0%	0	0.0%	9	90.0%	10	100.0%	0	0.0%
Chilton Memorial Hospital	14	0	0	0.0%	0	0.0%	13	92.9%	13	92.9%	1	7.1%
Clara Maass Medical Center	5	0	0	0.0%	0	0.0%	5	100.0%	1	20.0%	4	80.0%
Community Medical Center	24	2	1	4.2%	0	0.0%	20	83.3%	20	83.3%	2	8.3%
Deborah Heart and Lung Center	9	0	5	55.6%	1	11.1%	3	33.3%	9	100.0%	0	0.0%
Englewood Hospital and Medical Center	23	1	1	4.3%	1	4.3%	21	91.3%	21	91.3%	1	4.3%
Hackensack University Medical Center	40	2	5	12.5%	3	7.5%	32	80.0%	29	72.5%	6	15.0%
Holy Name Hospital	15	2	0	0.0%	3	20.0%	4	26.7%	9	60.0%	4	26.7%
Hunterdon Medical Center	17	1	0	0.0%	1	5.9%	15	88.2%	16	94.1%	0	0.0%
Inspira Medical Center Vineland	10	0	0	0.0%	0	0.0%	10	100.0%	9	90.0%	1	10.0%
Inspira Medical Center Woodbury	14	1	0	0.0%	0	0.0%	13	92.9%	10	71.4%	2	14.3%
Jersey City Medical Center	11	2	0	0.0%	0	0.0%	8	72.7%	11	100.0%	0	0.0%
Jersey Shore University Medical Center	32	2	0	0.0%	3	9.4%	28	87.5%	27	84.4%	3	9.4%
JFK Medical Center (Edison)	24	0	1	4.2%	0	0.0%	24	100.0%	20	83.3%	2	8.3%
Monmouth Medical Center	8	1	0	0.0%	0	0.0%	7	87.5%	7	87.5%	0	0.0%
Morristown Memorial Hospital	60	2	2	3.3%	1	1.7%	55	91.7%	45	75.0%	3	5.0%
Mountainside Hospital	13	1	0	0.0%	3	23.1%	9	69.2%	9	69.2%	3	23.1%
Newark Beth Israel Medical Center	8	1	0	0.0%	0	0.0%	7	87.5%	6	75.0%	1	12.5%
Ocean Medical Center	27	1	0	0.0%	1	3.7%	21	77.8%	25	92.6%	1	3.7%
Our Lady of Lourdes Medical Center	30	3	0	0.0%	2	6.7%	25	83.3%	29	96.7%	0	0.0%
Overlook Hospital	21	0	0	0.0%	0	0.0%	21	100.0%	16	76.2%	2	9.5%
Raritan Bay Medical Center - Perth Amboy	21	0	0	0.0%	2	9.5%	19	90.5%	19	90.5%	2	9.5%
Riverview Medical Center	11	1	1	9.1%	0	0.0%	9	81.8%	11	100.0%	0	0.0%
Robert Wood Johnson University Hospital	35	1	3	8.6%	3	8.6%	13	37.1%	25	71.4%	6	17.1%
RWJ University Hospital at Hamilton	14	0	0	0.0%	0	0.0%	14	100.0%	12	85.7%	0	0.0%
RWJ University Hospital at Rahway	11	0	0	0.0%	1	9.1%	10	90.9%	9	81.8%	0	0.0%
RWJ University Hospital at Somerset	17	2	1	5.9%	0	0.0%	14	82.4%	13	76.5%	2	11.8%
St. Barnabas Medical Center	9	0	0	0.0%	0	0.0%	9	100.0%	9	100.0%	0	0.0%
St. Clare's Hospital - Denville	19	0	0	0.0%	0	0.0%	19	100.0%	18	94.7%	0	0.0%
St. Francis Medical Center	12	1	4	33.3%	2	16.7%	6	50.0%	12	100.0%	0	0.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2018 - 9/30/2018**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
St. Joseph's Regional Medical Center	29	4	0	0.0%	1	3.4%	24	82.8%	27	93.1%	0	0.0%
St. Mary's Hospital (Passaic)	8	0	0	0.0%	0	0.0%	8	100.0%	5	62.5%	2	25.0%
St. Michael's Medical Center	3	0	0	0.0%	0	0.0%	3	100.0%	3	100.0%	0	0.0%
St. Peter's University Hospital	8	0	0	0.0%	0	0.0%	8	100.0%	5	62.5%	1	12.5%
The Cooper Health System	24	4	0	0.0%	2	8.3%	18	75.0%	22	91.7%	0	0.0%
Trinitas Hospital	11	1	0	0.0%	0	0.0%	10	90.9%	8	72.7%	2	18.2%
University Hospital	9	0	1	11.1%	1	11.1%	6	66.7%	8	88.9%	0	0.0%
University Medical Ctr at Princeton in Plainsboro	13	1	0	0.0%	0	0.0%	11	84.6%	9	69.2%	1	7.7%
Valley Hospital	30	2	0	0.0%	2	6.7%	26	86.7%	29	96.7%	1	3.3%
Virtua-Memorial Hospital Burlington Cty.	20	3	0	0.0%	0	0.0%	17	85.0%	16	80.0%	2	10.0%
Virtua-West Jersey Hospital Marlton	18	0	0	0.0%	0	0.0%	18	100.0%	16	88.9%	0	0.0%
Total	829	50	29	3.5%	33	4.0%	692	83.5%	704	84.9%	58	7.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2018 - 9/30/2018**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q3 2018												
Atlanticare Regional Medical Center-Mainland	60	2	0	0.0%	0	0.0%	58	96.7%	57	95.0%	1	1.7%
Bayonne Medical Center	12	3	2	16.7%	0	0.0%	9	75.0%	11	91.7%	0	0.0%
Bayshore Community Hospital	14	1	0	0.0%	1	7.1%	10	71.4%	13	92.9%	1	7.1%
Capital Health System at Hopewell	14	0	0	0.0%	0	0.0%	14	100.0%	12	85.7%	1	7.1%
CarePoint Health-Christ Hospital	4	1	0	0.0%	0	0.0%	3	75.0%	4	100.0%	0	0.0%
Chilton Memorial Hospital	18	0	0	0.0%	0	0.0%	18	100.0%	16	88.9%	1	5.6%
Clara Maass Medical Center	12	3	2	16.7%	1	8.3%	6	50.0%	8	66.7%	2	16.7%
Community Medical Center	34	2	1	2.9%	1	2.9%	30	88.2%	29	85.3%	0	0.0%
Deborah Heart and Lung Center	8	2	3	37.5%	2	25.0%	1	12.5%	7	87.5%	1	12.5%
Englewood Hospital and Medical Center	15	2	0	0.0%	0	0.0%	13	86.7%	10	66.7%	2	13.3%
Hackensack University Medical Center	36	3	1	2.8%	0	0.0%	31	86.1%	27	75.0%	6	16.7%
Holy Name Hospital	8	0	0	0.0%	1	12.5%	2	25.0%	7	87.5%	0	0.0%
Hunterdon Medical Center	17	0	0	0.0%	1	5.9%	15	88.2%	13	76.5%	2	11.8%
Inspira Medical Center Vineland	14	0	0	0.0%	0	0.0%	14	100.0%	7	50.0%	0	0.0%
Inspira Medical Center Woodbury	18	1	0	0.0%	0	0.0%	17	94.4%	18	100.0%	0	0.0%
Jersey City Medical Center	6	1	0	0.0%	0	0.0%	4	66.7%	6	100.0%	0	0.0%
Jersey Shore University Medical Center	32	3	1	3.1%	2	6.3%	27	84.4%	24	75.0%	2	6.3%
JFK Medical Center (Edison)	17	0	0	0.0%	1	5.9%	16	94.1%	15	88.2%	0	0.0%
Monmouth Medical Center	11	0	0	0.0%	0	0.0%	11	100.0%	9	81.8%	0	0.0%
Morristown Memorial Hospital	35	0	0	0.0%	4	11.4%	31	88.6%	24	68.6%	4	11.4%
Mountainside Hospital	4	0	0	0.0%	0	0.0%	3	75.0%	2	50.0%	1	25.0%
Newark Beth Israel Medical Center	16	1	1	6.3%	0	0.0%	14	87.5%	13	81.3%	0	0.0%
Ocean Medical Center	21	2	0	0.0%	0	0.0%	18	85.7%	19	90.5%	0	0.0%
Our Lady of Lourdes Medical Center	29	8	0	0.0%	0	0.0%	20	69.0%	22	75.9%	6	20.7%
Overlook Hospital	22	0	0	0.0%	0	0.0%	22	100.0%	16	72.7%	1	4.5%
Raritan Bay Medical Center - Perth Amboy	19	0	1	5.3%	2	10.5%	16	84.2%	19	100.0%	0	0.0%
Riverview Medical Center	14	0	0	0.0%	2	14.3%	12	85.7%	13	92.9%	1	7.1%
Robert Wood Johnson University Hospital	15	1	1	6.7%	1	6.7%	6	40.0%	14	93.3%	0	0.0%
RWJ University Hospital at Hamilton	11	0	0	0.0%	0	0.0%	11	100.0%	11	100.0%	0	0.0%
RWJ University Hospital at Rahway	14	0	1	7.1%	1	7.1%	12	85.7%	7	50.0%	4	28.6%
RWJ University Hospital at Somerset	21	2	5	23.8%	1	4.8%	14	66.7%	16	76.2%	3	14.3%
St. Barnabas Medical Center	10	0	0	0.0%	1	10.0%	9	90.0%	8	80.0%	0	0.0%
St. Clare's Hospital - Denville	31	0	1	3.2%	0	0.0%	30	96.8%	29	93.5%	1	3.2%
St. Francis Medical Center	6	0	0	0.0%	0	0.0%	6	100.0%	5	83.3%	0	0.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2018 - 9/30/2018**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Joseph's Regional Medical Center	23	5	0	0.0%	0	0.0%	17	73.9%	23	100.0%	0	0.0%
St. Mary's Hospital (Passaic)	7	0	0	0.0%	0	0.0%	7	100.0%	5	71.4%	2	28.6%
St. Michael's Medical Center	7	0	0	0.0%	0	0.0%	7	100.0%	4	57.1%	0	0.0%
St. Peter's University Hospital	8	0	0	0.0%	0	0.0%	8	100.0%	5	62.5%	2	25.0%
The Cooper Health System	20	5	0	0.0%	0	0.0%	14	70.0%	18	90.0%	2	10.0%
Trinitas Hospital	17	1	0	0.0%	0	0.0%	16	94.1%	13	76.5%	1	5.9%
University Hospital	5	0	1	20.0%	0	0.0%	3	60.0%	4	80.0%	0	0.0%
University Medical Ctr at Princeton in Plainsboro	16	1	0	0.0%	1	6.3%	13	81.3%	14	87.5%	0	0.0%
Valley Hospital	27	2	0	0.0%	3	11.1%	21	77.8%	25	92.6%	0	0.0%
Virtua-Memorial Hospital Burlington Cty.	17	0	0	0.0%	0	0.0%	17	100.0%	15	88.2%	1	5.9%
Virtua-West Jersey Hospital Marlton	38	0	0	0.0%	0	0.0%	38	100.0%	35	92.1%	0	0.0%
Total	803	52	21	2.6%	26	3.2%	684	85.2%	672	83.7%	48	6.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2018 - 9/30/2018**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
2018 Total												
Atlanticare Regional Medical Center-Mainland	163	8	1	0.6%	2	1.2%	152	93.3%	153	93.9%	4	2.5%
Bayonne Medical Center	41	6	7	17.1%	0	0.0%	31	75.6%	37	90.2%	0	0.0%
Bayshore Community Hospital	37	2	0	0.0%	2	5.4%	31	83.8%	35	94.6%	1	2.7%
Capital Health System at Hopewell	37	0	0	0.0%	1	2.7%	36	97.3%	35	94.6%	1	2.7%
CarePoint Health-Christ Hospital	23	1	0	0.0%	0	0.0%	21	91.3%	23	100.0%	0	0.0%
Chilton Memorial Hospital	43	0	0	0.0%	0	0.0%	42	97.7%	37	86.0%	2	4.7%
Clara Maass Medical Center	27	5	4	14.8%	2	7.4%	16	59.3%	16	59.3%	8	29.6%
Community Medical Center	70	6	2	2.9%	1	1.4%	60	85.7%	57	81.4%	2	2.9%
Deborah Heart and Lung Center	22	2	9	40.9%	4	18.2%	6	27.3%	20	90.9%	1	4.5%
Englewood Hospital and Medical Center	59	6	3	5.1%	2	3.4%	49	83.1%	49	83.1%	4	6.8%
Hackensack University Medical Center	131	10	6	4.6%	7	5.3%	110	84.0%	95	72.5%	22	16.8%
Holy Name Hospital	44	4	2	4.5%	5	11.4%	20	45.5%	26	59.1%	10	22.7%
Hunterdon Medical Center	46	1	0	0.0%	2	4.3%	42	91.3%	39	84.8%	2	4.3%
Inspira Medical Center Vineland	44	0	0	0.0%	0	0.0%	44	100.0%	33	75.0%	1	2.3%
Inspira Medical Center Woodbury	48	3	0	0.0%	1	2.1%	45	93.8%	42	87.5%	2	4.2%
Jersey City Medical Center	35	5	0	0.0%	0	0.0%	28	80.0%	31	88.6%	2	5.7%
Jersey Shore University Medical Center	100	9	2	2.0%	6	6.0%	80	80.0%	76	76.0%	12	12.0%
JFK Medical Center (Edison)	74	0	2	2.7%	2	2.7%	71	95.9%	66	89.2%	3	4.1%
Monmouth Medical Center	27	1	0	0.0%	0	0.0%	26	96.3%	23	85.2%	0	0.0%
Morristown Memorial Hospital	140	3	2	1.4%	8	5.7%	127	90.7%	102	72.9%	9	6.4%
Mountainside Hospital	35	1	0	0.0%	3	8.6%	29	82.9%	27	77.1%	5	14.3%
Newark Beth Israel Medical Center	35	3	1	2.9%	0	0.0%	30	85.7%	27	77.1%	2	5.7%
Ocean Medical Center	84	3	0	0.0%	1	1.2%	71	84.5%	72	85.7%	4	4.8%
Our Lady of Lourdes Medical Center	98	13	0	0.0%	6	6.1%	78	79.6%	87	88.8%	6	6.1%
Overlook Hospital	67	0	0	0.0%	2	3.0%	64	95.5%	48	71.6%	4	6.0%
Raritan Bay Medical Center - Perth Amboy	62	0	2	3.2%	5	8.1%	55	88.7%	58	93.5%	3	4.8%
Riverview Medical Center	36	1	2	5.6%	3	8.3%	30	83.3%	35	97.2%	1	2.8%
Robert Wood Johnson University Hospital	84	2	5	6.0%	6	7.1%	21	25.0%	63	75.0%	9	10.7%
RWJ University Hospital at Hamilton	35	0	0	0.0%	0	0.0%	35	100.0%	33	94.3%	0	0.0%
RWJ University Hospital at Rahway	47	0	3	6.4%	3	6.4%	41	87.2%	35	74.5%	6	12.8%
RWJ University Hospital at Somerset	68	10	8	11.8%	2	2.9%	50	73.5%	45	66.2%	10	14.7%
St. Barnabas Medical Center	29	0	0	0.0%	1	3.4%	28	96.6%	24	82.8%	0	0.0%
St. Clare's Hospital - Denville	72	0	1	1.4%	0	0.0%	70	97.2%	66	91.7%	3	4.2%
St. Francis Medical Center	27	1	6	22.2%	2	7.4%	19	70.4%	24	88.9%	1	3.7%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2018 - 9/30/2018**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
St. Joseph's Regional Medical Center	76	10	0	0.0%	1	1.3%	63	82.9%	72	94.7%	1	1.3%
St. Mary's Hospital (Passaic)	20	0	1	5.0%	0	0.0%	19	95.0%	13	65.0%	4	20.0%
St. Michael's Medical Center	17	0	0	0.0%	0	0.0%	17	100.0%	10	58.8%	0	0.0%
St. Peter's University Hospital	24	0	0	0.0%	0	0.0%	23	95.8%	18	75.0%	3	12.5%
The Cooper Health System	68	15	0	0.0%	6	8.8%	46	67.6%	61	89.7%	4	5.9%
Trinitas Hospital	37	4	0	0.0%	0	0.0%	33	89.2%	28	75.7%	3	8.1%
University Hospital	28	0	2	7.1%	1	3.6%	23	82.1%	24	85.7%	1	3.6%
University Medical Ctr at Princeton in Plainsboro	41	2	0	0.0%	1	2.4%	35	85.4%	33	80.5%	2	4.9%
Valley Hospital	75	4	0	0.0%	5	6.7%	65	86.7%	72	96.0%	1	1.3%
Virtua-Memorial Hospital Burlington Cty.	57	3	0	0.0%	0	0.0%	53	93.0%	47	82.5%	5	8.8%
Virtua-West Jersey Hospital Marlton	83	0	0	0.0%	0	0.0%	83	100.0%	75	90.4%	0	0.0%
Total	2516	144	71	2.8%	93	3.7%	2118	84.2%	2092	83.1%	164	6.5%

*Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.
Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.*