



State of New Jersey
DEPARTMENT OF HEALTH

PO BOX 358
TRENTON, N.J. 08625-0358

MIKIE SHERRILL
Governor

DR. DALE G. CALDWELL
Lt. Governor

www.nj.gov/health

DR. RAYNARD E. WASHINGTON
Acting Commissioner

In Re Licensure Violation:

MANAHAWKIN HEALTH AND
REHABILITATION CENTER
(NJ Facility ID# NJ61520)

.....

ORDER LIFTING DIRECTED PLAN
OF CORRECTION

TO: Sharon Schwartzkopf, Administrator
Manahawkin Health and Rehabilitation Center
1211 Route 72 West
Manahawkin, New Jersey 08050

On March 13, 2026, the Department of Health (hereinafter, "the Department") ordered the curtailment of all admissions and limited readmissions of residents (restricted admission of residents with smoking addictions and residents with intravenous access devices) to Manahawkin Health and Rehabilitation Center (hereinafter "Manahawkin" or the "facility"). The Department further notified the facility that it would be imposing a Directed Plan of Correction, requiring the facility to retain a Consultant Administrator and a Consultant Director of Nursing. On March 17, 2026, the Department issued a form order. On March 18, 2026, the Department issued an Amended Curtailment of All New Admissions, a Limited Curtailment of Readmissions and a Directed Plan of Correction. On March 30, 2026, the Department issued an order lifting the curtailments, but the Directed Plan of Correction remained in effect. Effective immediately, the Department hereby lifts the Directed Plan of Correction.

Thank you for your attention to this important matter. If you have any questions concerning the Order Lifting Directed Plan of Correction, please contact Lisa King, Office of Program Compliance, at Lisa.King@doh.nj.gov.

Sincerely,

Lisa King, Program Manager
Office of Program Compliance
Division of Certificate of Need and Licensing

LK:JLM:nj
DATED: May 4, 2026

Manahawkin Health & Rehabilitation Center
Order Lifting Directed Plan of Correction
May 4, 2026
Page 2

E-MAIL (administrator@manahawkin-health.com)
Control #X26115

c. Order Distribution List