

Respiratory Illness Surveillance Report

Week Ending February 22, 2025 (MMWR 8)


Report Highlights

- Emergency department visits and hospital admissions remain elevated for influenza with slight decreases, remain stable for COVID-19, and continue to decrease for RSV.
- Recent COVID-19, influenza, and RSV hospitalizations have mostly been reported in persons 65 years and older. The number of influenza-associated deaths remain elevated over the past month; with two fatal pediatric cases reported this week.
- Test positivity for COVID-19, influenza, and RSV decreased slightly since last week. Test positivity is high for seasonal coronaviruses.
- Levels of influenza A and COVID-19 in wastewater remain elevated. While elevated, COVID-19 levels remain lower than the summer 2024 peak. Levels for influenza B are increasing. RSV levels in wastewater continue to decline.
- The predominant COVID-19 variants are XEC and LP.8.1, subvariants of Omicron covered by the 2024-25 COVID-19 vaccine. Among the current predominant influenza viruses, type B is followed by 2009 H1N1 and these are included in the 2024-25 influenza vaccine.
- Respiratory outbreaks reported by K-12 schools so far this month have been primarily due to influenza and outbreaks reported in long-term care facilities continue to primarily be due to COVID-19 and influenza.


Respiratory Trends

Data from the NJDOH Syndromic Surveillance System (EpiCenter) shows the weekly percent of emergency department visits and visits that resulted in hospitalizations associated with COVID-19, Influenza, and/or RSV diagnoses codes reported by 79 New Jersey emergency departments.

Percent of Emergency Department Visits with a Respiratory Illness Diagnosis




Emergency Department Visits with Respiratory Illness Diagnosis that Resulted in Admission






Respiratory Virus Test Positivity

The National Respiratory and Enteric Virus Surveillance System (NREVSS) is a laboratory-based surveillance system and participating laboratories report the total number of tests performed and the total positive tests for respiratory viruses, including adenovirus, human metapneumovirus, and parainfluenza. Information about the CDC NREVSS system can be found at: <https://www.cdc.gov/nrevss/php/participating-labs/index.html>



Wastewater Surveillance

Aggregate, state-level, normalized concentrations of SARS-CoV-2, influenza, and RSV charted over time, based on testing from wastewater samples submitted twice weekly from participating sites, provide information on changing levels of disease circulation, and are used as a tool in monitoring respiratory virus trends.



COVID-19: Cases

Data from the NJDOH Communicable Disease Reporting and Surveillance System (CDRSS) is used to report weekly COVID-19 cases. COVID-19 case data is based on PCR and antigen tests.


COVID-19 Cases by Illness Onset Date



COVID-19: Hospitalizations

NJDOH uses syndromic surveillance data to monitor trends associated with visits to emergency departments for COVID-19. Data shows the number of emergency department visits with a COVID-19 diagnosis that resulted in hospitalizations by age group.


Emergency Department Visits with a COVID-19 Diagnosis that Resulted in Admission



COVID-19: Deaths

Data from CDRSS and the NJ Electronic Death Registration System (EDRS) are used to provide information on the number of COVID-19 associated deaths. COVID-19 associated deaths are based on the CSTE Revised COVID-19 associated Death Classification Guidance for Public Health Surveillance Programs.


COVID-19 Associated Deaths



COVID-19: Variants


The chart depicts a summary of COVID-19 variant surveillance by month of specimen collection. Data includes sequencing results reported by selected commercial Labs and the NJ Public Health and Environmental Laboratories that have been submitted for surveillance purposes. Percentages represent the proportion of specimens sequenced with the specified variant lineage. For additional information on variant classification, see CDC SARS-CoV-2 Variant Classifications and Definitions:

<https://covid.cdc.gov/covid-data-tracker/#variants-genomic-surveillance>



Influenza: Cases


Data from CDRSS is used to report weekly influenza cases. Influenza case data is based on PCR tests.



Influenza: Hospitalizations

NJDOH uses syndromic surveillance data to monitor trends associated with visits to emergency departments for influenza. Data shows the number of emergency department visits with an influenza diagnosis that resulted in hospitalization by age group.

Emergency Department Visits with an Influenza Diagnosis that Resulted in Admission




Influenza: Deaths

Data from CDRSS and EDRS is used determine the number of adult influenza-associated deaths reported weekly.

The table includes severe and fatal influenza-associated pediatric cases reported to NJDOH compared to national pediatric influenza deaths for a 5-year period. An influenza-associated pediatric death is defined as a death resulting from a clinically compatible illness with laboratory confirmed influenza. Severe illness is defined as admission to an intensive care unit for an influenza-related illness.

Influenza Associated Deaths




Pediatric Influenza Deaths and Severe Cases

Influenza Season	US (fatal)	NJ (fatal)	NJ (severe cases)
2020-2021	1	0	1
2021-2022	49	0	19
2022-2023	187	4	95
2023-2024	207	2	99
2024-2025	86	3	102


RSV: Test Positivity

Data from CDRSS submitted by select acute care facilities is used to report weekly number of respiratory syncytial virus (RSV) tests performed and the test positivity.





RSV: Hospitalizations

NJDOH uses syndromic surveillance data to monitor trends associated with visits to emergency departments for RSV. Data shows the number of emergency department visits with an RSV diagnosis that resulted in hospitalization by age group.




K-12 Schools

Data from CDRSS is used to provide information on COVID-19, influenza, and RSV outbreaks in school settings, including in childcare and early elementary care facilities and to provide information on school-related absenteeism due to COVID-19 and influenza.



Outbreaks in Long-Term Care

Respiratory outbreaks in long-term care facilities by month of outbreak as reported to NJDOH in the Communicable Disease Surveillance and Reporting System (CDRSS) are plotted below. Counts include COVID-19, influenza and RSV outbreaks.



For additional information visit:

- NJDOH CDS Respiratory Illness Dashboard www.nj.gov/health/respiratory-viruses/data-and-reports/#respiratory-illness-dashboard/
- NJDOH CDS LTC Vaccination Coverage Dashboard www.nj.gov/health/ltc/home/dashboard.shtml